



ECMWF

Global Data Monitoring Report

April 2025

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	16
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	17
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	18
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	19
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	20
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	22
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	23
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	24
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	26
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	27
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	28
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	29
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	30
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	31
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	32
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	33
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	34
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	35
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	36
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	37
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	38
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	39
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	40
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	41
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	42
4	EUCOS Area Monitoring Statistics	50
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	51
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)	54
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	57
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	60
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	63
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	66
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	69
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	72
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	75
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	84
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	88
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	93
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	95

5 Annex - Explanations of figures and tables	96
5.1 General	96
5.2 Data Availability	96
5.3 Data Quality	96

Summary of Revisions (in reverse order)

- Revision 30 (Nov 23) – Coverage charts for AIREP/AMDARs updated:
Added MODE-S and ADS-C to Figure 5 and Figure 18
- Revision 29 (Dec 22) – Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOB figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) – Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) – Selection criteria for SHIPS are modified as per SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) – Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) – Monitoring of Radiosondes and ASAPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) – North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) – Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) – Coverage charts for TOVS thickness 300-100 hPa replaced by (A) TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) – Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) – Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) – From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.

Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of percentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Mar	Apr	Ident	Time	Mar	Apr
03743	(12)	20	0	04360	(00)	5	26
03882	(00)	31	0	04360	(12)	5	27
16113	(00)	29	2	15614	(12)	15	30
29231	(12)	30	12	16113	(12)	1	30
30965	(00)	23	0	22845	(00)	6	28
30965	(12)	22	0	22845	(12)	12	26
32477	(12)	31	10	25428	(00)	12	29
44212	(12)	31	8	42410	(00)	1	29
65578	(00)	29	0	42410	(12)	1	29
65578	(12)	28	0	42492	(00)	0	22
68994	(00)	20	0	42647	(00)	2	29
68994	(12)	19	0	42647	(12)	2	28
70219	(00)	26	2	42724	(00)	0	17
72327	(00)	29	11	42867	(00)	11	30
72327	(12)	31	11	42867	(12)	6	30
72476	(12)	20	0	43311	(00)	0	12
72558	(00)	19	5	76526	(12)	6	19
72558	(12)	18	0	78866	(00)	0	13
72562	(00)	19	1	78866	(12)	0	13
72645	(12)	20	0	82099	(00)	10	30
72659	(12)	19	0	82193	(00)	18	30
72662	(00)	20	1	82332	(00)	0	29
72662	(12)	20	1	82411	(00)	11	25
80398	(12)	22	0	82411	(12)	9	29
85586	(00)	28	17	82532	(00)	12	27
89062	(12)	28	17	82917	(00)	3	21
91765	(00)	14	0	82917	(12)	5	23
94120	(12)	27	3	83208	(00)	8	29
96163	(00)	15	0	83768	(12)	0	30
96253	(00)	30	15	91557	(00)	0	28
96685	(00)	17	0	91610	(00)	14	30
97014	(00)	30	15	96035	(00)	12	29
97900	(00)	29	4	97180	(12)	19	30
-	-	-	-	98618	(00)	10	27

2.2 Drifting Buoys

Surface pressure observations from **1361** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMP SHIPS and PILOT SHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.


Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE


Figure 1

ECMWF Monitoring Statistics - APR 2025
Availability - SYNOP/SHIP (manual, auto) pressure
Average number of observations in 24 hours - 97728
LAND - WMO Region I: 5536 II:22027 III: 7162 IV: 8598
Region V:14434 VI:39167 Antarctic: 804




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE


Figure 2



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5




Magics 4.9.4

ECMWF

3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6




Magics 4.9.4



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7




Magics 4.9.4

ECMWF

3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8




Magics 4.9.4

ECMWF

3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1




Magics 4.9.4

ECMWF

3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2




Magics 4.9.4

ECMWF

3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3



Magics 4.9.4

3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
2HDG2	99	P	SUR	31	0	3.1	-3.2	4.5
3E3566	99	P	SUR	38	0	1.2	5.9	6.0
3E5049	99	P	SUR	18	1	2.0	8.5	8.7
3E5193	99	P	SUR	77	0	0.5	3.5	3.6
3EBY2	99	P	SUR	31	18	1.2	13.4	13.5
3ETR7	99	P	SUR	16	0	1.1	3.2	3.3
3FWH8	99	P	SUR	38	0	4.5	4.9	6.7
45014	99	P	SUR	25	25	0.0	0.0	0.0
6QZJ45L	99	P	SUR	32	0	1.4	-3.6	3.9
7KKU	99	P	SUR	62	0	0.7	-4.4	4.5
7KOA	99	P	SUR	26	0	0.7	5.4	5.5
9HA4648	99	P	SUR	19	0	2.0	5.8	6.1
9HA5209	99	P	SUR	64	0	2.7	7.9	8.4
9HA5682	99	P	SUR	43	1	2.8	-5.0	5.7
9HA5823	99	P	SUR	47	0	2.7	6.8	7.3
9HA5976	99	P	SUR	26	0	1.9	6.1	6.3
9HSJ7	99	P	SUR	72	0	1.8	6.6	6.9
9M3466	99	P	SUR	17	0	1.2	-3.4	3.6
9V2024	99	P	SUR	26	0	1.9	3.4	3.9
9V3912	99	P	SUR	104	0	3.2	5.8	6.7
9V3913	99	P	SUR	77	0	5.2	0.2	5.2
9V5247	99	P	SUR	16	0	0.4	3.3	3.3
9V6256	99	P	SUR	40	0	0.6	-4.0	4.0
9V7648	99	P	SUR	16	0	1.6	3.0	3.4
9V7650	99	P	SUR	58	0	4.6	3.5	5.8
9V8372	99	P	SUR	40	0	1.4	4.7	4.9
9V9404	99	P	SUR	39	0	2.2	3.0	3.7
ATAH2	99	P	SUR	17	0	1.7	-7.5	7.6
AUTP	99	P	SUR	30	0	1.4	6.2	6.3
AVBF	99	P	SUR	16	0	1.6	9.6	9.7
AVWF	99	P	SUR	36	4	1.7	12.1	12.2
AWXA	99	P	SUR	16	0	1.6	-9.2	9.4

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
C6EI4	99	P	SUR	22	0	0.7	-3.3	3.4
DUUFU3N	99	P	SUR	43	0	2.0	-3.9	4.4
EAJ3GDS	99	P	SUR	18	0	0.5	-4.1	4.1
HOPW	99	P	SUR	40	1	5.6	-0.8	5.6
JPTX	99	P	SUR	21	0	0.4	6.9	6.9
LAQL7	99	P	SUR	58	0	1.4	4.7	4.9
ONKJ	99	P	SUR	30	0	0.8	4.4	4.5
S6AN5	99	P	SUR	17	0	2.2	5.6	6.0
S6LT9	99	P	SUR	15	0	2.4	-3.1	3.9
UBRW	99	P	SUR	47	0	4.3	-5.6	7.1
UCQX	99	P	SUR	15	15	0.0	0.0	0.0
V7A4788	99	P	SUR	34	1	5.8	5.6	8.0
V7A6081	99	P	SUR	30	0	1.4	6.1	6.2
V7QK9	99	P	SUR	24	0	2.7	4.6	5.3
V7QT7	99	P	SUR	37	0	1.3	4.4	4.5
VNSZ	99	P	SUR	119	0	0.8	-3.6	3.7
VRDW2	99	P	SUR	95	0	1.3	-4.5	4.6
VRFS2	99	P	SUR	21	0	2.9	6.2	6.9
VRID2	99	P	SUR	58	0	2.0	4.6	5.0
VRLA6	99	P	SUR	22	0	0.8	8.5	8.5
VRLJ4	99	P	SUR	19	0	1.8	4.0	4.4
VROC3	99	P	SUR	22	0	1.1	5.0	5.1
VRPP5	99	P	SUR	45	0	1.0	5.4	5.5
VRQL9	99	P	SUR	24	0	2.7	7.2	7.7
VRQS3	99	P	SUR	17	0	2.6	7.6	8.0
VRUN2	99	P	SUR	15	0	0.8	3.7	3.8
VRWA8	99	P	SUR	29	0	0.8	-4.2	4.3
WDF2493	99	P	SUR	74	0	0.9	-3.1	3.2
WGEB	99	P	SUR	118	0	0.7	6.2	6.3
WMKQ	99	P	SUR	83	0	0.7	-5.4	5.5
ZBZA5GS	99	P	SUR	35	0	1.4	-5.2	5.3
ZGFY4	99	P	SUR	31	0	1.1	-9.0	9.0

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. $\geq 15(50)$, AND,
 Manual (Automatic) ABSOLUTE BIAS $\geq 4(4)$ M/S, OR,
 % GROSS ERROR $\geq 25(15)$
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44078	99	SPEED	SUR	85	0	0	4.5	-6.1	7.5

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. $\geq 15(50)$ (WIND SPEEDS $> 3\text{m/s}$), AND ,
 Manual (Automatic) ABSOLUTE BIAS $\geq 30(25)$ DEGREES, OR,
 STANDARD DEVIATION $\geq 70(50)$ DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42067	99	DIRN	SUR	103	0	0	87.7	0.8	87.7
44489	99	DIRN	SUR	87	0	0	17.1	-34.6	38.6
45029	99	DIRN	SUR	63	0	0	18.4	52.2	55.3
46092	99	DIRN	SUR	21	0	0	118.0	14.1	118.9
46204	99	DIRN	SUR	103	0	0	15.8	34.4	37.9

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1301787	99	P	SUR	28	-16	128	128	0.0	0.0	0.0
2302627	99	P	SUR	11	73	652	445	8.3	-2.4	8.7
2501556	99	P	SUR	76	153	243	243	0.0	0.0	0.0
2501557	99	P	SUR	74	164	57	57	0.0	0.0	0.0
2802016	99	P	SUR	60	-174	716	4	5.7	6.7	8.8
3201836	99	P	SUR	6	169	167	132	8.1	-3.2	8.7
3401636	99	P	SUR	-33	-115	664	0	0.4	-6.7	6.7
4101860	99	P	SUR	28	-51	162	0	0.4	-8.8	8.8
4101867	99	P	SUR	6	81	707	583	3.9	-5.5	6.8
4500014	99	P	SUR	45	-88	301	301	0.0	0.0	0.0
45014	99	P	SUR	45	-88	151	151	0.0	0.0	0.0
4601855	99	P	SUR	48	-165	719	226	5.1	-3.7	6.3
4602563	99	P	SUR	33	-159	559	92	4.5	6.4	7.8
4701558	99	P	SUR	79	-18	60	0	0.3	-4.5	4.5
4801763	99	P	SUR	61	-52	597	1	1.0	-5.3	5.4
4801771	99	P	SUR	68	7	225	225	0.0	0.0	0.0
4802582	99	P	SUR	64	-18	718	79	3.3	-9.3	9.9
4802662	99	P	SUR	70	-125	597	547	7.8	0.0	7.8
4804004	99	P	SUR	-5	-37	161	0	0.5	-5.8	5.9
5103563	99	P	SUR	35	-142	305	29	7.4	2.2	7.8
5401773	99	P	SUR	-48	-76	706	0	2.4	6.0	6.4
5401775	99	P	SUR	-50	-75	406	51	7.7	1.1	7.7
5501735	99	P	SUR	-41	-129	597	597	0.0	0.0	0.0
5601562	99	P	SUR	-4	40	467	54	4.1	-5.8	7.1
5802090	99	P	SUR	-10	86	300	300	0.0	0.0	0.0
5802091	99	P	SUR	-25	76	300	300	0.0	0.0	0.0
5802161	99	P	SUR	-61	132	278	77	5.0	-1.4	5.2
6203681	99	P	SUR	25	-21	87	65	0.5	-0.7	0.8
6301517	99	P	SUR	79	180	709	705	3.5	5.2	6.3
6301518	99	P	SUR	74	-173	709	316	3.8	-9.3	10.0
6801806	99	P	SUR	57	-170	365	0	1.0	-7.4	7.5
6801904	99	P	SUR	-18	80	300	300	0.0	0.0	0.0

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	ME LEVEL	LAT	N LONG	N OBS	GROSS	SD	BIAS	RMS
6801948	99	P	SUR	53	-130	682	426	4.8	8.3	9.6
7801693	99	P	SUR	20	-180	720	0	0.4	-8.3	8.3
7801750	99	P	SUR	21	-130	693	672	1.7	12.9	13.0
7801759	99	P	SUR	28	148	688	22	1.5	11.9	12.0
7801770	99	P	SUR	58	-153	713	713	0.0	0.0	0.0
7810000	99	P	SUR	33	-117	87	0	0.4	-6.9	7.0
7810001	99	P	SUR	33	-117	87	0	0.4	-7.0	7.0
7810002	99	P	SUR	33	-117	87	0	0.0	-7.0	7.0
7810003	99	P	SUR	33	-117	86	0	0.0	-7.1	7.1
7810004	99	P	SUR	33	-117	86	0	0.4	-7.0	7.0
7810005	99	P	SUR	33	-117	85	0	0.0	-7.1	7.1
7810006	99	P	SUR	33	-117	86	0	0.4	-7.2	7.2
7810007	99	P	SUR	33	-117	85	0	0.4	-7.1	7.1
7810008	99	P	SUR	33	-117	76	0	0.4	-7.1	7.1
7810009	99	P	SUR	33	-117	86	0	0.0	-7.1	7.1
7810010	99	P	SUR	33	-117	85	0	0.4	-7.1	7.1
7810011	99	P	SUR	33	-117	86	0	0.4	-7.1	7.1
7810012	99	P	SUR	33	-117	85	0	0.4	-7.0	7.0
7810013	99	P	SUR	33	-117	84	0	0.4	-7.0	7.0
7810014	99	P	SUR	33	-117	86	0	0.0	-6.9	6.9
7810015	99	P	SUR	33	-117	86	0	0.4	-7.2	7.3
7810306	99	P	SUR	56	-163	544	151	6.0	-1.9	6.3
7810324	99	P	SUR	32	-65	706	0	1.3	6.7	6.9
7810469	99	P	SUR	-28	100	706	91	3.5	11.0	11.6

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 5 M/S, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44078	99	SPEED	SUR	60	-40	506	0	0	4.5	-6.1	7.6

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1500009	99	DIRN	SUR	0	-3	250	0	0	23.5	-22.9	32.8
2200185	99	DIRN	SUR	37	125	466	0	0	20.4	29.9	36.2
2200309	99	DIRN	SUR	34	128	557	0	0	19.8	-21.5	29.2
2300016	99	DIRN	SUR	-2	67	185	0	0	24.5	21.2	32.4
2300091	99	DIRN	SUR	18	89	63	0	0	122.5	-13.9	123.3
2300092	99	DIRN	SUR	17	89	121	0	0	78.8	84.3	115.4
23091	99	DIRN	SUR	18	89	59	0	0	121.7	-17.4	122.9
23092	99	DIRN	SUR	17	89	113	0	0	72.4	91.0	116.3
3200318	99	DIRN	SUR	-5	-110	51	0	0	6.0	20.3	21.2
4200067	99	DIRN	SUR	30	-89	3713	0	0	89.7	-8.6	90.2
42067	99	DIRN	SUR	30	-89	628	0	0	88.9	-7.7	89.3
4400488	99	DIRN	SUR	45	-61	528	0	0	20.4	-26.3	33.3
4400489	99	DIRN	SUR	45	-61	513	0	0	17.2	-33.6	37.7
44078	99	DIRN	SUR	60	-40	201	0	0	11.3	-20.1	23.1
44488	99	DIRN	SUR	45	-61	530	0	0	22.2	-26.0	34.2
44489	99	DIRN	SUR	46	-61	534	0	0	19.0	-34.2	39.1
4500013	99	DIRN	SUR	43	-88	756	0	0	23.0	-20.3	30.7
4500029	99	DIRN	SUR	43	-86	2183	0	0	18.3	51.4	54.6
45012	99	DIRN	SUR	44	-77	95	0	0	22.0	20.0	29.8
45029	99	DIRN	SUR	43	-86	388	0	0	20.0	51.1	54.9
4600092	99	DIRN	SUR	37	-122	149	1	0	112.6	3.2	112.7
46092	99	DIRN	SUR	37	-122	142	1	0	111.9	6.3	112.1
46204	99	DIRN	SUR	51	-129	604	0	0	13.0	32.3	34.8
4804181	99	DIRN	SUR	-16	150	1406	0	0	15.8	24.0	28.8
6200086	99	DIRN	SUR	55	7	82	0	0	11.6	26.5	28.9

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	12	Z	1000	57	3	30	0	13.4	74.4	75.6
01400	00	Z	1000	57	3	30	0	3.9	76.0	76.1
23933	00	Z	250	61	69	29	0	31.1	-67.8	74.6
25403	12	Z	300	66	151	26	0	46.0	-48.2	66.6
29839	12	Z	250	54	84	28	0	21.4	72.2	75.3
36003	12	Z	400	52	77	30	1	55.8	22.2	60.1
38341	00	Z	70	43	71	14	6	221.1	15.7	221.7
38341	12	Z	250	43	71	21	8	109.0	-57.9	123.4
47058	00	Z	70	39	126	12	0	59.1	261.5	268.1
47230	12	Z	500	37	126	29	0	20.7	106.4	108.4
47230	00	Z	500	37	126	29	0	6.7	113.2	113.4
52323	00	Z	30	42	97	30	1	164.0	207.0	264.1
52323	12	Z	30	42	97	29	0	135.7	175.2	221.6
65344	12	Z	1000	6	2	28	0	4.5	33.1	33.4
76644	12	Z	700	21	-90	21	0	5.6	39.7	40.1
76644	00	Z	1000	21	-90	25	0	14.4	36.8	39.5
91680	12	Z	1000	-18	177	29	0	4.3	31.0	31.3
91680	00	Z	1000	-18	177	26	0	3.6	32.2	32.4
JNKN7J	12	Z	1000	44	-56	11	0	4.0	39.6	39.8
JNKN7J	00	Z	1000	44	-61	12	0	5.6	38.6	39.0

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
36003	00	V	250	52	77	28	0	0.3	-0.9	16.6
36003	12	V	250	52	77	29	0	-2.7	-1.1	15.3
38341	12	V	200	43	71	20	1	-5.8	-3.6	15.7
38341	00	V	100	43	71	20	1	-7.5	-1.2	15.1
44373	12	V	300	44	104	29	0	-0.3	2.7	15.5

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)


LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
34731	12	DD	47	40	21	-11.1	3.2	8.9
34731	00	DD	47	40	18	-10.5	2.0	10.4
48327	12	DD	19	99	20	-11.1	4.9	10.1
51463	00	DD	44	88	26	-11.1	2.8	8.5
51463	12	DD	44	88	28	-11.4	1.8	7.7


3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC**Figure 10**

**ECMWF Monitoring Statistics - APR 2025 00 UTC
Suspect TEMP Observations - GEOPOTENTIAL**




3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC**Figure 11**

**ECMWF Monitoring Statistics - APR 2025 12 UTC
Suspect TEMP Observations - GEOPOTENTIAL**




3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12
ECMWF Monitoring Statistics - APR 2025 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13
ECMWF Monitoring Statistics - APR 2025 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	100 HPA
AREA	:	GLOBAL
PERIOD	:	APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
2TDJJ8	12	Z	100	10	17.6	16.8
7JUNA4	00	Z	100	7	15.3	-8.0
7JUNA4	12	Z	100	7	11.3	-7.0
ATGU3F	12	Z	100	1	37.1	-37.1
ATGU3F	00	Z	100	1	37.7	-37.7
FPUW5G	12	Z	100	9	15.0	-5.8
GQBZLZ	00	Z	100	0	0.0	0.0
JNKN7J	12	Z	100	9	57.3	43.6
JNKN7J	00	Z	100	11	27.3	26.2
JNSR	00	Z	100	19	10.6	9.5
JNSR	12	Z	100	19	11.7	10.8
KJJF9X	00	Z	100	0	0.0	0.0
KJJF9X	12	Z	100	1	28.8	-28.8
KMPLHP	00	Z	100	11	13.8	-11.8
KMPLHP	12	Z	100	11	24.4	-10.6
LAGZ8	12	Z	100	3	42.7	42.6
LRYQE3	12	Z	100	11	49.8	47.0
LRYQE3	00	Z	100	10	13.1	-7.2
UXK5JT	00	Z	100	2	19.4	-19.3
UXK5JT	12	Z	100	2	20.5	-20.4
WDK38H	12	Z	100	1	17.6	-17.6
XKQLWQ	12	Z	100	20	25.2	19.4
YLV96W	00	Z	100	11	20.3	-3.8
YLV96W	12	Z	100	11	52.9	33.1
ZSNO	12	Z	100	1	7.2	7.2
ZVQEQC	12	Z	100	5	8.4	7.3
ZVQEQC	00	Z	100	7	6.8	5.9


3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : GLOBAL
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OB TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
2TDJJ8	12	V	100	10	2.8	1.1	0.3
7JUNA4	00	V	100	7	3.3	-0.3	1.5
7JUNA4	12	V	100	7	3.1	0.0	0.5
ATGU3F	12	V	100	1	2.1	-1.4	1.6
ATGU3F	00	V	100	1	2.7	0.5	2.7
FPUW5G	12	V	100	6	2.7	0.2	1.1
GQBZLZ	00	V	100	0	0.0	0.0	0.0
JNKN7J	12	V	100	9	4.3	-0.8	1.0
JNKN7J	00	V	100	11	3.1	0.5	0.3
JNSR	00	V	100	19	4.4	-0.3	0.6
JNSR	12	V	100	19	3.3	-0.1	-1.2
KJJF9X	00	V	100	0	0.0	0.0	0.0
KJJF9X	12	V	100	1	3.8	-3.7	0.7
KMPLHP	00	V	100	11	3.9	0.2	1.0
KMPLHP	12	V	100	11	2.5	0.5	0.4
LAGZ8	12	V	100	3	2.8	0.3	-0.3
LRYQE3	12	V	100	11	4.3	-0.7	1.6
LRYQE3	00	V	100	10	3.5	0.7	1.0
UXK5JT	00	V	100	2	3.7	-1.7	-1.1
UXK5JT	12	V	100	2	2.1	-0.9	0.0
WDK38H	12	V	100	1	1.4	-1.3	0.6
XKQLWQ	12	V	100	20	2.6	0.7	0.9
YLV96W	00	V	100	11	2.4	0.0	-0.5
YLV96W	12	V	100	11	2.3	-0.4	0.1
ZSNO	12	V	100	1	2.2	2.0	-0.8
ZVQEQC	12	V	100	5	3.3	-1.2	-0.1
ZVQEQC	00	V	100	7	2.5	-0.6	0.6

3.2.27 Figure 14 - SATOB Winds: 700-1000hPa


Figure 14



3.2.28 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15


ECMWF Monitoring Statistics: Apr 2025
AMV Winds: 150- 400hPa
Wind bias: Observation - FG



3.2.29 Figure 16 - SATOB Winds: 700-1000hPa


Figure 16

ECMWF Monitoring Statistics: Apr 2025
AMV Winds: 700-1000hPa
Wind bias: Observation - FG



3.2.30 Figure 17 - SATOB Winds: 150- 400hPa


Figure 17
ECMWF Monitoring Statistics: Apr 2025
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18

ECMWF Monitoring Statistics: Apr 2025
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
AAB	99	V	300-150	21	0	0	2.3	-0.1
AAL	99	V	300-150	51767	4	0	5.6	0.2
AAR	99	V	300-150	186	0	1	3.9	-0.7
ABD	99	V	300-150	716	0	0	3.6	-0.3
ABP	99	V	300-150	100	0	0	3.5	0.1
ACA	99	V	300-150	31915	3	0	5.7	0.2
ACI	99	V	300-150	226	0	0	4.2	0.7
ADY	99	V	300-150	39	0	0	2.6	0.4
ADZ	99	V	300-150	111	0	0	3.5	-0.6
AEA	99	V	300-150	366	8	0	7.0	0.6
AEW	99	V	300-150	89	0	0	3.2	0.4
AFP	99	V	300-150	31	0	0	4.9	1.9
AFR	99	V	300-150	35816	1	0	3.9	0.2
AHY	99	V	300-150	25	0	0	3.0	1.2
AIC	99	V	300-150	4129	1	0	4.2	0.1
AIZ	99	V	300-150	357	0	0	3.4	0.4
AJO	99	V	300-150	50	0	0	3.4	0.5
AJT	99	V	300-150	142	0	0	3.7	0.5
ALK	99	V	300-150	1263	0	0	3.3	0.5
AMQ	99	V	300-150	39	0	0	2.8	0.2
AMX	99	V	300-150	5482	10	0	7.8	0.4
ANZ	99	V	300-150	12858	0	0	4.1	0.4
AOJ	99	V	300-150	156	0	0	3.5	-0.2
ASL	99	V	300-150	684	0	0	2.9	0.2
ASY	99	V	300-150	57	0	0	5.0	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
ATC	99	V	300-150	80	15	0	8.0	0.1
ATN	99	V	300-150	132	1	3	4.3	0.5
AUA	99	V	300-150	4737	4	0	5.6	0.1
AVA	99	V	300-150	955	10	0	8.0	0.2
AXB	99	V	300-150	36	0	0	2.5	0.1
AXM	99	V	300-150	37	0	8	4.1	0.5
AXY	99	V	300-150	85	0	0	3.5	0.3
AZG	99	V	300-150	687	0	0	3.4	-0.1
BAF	99	V	300-150	91	0	0	3.5	0.0
BAW	99	V	300-150	51087	2	0	5.0	0.1
BBC	99	V	300-150	630	7	0	6.8	0.2
BCS	99	V	300-150	717	0	0	3.4	0.1
BEL	99	V	300-150	1350	0	0	3.1	0.1
BFF	99	V	300-150	57	0	0	8.4	1.6
BLU	99	V	300-150	92	0	0	4.2	1.9
BLX	99	V	300-150	132	8	0	7.3	-0.4
BMW	99	V	300-150	81	0	0	3.4	0.0
BOX	99	V	300-150	4044	0	0	3.2	0.2
BOX	99	V	300-150	69	0	0	3.4	-0.5
BQB	99	V	300-150	81	0	0	3.8	0.2
BRJ	99	V	300-150	28	0	0	3.3	-0.2
BRK	99	V	300-150	43	0	0	3.0	0.5
BTX	99	V	300-150	137	0	0	3.8	0.2
CAL	99	V	300-150	260	0	0	3.7	0.9
CBJ	99	V	300-150	20	0	0	4.4	1.2
CCA	99	V	300-150	137	0	1	4.1	0.7
CEB	99	V	300-150	40	0	3	3.6	0.6
CEF	99	V	300-150	25	0	0	2.6	0.2
CES	99	V	300-150	1075	0	0	4.1	0.7
CFC	99	V	300-150	217	0	0	4.4	0.6
CFG	99	V	300-150	5900	0	0	3.4	0.4
CHG	99	V	300-150	538	0	0	3.6	-0.2
CHH	99	V	300-150	259	7	0	4.7	0.3
CJT	99	V	300-150	41	0	0	3.8	-0.4
CKS	99	V	300-150	223	0	0	3.6	-0.1
CLE	99	V	300-150	30	0	0	4.1	0.5
CLX	99	V	300-150	4162	0	0	3.6	-0.1
CLY	99	V	300-150	32	0	0	3.3	-0.1
CMB	99	V	300-150	1703	0	0	3.6	-0.1
CND	99	V	300-150	380	0	0	3.5	0.4
CNV	99	V	300-150	153	0	0	3.4	0.2
COB	99	V	300-150	37	0	0	2.2	0.1
CPA	99	V	300-150	1013	0	0	4.0	0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
CRL	99	V	300-150	1154	0	0	3.3	0.2
CRV	99	V	300-150	48	0	0	3.5	0.4
CSC	99	V	300-150	93	0	1	3.8	1.1
CSG	99	V	300-150	49	0	0	5.5	0.3
CSN	99	V	300-150	48	17	0	5.5	0.0
CSS	99	V	300-150	24	0	0	4.2	0.0
CSZ	99	V	300-150	20	0	0	4.2	-0.2
CTM	99	V	300-150	58	0	0	3.0	-0.3
CTV	99	V	300-150	107	0	0	3.3	0.1
DAH	99	V	300-150	1047	0	0	3.2	0.2
DAL	99	V	300-150	65432	0	0	3.3	0.2
DCM	99	V	300-150	31	0	0	3.9	0.2
DCW	99	V	300-150	28	0	0	3.8	1.0
DGX	99	V	300-150	20	0	0	3.5	1.0
DHK	99	V	300-150	4198	0	0	3.5	0.0
DHX	99	V	300-150	73	0	0	4.2	1.1
DJT	99	V	300-150	1892	0	0	3.4	0.3
DLH	99	V	300-150	27533	0	0	3.5	0.1
DSO	99	V	300-150	36	0	0	3.2	0.2
DUB	99	V	300-150	50	0	0	3.1	-0.2
DWC	99	V	300-150	62	0	0	3.6	0.5
EAL	99	V	300-150	82	0	0	4.0	0.4
EAU	99	V	300-150	50	0	0	3.7	0.4
ECC	99	V	300-150	24	0	0	3.0	0.6
EDC	99	V	300-150	151	0	1	3.7	0.1
EDG	99	V	300-150	55	7	0	7.9	-0.2
EDW	99	V	300-150	1546	0	0	3.5	0.4
EFF	99	V	300-150	35	0	0	3.8	1.5
EIN	99	V	300-150	19126	0	0	3.2	0.2
EJM	99	V	300-150	404	0	0	3.3	0.3
ELY	99	V	300-150	6872	9	0	7.5	0.3
ESW	99	V	300-150	65	0	0	2.9	0.2
ETD	99	V	300-150	9298	4	0	6.7	0.3
ETH	99	V	300-150	4028	3	0	5.4	0.3
EUK	99	V	300-150	1641	0	0	3.3	0.3
EUW	99	V	300-150	43	0	0	4.1	-0.4
EVE	99	V	300-150	88	0	0	3.9	0.3
EXS	99	V	300-150	5102	0	0	3.0	0.3
EZY	99	V	300-150	286	0	0	2.7	0.2
FBU	99	V	300-150	2494	0	0	3.6	0.1
FDX	99	V	300-150	7467	0	0	3.2	0.2
FIN	99	V	300-150	1201	0	0	3.1	0.3
FJI	99	V	300-150	2415	0	0	4.3	0.7

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
FJO	99	V	300-150	190	0	0	3.1	0.6
FPY	99	V	300-150	4190	0	0	2.9	0.3
FSY	99	V	300-150	34	0	0	3.0	0.7
FWI	99	V	300-150	2757	0	0	3.4	0.2
FYG	99	V	300-150	111	0	0	4.8	0.5
FYL	99	V	300-150	83	0	0	4.8	1.1
GAF	99	V	300-150	291	0	0	3.4	0.2
GCK	99	V	300-150	170	0	0	3.5	0.4
GEC	99	V	300-150	837	0	0	3.3	0.0
GES	99	V	300-150	137	0	0	3.5	0.4
GFA	99	V	300-150	664	2	0	6.2	0.5
GIA	99	V	300-150	1085	0	0	3.5	0.6
GJE	99	V	300-150	26	0	0	3.8	0.2
GLJ	99	V	300-150	33	0	0	3.1	0.3
GNJ	99	V	300-150	56	0	0	3.7	0.5
GOL	99	V	300-150	79	0	0	5.6	2.8
GRB	99	V	300-150	23	0	0	4.9	-2.2
GRP	99	V	300-150	32	0	0	4.1	0.7
GSM	99	V	300-150	29	0	0	3.8	-0.3
GTI	99	V	300-150	2146	0	0	3.8	0.1
GTR	99	V	300-150	104	0	0	3.5	0.6
HAL	99	V	300-150	1157	0	0	4.5	0.8
HFM	99	V	300-150	145	0	0	3.0	0.2
HKC	99	V	300-150	45	0	0	3.5	0.0
HRT	99	V	300-150	173	0	0	3.3	0.5
HTT	99	V	300-150	149	0	0	9.0	1.4
HUE	99	V	300-150	107	0	0	6.5	2.5
HUF	99	V	300-150	32	0	0	3.6	0.3
HVK	99	V	300-150	36	0	0	6.3	4.6
HYP	99	V	300-150	65	0	0	3.9	1.5
HYS	99	V	300-150	596	0	0	3.4	0.4
HZS	99	V	300-150	47	0	0	4.0	-0.1
IAM	99	V	300-150	60	0	0	2.8	0.4
IBE	99	V	300-150	4746	0	0	3.3	0.3
ICE	99	V	300-150	10684	0	0	3.0	0.2
ICL	99	V	300-150	222	0	0	3.7	0.3
ICV	99	V	300-150	247	0	0	3.7	-0.7
IFA	99	V	300-150	334	0	0	3.3	0.6
IGA	99	V	300-150	39	0	0	3.0	-0.1
IGO	99	V	300-150	291	0	0	3.0	0.7
IJM	99	V	300-150	38	0	0	4.2	2.1
ITY	99	V	300-150	6771	0	0	3.4	0.3
JAF	99	V	300-150	497	8	0	7.5	-0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
JAL	99	V	300-150	146	3	0	8.1	0.5
JAS	99	V	300-150	64	0	0	4.5	0.5
JBU	99	V	300-150	7921	0	0	3.3	0.3
JCO	99	V	300-150	197	0	0	3.2	0.3
JCT	99	V	300-150	31	0	0	4.4	-1.0
JCY	99	V	300-150	53	0	0	3.0	1.2
JET	99	V	300-150	81	0	0	3.8	-0.8
JME	99	V	300-150	50	0	0	2.9	0.5
JNY	99	V	300-150	25	0	0	4.3	2.3
JST	99	V	300-150	1076	0	0	4.2	0.6
JTH	99	V	300-150	37	0	0	3.7	0.1
JTL	99	V	300-150	28	14	0	11.2	-1.8
KAC	99	V	300-150	1153	0	0	3.0	0.5
KAF	99	V	300-150	34	0	0	3.8	0.0
KAI	99	V	300-150	105	0	0	6.4	1.1
KAL	99	V	300-150	66	0	0	4.7	0.2
KAY	99	V	300-150	134	0	0	3.4	0.5
KCE	99	V	300-150	32	0	0	3.9	-0.7
KFE	99	V	300-150	35	0	0	3.1	-0.1
KIW	99	V	300-150	49	0	0	6.6	0.3
KLM	99	V	300-150	19126	4	0	5.8	0.2
KOC	99	V	300-150	35	0	0	3.8	1.5
KQA	99	V	300-150	220	4	0	9.5	0.2
KUG	99	V	300-150	54	0	0	3.8	0.2
LCO	99	V	300-150	703	0	0	3.8	-0.5
LDX	99	V	300-150	90	0	0	3.1	-0.3
LEX	99	V	300-150	24	0	0	3.6	-0.3
LMJ	99	V	300-150	21	0	0	3.2	-0.1
LNI	99	V	300-150	361	0	0	3.3	0.7
LNX	99	V	300-150	162	0	0	3.3	0.5
LOT	99	V	300-150	3373	5	0	9.1	0.1
LOY	99	V	300-150	38	0	0	4.0	0.7
LWG	99	V	300-150	38	0	0	2.9	0.2
LXJ	99	V	300-150	728	0	0	3.6	0.4
MAS	99	V	300-150	3740	0	0	3.9	0.7
MAU	99	V	300-150	112	0	0	4.4	0.1
MED	99	V	300-150	38	0	0	3.8	-0.8
MLM	99	V	300-150	75	0	0	3.5	0.7
MMD	99	V	300-150	316	0	0	3.0	0.2
MMF	99	V	300-150	81	0	2	2.9	0.3
MNB	99	V	300-150	409	0	0	3.2	0.5
MPH	99	V	300-150	372	0	0	3.5	-0.2
MSR	99	V	300-150	1948	5	0	7.0	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
MXD	99	V	300-150	117	0	0	3.4	0.9
NAS	99	V	300-150	32	0	0	3.8	-0.6
NBT	99	V	300-150	3330	10	0	7.7	0.2
NCR	99	V	300-150	682	0	0	3.8	0.2
NEW	99	V	300-150	40	0	0	3.0	0.0
NJE	99	V	300-150	569	0	0	3.3	0.7
NOS	99	V	300-150	1510	7	0	6.9	0.2
NUM	99	V	300-150	47	0	0	4.5	-0.1
OAE	99	V	300-150	533	0	0	3.7	-0.1
OCN	99	V	300-150	5494	0	0	3.3	0.3
OLI	99	V	300-150	28	0	0	2.4	-0.5
OMA	99	V	300-150	657	3	0	7.5	0.5
PAL	99	V	300-150	140	1	1	4.1	0.6
PAT	99	V	300-150	71	0	0	2.7	0.0
PIA	99	V	300-150	107	0	0	2.4	-0.1
PJZ	99	V	300-150	25	0	0	6.9	-2.4
PVA	99	V	300-150	313	0	0	3.4	0.0
QAF	99	V	300-150	30	0	0	4.1	0.4
QFA	99	V	300-150	3614	0	0	5.8	0.4
QFX	99	V	300-150	34	0	0	3.9	1.0
QQE	99	V	300-150	245	0	0	3.5	0.5
QTR	99	V	300-150	21137	0	0	3.8	0.4
RAM	99	V	300-150	827	11	0	5.6	0.3
RBA	99	V	300-150	158	0	0	5.7	0.5
RCH	99	V	300-150	5673	0	0	4.6	0.4
RCR	99	V	300-150	42	0	0	3.3	-0.7
RJA	99	V	300-150	2275	10	0	9.7	0.2
RRR	99	V	300-150	264	0	0	3.4	0.2
RSF	99	V	300-150	142	0	0	3.2	0.0
RYR	99	V	300-150	524	0	0	2.8	0.2
RZO	99	V	300-150	358	0	0	3.7	0.6
SAM	99	V	300-150	218	0	0	3.6	0.1
SAS	99	V	300-150	6108	0	0	2.9	0.2
SAZ	99	V	300-150	119	0	0	3.2	0.3
SCO	99	V	300-150	28	0	0	3.7	0.0
SCX	99	V	300-150	53	0	0	4.6	0.2
SEU	99	V	300-150	58	0	0	4.2	-0.5
SIA	99	V	300-150	6752	0	0	4.8	0.5
SIO	99	V	300-150	170	0	0	3.2	0.5
SKV	99	V	300-150	55	0	0	3.7	-0.1
SLM	99	V	300-150	129	0	0	2.8	0.1
SON	99	V	300-150	35	0	0	3.2	0.6
SPA	99	V	300-150	136	0	0	3.2	-0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
SSG	99	V	300-150	33	0	0	2.7	0.7
SUI	99	V	300-150	38	0	0	4.2	0.8
SVA	99	V	300-150	5165	1	0	5.3	0.3
SVW	99	V	300-150	256	0	0	3.0	0.3
SWR	99	V	300-150	12651	0	0	3.3	0.3
SYB	99	V	300-150	63	5	0	15.7	-0.2
TAG	99	V	300-150	30	0	0	2.9	-0.3
TAM	99	V	300-150	106	3	0	3.0	0.2
TAP	99	V	300-150	2827	0	0	3.7	0.3
TAR	99	V	300-150	389	0	0	3.2	0.4
TAY	99	V	300-150	133	0	0	3.5	-0.6
TEU	99	V	300-150	23	0	0	2.7	0.2
TFL	99	V	300-150	1439	5	0	8.7	0.0
TGW	99	V	300-150	802	1	0	7.2	0.7
THA	99	V	300-150	417	0	0	5.9	0.5
THT	99	V	300-150	2292	3	0	7.4	0.1
THY	99	V	300-150	18648	5	0	5.7	0.2
TMN	99	V	300-150	403	0	0	4.2	0.4
TOM	99	V	300-150	4363	6	0	8.1	0.2
TOR	99	V	300-150	34	0	0	3.5	0.8
TRE	99	V	300-150	22	0	0	5.0	0.0
TSC	99	V	300-150	5648	0	0	3.4	0.3
TVS	99	V	300-150	57	0	0	2.6	-0.4
TWY	99	V	300-150	557	0	0	3.2	0.2
UAE	99	V	300-150	22413	0	0	3.5	0.3
UAF	99	V	300-150	183	0	0	3.7	0.2
UAL	99	V	300-150	81963	2	1	5.4	0.1
UBT	99	V	300-150	2602	9	0	8.1	0.1
UGD	99	V	300-150	24	0	0	3.9	1.7
ULC	99	V	300-150	75	0	0	3.3	-0.2
UPS	99	V	300-150	5475	0	0	3.4	-0.1
UZB	99	V	300-150	142	7	0	8.8	0.2
VAJ	99	V	300-150	29	0	0	2.6	0.0
VAL	99	V	300-150	32	0	0	5.6	0.0
VCG	99	V	300-150	32	0	0	4.6	-1.5
VCJ	99	V	300-150	59	0	0	3.7	0.5
VIR	99	V	300-150	24241	2	0	4.9	0.1
VJA	99	V	300-150	66	0	0	4.2	1.2
VJH	99	V	300-150	268	0	0	3.7	0.0
VJT	99	V	300-150	1938	0	0	3.5	0.5
VKG	99	V	300-150	97	0	0	2.9	-0.5
VLZ	99	V	300-150	112	0	0	3.7	-0.8
VOZ	99	V	300-150	92	0	0	3.3	0.7

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
WGN	99	V	300-150	47	0	0	4.0	1.2
WJA	99	V	300-150	1953	6	0	7.6	0.1
WPT	99	V	300-150	61	0	0	4.0	0.1
WWI	99	V	300-150	68	0	0	4.5	1.0
XAX	99	V	300-150	329	0	0	4.0	0.8

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	50 HPA
AREA	:	0 – 90N, 100W – 40E
PERIOD	:	APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	30	10.8	-7.0
01001	00	Z	50	29	7.2	0.6
01028	12	Z	50	28	7.8	-5.6
01028	00	Z	50	30	10.0	-7.3
01400	00	Z	50	26	79.5	79.2
01400	12	Z	50	28	71.3	69.5
01415	12	Z	50	29	6.8	-2.9
01415	00	Z	50	30	10.7	0.4
02365	00	Z	50	23	5.6	1.5
02365	12	Z	50	25	9.5	-6.4
02591	12	Z	50	29	8.4	0.2
02591	00	Z	50	24	11.7	8.0
02836	12	Z	50	20	7.3	-2.1
02836	00	Z	50	16	13.3	2.8
02963	12	Z	50	30	8.6	-5.7
02963	00	Z	50	27	7.8	0.6
03005	00	Z	50	29	4.5	-2.2
03005	12	Z	50	31	23.4	-8.8
03238	00	Z	50	28	4.3	1.9
03238	12	Z	50	2	6.7	-2.2
03808	00	Z	50	26	5.4	2.6
03808	12	Z	50	27	8.6	-3.7
03918	00	Z	50	29	7.9	3.3
03918	12	Z	50	1	15.3	15.3
03953	00	Z	50	29	8.7	-4.9
03953	12	Z	50	30	8.6	-2.9
04018	00	Z	50	28	5.8	-1.1
04018	12	Z	50	30	10.8	-4.6
04220	00	Z	50	30	16.6	-15.7
04220	12	Z	50	28	16.4	-13.5
04270	00	Z	50	30	24.7	-23.2
04270	12	Z	50	29	12.9	-6.5
04320	12	Z	50	29	32.2	-4.7
04320	00	Z	50	30	16.0	-12.1
04339	12	Z	50	22	20.4	-2.1
04339	00	Z	50	15	17.9	-16.9
04360	12	Z	50	23	29.0	-26.3
04360	00	Z	50	25	46.5	-44.7
06011	12	Z	50	29	51.8	-50.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	50	30	8.2	3.1
06260	12	Z	50	8	6.1	2.4
06610	12	Z	50	30	6.6	-3.5
06610	00	Z	50	29	4.8	0.1
07110	00	Z	50	28	27.9	-25.2
07110	12	Z	50	30	22.8	-21.0
07510	00	Z	50	29	29.7	-22.4
07510	12	Z	50	29	48.1	-10.7
07645	12	Z	50	26	28.4	-20.4
07645	00	Z	50	30	29.7	-19.8
07761	12	Z	50	27	31.7	-24.5
07761	00	Z	50	26	19.4	-16.3
08001	00	Z	50	29	6.3	3.7
08001	12	Z	50	28	9.2	-1.2
08221	00	Z	50	29	8.6	5.2
08221	12	Z	50	28	7.0	2.9
08302	12	Z	50	29	12.4	-10.8
08302	00	Z	50	28	6.8	-2.5
08508	12	Z	50	29	7.8	-0.4
08522	12	Z	50	29	5.9	-0.7
10035	00	Z	50	30	15.1	13.4
10035	12	Z	50	29	11.1	7.7
10393	00	Z	50	29	4.9	0.9
10393	12	Z	50	29	8.1	-4.9
10410	12	Z	50	29	8.5	-5.6
10410	00	Z	50	29	9.4	0.0
10739	00	Z	50	29	7.2	5.3
10739	12	Z	50	28	6.2	-1.2
11035	00	Z	50	30	8.0	2.2
11035	12	Z	50	29	15.1	-2.0
12982	12	Z	50	30	7.7	-0.8
12982	00	Z	50	30	6.4	3.2
16245	12	Z	50	30	5.8	-1.3
16245	00	Z	50	28	5.9	4.1
16429	00	Z	50	29	8.0	5.1
16429	12	Z	50	30	6.2	0.2
16622	00	Z	50	20	9.8	-2.7
16754	00	Z	50	17	17.8	-14.5
17607	12	Z	50	24	9.0	2.1
17607	00	Z	50	11	11.2	9.8
26435	12	Z	50	5	5.9	-3.1
2TDJJ8	12	Z	50	10	16.2	15.2
60018	12	Z	50	29	6.1	1.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	50	30	10.6	9.0
7JUNA4	00	Z	50	7	17.6	-11.2
7JUNA4	12	Z	50	6	15.7	-9.0
ATGU3F	12	Z	50	3	29.2	-20.0
ATGU3F	00	Z	50	3	68.0	-62.2
FPUW5G	12	Z	50	9	23.3	-8.8
GQBZLZ	00	Z	50	0	0.0	0.0
JNKN7J	12	Z	50	8	95.7	60.0
JNKN7J	00	Z	50	10	26.2	23.8
KJJF9X	00	Z	50	1	18.4	-18.4
KJJF9X	12	Z	50	0	0.0	0.0
KMPLHP	00	Z	50	11	14.0	-11.8
KMPLHP	12	Z	50	11	43.5	-10.1
LAGZ8	12	Z	50	3	38.6	38.6
LRYQE3	12	Z	50	11	105.1	100.5
LRYQE3	00	Z	50	10	17.1	-8.3
UXK5JT	00	Z	50	1	25.8	-25.8
UXK5JT	12	Z	50	2	20.2	-19.6
WDK38H	12	Z	50	1	16.3	-16.3
XKQLWQ	12	Z	50	19	33.3	26.3
YLV96W	00	Z	50	10	22.1	-2.3
YLV96W	12	Z	50	9	125.6	94.9
ZVQEQC	12	Z	50	5	5.3	4.4
ZVQEQC	00	Z	50	7	6.4	5.3

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	30	2.5	0.6	-0.6
01001	00	V	50	27	2.8	0.2	-0.6
01028	12	V	50	28	2.8	-0.4	0.2
01028	00	V	50	27	2.4	-0.3	0.6
01400	00	V	50	24	2.0	-0.4	-0.1
01400	12	V	50	28	2.4	-0.4	-0.4
01415	12	V	50	29	2.7	-0.8	0.4
01415	00	V	50	26	2.8	0.1	0.1
02365	00	V	50	23	2.5	-0.1	-0.8
02365	12	V	50	25	2.9	0.1	-0.9
02591	12	V	50	27	2.7	-0.1	-0.8
02591	00	V	50	22	2.2	0.0	0.0
02836	12	V	50	16	3.3	0.3	0.4
02836	00	V	50	12	3.0	0.4	-0.3
02963	12	V	50	28	2.3	-0.2	0.2
02963	00	V	50	24	3.7	-0.9	0.0
03005	00	V	50	28	3.0	0.1	-0.2
03005	12	V	50	30	2.4	0.0	-0.4
03238	00	V	50	28	2.8	0.4	-0.8
03238	12	V	50	2	3.2	-2.6	-1.8
03808	00	V	50	26	3.1	-0.1	0.1
03808	12	V	50	27	2.8	-0.3	-0.6
03918	00	V	50	24	3.7	0.7	-0.4
03918	12	V	50	1	2.4	-1.9	1.5
03953	00	V	50	27	3.2	0.6	-0.7
03953	12	V	50	30	3.2	0.3	-0.8
04018	00	V	50	28	2.7	-0.2	0.1
04018	12	V	50	29	3.0	-0.1	-0.2
04220	00	V	50	30	2.5	0.3	-0.6
04220	12	V	50	28	2.2	-0.3	0.1
04270	00	V	50	30	2.5	-0.1	0.0
04270	12	V	50	29	2.7	-0.3	-0.3
04320	12	V	50	29	2.9	-0.4	0.0
04320	00	V	50	28	2.5	-0.3	-0.2
04339	12	V	50	22	2.3	-0.1	0.1
04339	00	V	50	14	3.2	0.2	0.3
04360	12	V	50	23	2.6	0.1	0.3
04360	00	V	50	25	2.7	-0.5	0.4
06011	12	V	50	29	2.2	0.1	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	50	30	2.5	0.3	0.3
06260	12	V	50	8	3.5	-0.4	0.3
06610	12	V	50	30	2.8	-0.3	-0.3
06610	00	V	50	28	2.8	0.1	0.0
07110	00	V	50	25	3.0	0.4	-0.2
07110	12	V	50	30	2.6	0.2	-0.2
07510	00	V	50	26	2.7	-0.1	-0.2
07510	12	V	50	29	2.6	0.1	-0.3
07645	12	V	50	26	2.8	0.3	0.3
07645	00	V	50	29	2.4	-0.2	0.1
07761	12	V	50	27	2.8	0.1	-0.3
07761	00	V	50	23	2.8	0.6	0.1
08001	00	V	50	26	2.7	0.5	0.2
08001	12	V	50	28	2.3	-0.4	0.0
08221	00	V	50	26	3.8	0.6	-0.8
08221	12	V	50	28	3.0	0.0	-0.4
08302	12	V	50	28	3.4	0.4	-0.4
08302	00	V	50	25	3.5	0.4	0.6
08508	12	V	50	29	2.9	0.2	-0.6
08522	12	V	50	29	3.3	-0.3	0.1
10035	00	V	50	29	3.0	0.2	0.3
10035	12	V	50	29	2.6	0.1	-0.4
10393	00	V	50	29	2.3	0.3	0.1
10393	12	V	50	29	2.5	-0.2	0.1
10410	12	V	50	29	2.8	-0.4	0.3
10410	00	V	50	28	2.8	0.0	0.1
10739	00	V	50	29	2.7	-0.1	0.2
10739	12	V	50	28	3.1	-0.1	0.0
11035	00	V	50	25	2.3	0.0	0.1
11035	12	V	50	29	2.7	-0.1	0.2
12982	12	V	50	30	3.3	-0.3	-0.2
12982	00	V	50	28	3.0	0.3	0.3
16245	12	V	50	30	3.0	0.2	-0.4
16245	00	V	50	27	3.3	0.4	-0.1
16429	00	V	50	28	3.8	0.2	0.0
16429	12	V	50	30	3.7	1.0	0.4
16622	00	V	50	20	3.2	0.1	0.4
16754	00	V	50	17	3.5	0.1	-0.6
17607	12	V	50	20	3.9	-0.9	0.3
17607	00	V	50	7	4.5	2.3	-0.9
26435	12	V	50	4	1.6	0.2	-1.1
2TDJJ8	12	V	50	10	3.4	0.8	1.2
60018	12	V	50	29	4.1	0.4	1.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	50	26	3.9	0.2	-0.3
7JUNA4	00	V	50	7	2.0	0.6	0.8
7JUNA4	12	V	50	6	1.8	-0.1	0.7
ATGU3F	12	V	50	3	2.3	0.1	0.5
ATGU3F	00	V	50	3	1.7	-0.1	-0.6
FPUW5G	12	V	50	6	3.0	0.4	-1.3
GQBZLZ	00	V	50	0	0.0	0.0	0.0
JNKN7J	12	V	50	8	3.4	0.4	0.6
JNKN7J	00	V	50	10	3.3	0.5	-0.1
KJJF9X	00	V	50	1	2.3	-2.2	0.6
KJJF9X	12	V	50	0	0.0	0.0	0.0
KMPLHP	00	V	50	11	2.5	0.2	-0.8
KMPLHP	12	V	50	11	3.3	1.1	-1.1
LAGZ8	12	V	50	3	4.3	1.3	0.2
LRYQE3	12	V	50	11	3.4	-0.9	0.7
LRYQE3	00	V	50	10	1.8	0.4	0.0
UXK5JT	00	V	50	1	1.2	0.6	-1.0
UXK5JT	12	V	50	2	2.1	0.7	1.9
WDK38H	12	V	50	1	3.5	-1.6	-3.1
XKQLWQ	12	V	50	18	3.7	0.3	-1.4
YLV96W	00	V	50	10	4.6	0.4	0.3
YLV96W	12	V	50	9	2.7	0.2	0.0
ZVQEQC	12	V	50	5	2.8	-0.8	0.7
ZVQEQC	00	V	50	7	4.3	-2.0	0.6

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	30	10.1	-7.2
01001	00	Z	100	30	7.8	-2.3
01028	12	Z	100	28	7.8	-6.2
01028	00	Z	100	30	10.2	-7.8
01400	00	Z	100	29	77.8	77.5
01400	12	Z	100	30	73.5	72.0
01415	12	Z	100	29	6.1	-1.2
01415	00	Z	100	30	7.5	0.0
02365	00	Z	100	25	5.8	-0.8
02365	12	Z	100	25	8.5	-6.0
02591	12	Z	100	30	4.3	1.2
02591	00	Z	100	30	10.0	6.9
02836	12	Z	100	27	6.5	-3.7
02836	00	Z	100	19	7.4	0.2
02963	12	Z	100	30	7.8	-5.5
02963	00	Z	100	30	6.7	-2.2
03005	00	Z	100	29	6.9	-5.4
03005	12	Z	100	31	23.4	-8.8
03238	00	Z	100	28	3.9	0.0
03238	12	Z	100	2	1.7	-1.7
03808	00	Z	100	28	5.6	0.9
03808	12	Z	100	28	8.1	-2.2
03918	00	Z	100	29	7.2	3.0
03918	12	Z	100	1	9.0	9.0
03953	00	Z	100	30	8.5	-6.8
03953	12	Z	100	30	8.4	-3.6
04018	00	Z	100	30	6.8	-3.0
04018	12	Z	100	31	12.8	-6.8
04220	00	Z	100	30	16.3	-15.5
04220	12	Z	100	28	15.7	-13.8
04270	00	Z	100	30	21.7	-20.5
04270	12	Z	100	30	13.8	-10.0
04320	12	Z	100	30	31.3	-8.4
04320	00	Z	100	30	15.9	-13.0
04339	12	Z	100	22	13.7	-7.1
04339	00	Z	100	16	20.5	-20.0
04360	12	Z	100	25	27.9	-26.7
04360	00	Z	100	26	39.5	-38.5
06011	12	Z	100	30	40.7	-40.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	100	30	5.8	2.6
06260	12	Z	100	8	5.7	0.8
06610	12	Z	100	30	5.4	-2.5
06610	00	Z	100	30	4.1	-0.4
07110	00	Z	100	28	21.6	-19.8
07110	12	Z	100	29	17.7	-16.6
07510	00	Z	100	29	24.2	-19.4
07510	12	Z	100	29	40.2	-6.9
07645	12	Z	100	26	22.5	-16.3
07645	00	Z	100	29	26.2	-18.3
07761	12	Z	100	27	20.1	-17.9
07761	00	Z	100	27	19.9	-17.4
08001	00	Z	100	29	5.3	2.7
08001	12	Z	100	28	6.3	-1.4
08221	00	Z	100	29	7.0	2.7
08221	12	Z	100	28	4.8	2.4
08302	12	Z	100	29	12.5	-10.8
08302	00	Z	100	29	6.9	-5.9
08508	12	Z	100	29	7.6	2.7
08522	12	Z	100	30	5.6	-0.6
10035	00	Z	100	30	11.5	10.8
10035	12	Z	100	29	9.9	8.2
10393	00	Z	100	30	3.9	-0.4
10393	12	Z	100	29	5.8	-3.0
10410	12	Z	100	29	7.8	-4.7
10410	00	Z	100	29	8.0	-1.4
10739	00	Z	100	30	5.6	3.1
10739	12	Z	100	28	4.5	0.1
11035	00	Z	100	30	6.0	1.5
11035	12	Z	100	30	10.4	-3.8
12982	12	Z	100	30	7.5	-1.9
12982	00	Z	100	30	4.4	0.8
16245	12	Z	100	30	4.5	-2.5
16245	00	Z	100	29	4.3	2.0
16429	00	Z	100	29	6.3	3.0
16429	12	Z	100	30	4.9	-0.7
16622	00	Z	100	20	16.2	-1.1
16754	00	Z	100	22	17.2	-14.4
17607	12	Z	100	26	9.4	0.0
17607	00	Z	100	11	7.6	5.7
26435	12	Z	100	10	6.2	-2.8
2TDJJ8	12	Z	100	10	17.6	16.8
60018	12	Z	100	30	4.3	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	100	30	9.8	8.3
7JUNA4	00	Z	100	7	15.3	-8.0
7JUNA4	12	Z	100	7	11.3	-7.0
ATGU3F	12	Z	100	1	37.1	-37.1
ATGU3F	00	Z	100	1	37.7	-37.7
FPUW5G	12	Z	100	9	15.0	-5.8
GQBZLZ	00	Z	100	0	0.0	0.0
JNKN7J	12	Z	100	9	57.3	43.6
JNKN7J	00	Z	100	11	27.3	26.2
KJJF9X	00	Z	100	0	0.0	0.0
KJJF9X	12	Z	100	1	28.8	-28.8
KMPLHP	00	Z	100	11	13.8	-11.8
KMPLHP	12	Z	100	11	24.4	-10.6
LAGZ8	12	Z	100	3	42.7	42.6
LRYQE3	12	Z	100	11	49.8	47.0
LRYQE3	00	Z	100	10	13.1	-7.2
UXK5JT	00	Z	100	2	19.4	-19.3
UXK5JT	12	Z	100	2	20.5	-20.4
WDK38H	12	Z	100	1	17.6	-17.6
XKQLWQ	12	Z	100	20	25.2	19.4
YLV96W	00	Z	100	11	20.3	-3.8
YLV96W	12	Z	100	11	52.9	33.1
ZVQEQC	12	Z	100	5	8.4	7.3
ZVQEQC	00	Z	100	7	6.8	5.9

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	30	2.8	0.1	0.2
01001	00	V	100	29	2.5	0.1	-0.3
01028	12	V	100	28	2.3	-0.1	0.0
01028	00	V	100	30	2.5	0.0	-0.5
01400	00	V	100	27	3.6	-0.2	-0.2
01400	12	V	100	30	3.1	0.5	-0.2
01415	12	V	100	29	2.7	-0.1	-0.6
01415	00	V	100	28	3.0	-0.5	0.1
02365	00	V	100	25	3.1	0.1	-0.4
02365	12	V	100	25	3.2	-0.3	0.1
02591	12	V	100	30	3.4	0.2	0.4
02591	00	V	100	30	2.7	-0.1	-0.1
02836	12	V	100	20	2.9	-0.6	0.1
02836	00	V	100	16	2.5	0.1	0.2
02963	12	V	100	30	3.0	-0.7	0.6
02963	00	V	100	26	3.4	0.0	0.6
03005	00	V	100	29	2.2	0.1	-0.1
03005	12	V	100	30	2.4	-0.3	0.3
03238	00	V	100	28	2.8	0.4	0.1
03238	12	V	100	2	1.6	1.1	-0.4
03808	00	V	100	28	3.0	-0.6	0.0
03808	12	V	100	28	3.3	-0.6	0.6
03918	00	V	100	24	2.9	1.0	-0.4
03918	12	V	100	1	5.5	-0.3	-5.5
03953	00	V	100	27	2.9	-0.4	-0.6
03953	12	V	100	30	2.8	0.1	0.7
04018	00	V	100	30	2.8	0.2	-0.3
04018	12	V	100	30	3.9	-0.3	-0.3
04220	00	V	100	30	2.6	0.6	-0.1
04220	12	V	100	28	2.8	0.1	0.1
04270	00	V	100	30	2.7	-0.4	-0.4
04270	12	V	100	30	3.3	-0.2	-0.2
04320	12	V	100	30	2.4	0.1	0.0
04320	00	V	100	30	3.0	-0.5	-0.5
04339	12	V	100	22	2.6	-0.1	0.3
04339	00	V	100	16	2.6	0.1	1.2
04360	12	V	100	25	2.9	0.2	-0.7
04360	00	V	100	26	3.1	-0.2	-0.3
06011	12	V	100	30	2.1	0.2	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	100	30	2.6	0.2	-0.1
06260	12	V	100	8	2.4	0.0	-0.9
06610	12	V	100	30	3.1	-0.2	0.2
06610	00	V	100	30	2.8	0.5	-0.5
07110	00	V	100	27	3.2	-1.0	-0.3
07110	12	V	100	29	3.9	-0.4	-0.8
07510	00	V	100	29	2.8	0.2	-0.2
07510	12	V	100	29	3.3	0.1	0.1
07645	12	V	100	26	3.3	0.3	-0.7
07645	00	V	100	29	2.5	-0.2	-0.1
07761	12	V	100	27	3.1	0.5	0.3
07761	00	V	100	27	3.5	0.3	0.4
08001	00	V	100	29	3.0	0.5	-0.3
08001	12	V	100	28	3.1	0.2	0.6
08221	00	V	100	28	3.7	0.0	-1.1
08221	12	V	100	28	3.5	-0.2	0.3
08302	12	V	100	29	3.8	-0.2	-0.2
08302	00	V	100	28	3.5	0.7	0.7
08508	12	V	100	29	3.3	0.2	-0.1
08522	12	V	100	29	3.7	0.8	-0.1
10035	00	V	100	29	3.3	0.3	-0.1
10035	12	V	100	29	2.8	0.2	-0.2
10393	00	V	100	30	2.9	-0.2	0.6
10393	12	V	100	29	3.0	-0.3	0.8
10410	12	V	100	29	3.7	-0.7	0.1
10410	00	V	100	29	2.5	0.1	-0.2
10739	00	V	100	30	3.0	-0.7	-0.7
10739	12	V	100	28	3.2	-0.4	0.0
11035	00	V	100	25	2.8	-0.5	-0.6
11035	12	V	100	30	2.6	0.5	0.0
12982	12	V	100	30	3.0	0.5	-0.2
12982	00	V	100	30	3.0	0.5	0.0
16245	12	V	100	30	3.2	0.2	0.4
16245	00	V	100	29	3.3	0.4	0.2
16429	00	V	100	29	3.7	-0.1	0.4
16429	12	V	100	30	3.4	0.4	-0.2
16622	00	V	100	20	3.0	0.5	-0.3
16754	00	V	100	21	3.5	0.9	0.2
17607	12	V	100	23	3.3	-0.7	-0.5
17607	00	V	100	9	4.5	0.5	-0.5
26435	12	V	100	6	1.7	-0.1	0.6
2TDJJ8	12	V	100	10	2.8	1.1	0.3
60018	12	V	100	30	3.5	0.4	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	100	29	3.5	0.4	-0.7
7JUNA4	00	V	100	7	3.3	-0.3	1.5
7JUNA4	12	V	100	7	3.1	0.0	0.5
ATGU3F	12	V	100	1	2.1	-1.4	1.6
ATGU3F	00	V	100	1	2.7	0.5	2.7
FPUW5G	12	V	100	6	2.7	0.2	1.1
GQBZLZ	00	V	100	0	0.0	0.0	0.0
JNKN7J	12	V	100	9	4.3	-0.8	1.0
JNKN7J	00	V	100	11	3.1	0.5	0.3
KJJF9X	00	V	100	0	0.0	0.0	0.0
KJJF9X	12	V	100	1	3.8	-3.7	0.7
KMPLHP	00	V	100	11	3.9	0.2	1.0
KMPLHP	12	V	100	11	2.5	0.5	0.4
LAGZ8	12	V	100	3	2.8	0.3	-0.3
LRYQE3	12	V	100	11	4.3	-0.7	1.6
LRYQE3	00	V	100	10	3.5	0.7	1.0
UXK5JT	00	V	100	2	3.7	-1.7	-1.1
UXK5JT	12	V	100	2	2.1	-0.9	0.0
WDK38H	12	V	100	1	1.4	-1.3	0.6
XKQLWQ	12	V	100	20	2.6	0.7	0.9
YLV96W	00	V	100	11	2.4	0.0	-0.5
YLV96W	12	V	100	11	2.3	-0.4	0.1
ZVQEQC	12	V	100	5	3.3	-1.2	-0.1
ZVQEQC	00	V	100	7	2.5	-0.6	0.6

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	30	4.3	-1.4
01001	00	Z	500	30	6.9	2.6
01028	12	Z	500	30	3.7	-1.3
01028	00	Z	500	30	6.0	-4.0
01400	00	Z	500	30	79.0	78.8
01400	12	Z	500	30	77.1	75.7
01415	12	Z	500	29	4.9	4.4
01415	00	Z	500	30	5.0	3.9
02365	00	Z	500	25	3.8	2.5
02365	12	Z	500	25	3.7	1.1
02591	12	Z	500	30	8.9	8.6
02591	00	Z	500	30	8.7	8.3
02836	12	Z	500	32	3.7	-0.3
02836	00	Z	500	30	3.1	-0.1
02963	12	Z	500	30	4.1	1.9
02963	00	Z	500	30	4.6	3.6
03005	00	Z	500	29	2.3	-0.9
03005	12	Z	500	31	23.6	-4.4
03238	00	Z	500	28	4.0	3.4
03238	12	Z	500	2	3.6	3.6
03808	00	Z	500	28	4.1	3.0
03808	12	Z	500	28	3.9	2.4
03918	00	Z	500	29	6.8	5.5
03918	12	Z	500	1	5.4	5.4
03953	00	Z	500	30	4.9	-2.0
03953	12	Z	500	30	5.2	1.2
04018	00	Z	500	30	3.6	1.3
04018	12	Z	500	31	3.0	0.1
04220	00	Z	500	31	5.4	-3.6
04220	12	Z	500	30	5.4	-2.9
04270	00	Z	500	30	11.9	-10.3
04270	12	Z	500	30	11.5	-8.8
04320	12	Z	500	30	6.7	-0.7
04320	00	Z	500	30	8.5	-4.2
04339	12	Z	500	22	10.0	-6.5
04339	00	Z	500	17	12.4	-11.2
04360	12	Z	500	27	14.1	-10.7
04360	00	Z	500	26	16.6	-15.8
06011	12	Z	500	30	12.7	-11.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	500	30	3.2	2.7
06260	12	Z	500	8	3.6	0.8
06610	12	Z	500	30	2.3	0.6
06610	00	Z	500	30	2.7	1.6
07110	00	Z	500	30	6.2	-4.6
07110	12	Z	500	29	4.1	-3.0
07510	00	Z	500	29	6.8	-2.3
07510	12	Z	500	30	10.6	0.8
07645	12	Z	500	30	9.5	-4.8
07645	00	Z	500	29	10.6	-6.6
07761	12	Z	500	28	8.0	-6.9
07761	00	Z	500	30	9.8	-8.0
08001	00	Z	500	29	3.2	2.8
08001	12	Z	500	28	3.2	1.1
08221	00	Z	500	29	3.7	3.1
08221	12	Z	500	29	3.8	3.1
08302	12	Z	500	29	8.8	-7.9
08302	00	Z	500	29	7.4	-6.7
08508	12	Z	500	30	6.3	4.8
08522	12	Z	500	30	6.1	4.4
10035	00	Z	500	31	14.2	14.1
10035	12	Z	500	30	14.1	14.0
10393	00	Z	500	30	3.0	1.9
10393	12	Z	500	29	2.4	1.2
10410	12	Z	500	29	4.5	-0.4
10410	00	Z	500	30	4.5	0.2
10739	00	Z	500	30	5.0	4.5
10739	12	Z	500	28	4.5	3.9
11035	00	Z	500	31	4.2	2.1
11035	12	Z	500	30	4.7	1.4
12982	12	Z	500	30	3.7	0.5
12982	00	Z	500	30	2.7	1.6
16245	12	Z	500	30	2.9	1.7
16245	00	Z	500	30	3.7	3.1
16429	00	Z	500	29	4.8	4.2
16429	12	Z	500	30	3.7	2.4
16622	00	Z	500	29	6.1	4.7
16754	00	Z	500	29	6.6	-4.5
17607	12	Z	500	26	4.2	2.6
17607	00	Z	500	11	5.4	4.7
26435	12	Z	500	15	2.1	0.6
2TDJJ8	12	Z	500	10	19.1	18.8
60018	12	Z	500	30	4.0	2.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	500	30	4.4	3.1
7JUNA4	00	Z	500	7	6.3	-3.6
7JUNA4	12	Z	500	7	5.5	0.0
ATGU3F	12	Z	500	0	0.0	0.0
ATGU3F	00	Z	500	0	0.0	0.0
FPUW5G	12	Z	500	9	8.5	-2.4
GQBZLZ	00	Z	500	0	0.0	0.0
JNKN7J	12	Z	500	11	37.0	36.3
JNKN7J	00	Z	500	12	33.6	32.9
KJJF9X	00	Z	500	0	0.0	0.0
KJJF9X	12	Z	500	0	0.0	0.0
KMPLHP	00	Z	500	11	4.0	-0.4
KMPLHP	12	Z	500	11	6.1	-1.3
LAGZ8	12	Z	500	3	62.7	62.0
LRYQE3	12	Z	500	11	7.1	3.5
LRYQE3	00	Z	500	10	4.8	-2.0
UXK5JT	00	Z	500	1	5.2	-5.2
UXK5JT	12	Z	500	0	0.0	0.0
WDK38H	12	Z	500	1	18.0	-18.0
XKQLWQ	12	Z	500	20	10.4	9.1
YLV96W	00	Z	500	13	22.4	2.4
YLV96W	12	Z	500	12	7.8	-1.7
ZVQEQC	12	Z	500	5	4.0	2.3
ZVQEQC	00	Z	500	7	4.1	2.3

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	30	2.3	0.4	-0.2
01001	00	V	500	30	1.8	-0.1	-0.1
01028	12	V	500	30	2.1	0.3	-0.1
01028	00	V	500	30	1.9	0.6	-0.2
01400	00	V	500	28	1.8	-0.4	-0.3
01400	12	V	500	30	1.7	-0.3	0.4
01415	12	V	500	29	1.9	0.4	0.2
01415	00	V	500	30	2.2	0.4	0.5
02365	00	V	500	25	1.8	0.0	0.1
02365	12	V	500	25	2.5	0.6	0.1
02591	12	V	500	30	1.6	-0.2	-0.5
02591	00	V	500	30	2.2	0.3	-0.2
02836	12	V	500	30	2.3	0.3	0.1
02836	00	V	500	30	2.0	0.5	-0.5
02963	12	V	500	30	2.1	0.2	-0.4
02963	00	V	500	30	2.1	-0.1	0.4
03005	00	V	500	29	2.1	0.1	0.0
03005	12	V	500	30	3.0	0.1	0.4
03238	00	V	500	28	1.7	0.0	0.1
03238	12	V	500	2	1.6	-1.1	-0.7
03808	00	V	500	28	2.2	0.2	-1.0
03808	12	V	500	28	2.7	0.1	-0.2
03918	00	V	500	29	2.1	0.3	0.0
03918	12	V	500	1	2.2	-1.8	-1.2
03953	00	V	500	30	2.4	0.0	-0.2
03953	12	V	500	30	2.6	0.0	0.4
04018	00	V	500	30	3.0	-0.1	0.6
04018	12	V	500	30	2.0	0.2	0.4
04220	00	V	500	30	2.4	0.2	-0.8
04220	12	V	500	30	2.4	0.1	0.1
04270	00	V	500	30	2.7	-0.4	0.0
04270	12	V	500	30	3.3	0.2	-0.3
04320	12	V	500	30	2.1	-0.1	0.1
04320	00	V	500	30	1.7	0.1	-0.1
04339	12	V	500	22	1.8	0.0	0.2
04339	00	V	500	17	2.5	-0.1	-0.3
04360	12	V	500	26	2.6	0.5	-0.4
04360	00	V	500	26	3.0	-0.1	-0.1
06011	12	V	500	30	2.3	0.0	-0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	500	30	2.1	0.0	0.0
06260	12	V	500	8	1.8	-0.7	0.9
06610	12	V	500	30	1.9	-0.6	-0.3
06610	00	V	500	30	2.1	0.0	-0.4
07110	00	V	500	30	2.1	-0.3	-0.1
07110	12	V	500	29	2.0	0.3	-0.3
07510	00	V	500	29	2.8	-0.3	0.0
07510	12	V	500	29	2.6	0.0	-0.1
07645	12	V	500	28	2.0	0.2	0.0
07645	00	V	500	29	2.1	-0.1	0.5
07761	12	V	500	28	2.5	0.1	-0.3
07761	00	V	500	30	2.3	0.3	0.0
08001	00	V	500	29	2.8	0.2	-0.1
08001	12	V	500	28	2.7	0.0	-0.5
08221	00	V	500	29	2.3	-0.1	0.4
08221	12	V	500	29	1.8	0.0	-0.3
08302	12	V	500	29	2.0	-0.1	0.1
08302	00	V	500	28	2.3	0.2	0.0
08508	12	V	500	30	3.3	0.2	-0.3
08522	12	V	500	30	3.0	0.5	-0.9
10035	00	V	500	30	2.4	0.1	0.7
10035	12	V	500	29	1.7	-0.2	-0.1
10393	00	V	500	30	2.2	0.1	-0.3
10393	12	V	500	29	1.9	0.3	0.1
10410	12	V	500	29	2.0	0.4	-0.1
10410	00	V	500	30	2.1	0.1	0.1
10739	00	V	500	30	2.0	0.3	-0.2
10739	12	V	500	28	2.7	0.6	0.5
11035	00	V	500	30	2.3	-0.3	0.2
11035	12	V	500	30	2.3	0.0	-0.5
12982	12	V	500	30	2.1	0.2	-0.2
12982	00	V	500	30	1.9	-0.3	0.0
16245	12	V	500	30	2.3	0.3	0.1
16245	00	V	500	30	3.6	0.6	0.8
16429	00	V	500	29	3.0	0.6	0.3
16429	12	V	500	30	2.3	0.1	-0.4
16622	00	V	500	29	2.5	0.3	-0.1
16754	00	V	500	28	2.1	0.3	0.0
17607	12	V	500	25	2.5	0.9	0.1
17607	00	V	500	9	2.5	0.0	1.2
26435	12	V	500	15	1.8	0.2	-0.4
2TDJJ8	12	V	500	10	2.5	-0.5	-0.9
60018	12	V	500	30	1.9	0.7	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	500	30	2.1	1.1	0.2
7JUNA4	00	V	500	7	3.4	-0.8	1.0
7JUNA4	12	V	500	7	2.5	-1.0	0.8
ATGU3F	12	V	500	0	0.0	0.0	0.0
ATGU3F	00	V	500	0	0.0	0.0	0.0
FPUW5G	12	V	500	9	2.5	0.6	-0.3
GQBZLZ	00	V	500	0	0.0	0.0	0.0
JNKN7J	12	V	500	11	2.3	-0.1	-0.4
JNKN7J	00	V	500	12	2.7	-0.2	-0.3
KJJF9X	00	V	500	0	0.0	0.0	0.0
KJJF9X	12	V	500	0	0.0	0.0	0.0
KMPLHP	00	V	500	11	3.4	0.5	-1.0
KMPLHP	12	V	500	11	4.2	1.6	-1.4
LAGZ8	12	V	500	3	2.5	1.3	-0.4
LRYQE3	12	V	500	11	3.5	0.5	0.4
LRYQE3	00	V	500	10	2.2	-0.6	-0.4
UXK5JT	00	V	500	1	7.7	3.1	7.0
UXK5JT	12	V	500	0	0.0	0.0	0.0
WDK38H	12	V	500	1	1.9	-1.1	1.5
XKQLWQ	12	V	500	20	1.7	0.0	0.1
YLV96W	00	V	500	13	3.1	0.2	-0.2
YLV96W	12	V	500	12	2.9	0.1	0.0
ZVQEQC	12	V	500	5	3.2	0.8	0.1
ZVQEQC	00	V	500	7	2.3	0.6	0.5

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	30	3.6	-2.3
01001	00	Z	850	30	6.5	3.8
01028	12	Z	850	30	2.4	-0.9
01028	00	Z	850	30	4.3	-2.3
01400	00	Z	850	30	77.2	77.0
01400	12	Z	850	30	76.1	74.8
01415	12	Z	850	29	4.5	4.1
01415	00	Z	850	30	3.2	2.9
02365	00	Z	850	25	3.2	2.6
02365	12	Z	850	25	3.0	1.8
02591	12	Z	850	30	8.9	8.6
02591	00	Z	850	30	8.1	7.9
02836	12	Z	850	31	2.2	0.8
02836	00	Z	850	30	1.7	-0.1
02963	12	Z	850	30	3.6	2.9
02963	00	Z	850	30	3.1	2.6
03005	00	Z	850	29	2.5	-0.9
03005	12	Z	850	31	2.2	-0.8
03238	00	Z	850	28	2.6	2.1
03238	12	Z	850	2	2.5	2.5
03808	00	Z	850	28	2.9	2.3
03808	12	Z	850	28	3.3	2.1
03918	00	Z	850	29	6.8	6.4
03918	12	Z	850	1	7.0	7.0
03953	00	Z	850	30	2.7	-1.2
03953	12	Z	850	30	4.7	1.0
04018	00	Z	850	30	2.8	1.3
04018	12	Z	850	31	1.8	0.4
04220	00	Z	850	31	4.2	-2.8
04220	12	Z	850	29	4.3	-2.8
04270	00	Z	850	30	8.8	-8.3
04270	12	Z	850	30	8.2	-7.6
04320	12	Z	850	31	5.5	-2.0
04320	00	Z	850	30	6.5	-2.0
04339	12	Z	850	22	14.0	-11.0
04339	00	Z	850	17	11.1	-10.4
04360	12	Z	850	28	8.3	-7.9
04360	00	Z	850	26	8.2	-7.7
06011	12	Z	850	30	5.5	-4.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	850	30	1.7	0.4
06260	12	Z	850	8	1.6	-0.7
06610	12	Z	850	30	2.2	0.9
06610	00	Z	850	30	2.1	0.8
07110	00	Z	850	30	3.0	-2.2
07110	12	Z	850	30	2.8	-1.9
07510	00	Z	850	30	4.3	2.8
07510	12	Z	850	29	4.0	2.2
07645	12	Z	850	30	5.2	-2.8
07645	00	Z	850	30	5.5	-3.1
07761	12	Z	850	29	7.3	-6.3
07761	00	Z	850	30	6.8	-6.0
08001	00	Z	850	29	2.4	1.6
08001	12	Z	850	28	2.6	1.8
08221	00	Z	850	29	2.7	1.7
08221	12	Z	850	29	3.1	2.3
08302	12	Z	850	29	7.9	-7.7
08302	00	Z	850	29	7.5	-7.3
08508	12	Z	850	30	5.4	4.3
08522	12	Z	850	30	3.4	2.6
10035	00	Z	850	31	13.3	13.2
10035	12	Z	850	30	13.0	12.9
10393	00	Z	850	30	1.9	0.8
10393	12	Z	850	29	1.9	0.8
10410	12	Z	850	29	4.3	-1.2
10410	00	Z	850	30	3.9	-1.3
10739	00	Z	850	30	5.1	4.8
10739	12	Z	850	28	5.0	4.7
11035	00	Z	850	31	3.2	-0.2
11035	12	Z	850	30	2.7	0.9
12982	12	Z	850	30	3.1	2.0
12982	00	Z	850	30	2.3	1.4
16245	12	Z	850	30	2.7	2.1
16245	00	Z	850	30	3.0	2.5
16429	00	Z	850	29	3.9	3.3
16429	12	Z	850	30	2.7	1.9
16622	00	Z	850	29	5.1	4.7
16754	00	Z	850	30	6.8	-6.1
17607	12	Z	850	26	2.4	0.6
17607	00	Z	850	11	2.2	1.3
26435	12	Z	850	15	2.0	0.1
2TDJJ8	12	Z	850	10	17.2	17.1
60018	12	Z	850	30	2.8	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	850	30	2.3	-1.1
7JUNA4	00	Z	850	7	4.6	-0.1
7JUNA4	12	Z	850	7	5.0	0.2
ATGU3F	12	Z	850	0	0.0	0.0
ATGU3F	00	Z	850	1	40.6	-40.6
FPUW5G	12	Z	850	9	7.0	-2.8
GQBZLZ	00	Z	850	0	0.0	0.0
JNKN7J	12	Z	850	11	39.9	39.8
JNKN7J	00	Z	850	12	37.7	37.1
KJJF9X	00	Z	850	0	0.0	0.0
KJJF9X	12	Z	850	1	13.1	-13.1
KMPLHP	00	Z	850	11	3.4	1.4
KMPLHP	12	Z	850	11	5.9	-0.2
LAGZ8	12	Z	850	3	74.3	74.1
LRYQE3	12	Z	850	11	4.8	1.3
LRYQE3	00	Z	850	10	5.6	0.5
UXK5JT	00	Z	850	0	0.0	0.0
UXK5JT	12	Z	850	0	0.0	0.0
WDK38H	12	Z	850	1	11.2	-11.2
XKQLWQ	12	Z	850	21	3.2	2.3
YLV96W	00	Z	850	13	23.9	4.2
YLV96W	12	Z	850	12	7.9	-4.9
ZVQEQC	12	Z	850	5	2.7	-1.5
ZVQEQC	00	Z	850	7	3.5	-1.5

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	30	3.0	-0.2	0.1
01001	00	V	850	30	4.5	-0.2	0.1
01028	12	V	850	30	2.8	-0.2	-0.4
01028	00	V	850	30	4.0	1.2	-0.6
01400	00	V	850	28	2.3	0.2	0.0
01400	12	V	850	30	2.1	-0.2	-0.2
01415	12	V	850	29	2.2	-0.1	-0.4
01415	00	V	850	30	2.3	-0.3	-0.3
02365	00	V	850	25	2.5	-0.1	0.3
02365	12	V	850	25	2.6	0.1	0.0
02591	12	V	850	30	2.3	0.2	-0.5
02591	00	V	850	30	2.6	0.0	-0.6
02836	12	V	850	30	2.4	-0.3	-0.1
02836	00	V	850	30	2.3	0.4	-0.1
02963	12	V	850	30	2.4	-0.1	0.0
02963	00	V	850	30	2.7	0.5	0.4
03005	00	V	850	29	2.3	0.3	0.4
03005	12	V	850	30	2.7	0.3	-0.1
03238	00	V	850	28	1.8	-0.1	0.2
03238	12	V	850	2	1.2	-0.6	0.6
03808	00	V	850	28	2.1	0.5	-0.2
03808	12	V	850	28	2.1	0.5	-0.1
03918	00	V	850	29	2.1	0.3	-0.5
03918	12	V	850	1	2.7	0.1	2.7
03953	00	V	850	30	2.5	0.5	0.5
03953	12	V	850	30	2.4	0.2	0.4
04018	00	V	850	30	3.0	0.5	-0.2
04018	12	V	850	30	2.6	0.5	0.3
04220	00	V	850	30	2.9	-0.4	0.3
04220	12	V	850	29	2.9	0.1	0.4
04270	00	V	850	30	3.9	1.1	0.3
04270	12	V	850	30	5.7	0.9	0.4
04320	12	V	850	30	2.3	0.1	0.4
04320	00	V	850	30	3.3	0.0	-0.1
04339	12	V	850	22	4.1	0.6	0.1
04339	00	V	850	17	4.1	0.6	-0.7
04360	12	V	850	26	3.9	-0.2	0.4
04360	00	V	850	26	3.0	-0.4	0.0
06011	12	V	850	30	2.3	-0.1	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	850	30	1.6	0.2	-0.1
06260	12	V	850	8	2.9	-0.1	0.4
06610	12	V	850	30	3.0	-0.2	0.0
06610	00	V	850	30	1.8	-0.2	-0.3
07110	00	V	850	30	2.1	0.1	-0.2
07110	12	V	850	30	2.5	-0.6	-0.4
07510	00	V	850	30	2.7	-0.1	-0.2
07510	12	V	850	28	3.0	0.8	-0.3
07645	12	V	850	28	2.3	-0.2	-0.2
07645	00	V	850	30	2.9	-0.4	-0.2
07761	12	V	850	29	2.5	-0.5	0.1
07761	00	V	850	30	2.5	0.0	0.0
08001	00	V	850	29	2.1	0.0	0.1
08001	12	V	850	28	2.5	0.7	-0.2
08221	00	V	850	29	2.3	-0.2	0.0
08221	12	V	850	29	2.6	0.3	-0.4
08302	12	V	850	29	2.9	0.7	0.5
08302	00	V	850	28	2.2	-0.3	0.0
08508	12	V	850	30	3.3	0.3	-1.1
08522	12	V	850	30	3.1	-0.6	-0.7
10035	00	V	850	30	2.2	0.3	0.1
10035	12	V	850	29	1.7	-0.2	0.2
10393	00	V	850	30	2.5	0.6	-0.5
10393	12	V	850	29	3.0	-0.4	-0.5
10410	12	V	850	29	2.2	0.2	0.3
10410	00	V	850	30	2.3	0.5	0.0
10739	00	V	850	30	2.6	0.2	0.3
10739	12	V	850	28	3.1	-0.3	0.3
11035	00	V	850	30	2.8	0.1	-0.2
11035	12	V	850	30	2.6	-0.1	0.0
12982	12	V	850	30	2.9	-0.3	0.0
12982	00	V	850	30	2.8	-0.4	-0.5
16245	12	V	850	30	2.8	-0.3	-0.7
16245	00	V	850	30	2.5	-0.2	-0.2
16429	00	V	850	29	2.5	-0.2	-0.1
16429	12	V	850	30	2.5	-0.4	-0.5
16622	00	V	850	29	2.3	-0.3	-0.1
16754	00	V	850	29	3.2	0.3	0.1
17607	12	V	850	26	3.8	0.1	-0.1
17607	00	V	850	10	2.6	0.6	-1.3
26435	12	V	850	15	3.2	0.0	0.1
2TDJJ8	12	V	850	10	2.3	0.7	-0.3
60018	12	V	850	30	4.1	-0.5	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	850	30	3.0	0.0	0.0
7JUNA4	00	V	850	7	2.3	0.4	0.0
7JUNA4	12	V	850	7	2.6	0.8	-0.4
ATGU3F	12	V	850	0	0.0	0.0	0.0
ATGU3F	00	V	850	1	8.6	8.6	-0.4
FPUW5G	12	V	850	9	2.6	-0.6	-0.2
GQBZLZ	00	V	850	0	0.0	0.0	0.0
JNKN7J	12	V	850	11	2.5	-0.1	0.6
JNKN7J	00	V	850	12	3.6	-0.9	0.7
KJJF9X	00	V	850	0	0.0	0.0	0.0
KJJF9X	12	V	850	1	1.8	-0.8	1.6
KMPLHP	00	V	850	11	2.3	0.4	0.9
KMPLHP	12	V	850	11	2.8	0.4	0.3
LAGZ8	12	V	850	3	2.5	1.9	-0.7
LRYQE3	12	V	850	11	2.8	0.3	0.0
LRYQE3	00	V	850	10	2.3	-0.2	0.5
UXK5JT	00	V	850	0	0.0	0.0	0.0
UXK5JT	12	V	850	0	0.0	0.0	0.0
WDK38H	12	V	850	1	4.6	-4.5	-0.7
XKQLWQ	12	V	850	21	2.1	0.0	-0.7
YLV96W	00	V	850	13	2.1	-0.7	0.4
YLV96W	12	V	850	12	1.9	-0.2	-0.5
ZVQEQC	12	V	850	5	2.9	0.4	0.3
ZVQEQC	00	V	850	7	2.0	0.0	-0.8

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : APR 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1000044	99	P	SUR	55	10	181	0	0.3	-3.3	3.3
1300001	99	P	SUR	11	-23	720	0	0.3	0.4	0.5
1300008	99	P	SUR	15	-38	594	0	0.2	0.3	0.3
1300130	99	P	SUR	28	-16	462	0	0.3	0.2	0.4
1300131	99	P	SUR	28	-17	467	0	0.4	-0.1	0.4
1301622	99	P	SUR	40	-61	709	0	0.6	0.4	0.7
1301718	99	P	SUR	30	-41	720	0	0.3	0.1	0.3
1301725	99	P	SUR	34	-37	720	0	0.3	0.0	0.3
1301726	99	P	SUR	26	-50	720	0	0.3	0.0	0.3
1301735	99	P	SUR	30	-50	205	0	0.2	-1.2	1.2
1301767	99	P	SUR	26	-28	12	0	2.8	0.4	2.9
1301769	99	P	SUR	25	-34	720	0	0.2	-0.4	0.5
1301771	99	P	SUR	22	-34	1	0	0.0	0.4	0.4
1301773	99	P	SUR	25	-26	720	0	0.2	0.0	0.2
1301778	99	P	SUR	21	-42	720	0	0.2	0.0	0.2
1301782	99	P	SUR	57	-52	720	0	0.6	0.2	0.7
1301784	99	P	SUR	37	-16	720	0	0.3	0.0	0.3
1301785	99	P	SUR	35	-21	645	0	0.4	0.1	0.4
1301787	99	P	SUR	28	-16	128	128	0.0	0.0	0.0
1301798	99	P	SUR	28	-32	716	0	0.3	0.3	0.4
1301799	99	P	SUR	27	-30	685	0	0.3	0.3	0.4
1301800	99	P	SUR	71	11	719	0	0.6	-0.1	0.6
1301801	99	P	SUR	66	11	203	0	0.4	0.3	0.5
1301802	99	P	SUR	67	12	720	0	0.4	-0.5	0.6
1301804	99	P	SUR	63	-14	720	0	0.3	-0.8	0.8
1301810	99	P	SUR	31	-32	491	0	0.3	-0.1	0.3
1301814	99	P	SUR	40	-20	199	0	0.5	0.0	0.5
1301816	99	P	SUR	47	-29	199	0	0.3	0.0	0.3
1301819	99	P	SUR	21	-32	504	0	0.6	0.4	0.7
1301820	99	P	SUR	31	-34	720	0	0.4	0.2	0.5
1301822	99	P	SUR	20	-31	719	0	0.2	0.1	0.3
1301823	99	P	SUR	23	-30	684	0	0.3	0.5	0.5
1801670	99	P	SUR	50	-39	704	0	0.4	0.1	0.4
1801671	99	P	SUR	48	-15	683	0	0.3	0.0	0.3
1801674	99	P	SUR	39	-27	161	0	0.5	-1.5	1.6
1801675	99	P	SUR	51	-33	708	0	0.4	0.3	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1801676	99	P	SUR	50	-22	704	0	0.4	0.1	0.5
1801678	99	P	SUR	21	-23	716	0	0.2	0.5	0.5
1801716	99	P	SUR	24	-37	720	0	0.2	0.3	0.4
1801732	99	P	SUR	42	-48	717	0	0.5	0.0	0.5
1801777	99	P	SUR	36	-27	720	0	0.3	0.3	0.4
1801778	99	P	SUR	54	-46	719	0	0.5	-0.1	0.5
2801968	99	P	SUR	46	-26	719	0	0.4	-0.2	0.5
2802007	99	P	SUR	19	-35	720	0	0.2	0.1	0.2
2802008	99	P	SUR	65	-40	59	0	0.5	-0.4	0.6
2802010	99	P	SUR	19	-36	719	0	0.3	0.4	0.5
2802011	99	P	SUR	41	-42	393	0	0.4	0.0	0.4
2802022	99	P	SUR	34	-43	716	0	0.3	0.0	0.3
2802100	99	P	SUR	66	-3	678	0	0.4	0.2	0.4
2802124	99	P	SUR	24	-35	706	0	0.3	0.2	0.3
3801571	99	P	SUR	48	-39	697	0	0.5	0.1	0.5
3801575	99	P	SUR	49	-43	709	0	0.5	0.0	0.5
3801596	99	P	SUR	35	-29	714	0	0.3	-0.2	0.4
3801598	99	P	SUR	36	-49	690	0	0.4	0.0	0.4
3801612	99	P	SUR	20	-38	720	0	0.2	0.2	0.3
3801625	99	P	SUR	19	-41	720	0	0.2	0.5	0.6
3801676	99	P	SUR	74	14	719	0	0.5	0.1	0.5
3801703	99	P	SUR	68	-21	712	0	0.4	0.1	0.4
4100040	99	P	SUR	15	-53	4279	0	0.5	-0.3	0.6
4100043	99	P	SUR	21	-65	4248	0	0.3	-0.2	0.4
4100044	99	P	SUR	22	-59	4250	0	0.3	-0.2	0.4
4100046	99	P	SUR	24	-68	1278	0	0.2	-0.1	0.2
4100049	99	P	SUR	28	-62	4306	0	0.3	-0.4	0.5
4100052	99	P	SUR	18	-65	4305	0	0.3	-1.2	1.2
4100053	99	P	SUR	18	-66	4311	0	0.3	-0.8	0.9
4100056	99	P	SUR	18	-65	4287	0	0.3	-1.0	1.0
4100300	99	P	SUR	16	-57	718	0	0.3	0.0	0.3
4101665	99	P	SUR	70	18	720	0	0.5	-0.4	0.7
4101725	99	P	SUR	18	-63	720	0	0.3	-0.2	0.4
4101727	99	P	SUR	25	-69	719	0	0.3	0.2	0.3
4101728	99	P	SUR	32	-38	720	0	0.3	0.4	0.5
4101729	99	P	SUR	28	-61	660	0	2.0	0.7	2.1
4101730	99	P	SUR	14	-68	720	0	1.5	0.1	1.5
4101755	99	P	SUR	33	-59	719	0	0.3	0.4	0.5
4101851	99	P	SUR	26	-66	717	0	0.3	-1.1	1.2
4101860	99	P	SUR	28	-51	162	0	0.4	-8.8	8.8
4101861	99	P	SUR	29	-55	720	0	0.4	0.5	0.6
4101863	99	P	SUR	18	-47	720	0	0.2	0.0	0.2
4101870	99	P	SUR	21	-44	720	0	0.2	-0.1	0.2

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4101873	99	P	SUR	24	-26	719	0	0.2	0.0	0.2
4101875	99	P	SUR	23	-24	719	0	0.3	0.4	0.5
4102557	99	P	SUR	30	-63	719	0	0.3	0.2	0.4
41040	99	P	SUR	15	-53	715	0	0.5	-0.3	0.6
41043	99	P	SUR	21	-65	710	0	0.3	-0.2	0.4
41044	99	P	SUR	22	-59	709	0	0.3	-0.2	0.4
41046	99	P	SUR	24	-68	214	0	0.2	-0.1	0.3
41049	99	P	SUR	28	-62	719	0	0.3	-0.4	0.5
41052	99	P	SUR	18	-65	720	0	0.3	-1.1	1.2
41053	99	P	SUR	19	-66	720	0	0.3	-0.8	0.9
41056	99	P	SUR	18	-66	720	0	0.4	-1.0	1.1
4200059	99	P	SUR	15	-68	4016	0	0.3	0.3	0.4
4200060	99	P	SUR	16	-63	4315	0	0.3	-0.4	0.5
4200085	99	P	SUR	18	-67	4266	0	0.3	-0.8	0.9
42059	99	P	SUR	15	-68	671	0	0.3	0.3	0.4
42060	99	P	SUR	16	-63	720	0	0.3	-0.4	0.5
42085	99	P	SUR	18	-67	716	0	0.3	-0.8	0.9
4400011	99	P	SUR	41	-67	4312	0	0.5	0.2	0.5
4400027	99	P	SUR	44	-67	4306	0	0.6	-0.8	1.0
4400032	99	P	SUR	44	-69	685	0	0.5	-0.2	0.6
4400033	99	P	SUR	44	-69	719	0	0.5	-1.4	1.5
4400034	99	P	SUR	44	-68	719	0	0.5	-0.5	0.7
4400488	99	P	SUR	45	-61	695	0	0.6	-0.1	0.6
4400489	99	P	SUR	45	-61	720	0	0.7	-0.1	0.7
44011	99	P	SUR	41	-67	719	0	0.5	0.2	0.5
4401582	99	P	SUR	34	-55	720	0	0.3	0.5	0.7
4401584	99	P	SUR	26	-59	720	0	0.4	0.1	0.4
4401588	99	P	SUR	69	15	698	0	0.5	-0.1	0.5
4402618	99	P	SUR	39	-28	136	0	0.5	-0.2	0.5
4402674	99	P	SUR	24	-64	719	0	0.3	0.2	0.4
4402676	99	P	SUR	24	-45	720	0	0.2	0.2	0.3
44027	99	P	SUR	44	-67	720	0	0.5	-0.8	1.0
4402729	99	P	SUR	53	-10	57	0	0.3	-1.5	1.5
4402730	99	P	SUR	37	-36	658	0	0.6	0.1	0.6
4402733	99	P	SUR	57	-19	720	0	0.3	0.1	0.3
4402736	99	P	SUR	22	-45	720	0	0.2	0.0	0.2
4402737	99	P	SUR	62	-24	718	0	0.4	0.0	0.4
4402739	99	P	SUR	36	-9	663	0	3.1	-2.9	4.3
4402743	99	P	SUR	28	-45	720	0	0.2	-1.0	1.0
4402744	99	P	SUR	34	-52	720	0	0.3	0.0	0.3
4402747	99	P	SUR	33	-16	720	0	0.3	-0.1	0.3
4402749	99	P	SUR	62	-3	719	0	0.3	-0.1	0.3
4402750	99	P	SUR	54	-33	720	0	0.4	-0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44032	99	P	SUR	44	-69	685	0	0.6	-0.2	0.6
44033	99	P	SUR	44	-69	719	0	0.6	-1.4	1.5
44034	99	P	SUR	44	-68	719	0	0.6	-0.5	0.8
4403568	99	P	SUR	32	-35	597	0	0.3	0.2	0.4
44078	99	P	SUR	60	-40	268	0	1.1	0.5	1.2
44137	99	P	SUR	42	-62	718	0	0.5	-0.2	0.6
44139	99	P	SUR	44	-57	716	0	0.5	-0.3	0.6
44150	99	P	SUR	43	-64	709	0	0.6	-0.3	0.6
44258	99	P	SUR	45	-63	718	0	0.6	-0.1	0.6
44488	99	P	SUR	45	-61	695	0	0.6	-0.1	0.7
44489	99	P	SUR	46	-61	720	0	0.7	-0.1	0.7
4601782	99	P	SUR	31	-50	716	0	0.7	0.7	0.9
4701527	99	P	SUR	86	-38	718	0	0.3	-0.1	0.3
4701546	99	P	SUR	89	-69	718	0	0.3	-0.5	0.6
4701547	99	P	SUR	88	-44	719	0	0.3	0.0	0.3
4701555	99	P	SUR	64	-22	15	0	0.5	-5.8	5.8
4701558	99	P	SUR	79	-18	60	0	0.3	-4.5	4.5
4701561	99	P	SUR	66	-21	719	0	0.4	0.1	0.4
4801763	99	P	SUR	61	-52	597	1	1.0	-5.3	5.4
4801771	99	P	SUR	68	7	225	225	0.0	0.0	0.0
4802506	99	P	SUR	58	-8	597	0	0.3	-0.5	0.6
4802582	99	P	SUR	64	-18	718	79	3.3	-9.3	9.9
4802594	99	P	SUR	82	-17	719	0	0.3	-0.3	0.5
4802608	99	P	SUR	76	-15	718	0	0.4	-0.2	0.4
4802664	99	P	SUR	83	-53	597	0	0.3	-0.1	0.3
4803997	99	P	SUR	50	-38	704	0	0.5	-0.2	0.5
4804003	99	P	SUR	53	-49	698	0	0.5	0.1	0.5
4804016	99	P	SUR	19	-57	690	0	0.3	0.0	0.3
4804120	99	P	SUR	72	22	573	0	0.5	0.2	0.5
4804127	99	P	SUR	27	-28	713	0	0.3	0.2	0.4
4804128	99	P	SUR	38	16	671	0	0.5	-0.3	0.6
4804130	99	P	SUR	11	-28	698	0	0.3	-0.4	0.5
5801972	99	P	SUR	46	-27	719	0	0.4	-0.3	0.5
5801976	99	P	SUR	51	-19	650	0	0.6	-0.1	0.6
5801978	99	P	SUR	56	-39	675	0	2.9	0.8	3.0
5802011	99	P	SUR	19	-34	719	0	0.2	0.3	0.4
5802019	99	P	SUR	39	-32	641	0	0.3	0.3	0.4
5802026	99	P	SUR	43	-25	720	0	0.4	-0.2	0.4
5802033	99	P	SUR	23	-37	719	0	0.3	0.3	0.4
5802070	99	P	SUR	76	28	334	0	3.3	1.0	3.5
5802095	99	P	SUR	63	-33	698	0	0.5	0.1	0.5
5802096	99	P	SUR	65	-21	711	0	0.4	-0.5	0.7
5802112	99	P	SUR	25	-35	713	0	0.2	0.3	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
5802115	99	P	SUR	44	14	711	0	0.4	0.0	0.4
5802118	99	P	SUR	20	-33	706	0	0.2	0.2	0.3
5802156	99	P	SUR	75	-12	591	0	0.4	0.0	0.4
6100001	99	P	SUR	43	8	640	0	0.4	0.0	0.4
6100002	99	P	SUR	42	5	35	0	0.2	-0.2	0.3
6100196	99	P	SUR	42	4	704	0	0.4	0.4	0.6
6100198	99	P	SUR	37	-2	719	0	0.5	0.2	0.6
6100280	99	P	SUR	41	1	717	0	0.4	0.4	0.6
6100281	99	P	SUR	40	0	719	0	0.4	0.4	0.6
6100417	99	P	SUR	38	0	719	0	0.5	0.3	0.6
6100430	99	P	SUR	40	2	720	0	0.4	0.5	0.6
6101031	99	P	SUR	42	8	720	0	0.3	0.1	0.3
6101032	99	P	SUR	42	10	589	0	0.3	0.2	0.4
6101033	99	P	SUR	43	8	718	0	0.3	0.2	0.4
6101034	99	P	SUR	42	6	719	0	0.3	0.1	0.3
6101035	99	P	SUR	41	7	718	0	0.3	0.2	0.3
6200001	99	P	SUR	45	-5	720	0	0.3	0.0	0.3
6200024	99	P	SUR	44	-3	718	0	0.4	0.2	0.5
6200025	99	P	SUR	44	-6	719	0	0.4	0.2	0.5
6200081	99	P	SUR	51	-13	152	0	0.2	-0.2	0.3
6200082	99	P	SUR	44	-8	720	0	0.4	0.1	0.4
6200083	99	P	SUR	43	-9	592	47	0.5	0.1	0.5
6200084	99	P	SUR	42	-9	148	0	0.7	0.5	0.8
6200085	99	P	SUR	36	-7	643	0	0.5	0.2	0.5
6200086	99	P	SUR	55	7	84	0	0.3	-0.3	0.4
6200087	99	P	SUR	55	7	169	0	0.3	-0.3	0.4
6200091	99	P	SUR	53	-5	720	0	0.4	-0.1	0.4
6200092	99	P	SUR	51	-11	720	0	0.3	-0.1	0.3
6200093	99	P	SUR	55	-10	720	0	0.3	-0.1	0.4
6200094	99	P	SUR	52	-7	720	0	0.3	-0.2	0.4
6200095	99	P	SUR	53	-16	720	0	0.4	-0.1	0.4
6200103	99	P	SUR	50	-3	719	0	0.4	0.0	0.4
6200163	99	P	SUR	47	-8	719	0	0.3	-0.2	0.3
6200192	99	P	SUR	40	-10	105	0	0.3	-0.4	0.5
6201065	99	P	SUR	54	7	642	0	0.3	1.0	1.1
6201066	99	P	SUR	55	7	694	0	0.3	0.2	0.4
6201081	99	P	SUR	38	-9	105	0	0.3	0.7	0.8
6202113	99	P	SUR	54	7	115	0	0.3	0.0	0.3
6202114	99	P	SUR	54	6	9	0	0.2	0.0	0.2
6202598	99	P	SUR	25	-33	720	0	0.2	0.1	0.2
6203612	99	P	SUR	52	-13	720	0	0.4	0.0	0.4
6203615	99	P	SUR	33	-39	719	0	0.3	0.0	0.3
6203625	99	P	SUR	30	-48	720	0	0.3	0.0	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203632	99	P	SUR	35	-42	720	0	0.5	0.4	0.7
6203634	99	P	SUR	31	-44	720	0	0.4	0.4	0.6
6203639	99	P	SUR	28	-39	720	0	0.3	0.0	0.3
6203662	99	P	SUR	85	-5	720	0	0.3	0.0	0.3
6203664	99	P	SUR	71	34	712	0	1.1	0.2	1.1
6203666	99	P	SUR	82	-5	720	0	0.4	0.3	0.5
6203668	99	P	SUR	80	14	45	0	0.5	-0.8	1.0
6203669	99	P	SUR	80	16	718	0	0.4	-0.6	0.7
6203671	99	P	SUR	17	-25	720	0	0.4	0.0	0.4
6203672	99	P	SUR	21	-32	719	0	0.2	0.3	0.4
6203673	99	P	SUR	19	-25	720	0	0.5	0.7	0.9
6203679	99	P	SUR	27	-21	720	0	0.3	0.1	0.3
6203681	99	P	SUR	25	-21	87	65	0.5	-0.7	0.8
6203686	99	P	SUR	20	-35	719	0	0.2	0.2	0.3
6203687	99	P	SUR	17	-35	720	0	0.2	0.2	0.3
6203688	99	P	SUR	12	-51	720	0	0.3	0.2	0.4
6203753	99	P	SUR	58	-18	640	0	0.3	-0.3	0.4
6203771	99	P	SUR	25	-54	655	0	0.4	-0.1	0.4
6203772	99	P	SUR	36	-65	598	0	0.4	0.0	0.4
6203773	99	P	SUR	35	-25	625	0	0.3	-0.6	0.7
6203823	99	P	SUR	66	12	718	0	0.4	0.0	0.4
6203830	99	P	SUR	66	12	720	0	0.4	-0.5	0.6
6203831	99	P	SUR	66	-5	720	0	0.4	0.3	0.5
6203832	99	P	SUR	63	-5	720	0	0.3	0.1	0.3
6203835	99	P	SUR	63	-7	720	0	0.3	0.0	0.3
6203837	99	P	SUR	60	-7	719	0	0.2	0.2	0.3
6203842	99	P	SUR	25	-59	610	0	0.5	0.1	0.5
6203846	99	P	SUR	31	-44	719	0	0.3	-0.1	0.3
6203849	99	P	SUR	35	-51	720	0	0.3	0.0	0.3
6203853	99	P	SUR	72	38	719	0	0.8	-0.2	0.9
6203854	99	P	SUR	64	-2	720	0	0.3	0.2	0.4
6203890	99	P	SUR	18	-70	720	0	0.3	-0.2	0.4
6203894	99	P	SUR	19	-31	426	0	0.2	0.0	0.2
6204604	99	P	SUR	37	11	621	0	0.4	-2.0	2.1
6204613	99	P	SUR	39	8	659	0	0.3	-1.3	1.4
62050	99	P	SUR	50	-4	1436	0	0.3	-0.1	0.4
62081	99	P	SUR	51	-13	306	0	0.2	-0.2	0.3
62091	99	P	SUR	53	-5	720	0	0.4	-0.1	0.4
62092	99	P	SUR	51	-11	720	0	0.3	-0.1	0.3
62093	99	P	SUR	55	-10	720	0	0.3	-0.1	0.4
62094	99	P	SUR	52	-7	720	0	0.3	-0.2	0.4
62095	99	P	SUR	53	-16	720	0	0.4	-0.1	0.4
62102	99	P	SUR	58	2	1406	0	0.3	0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62103	99	P	SUR	50	-3	1438	0	0.3	0.0	0.3
62104	99	P	SUR	57	1	1440	0	0.3	0.0	0.3
62105	99	P	SUR	55	-13	1440	0	0.4	-0.2	0.5
62107	99	P	SUR	50	-6	1440	0	0.4	-0.5	0.7
62112	99	P	SUR	58	0	1440	0	0.3	0.2	0.4
62113	99	P	SUR	58	0	1440	0	0.3	-0.1	0.3
62114	99	P	SUR	58	0	786	0	0.2	0.2	0.3
62115	99	P	SUR	58	-3	1428	0	0.3	-0.1	0.3
62116	99	P	SUR	58	1	1440	0	0.3	0.0	0.3
62118	99	P	SUR	58	1	1406	0	0.3	0.3	0.4
62119	99	P	SUR	57	2	1366	0	0.2	-0.1	0.2
62120	99	P	SUR	56	2	1440	0	0.3	-0.3	0.4
62121	99	P	SUR	54	3	1440	0	0.4	0.1	0.4
62122	99	P	SUR	57	2	1440	0	0.2	0.1	0.3
62124	99	P	SUR	54	-4	1438	0	0.3	0.0	0.3
62127	99	P	SUR	54	1	1438	0	0.3	0.2	0.3
62129	99	P	SUR	58	0	1202	0	0.3	0.1	0.3
62130	99	P	SUR	59	1	1438	0	0.2	-0.3	0.4
62131	99	P	SUR	54	1	1440	0	0.3	0.5	0.6
62132	99	P	SUR	56	2	1436	0	0.3	0.3	0.4
62133	99	P	SUR	57	1	1440	0	0.3	0.1	0.4
62134	99	P	SUR	58	1	1416	0	0.2	0.1	0.3
62138	99	P	SUR	54	0	1434	0	0.3	0.3	0.4
62140	99	P	SUR	57	1	1438	0	0.2	0.2	0.3
62143	99	P	SUR	58	2	1440	0	0.3	0.5	0.6
62144	99	P	SUR	53	2	1440	0	0.3	0.0	0.3
62145	99	P	SUR	53	3	1348	0	0.3	0.1	0.3
62146	99	P	SUR	57	2	1432	0	0.3	0.1	0.3
62148	99	P	SUR	54	2	1440	0	0.4	0.2	0.5
62149	99	P	SUR	54	1	1434	0	0.3	0.3	0.4
62151	99	P	SUR	57	2	1440	0	0.3	0.2	0.3
62152	99	P	SUR	57	2	1440	0	0.2	0.3	0.4
62153	99	P	SUR	57	2	1416	0	0.2	0.3	0.4
62154	99	P	SUR	56	2	1440	0	0.3	0.0	0.3
62155	99	P	SUR	58	1	1440	0	0.2	0.3	0.4
62157	99	P	SUR	58	0	1438	0	0.2	-0.1	0.2
62160	99	P	SUR	57	2	1440	0	0.3	0.2	0.3
62161	99	P	SUR	58	1	1438	0	0.3	-0.3	0.4
62162	99	P	SUR	57	1	1440	0	0.2	0.1	0.3
62163	99	P	SUR	48	-9	1437	0	0.3	-0.2	0.3
62164	99	P	SUR	57	1	1406	0	0.3	0.3	0.4
62165	99	P	SUR	54	1	1428	0	0.3	0.1	0.3
62168	99	P	SUR	58	1	1440	0	0.2	0.1	0.2

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62170	99	P	SUR	51	2	1440	0	0.4	-0.5	0.7
62297	99	P	SUR	59	2	1438	0	0.2	-0.2	0.3
62302	99	P	SUR	61	-2	1440	0	0.3	0.0	0.3
62304	99	P	SUR	51	2	1440	0	0.5	-0.3	0.5
62305	99	P	SUR	50	0	1438	0	0.4	-0.4	0.6
6301003	99	P	SUR	74	24	11	0	0.2	-0.5	0.5
6301004	99	P	SUR	72	20	11	0	0.3	-0.6	0.7
6301582	99	P	SUR	71	28	625	39	0.6	-0.7	0.9
6301583	99	P	SUR	86	-17	719	0	0.3	-0.2	0.3
6301584	99	P	SUR	88	-16	720	0	0.3	0.1	0.3
63055	99	P	SUR	61	2	1382	0	0.3	-0.1	0.3
63056	99	P	SUR	60	2	1402	0	0.4	0.3	0.5
63057	99	P	SUR	59	2	1438	0	0.2	-0.4	0.5
63058	99	P	SUR	53	2	918	0	0.3	0.0	0.3
63059	99	P	SUR	58	-1	1438	0	0.3	0.5	0.6
63102	99	P	SUR	61	1	1440	0	0.3	-0.1	0.3
63108	99	P	SUR	61	2	1440	0	0.3	-0.2	0.4
63109	99	P	SUR	60	2	1440	0	0.3	-0.4	0.5
63110	99	P	SUR	60	2	1436	0	0.4	-0.2	0.4
63111	99	P	SUR	61	2	1438	0	0.3	-0.3	0.4
63112	99	P	SUR	61	1	1346	0	0.3	-0.3	0.4
63115	99	P	SUR	62	1	1412	0	0.3	0.0	0.3
63118	99	P	SUR	58	1	1438	0	0.3	-0.2	0.3
6400045	99	P	SUR	59	-12	716	0	0.4	0.0	0.4
6401763	99	P	SUR	66	12	719	0	0.4	-0.3	0.5
6402616	99	P	SUR	25	-53	720	0	0.3	0.1	0.3
6402617	99	P	SUR	30	-51	718	0	0.3	0.3	0.4
6402619	99	P	SUR	19	-69	418	0	0.3	-0.4	0.5
6402621	99	P	SUR	24	-35	661	0	0.2	0.4	0.5
6402622	99	P	SUR	21	-43	625	0	0.2	0.3	0.4
6402628	99	P	SUR	39	6	720	0	0.3	0.0	0.3
6402635	99	P	SUR	38	11	720	0	0.4	0.2	0.5
6402636	99	P	SUR	40	3	718	0	0.4	-0.1	0.4
6402637	99	P	SUR	39	3	720	0	0.4	0.0	0.4
6402638	99	P	SUR	37	8	2	0	0.2	-2.1	2.1
6402639	99	P	SUR	38	2	568	0	0.4	0.2	0.5
64041	99	P	SUR	61	-3	1440	0	0.3	0.0	0.3
64045	99	P	SUR	59	-12	1432	0	0.5	0.0	0.5
6600021	99	P	SUR	55	14	119	0	0.4	-0.9	1.0
6600024	99	P	SUR	55	13	152	0	0.4	-1.2	1.3
6801771	99	P	SUR	45	-26	610	0	0.6	0.1	0.6
6801791	99	P	SUR	28	-35	720	0	0.3	0.4	0.5
6801811	99	P	SUR	46	-35	719	0	0.4	0.0	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6801879	99	P	SUR	18	-38	720	0	0.2	0.2	0.3
6801897	99	P	SUR	84	-63	593	0	0.3	-0.2	0.4
6801900	99	P	SUR	71	-21	491	0	0.4	0.1	0.5
6801907	99	P	SUR	64	-5	691	0	0.3	0.0	0.3
6801928	99	P	SUR	41	12	710	0	0.4	0.0	0.4
6801929	99	P	SUR	20	-34	711	0	0.3	0.1	0.3
7801571	99	P	SUR	45	-36	702	0	0.4	0.4	0.5
7801572	99	P	SUR	21	-62	703	0	0.3	-0.1	0.3
7801588	99	P	SUR	29	-30	519	0	0.3	0.2	0.4
7801616	99	P	SUR	22	-26	720	0	0.2	0.0	0.2
7801627	99	P	SUR	15	-36	720	0	0.2	0.5	0.6
7801647	99	P	SUR	18	-35	719	0	0.2	-0.1	0.2
7801697	99	P	SUR	37	-31	720	0	0.3	-0.1	0.3
7801699	99	P	SUR	31	-52	719	0	0.3	0.3	0.4
7801722	99	P	SUR	85	-45	595	0	0.3	-0.8	0.8
7801723	99	P	SUR	85	-56	596	0	0.3	0.1	0.3
7801742	99	P	SUR	23	-24	703	0	0.3	0.1	0.3
7801755	99	P	SUR	21	-23	713	0	0.3	-0.1	0.3
7810290	99	P	SUR	32	-66	716	0	0.3	0.0	0.3
7810310	99	P	SUR	37	-40	311	0	1.0	-1.2	1.5
7810312	99	P	SUR	32	-51	717	0	0.3	0.1	0.3
7810313	99	P	SUR	41	-33	151	0	0.4	0.4	0.6
7810322	99	P	SUR	21	-65	712	0	0.3	0.4	0.5
7810323	99	P	SUR	29	-63	708	0	0.3	0.3	0.5
7810324	99	P	SUR	32	-65	706	0	1.3	6.7	6.9

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND SPEED (M/S)
AREA : 10N - 90N, 70W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1000044	99	SPEED	SUR	55	10	181	0	0	1.6	1.2	2.1
1300001	99	SPEED	SUR	11	-23	720	0	0	0.8	0.6	1.0
1300008	99	SPEED	SUR	15	-38	594	0	0	0.7	-0.1	0.7
1300130	99	SPEED	SUR	28	-16	462	0	0	0.8	0.2	0.9
1300131	99	SPEED	SUR	28	-17	448	0	0	2.3	1.8	2.9
4100040	99	SPEED	SUR	15	-53	4279	0	0	0.7	0.1	0.7
4100043	99	SPEED	SUR	21	-65	4247	0	0	1.1	0.0	1.1
4100044	99	SPEED	SUR	22	-59	4253	0	0	1.1	0.0	1.1
4100046	99	SPEED	SUR	24	-68	1278	0	0	0.7	0.2	0.8
4100049	99	SPEED	SUR	28	-62	4306	0	0	1.2	0.1	1.2
4100052	99	SPEED	SUR	18	-65	4305	0	0	1.2	0.3	1.2
4100053	99	SPEED	SUR	18	-66	4311	0	0	1.6	1.0	1.9
4100056	99	SPEED	SUR	18	-65	4286	0	0	1.4	0.1	1.4
4100300	99	SPEED	SUR	16	-57	718	0	0	0.8	-0.1	0.8
41040	99	SPEED	SUR	15	-53	715	0	0	0.8	-0.5	1.0
41043	99	SPEED	SUR	21	-65	710	0	0	1.2	-0.4	1.3
41044	99	SPEED	SUR	22	-59	712	0	0	1.2	-0.4	1.3
41046	99	SPEED	SUR	24	-68	214	0	0	0.8	-0.3	0.9
41049	99	SPEED	SUR	28	-62	719	0	0	1.4	-0.3	1.4
41052	99	SPEED	SUR	18	-65	720	0	0	1.3	0.0	1.3
41053	99	SPEED	SUR	19	-66	720	0	0	1.7	0.0	1.7
41056	99	SPEED	SUR	18	-66	720	0	0	1.5	-0.3	1.5
4200059	99	SPEED	SUR	15	-68	4015	0	0	0.9	0.3	0.9
4200060	99	SPEED	SUR	16	-63	4315	0	0	1.1	0.2	1.2
4200085	99	SPEED	SUR	18	-67	4266	0	0	1.4	0.2	1.4
42059	99	SPEED	SUR	15	-68	671	0	0	1.0	-0.2	1.0
42060	99	SPEED	SUR	16	-63	720	0	0	1.3	-0.2	1.3
42085	99	SPEED	SUR	18	-67	716	0	0	1.4	0.3	1.5
4400011	99	SPEED	SUR	41	-67	4311	0	0	1.3	-0.5	1.5
4400027	99	SPEED	SUR	44	-67	4305	0	0	1.7	-0.4	1.8
4400032	99	SPEED	SUR	44	-69	685	0	0	1.9	-0.3	1.9
4400033	99	SPEED	SUR	44	-69	719	0	0	1.9	-0.2	1.9
4400034	99	SPEED	SUR	44	-68	720	0	0	2.0	-0.4	2.1
4400488	99	SPEED	SUR	45	-61	692	0	0	1.7	0.4	1.7

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400489	99	SPEED	SUR	45	-61	720	0	0	1.9	1.8	2.6
44011	99	SPEED	SUR	41	-67	719	0	0	1.6	-1.3	2.1
44027	99	SPEED	SUR	44	-67	720	0	0	1.9	-1.0	2.2
44032	99	SPEED	SUR	44	-69	685	0	0	2.1	-1.0	2.3
44033	99	SPEED	SUR	44	-69	719	0	0	2.0	-0.6	2.1
44034	99	SPEED	SUR	44	-68	720	0	0	2.2	-1.1	2.5
44078	99	SPEED	SUR	60	-40	506	0	0	4.5	-6.1	7.6
44137	99	SPEED	SUR	42	-62	715	0	0	1.6	-0.7	1.8
44139	99	SPEED	SUR	44	-57	716	0	0	1.6	-0.6	1.7
44150	99	SPEED	SUR	43	-64	709	0	0	1.5	-1.0	1.8
44258	99	SPEED	SUR	45	-63	718	0	0	1.8	-0.5	1.8
44488	99	SPEED	SUR	45	-61	692	0	0	1.7	0.2	1.8
44489	99	SPEED	SUR	46	-61	720	0	0	1.9	1.4	2.4
6100001	99	SPEED	SUR	43	8	628	0	0	1.5	0.0	1.5
6100002	99	SPEED	SUR	42	5	35	0	0	0.7	0.1	0.7
6100196	99	SPEED	SUR	42	4	678	0	0	1.6	-1.1	1.9
6100197	99	SPEED	SUR	40	4	644	0	0	1.5	-2.2	2.7
6100198	99	SPEED	SUR	37	-2	704	0	0	1.7	-0.4	1.7
6100280	99	SPEED	SUR	41	1	675	0	0	1.3	-1.0	1.6
6100281	99	SPEED	SUR	40	0	712	0	0	1.6	0.3	1.7
6100417	99	SPEED	SUR	38	0	657	0	0	1.4	-0.1	1.4
6100430	99	SPEED	SUR	40	2	709	0	0	1.5	-0.3	1.5
6101031	99	SPEED	SUR	42	8	720	0	0	1.2	-0.1	1.2
6101032	99	SPEED	SUR	42	10	716	0	0	1.5	0.8	1.7
6101033	99	SPEED	SUR	43	8	718	0	0	1.6	0.4	1.7
6101034	99	SPEED	SUR	42	6	718	0	0	1.2	0.3	1.2
6101035	99	SPEED	SUR	41	7	718	0	0	1.2	0.8	1.5
6200001	99	SPEED	SUR	45	-5	716	0	0	1.0	-0.3	1.1
6200024	99	SPEED	SUR	44	-3	675	0	0	1.5	-0.7	1.7
6200025	99	SPEED	SUR	44	-6	705	0	0	1.4	-0.4	1.4
6200081	99	SPEED	SUR	51	-13	152	0	0	0.7	0.0	0.7
6200082	99	SPEED	SUR	44	-8	703	0	0	1.4	-0.7	1.5
6200083	99	SPEED	SUR	43	-9	703	0	0	1.3	-0.4	1.4
6200084	99	SPEED	SUR	42	-9	78	0	0	1.5	-1.5	2.1
6200085	99	SPEED	SUR	36	-7	634	0	0	1.8	-0.2	1.8
6200086	99	SPEED	SUR	55	7	85	0	0	1.2	1.1	1.7
6200087	99	SPEED	SUR	55	7	168	0	0	1.1	0.5	1.2
6200091	99	SPEED	SUR	53	-5	720	0	0	1.3	0.3	1.4
6200092	99	SPEED	SUR	51	-11	720	0	0	1.3	0.6	1.4
6200093	99	SPEED	SUR	55	-10	720	0	0	1.3	0.2	1.3
6200094	99	SPEED	SUR	52	-7	720	0	0	1.1	-0.4	1.2

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200095	99	SPEED	SUR	53	-16	720	0	0	1.2	-0.2	1.3
6200103	99	SPEED	SUR	50	-3	719	0	0	1.2	0.2	1.2
6200163	99	SPEED	SUR	47	-8	719	0	0	1.1	0.3	1.1
6201065	99	SPEED	SUR	54	7	637	0	0	1.4	-0.7	1.6
6201066	99	SPEED	SUR	55	7	690	0	0	1.2	0.2	1.2
6202113	99	SPEED	SUR	54	7	115	0	0	1.0	-0.1	1.0
6202114	99	SPEED	SUR	54	6	9	0	0	0.5	0.3	0.6
62050	99	SPEED	SUR	50	-4	1434	0	0	1.1	0.2	1.1
62081	99	SPEED	SUR	51	-13	306	0	0	0.7	0.0	0.7
62091	99	SPEED	SUR	53	-5	720	0	0	1.4	0.6	1.5
62092	99	SPEED	SUR	51	-11	720	0	0	1.3	0.6	1.5
62093	99	SPEED	SUR	55	-10	720	0	0	1.3	0.3	1.4
62094	99	SPEED	SUR	52	-7	720	0	0	1.2	-0.3	1.2
62095	99	SPEED	SUR	53	-16	720	0	0	1.3	-0.1	1.3
62102	99	SPEED	SUR	58	2	1406	0	0	1.0	0.2	1.1
62103	99	SPEED	SUR	50	-3	1438	0	0	1.2	0.0	1.2
62104	99	SPEED	SUR	57	1	1440	0	0	1.1	0.1	1.1
62105	99	SPEED	SUR	55	-13	1440	0	0	1.4	0.3	1.4
62107	99	SPEED	SUR	50	-6	1436	0	0	1.5	0.6	1.6
62112	99	SPEED	SUR	58	0	1440	0	0	1.1	0.0	1.1
62113	99	SPEED	SUR	58	0	1440	0	0	1.3	0.3	1.4
62114	99	SPEED	SUR	58	0	782	0	0	1.6	0.9	1.8
62118	99	SPEED	SUR	58	1	1406	0	0	1.1	0.6	1.2
62120	99	SPEED	SUR	56	2	1440	0	0	1.1	-0.4	1.2
62121	99	SPEED	SUR	54	3	1440	0	0	1.1	0.1	1.1
62122	99	SPEED	SUR	57	2	210	0	0	2.0	-0.8	2.1
62129	99	SPEED	SUR	58	0	1202	0	0	1.3	0.2	1.4
62134	99	SPEED	SUR	58	1	1416	0	0	1.1	-0.8	1.4
62140	99	SPEED	SUR	57	1	12	0	0	0.5	-1.2	1.3
62143	99	SPEED	SUR	58	2	1440	0	0	1.2	-0.1	1.2
62144	99	SPEED	SUR	53	2	1440	0	0	1.5	-0.5	1.5
62145	99	SPEED	SUR	53	3	1390	0	0	1.4	0.8	1.6
62146	99	SPEED	SUR	57	2	1300	0	0	1.0	0.2	1.0
62148	99	SPEED	SUR	54	2	1440	0	0	1.2	-0.2	1.2
62149	99	SPEED	SUR	54	1	1434	0	0	1.2	0.0	1.2
62152	99	SPEED	SUR	57	2	1440	0	0	1.2	-0.3	1.2
62154	99	SPEED	SUR	56	2	1440	0	0	1.2	0.4	1.3
62155	99	SPEED	SUR	58	1	1416	0	0	1.1	0.0	1.1
62163	99	SPEED	SUR	48	-9	1437	0	0	1.1	0.3	1.1
62164	99	SPEED	SUR	57	1	1406	0	0	1.2	-1.0	1.5
62165	99	SPEED	SUR	54	1	1428	0	0	1.2	-0.2	1.2

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62170	99	SPEED	SUR	51	2	1440	0	0	1.1	0.7	1.3
62304	99	SPEED	SUR	51	2	1434	0	0	1.3	0.8	1.5
62305	99	SPEED	SUR	50	0	72	0	0	1.0	1.4	1.7
63055	99	SPEED	SUR	61	2	1382	0	0	1.3	-0.7	1.5
63056	99	SPEED	SUR	60	2	1402	0	0	1.2	0.4	1.2
63057	99	SPEED	SUR	59	2	1438	0	0	1.5	-1.2	1.9
63058	99	SPEED	SUR	53	2	918	0	0	1.3	0.0	1.3
63108	99	SPEED	SUR	61	2	1440	0	0	1.7	-0.3	1.7
63109	99	SPEED	SUR	60	2	1434	0	0	1.2	0.3	1.2
63110	99	SPEED	SUR	60	2	254	0	0	1.2	-0.1	1.2
63112	99	SPEED	SUR	61	1	1346	0	0	1.1	-0.3	1.2
63115	99	SPEED	SUR	62	1	1440	0	0	1.2	-0.6	1.4
64041	99	SPEED	SUR	61	-3	1376	0	0	1.3	-0.5	1.4
6600021	99	SPEED	SUR	55	14	119	0	0	1.0	0.0	1.0
6600024	99	SPEED	SUR	55	13	166	0	0	1.2	0.3	1.2

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND DIRECTION (DEGREES)
AREA : 10N - 90N, 70W - 40E
PERIOD : APR 2025
STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	DIRN	SUR	11	-23	720	0	0	8.4	2.6	8.8
1300008	99	DIRN	SUR	15	-38	593	0	0	6.3	-0.3	6.3
1300130	99	DIRN	SUR	28	-16	453	0	0	8.6	-4.7	9.8
1300131	99	DIRN	SUR	28	-17	212	0	0	17.6	9.4	20.0
4100002	99	DIRN	SUR	32	-75	414	0	0	15.9	4.9	16.6
4100004	99	DIRN	SUR	33	-79	2845	0	0	17.8	5.6	18.7
4100008	99	DIRN	SUR	31	-81	3223	0	0	17.1	5.7	18.1
4100009	99	DIRN	SUR	29	-80	3317	0	0	15.6	0.2	15.6
4100010	99	DIRN	SUR	29	-78	3598	0	0	13.9	1.7	14.0
4100013	99	DIRN	SUR	33	-78	3301	0	0	18.5	5.8	19.4
4100024	99	DIRN	SUR	34	-78	576	0	0	24.5	6.7	25.4
4100025	99	DIRN	SUR	35	-75	3820	0	0	17.3	6.8	18.5
4100029	99	DIRN	SUR	33	-80	598	0	0	23.1	-6.4	24.0
4100033	99	DIRN	SUR	32	-80	546	0	0	22.8	4.0	23.2
4100037	99	DIRN	SUR	34	-77	596	0	0	18.9	4.4	19.5
4100038	99	DIRN	SUR	34	-78	472	0	0	23.2	3.1	23.4
4100040	99	DIRN	SUR	15	-53	4276	0	0	8.2	1.5	8.3
4100043	99	DIRN	SUR	21	-65	3431	0	0	18.7	8.5	20.5
4100044	99	DIRN	SUR	22	-59	3364	0	0	20.9	9.5	22.9
4100046	99	DIRN	SUR	24	-68	1188	0	0	9.8	4.2	10.7
4100047	99	DIRN	SUR	28	-71	732	0	0	8.8	5.5	10.4
4100049	99	DIRN	SUR	28	-62	3827	0	0	25.8	10.8	28.0
4100052	99	DIRN	SUR	18	-65	3748	0	0	16.4	3.9	16.8
4100053	99	DIRN	SUR	18	-66	2835	0	0	17.3	1.6	17.4
4100056	99	DIRN	SUR	18	-65	3606	0	0	16.9	4.6	17.5
4100064	99	DIRN	SUR	34	-77	602	0	0	17.6	-13.8	22.4
4100066	99	DIRN	SUR	33	-80	522	0	0	24.1	-6.2	24.8
4100068	99	DIRN	SUR	28	-80	647	0	0	13.0	-7.8	15.1
4100069	99	DIRN	SUR	29	-81	577	0	0	16.0	-0.3	16.0
4100082	99	DIRN	SUR	36	-75	3292	0	0	18.8	-9.3	21.0
4100083	99	DIRN	SUR	36	-75	2864	0	0	18.4	-12.8	22.4
41002	99	DIRN	SUR	32	-75	68	0	0	16.5	4.6	17.2

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4100300	99	DIRN	SUR	16	-57	683	0	0	11.8	0.2	11.8
41004	99	DIRN	SUR	33	-79	455	0	0	17.6	5.8	18.5
41008	99	DIRN	SUR	31	-81	526	0	0	16.9	6.2	18.0
41009	99	DIRN	SUR	29	-80	560	0	0	16.4	-0.5	16.4
41010	99	DIRN	SUR	29	-79	605	0	0	14.3	2.0	14.4
41013	99	DIRN	SUR	33	-78	553	0	0	18.9	5.6	19.7
41024	99	DIRN	SUR	34	-79	587	0	0	25.9	6.7	26.8
41025	99	DIRN	SUR	35	-76	638	0	0	18.2	6.7	19.4
41029	99	DIRN	SUR	33	-80	589	0	0	22.1	-7.3	23.3
41033	99	DIRN	SUR	32	-80	535	0	0	27.0	3.1	27.2
41037	99	DIRN	SUR	34	-77	594	0	0	18.6	4.2	19.0
41038	99	DIRN	SUR	34	-78	456	0	0	23.3	3.4	23.6
41040	99	DIRN	SUR	15	-53	715	0	0	8.7	1.1	8.8
41043	99	DIRN	SUR	21	-65	570	0	0	20.2	7.6	21.5
41044	99	DIRN	SUR	22	-59	557	0	0	21.1	9.4	23.1
41046	99	DIRN	SUR	24	-68	201	0	0	11.5	2.7	11.8
41047	99	DIRN	SUR	28	-72	122	0	0	8.4	5.7	10.2
41049	99	DIRN	SUR	28	-62	617	0	0	25.3	10.3	27.3
41052	99	DIRN	SUR	18	-65	626	0	0	16.0	3.5	16.4
41053	99	DIRN	SUR	19	-66	508	0	0	18.6	2.1	18.8
41056	99	DIRN	SUR	18	-66	604	0	0	17.6	4.2	18.1
41064	99	DIRN	SUR	34	-77	593	0	0	18.1	-14.0	22.9
41066	99	DIRN	SUR	33	-80	502	0	0	23.4	-7.7	24.6
41068	99	DIRN	SUR	28	-80	638	0	0	14.0	-7.9	16.1
41069	99	DIRN	SUR	29	-81	568	0	0	16.1	-0.8	16.1
41082	99	DIRN	SUR	36	-75	544	0	0	18.5	-10.5	21.3
41083	99	DIRN	SUR	36	-75	473	0	0	18.0	-13.0	22.2
4200013	99	DIRN	SUR	27	-83	1026	0	0	14.7	-7.1	16.3
4200022	99	DIRN	SUR	28	-84	977	0	0	13.2	-5.5	14.3
4200023	99	DIRN	SUR	26	-83	1037	0	0	10.9	-4.7	11.9
4200026	99	DIRN	SUR	25	-83	1298	0	0	11.2	-6.0	12.7
4200036	99	DIRN	SUR	29	-85	3037	0	0	14.4	7.4	16.2
4200056	99	DIRN	SUR	20	-85	4229	0	0	10.6	2.4	10.9
4200057	99	DIRN	SUR	17	-82	4030	0	0	10.8	3.4	11.3
4200058	99	DIRN	SUR	15	-75	4298	0	0	8.4	8.1	11.7
4200059	99	DIRN	SUR	15	-68	3957	0	0	11.7	8.0	14.2
4200060	99	DIRN	SUR	16	-63	3722	0	0	13.3	6.4	14.7
4200085	99	DIRN	SUR	18	-67	3321	0	0	23.0	5.0	23.5
42013	99	DIRN	SUR	27	-83	509	0	0	14.6	-5.1	15.5
42022	99	DIRN	SUR	28	-84	494	0	0	13.6	-4.6	14.3
42023	99	DIRN	SUR	26	-83	528	0	0	11.5	-3.9	12.1

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42026	99	DIRN	SUR	25	-84	641	0	0	11.3	-5.7	12.6
42036	99	DIRN	SUR	29	-85	492	0	0	13.7	7.2	15.4
42056	99	DIRN	SUR	20	-85	705	0	0	11.6	2.0	11.7
42057	99	DIRN	SUR	17	-82	670	0	0	10.5	3.1	10.9
42058	99	DIRN	SUR	15	-75	717	0	0	9.1	7.3	11.7
42059	99	DIRN	SUR	15	-68	662	0	0	12.0	7.4	14.1
42060	99	DIRN	SUR	16	-63	615	0	0	14.0	5.8	15.2
42085	99	DIRN	SUR	18	-67	533	0	0	21.4	4.6	21.8
4400007	99	DIRN	SUR	44	-70	2937	0	0	22.6	6.1	23.4
4400009	99	DIRN	SUR	38	-75	3564	0	0	15.5	7.1	17.0
4400011	99	DIRN	SUR	41	-67	3564	0	0	12.7	12.0	17.5
4400013	99	DIRN	SUR	42	-71	3303	0	0	19.2	9.2	21.3
4400014	99	DIRN	SUR	37	-75	3587	0	0	17.7	8.1	19.5
4400020	99	DIRN	SUR	41	-70	3667	0	0	16.5	4.0	17.0
4400025	99	DIRN	SUR	40	-73	3647	0	0	20.5	9.7	22.6
4400027	99	DIRN	SUR	44	-67	3585	0	0	15.5	10.3	18.6
4400029	99	DIRN	SUR	43	-71	586	0	0	22.1	10.1	24.3
4400030	99	DIRN	SUR	43	-70	543	0	0	26.0	6.6	26.8
4400032	99	DIRN	SUR	44	-69	540	0	0	18.5	3.0	18.8
4400033	99	DIRN	SUR	44	-69	520	0	0	23.7	1.6	23.8
4400034	99	DIRN	SUR	44	-68	575	0	0	18.1	3.5	18.5
4400042	99	DIRN	SUR	38	-76	4451	0	0	20.4	4.2	20.9
4400058	99	DIRN	SUR	38	-76	1981	0	0	19.5	-0.7	19.5
4400062	99	DIRN	SUR	39	-76	3749	0	0	27.1	1.5	27.1
4400063	99	DIRN	SUR	39	-76	3699	0	0	30.9	3.2	31.0
4400065	99	DIRN	SUR	40	-74	3465	0	0	17.8	12.4	21.7
4400072	99	DIRN	SUR	37	-76	4581	0	0	23.8	1.4	23.8
4400073	99	DIRN	SUR	43	-71	2013	0	0	21.6	6.4	22.5
4400079	99	DIRN	SUR	36	-75	3113	0	0	17.5	-13.0	21.8
4400488	99	DIRN	SUR	45	-61	528	0	0	20.4	-26.3	33.3
4400489	99	DIRN	SUR	45	-61	513	0	0	17.2	-33.6	37.7
44007	99	DIRN	SUR	44	-70	498	0	0	24.2	6.4	25.0
44009	99	DIRN	SUR	39	-75	592	0	0	16.5	7.3	18.0
44011	99	DIRN	SUR	41	-67	588	0	0	12.9	11.9	17.6
44013	99	DIRN	SUR	42	-71	535	0	0	22.5	9.4	24.4
44014	99	DIRN	SUR	37	-75	600	0	0	18.5	7.9	20.1
44020	99	DIRN	SUR	42	-70	604	0	0	16.8	3.9	17.2
44025	99	DIRN	SUR	40	-73	601	0	0	21.1	8.7	22.8
44027	99	DIRN	SUR	44	-67	595	0	0	16.7	10.2	19.5
44029	99	DIRN	SUR	43	-71	573	0	0	23.3	8.6	24.8
44030	99	DIRN	SUR	43	-70	545	0	0	26.2	8.1	27.4

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44032	99	DIRN	SUR	44	-69	538	0	0	19.1	3.2	19.4
44033	99	DIRN	SUR	44	-69	514	0	0	24.3	1.5	24.3
44034	99	DIRN	SUR	44	-68	566	0	0	18.9	3.1	19.2
44042	99	DIRN	SUR	38	-76	587	0	0	20.6	4.7	21.1
44058	99	DIRN	SUR	38	-76	291	0	0	21.5	1.5	21.5
44062	99	DIRN	SUR	39	-76	505	0	0	27.1	1.2	27.1
44063	99	DIRN	SUR	39	-76	518	0	0	31.0	3.0	31.1
44065	99	DIRN	SUR	40	-74	575	0	0	18.1	11.1	21.2
44072	99	DIRN	SUR	37	-76	601	0	0	23.7	2.8	23.9
44073	99	DIRN	SUR	43	-71	339	0	0	23.3	6.1	24.1
44078	99	DIRN	SUR	60	-40	201	0	0	11.3	-20.1	23.1
44079	99	DIRN	SUR	36	-75	515	0	0	17.7	-13.1	22.1
44137	99	DIRN	SUR	42	-62	612	0	0	15.7	-0.2	15.7
44139	99	DIRN	SUR	44	-57	653	0	0	17.6	-6.6	18.8
44150	99	DIRN	SUR	43	-64	623	0	0	15.8	-0.3	15.8
44258	99	DIRN	SUR	45	-63	550	0	0	18.8	3.2	19.1
44488	99	DIRN	SUR	45	-61	530	0	0	22.2	-26.0	34.2
44489	99	DIRN	SUR	46	-61	534	0	0	19.0	-34.2	39.1
4500012	99	DIRN	SUR	44	-77	555	0	0	19.7	19.1	27.4
4500135	99	DIRN	SUR	44	-77	102	0	0	23.8	6.8	24.7
4500139	99	DIRN	SUR	43	-80	56	0	0	15.3	-1.5	15.4
4500159	99	DIRN	SUR	44	-79	81	0	0	22.1	-2.1	22.2
45012	99	DIRN	SUR	44	-77	95	0	0	22.0	20.0	29.8
45135	99	DIRN	SUR	44	-77	98	0	0	24.5	5.8	25.1
45139	99	DIRN	SUR	43	-80	60	0	0	24.0	0.0	24.0
45149	99	DIRN	SUR	44	-82	99	0	0	15.7	2.6	15.9
45159	99	DIRN	SUR	44	-79	80	0	0	27.4	0.5	27.4
6100198	99	DIRN	SUR	37	-2	506	0	0	15.2	-0.5	15.2
6100281	99	DIRN	SUR	40	0	331	0	0	38.8	1.7	38.8
6100417	99	DIRN	SUR	38	0	439	0	0	19.9	6.9	21.1
6200001	99	DIRN	SUR	45	-5	612	0	0	11.5	-1.1	11.5
6200024	99	DIRN	SUR	44	-3	474	0	0	22.4	6.1	23.2
6200025	99	DIRN	SUR	44	-6	496	0	0	19.2	-1.0	19.2
6200081	99	DIRN	SUR	51	-13	149	0	0	8.0	1.7	8.2
6200082	99	DIRN	SUR	44	-8	579	0	0	16.9	2.2	17.0
6200083	99	DIRN	SUR	43	-9	528	0	0	17.2	10.0	19.9
6200084	99	DIRN	SUR	42	-9	21	0	0	57.4	-7.4	57.8
6200085	99	DIRN	SUR	36	-7	519	0	0	15.9	11.0	19.4
6200091	99	DIRN	SUR	53	-5	536	0	0	14.1	7.9	16.2
6200092	99	DIRN	SUR	51	-11	647	0	0	12.2	4.4	13.0
6200093	99	DIRN	SUR	55	-10	609	0	0	15.9	4.7	16.6

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200094	99	DIRN	SUR	52	-7	570	0	0	15.6	4.6	16.2
6200095	99	DIRN	SUR	53	-16	651	0	0	17.6	9.5	20.0
6200103	99	DIRN	SUR	50	-3	626	0	0	15.3	10.5	18.5
6200163	99	DIRN	SUR	47	-8	698	0	0	18.8	-1.6	18.8
62050	99	DIRN	SUR	50	-4	1281	0	0	12.8	2.3	13.0
62081	99	DIRN	SUR	51	-13	300	0	0	8.4	1.3	8.5
62091	99	DIRN	SUR	53	-5	528	0	0	14.4	7.3	16.1
62092	99	DIRN	SUR	51	-11	648	0	0	12.2	4.0	12.8
62093	99	DIRN	SUR	55	-10	599	0	0	15.4	4.0	15.9
62094	99	DIRN	SUR	52	-7	564	0	0	16.3	4.0	16.8
62095	99	DIRN	SUR	53	-16	647	0	0	17.6	9.3	19.9
62103	99	DIRN	SUR	50	-3	1242	0	0	15.3	10.7	18.7
62105	99	DIRN	SUR	55	-13	1326	0	0	15.1	-12.1	19.3
62107	99	DIRN	SUR	50	-6	1243	0	0	16.4	1.4	16.5
62112	99	DIRN	SUR	58	0	1209	0	0	11.5	1.6	11.6
62114	99	DIRN	SUR	58	0	696	0	0	12.6	-4.2	13.3
62163	99	DIRN	SUR	48	-9	1392	0	0	18.7	-1.6	18.7
62305	99	DIRN	SUR	50	0	72	0	0	4.7	8.2	9.5
64041	99	DIRN	SUR	61	-3	1233	0	0	12.4	5.5	13.6
9193264	99	DIRN	SUR	30	-75	5	0	0	12.4	0.2	12.4

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	JNSR	KJJF9XN	KMPLHPW	LAGZ8	LRYQE3U
USSIO	UXK5JTU	WDK38HS	XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J	7JUNA4N	01001
01004	01010	01028	01241	01400	01415	01492	02185	02365
02591	02836	02963	03005	03238	03354	03502	03743	03808
03882	03918	03953	04018	04220	04270	04320	04339	04360
04417	06011	06260	06458	06610	07110	07145	07510	07645
07761	08001	08023	08190	08221	08302	08383	08430	08508
08522	08536	10035	10113	10184	10238	10304	10393	10410
10548	10618	10739	10771	10868	10954	10962	11010	11035
11120	11240	11520	11747	11952	12120	12374	12425	12575
12843	12982	13275	13388	14015	14240	14430	15420	15614
16045	16064	16113	16144	16224	16245	16332	16429	16546
16622	16716	16754	17000	17030	17064	17095	17196	17220
17240	17351	17516	17607	20674	22008	22522	22820	22845
23205	23472	23884	23921	23955	24266	24641	24688	24908
24947	26038	26435	26477	26629	26708	27459	27707	27713
27962	28225	28445	28661	28695	29572	29612	29698	30557
30673	31004	31770	31873	31977	34122	34172	34731	35121
40179	40186	42027	42056	42182	42314	42339	42348	42361
42399	42516	42622	42623	42675	42971	43003	43014	43041
43063	43128	43150	43185	43243	43279	43295	43346	43353
43371	45004	47102	47104	47138	47155	47169	47183	47186
47191	47230	47401	47412	47582	47646	47678	47741	47778
47807	47827	47909	47918	47945	47971	47991	48601	48615
48650	48657	48698	50527	50557	50774	50953	51076	51243
51431	51463	51644	51656	51709	51777	51828	51839	52203
52267	52323	52418	52533	52652	52681	52818	52836	52866
52983	53068	53463	53513	53543	53614	53772	53845	53915
54102	54135	54161	54218	54292	54340	54374	54511	54662
54727	54857	55299	55591	56029	56046	56080	56137	56146
56187	56492	56571	56651	56691	56739	56778	56964	56985
57083	57127	57131	57178	57245	57461	57494	57516	57541
57687	57749	57816	57957	57972	57993	58027	58150	58203
58238	58362	58424	58457	58606	58633	58665	58725	58847
59023	59134	59211	59265	59280	59293	59316	59431	59758
59981	60018	60096	60155	60253	60715	61901	61980	61998
65344	66160	67083	68263	70026	70200	70219	70231	70261
70273	70308	70316	70326	70350	70361	70398	71043	71081
71082	71109	71119	71603	71722	71802	71811	71815	71816
71823	71845	71867	71906	71907	71908	71909	71913	71917
71924	71925	71926	71934	71945	71957	71964	72201	72202
72206	72208	72210	72215	72230	72233	72235	72240	72248
72249	72250	72251	72261	72265	72274	72293	72305	72317
72318	72327	72340	72357	72363	72364	72365	72376	72388
72402	72403	72413	72426	72440	72451	72456	72476	72489
72493	72501	72518	72520	72528	72558	72562	72572	72582
72597	72632	72634	72645	72649	72659	72662	72672	72681
72694	72712	72747	72764	72768	72776	72786	72797	73033
73110	73111	74389	74455	74560	76256	76394	76405	76458
76526	76595	76612	76644	76654	76679	76692	76743	76805
76903	78384	78397	78486	78583	78866	78897	78954	78988
80001	81405	84372	84516	84754	85442	85586	85799	85934
87155	87344	87418	87585	87623	87715	87860	88889	89002
89055	89062	89504	89564	89571	89592	89611	89625	89642
91165	91212	91285	91334	91348	91376	91408	91413	91592
91765	91925	91938	91948	91958	93112	93417	93844	94001
94005	94120	94155	94170	94203	94299	94302	94312	94326
94332	94403	94430	94461	94510	94578	94610	94637	94653
94659	94672	94711	94767	94775	94802	94821	94866	94910

94995	94996	94998	95282	95527	95954	96413	96441	96471
96481	96996							

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	KJJF9XN	KMPLHPW	LAGZ8	LRYQE3U	UXK5JTU
WDK38HS	XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J	7JUNA4N	01001	01004	01010
01028	01241	01400	01415	01492	02836	02963	06610	07110
07145	07510	07645	07761	08001	08023	08190	08221	08302
08383	08430	08508	08522	08536	11010	11035	11120	11240
12575	17000	17607	40186	42622	47183	47191	48698	50527
50557	50774	50953	51076	51243	51431	51463	51644	51656
51709	51777	51828	51839	52203	52267	52323	52418	52533
52652	52681	52818	52836	52866	52983	53068	53463	53513
53543	53614	53772	53845	53915	54102	54135	54161	54218
54292	54340	54374	54511	54662	54727	54857	55299	55591
56029	56046	56080	56137	56146	56187	56492	56571	56651
56691	56739	56778	56964	56985	57083	57127	57131	57178
57245	57461	57494	57516	57541	57687	57749	57816	57957
57972	57993	58027	58150	58203	58238	58362	58424	58457
58606	58633	58665	58725	58847	59023	59134	59211	59265
59280	59293	59316	59431	59758	59981	60096	60253	66160
67083	72413	76743	76903	87585	89002	89504	89642	91925
91938	91948	91958	94001	94005	94653			

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPs and PILOTSHIPs this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PI-LOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.