



ECMWF Global Data Monitoring Report

May 2025

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	16
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	17
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	18
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	19
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	20
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	22
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	23
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	24
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	26
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	27
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	28
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	29
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	30
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	31
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	32
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	33
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	34
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)	35
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)	36
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	37
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	38
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	39
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	40
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	41
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	42
4	EUCOS Area Monitoring Statistics	50
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	51
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)	54
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	57
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	60
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	63
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	66
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	69
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	72
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	75
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	84
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	88
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	94
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	96

5 Annex - Explanations of figures and tables	97
5.1 General	97
5.2 Data Availability	97
5.3 Data Quality	97

Summary of Revisions (in reverse order)

- Revision 30 (Nov 23) - Coverage charts for AIREP/AMDARs updated:
Added MODE-S and ADS-C to Figure 5 and Figure 18
- Revision 29 (Dec 22) - Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOBS figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) - Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPS are modified as per
SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for NOAA_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of
these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by
EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for NOAA_14 MSU replaced by
ATOVS AMSU-A for NOAA_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100
hPa replaced by (A) TOVS AMSU-A and MSU
(NOAA_15 and NOAA_14).
- Revision 21 (May 99) - Monitoring statistics ceased for NOAA_11 as
satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all
mention about data usage. Two more levels
(50 and 850 hPa) added to the COSNA statistics
for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates
temperature data instead of geopotential from
radiosondes. As a consequence the number of
used geopotential data drops to zero in tables
7, 10, 13 and 15.

Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Apr	May	Ident	Time	Apr	May
24266	(00)	21	6	03023	(12)	0	45
24266	(12)	21	6	13295	(00)	0	31
24641	(00)	19	4	13295	(12)	0	30
24688	(00)	19	5	13369	(00)	0	31
24688	(12)	19	8	13369	(12)	0	31
25703	(00)	30	15	30935	(00)	0	15
28445	(12)	25	14	30935	(12)	0	16
32389	(00)	30	13	40754	(00)	8	19
32540	(12)	27	11	42111	(00)	15	26
42647	(00)	29	4	42314	(00)	0	20
42647	(12)	28	0	42369	(00)	0	12
42867	(00)	30	3	42369	(12)	0	12
42867	(12)	30	2	42516	(00)	0	21
48431	(00)	27	1	42706	(00)	8	24
48431	(12)	26	2	42726	(00)	5	22
61980	(12)	27	0	43003	(00)	4	29
70231	(00)	27	7	43003	(12)	0	18
70231	(12)	29	6	60191	(00)	17	31
72202	(12)	29	13	64400	(12)	18	29
72240	(12)	30	15	68263	(00)	0	21
72363	(12)	29	8	68263	(12)	1	19
72518	(00)	30	13	68424	(00)	3	16
72562	(12)	30	3	68442	(12)	4	16
72597	(12)	20	0	68816	(00)	14	28
72768	(12)	29	17	68816	(12)	9	27
72776	(00)	30	3	68842	(00)	9	26
72776	(12)	30	3	72558	(00)	5	28
72786	(00)	28	15	72645	(12)	0	27
72786	(12)	28	17	72672	(12)	12	30
74389	(12)	24	0	74794	(12)	30	61
78384	(00)	18	0	78988	(12)	10	24
78384	(12)	15	0	80259	(12)	0	15
78583	(00)	24	1	94995	(00)	13	30
78583	(12)	23	0	96749	(00)	13	30
94299	(12)	31	9	-	-	-	-
96011	(00)	23	7	-	-	-	-
96253	(00)	15	0	-	-	-	-
97014	(00)	15	0	-	-	-	-
97072	(00)	18	0	-	-	-	-
97180	(12)	30	1	-	-	-	-
98753	(12)	24	13	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1277** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.


Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa


Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE


Figure 2



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa


Figure 5

ECMWF Monitoring Statistics - MAY 2025
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 0




3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6




3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7




3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8




3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1




3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2



3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3



3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
2EIF7	99	P	SUR	18	0	0.6	5.9	5.9
3E2032	99	P	SUR	21	0	0.8	-3.4	3.5
3E3566	99	P	SUR	62	0	1.7	5.7	5.9
3E4612	99	P	SUR	35	0	0.6	3.2	3.2
3E5193	99	P	SUR	29	0	0.7	3.6	3.7
3EBY2	99	P	SUR	48	28	2.1	12.8	12.9
3FAE4	99	P	SUR	25	0	1.0	3.8	4.0
3FLT5	99	P	SUR	28	0	0.8	3.2	3.2
3FON6	99	P	SUR	22	0	0.7	4.5	4.6
3FWH8	99	P	SUR	50	0	4.5	5.6	7.2
3FYP8	99	P	SUR	17	0	2.3	4.7	5.2
3FZ18	99	P	SUR	17	0	0.9	4.3	4.4
45014	99	P	SUR	124	124	0.0	0.0	0.0
45161	99	P	SUR	37	0	0.6	8.9	8.9
6QZJ45L	99	P	SUR	27	0	3.6	-3.2	4.8
7JKC	99	P	SUR	15	0	1.3	3.5	3.7
7JLP	99	P	SUR	15	1	1.6	3.6	3.9
7KKD	99	P	SUR	27	0	0.6	-3.6	3.6
7KKU	99	P	SUR	51	0	0.9	-4.5	4.6
9HA4777	99	P	SUR	69	0	5.3	1.5	5.5
9HA5209	99	P	SUR	28	0	2.3	9.3	9.6
9HA5682	99	P	SUR	91	0	2.9	-4.6	5.5
9HA5782	99	P	SUR	18	0	6.4	-2.7	6.9
9HA5823	99	P	SUR	17	0	0.7	8.8	8.9
9HJD9	99	P	SUR	64	0	0.6	-3.0	3.1
9HSJ7	99	P	SUR	66	1	1.7	7.8	8.0
9V2728	99	P	SUR	15	0	2.8	3.3	4.3
9V3912	99	P	SUR	108	0	2.0	3.6	4.1
9V5247	99	P	SUR	21	0	1.2	3.6	3.8
9V6256	99	P	SUR	44	0	0.5	-4.2	4.2
9V7625	99	P	SUR	46	0	2.5	3.6	4.4
9V7626	99	P	SUR	34	0	3.3	-5.0	6.0

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
9V8372	99	P	SUR	61	0	2.2	3.8	4.5
9V9148	99	P	SUR	25	0	1.9	4.8	5.2
9V9404	99	P	SUR	84	0	1.8	3.4	3.8
AUTP	99	P	SUR	23	3	0.8	6.3	6.4
AUYN	99	P	SUR	16	0	0.7	3.1	3.2
AVBC	99	P	SUR	17	0	1.4	4.4	4.6
AVWF	99	P	SUR	40	3	5.0	6.1	7.9
D5264	99	P	SUR	17	0	1.4	3.3	3.6
D5AD8	99	P	SUR	19	9	1.3	12.5	12.6
DUUFU3N	99	P	SUR	31	0	1.2	-4.8	5.0
EAJ3GDS	99	P	SUR	21	0	0.6	-3.9	3.9
ELPX7	99	P	SUR	15	0	0.2	-3.0	3.0
JPTX	99	P	SUR	21	0	0.6	6.7	6.7
LAQL7	99	P	SUR	33	1	0.7	6.6	6.7
LAQO7	99	P	SUR	30	0	2.1	3.4	4.0
OBAA	99	P	SUR	33	0	1.7	-7.0	7.2
S6AN5	99	P	SUR	19	0	1.8	4.6	4.9
TTXRR5H	99	P	SUR	18	0	0.6	3.3	3.3
UAEV	99	P	SUR	25	1	6.4	0.2	6.4
V7A6073	99	P	SUR	82	0	1.5	4.8	5.1
V7A6081	99	P	SUR	27	0	1.2	4.4	4.5
V7QT7	99	P	SUR	66	0	1.4	4.6	4.8
V7WS6	99	P	SUR	20	2	1.2	4.5	4.7
VNSZ	99	P	SUR	113	0	0.8	-3.6	3.7
VRFU9	99	P	SUR	27	0	0.7	3.8	3.8
VRLA6	99	P	SUR	22	0	0.6	8.8	8.8
VRLJ2	99	P	SUR	20	0	3.4	-5.1	6.1
VRLJ4	99	P	SUR	18	0	0.7	3.2	3.3
VROC3	99	P	SUR	49	0	1.0	6.0	6.1
VRQS3	99	P	SUR	37	0	1.9	7.8	8.0
VRSJ8	99	P	SUR	22	0	0.9	-7.9	8.0
VRVR3	99	P	SUR	18	0	1.1	-7.5	7.5
WGEB	99	P	SUR	123	0	0.4	6.5	6.5
WMKQ	99	P	SUR	57	0	0.5	-5.4	5.4
WTEK	99	P	SUR	89	8	5.2	0.1	5.2
ZBZA5GS	99	P	SUR	28	0	0.6	-5.2	5.3
ZGFY4	99	P	SUR	56	0	1.1	-8.8	8.8

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
46092	99	SPEED	SUR	121	0	0	3.6	-6.0	7.0

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42067	99	DIRN	SUR	84	0	0	70.9	22.4	74.3
45029	99	DIRN	SUR	85	0	0	28.6	45.9	54.1
45209	99	DIRN	SUR	68	0	0	106.0	109.7	152.6
46204	99	DIRN	SUR	106	0	0	13.8	37.1	39.6

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
2302627	99	P	SUR	11	73	675	578	7.4	-6.0	9.6
2501556	99	P	SUR	78	149	23	13	6.4	-8.9	11.0
2501557	99	P	SUR	76	158	97	31	7.6	-3.0	8.1
2802016	99	P	SUR	60	-176	741	2	0.7	12.6	12.6
3401599	99	P	SUR	-49	-45	737	163	6.3	-1.1	6.4
3401636	99	P	SUR	-32	-113	685	0	0.5	-6.6	6.6
4101867	99	P	SUR	6	81	739	566	2.6	-5.4	6.0
4402739	99	P	SUR	37	-9	595	0	0.0	-6.4	6.4
4500014	99	P	SUR	45	-88	1488	1488	0.0	0.0	0.0
4500161	99	P	SUR	43	-86	653	0	0.4	9.0	9.0
45014	99	P	SUR	45	-88	744	744	0.0	0.0	0.0
45161	99	P	SUR	43	-86	222	0	0.6	8.9	9.0
4602563	99	P	SUR	33	-160	707	52	4.7	5.4	7.2
4701558	99	P	SUR	79	-18	61	0	0.3	-4.3	4.3
4801763	99	P	SUR	59	-55	744	0	0.5	-5.8	5.8
4802506	99	P	SUR	58	-8	307	80	2.2	-1.7	2.8
4802582	99	P	SUR	64	-18	741	182	5.6	-7.7	9.6
4802662	99	P	SUR	70	-125	741	734	9.1	1.3	9.2
5103563	99	P	SUR	37	-142	337	227	9.6	3.0	10.0
5401773	99	P	SUR	-48	-76	166	0	1.3	9.0	9.1
5501735	99	P	SUR	-40	-126	744	744	0.0	0.0	0.0
5802001	99	P	SUR	-65	174	741	235	2.5	0.3	2.5
5802009	99	P	SUR	-68	178	562	152	4.3	0.0	4.3
5802090	99	P	SUR	-12	83	307	307	0.0	0.0	0.0
5802091	99	P	SUR	-25	76	308	308	0.0	0.0	0.0
6203673	99	P	SUR	19	-29	137	115	0.4	2.5	2.5
6301517	99	P	SUR	79	178	729	729	0.0	0.0	0.0
6301518	99	P	SUR	74	-179	663	105	7.1	4.1	8.2
6801806	99	P	SUR	57	-170	402	0	0.9	-6.1	6.2
6801904	99	P	SUR	-18	76	308	308	0.0	0.0	0.0
6801948	99	P	SUR	53	-130	625	519	2.6	9.8	10.2
7801693	99	P	SUR	18	180	744	0	0.4	-9.2	9.3

LIST OF SUSPECT STATIONS : DRIFTER
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : SURFACE PRESSURE (HPA)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	ME LEVEL	LAT	N LONG	N OBS	GROSS	SD	BIAS	RMS
7801750	99	P	SUR	22	-132	668	627	1.5	13.0	13.1
7801759	99	P	SUR	28	148	695	226	8.0	2.0	8.3
7801770	99	P	SUR	58	-153	737	737	0.0	0.0	0.0
7810324	99	P	SUR	33	-63	734	0	1.2	5.5	5.7

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4600092	99	SPEED	SUR	37	-122	735	0	0	3.0	-6.3	7.0
46092	99	SPEED	SUR	37	-122	735	0	0	3.4	-6.0	7.0

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
2200185	99	DIRN	SUR	37	125	377	0	0	16.1	27.7	32.0
2200301	99	DIRN	SUR	32	126	525	0	0	110.3	-3.9	110.4
2200309	99	DIRN	SUR	34	128	505	0	0	18.6	-20.7	27.8
2300016	99	DIRN	SUR	-2	67	111	0	0	27.5	20.9	34.5
2300092	99	DIRN	SUR	17	89	125	0	0	94.6	-25.8	98.0
23092	99	DIRN	SUR	17	89	123	0	0	96.3	-25.2	99.5
4200067	99	DIRN	SUR	30	-89	3176	0	0	75.7	9.5	76.3
42067	99	DIRN	SUR	30	-89	528	0	0	74.9	10.6	75.7
4400489	99	DIRN	SUR	45	-61	446	0	0	24.4	-24.5	34.6
44489	99	DIRN	SUR	46	-61	468	0	0	25.4	-25.1	35.7
4500013	99	DIRN	SUR	43	-88	716	0	0	23.0	-20.0	30.5
4500029	99	DIRN	SUR	43	-86	2645	0	0	20.5	47.0	51.3
4500174	99	DIRN	SUR	42	-88	619	0	0	24.4	-24.4	34.5
4500176	99	DIRN	SUR	42	-82	1164	0	0	19.7	-22.6	30.0
4500207	99	DIRN	SUR	42	-81	2480	0	0	25.4	-26.6	36.8
4500209	99	DIRN	SUR	43	-82	2366	0	0	88.9	123.3	152.0
45025	99	DIRN	SUR	47	-88	65	0	0	36.5	21.0	42.1
45029	99	DIRN	SUR	43	-86	470	0	0	23.6	47.5	53.0
45174	99	DIRN	SUR	42	-88	100	0	0	21.5	-22.4	31.1
45176	99	DIRN	SUR	42	-82	207	0	0	25.2	-21.5	33.1
45207	99	DIRN	SUR	42	-81	418	0	0	25.0	-25.8	35.9
45209	99	DIRN	SUR	43	-82	407	0	0	95.9	117.4	151.5
4600092	99	DIRN	SUR	37	-122	41	0	0	119.0	2.5	119.0
46092	99	DIRN	SUR	37	-122	38	0	0	118.8	-14.6	119.7
46122	99	DIRN	SUR	48	-123	44	0	0	53.8	-32.2	62.7
46204	99	DIRN	SUR	51	-129	630	0	0	14.3	35.3	38.1
4804181	99	DIRN	SUR	-16	150	1472	0	0	14.2	25.8	29.5
6200086	99	DIRN	SUR	55	7	170	0	0	10.4	25.3	27.3

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	00	Z	1000	57	3	30	0	4.0	78.8	78.9
01400	12	Z	1000	57	3	31	0	4.0	78.8	78.9
21432	12	Z	150	76	138	21	1	98.6	48.1	109.7
22522	12	Z	30	65	35	28	0	134.8	128.9	186.5
22820	12	Z	30	62	34	28	0	130.6	128.3	183.1
22820	00	Z	30	62	34	21	0	141.5	117.5	183.9
23933	12	Z	300	61	69	30	0	34.9	-60.9	70.2
23933	00	Z	300	61	69	30	0	19.7	-70.6	73.3
26477	12	Z	30	56	31	28	0	152.8	168.0	227.1
26477	00	Z	50	56	31	27	0	111.4	98.8	148.9
29839	12	Z	200	54	84	27	0	16.9	94.5	96.0
31770	00	Z	200	49	140	27	0	87.0	59.5	105.4
32540	00	Z	50	53	159	29	0	64.5	153.5	166.5
32540	12	Z	50	53	159	13	0	72.8	164.4	179.8
36003	12	Z	200	52	77	28	1	74.2	47.1	87.9
38341	12	Z	70	43	71	12	3	188.0	-53.1	195.4
38341	00	Z	250	43	71	29	16	129.4	-35.4	134.2
47058	00	Z	100	39	126	29	2	32.6	170.1	173.2
48698	12	Z	30	1	104	10	0	14.1	165.8	166.4
52323	12	Z	50	42	97	27	1	128.4	169.1	212.3
52323	00	Z	50	42	97	30	1	125.3	174.6	214.9
65344	12	Z	1000	6	2	31	0	5.1	32.2	32.6
76644	12	Z	700	21	-90	26	0	6.4	40.5	41.0
76644	00	Z	850	21	-90	22	0	2.7	37.6	37.7
78988	12	Z	1000	12	-69	24	0	32.4	22.7	39.6
82107	00	Z	1000	0	-67	13	1	35.0	21.1	40.9
82107	12	Z	500	0	-67	23	0	41.2	45.5	61.4
91680	00	Z	1000	-18	177	29	0	2.5	32.0	32.1
91680	12	Z	1000	-18	177	28	0	3.6	32.7	32.9
JNKN7J	00	Z	1000	41	-54	11	0	2.9	42.5	42.6
JNKN7J	12	Z	1000	43	-59	13	0	2.9	42.8	42.9

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
36096	12	V	250	52	95	15	0	-3.9	5.5	17.0
38341	12	V	150	43	71	16	1	-6.3	0.7	16.4
38341	00	V	150	43	71	28	0	-5.5	-6.2	16.1

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS ≥ 5 M/S
 NO. OF OBSERVATIONS ≥ 5 , AND,
 ABSOLUTE BIAS ≥ 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
48327	00	DD	19	99	16	-12.6	6.3	17.7

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC


Figure 10

ECMWF Monitoring Statistics - MAY 2025 00 UTC
Suspect TEMP observations - GEOPOTENTIAL




3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC

Figure 11
ECMWF Monitoring Statistics - MAY 2025 12 UTC
Suspect TEMP observations - GEOPOTENTIAL




3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12
ECMWF Monitoring Statistics - MAY 2025 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13
ECMWF Monitoring Statistics - MAY 2025 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
2TDJJ8	12	Z	100	2	9.0	8.1
7JUNA4	12	Z	100	9	8.2	-5.1
7JUNA4	00	Z	100	9	7.6	-2.6
9ZT9MR	00	Z	100	4	34.9	-32.7
9ZT9MR	12	Z	100	5	12.1	-11.2
ASDE09	12	Z	100	1	33.4	33.4
ATGU3F	00	Z	100	1	37.0	-37.0
ATGU3F	12	Z	100	1	34.4	-34.4
FPUW5G	12	Z	100	22	7.6	-6.3
GQBZLZ	00	Z	100	0	0.0	0.0
GQBZLZ	12	Z	100	0	0.0	0.0
JNKN7J	00	Z	100	12	34.5	31.8
JNKN7J	12	Z	100	13	48.4	41.4
JNSR	12	Z	100	5	14.2	13.7
JNSR	00	Z	100	6	9.3	8.7
KJJF9X	12	Z	100	1	19.3	-19.3
KJJF9X	00	Z	100	0	0.0	0.0
LAGY8	00	Z	100	3	37.9	-37.7
LAGY8	12	Z	100	1	65.9	-65.9
LAGZ8	00	Z	100	3	131.2	129.0
LAGZ8	12	Z	100	1	32.3	32.3
LRYQE3	12	Z	100	22	43.5	28.5
LRYQE3	00	Z	100	20	11.4	-4.4
USSIO	00	Z	100	2	13.0	-10.5
UXK5JT	00	Z	100	1	16.6	-16.6
UXK5JT	12	Z	100	0	0.0	0.0
WDK38H	12	Z	100	28	27.2	-16.5
XKQLWQ	12	Z	100	17	13.2	8.7
YLV96W	00	Z	100	8	9.7	-6.2
YLV96W	12	Z	100	7	58.2	52.7
ZSNO	12	Z	100	0	0.0	0.0
ZVQEQC	00	Z	100	22	3.8	1.4
ZVQEQC	12	Z	100	1	1.0	1.0


3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)


MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OB TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
2TDJJ8	12	V	100	2	3.3	1.4	-2.8
7JUNA4	12	V	100	9	2.0	0.4	0.3
7JUNA4	00	V	100	9	2.5	-0.4	1.0
9ZT9MR	00	V	100	4	2.0	0.8	0.2
9ZT9MR	12	V	100	5	2.8	0.0	1.7
ASDE09	12	V	100	1	1.7	1.1	1.3
ATGU3F	00	V	100	1	2.4	-2.2	-0.9
ATGU3F	12	V	100	1	2.3	-1.6	-1.6
FPUW5G	12	V	100	17	2.4	0.1	1.0
GQBZLZ	00	V	100	0	0.0	0.0	0.0
GQBZLZ	12	V	100	0	0.0	0.0	0.0
JNKN7J	00	V	100	12	3.7	0.4	0.0
JNKN7J	12	V	100	13	2.3	0.5	0.0
JNSR	12	V	100	5	3.3	-1.3	-0.5
JNSR	00	V	100	6	5.0	-2.1	1.4
KJJF9X	12	V	100	1	3.7	-3.0	2.1
KJJF9X	00	V	100	0	0.0	0.0	0.0
LAGY8	00	V	100	3	1.9	1.7	0.6
LAGY8	12	V	100	1	3.5	1.6	-3.1
LAGZ8	00	V	100	3	3.5	-1.2	-1.2
LAGZ8	12	V	100	1	4.0	-2.9	-2.7
LRYQE3	12	V	100	22	3.2	0.4	-0.5
LRYQE3	00	V	100	20	2.9	-0.2	0.5
USSIO	00	V	100	2	3.2	0.7	1.9
UXK5JT	00	V	100	1	3.8	3.8	0.3
UXK5JT	12	V	100	0	0.0	0.0	0.0
WDK38H	12	V	100	27	2.5	0.2	0.5
XKQLWQ	12	V	100	17	3.0	-0.3	0.1
YLV96W	00	V	100	8	2.5	0.6	0.7
YLV96W	12	V	100	7	2.1	0.7	-0.1
ZSNO	12	V	100	0	0.0	0.0	0.0
ZVQEQC	00	V	100	22	3.0	0.5	-0.5
ZVQEQC	12	V	100	1	4.1	-2.2	3.5


3.2.27 Figure 14 - SATOB Winds: 700-1000hPa



3.2.28 Figure 15 - SATOB Winds: 150- 400hPa




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa




3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17

ECMWF Monitoring Statistics: May 2025
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAB	99	V	300-150	48	0	0	4.0	0.9
AAL	99	V	300-150	56929	4	0	5.7	0.2
AAR	99	V	300-150	167	0	0	4.0	-1.2
ABD	99	V	300-150	749	0	0	3.7	-0.2
ABP	99	V	300-150	25	0	0	2.9	-0.1
ACA	99	V	300-150	38155	3	0	5.6	0.2
ACI	99	V	300-150	225	0	0	3.8	0.3
AEA	99	V	300-150	313	8	0	7.6	1.0
AFR	99	V	300-150	38688	1	0	3.9	0.1
AIC	99	V	300-150	5863	1	0	4.4	0.1
AIZ	99	V	300-150	461	3	0	3.1	0.3
AJT	99	V	300-150	158	0	1	3.2	0.5
ALK	99	V	300-150	687	0	0	4.3	0.5
AME	99	V	300-150	46	0	0	4.1	1.5
AMX	99	V	300-150	5868	9	0	7.5	0.2
ANZ	99	V	300-150	13672	0	0	3.8	0.4
AOJ	99	V	300-150	150	0	0	2.8	0.0
ASL	99	V	300-150	1111	0	0	3.2	0.3
ASP	99	V	300-150	73	0	0	3.8	0.6
ASY	99	V	300-150	36	0	0	4.0	0.9

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ATN	99	V	300-150	91	0	5	5.2	0.4
AUA	99	V	300-150	5001	2	0	5.6	0.2
AVA	99	V	300-150	903	5	0	5.6	0.0
AWC	99	V	300-150	47	0	0	4.1	0.6
AXB	99	V	300-150	27	0	0	3.3	0.9
AXM	99	V	300-150	43	0	21	3.6	1.1
AXY	99	V	300-150	20	0	0	3.8	0.0
AYJ	99	V	300-150	66	0	0	2.6	-0.2
AZG	99	V	300-150	470	0	0	3.4	0.1
BAF	99	V	300-150	82	0	0	2.5	0.4
BAH	99	V	300-150	22	0	0	3.9	2.0
BAW	99	V	300-150	54631	2	0	4.9	0.2
BBB	99	V	300-150	73	0	0	3.5	-0.6
BBC	99	V	300-150	347	8	0	8.3	0.6
BCS	99	V	300-150	953	0	0	3.1	0.4
BEL	99	V	300-150	1407	1	0	3.8	0.3
BLU	99	V	300-150	57	0	0	3.8	0.5
BMW	99	V	300-150	31	0	0	3.0	0.2
BOX	99	V	300-150	3801	0	0	3.3	0.2
BOX	99	V	300-150	88	0	0	3.2	-0.7
BQB	99	V	300-150	145	0	0	3.2	0.3
BTX	99	V	300-150	85	0	0	3.7	0.2
BVR	99	V	300-150	29	0	0	3.5	0.6
CAL	99	V	300-150	226	0	0	3.9	0.5
CBJ	99	V	300-150	35	0	0	3.5	0.7
CCA	99	V	300-150	102	0	0	4.4	0.5
CES	99	V	300-150	862	0	0	4.2	0.5
CFC	99	V	300-150	401	0	0	3.7	0.1
CFG	99	V	300-150	6377	0	0	3.1	0.3
CHG	99	V	300-150	665	0	0	3.4	-0.5
CHH	99	V	300-150	226	6	0	6.7	0.4
CHZ	99	V	300-150	41	0	0	4.0	1.0
CJT	99	V	300-150	123	0	0	3.8	0.1
CKS	99	V	300-150	402	0	0	3.6	0.0
CLX	99	V	300-150	3661	0	0	3.7	-0.3
CLY	99	V	300-150	47	0	0	3.0	0.4
CMB	99	V	300-150	1618	0	0	3.7	0.0
CND	99	V	300-150	260	0	0	3.5	0.0
CNK	99	V	300-150	36	0	0	4.7	0.7
CNV	99	V	300-150	231	0	0	3.1	0.1
CPA	99	V	300-150	894	0	0	4.1	0.4
CRL	99	V	300-150	758	0	0	2.8	0.2
CRR	99	V	300-150	32	0	0	2.5	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
CRV	99	V	300-150	36	0	0	2.3	-0.1
CSC	99	V	300-150	46	0	0	3.9	-0.4
CSG	99	V	300-150	25	0	0	2.8	1.1
CTM	99	V	300-150	88	0	0	4.2	1.0
DAH	99	V	300-150	1066	0	0	3.1	0.3
DAL	99	V	300-150	80147	0	0	3.2	0.2
DCF	99	V	300-150	23	0	0	4.2	2.1
DCM	99	V	300-150	66	0	0	3.3	0.0
DHK	99	V	300-150	3490	0	0	3.5	-0.1
DHX	99	V	300-150	28	0	0	4.8	-0.9
DJT	99	V	300-150	1975	0	0	3.1	0.4
DLH	99	V	300-150	31241	0	0	3.5	0.1
DSO	99	V	300-150	22	0	0	2.8	0.4
DWC	99	V	300-150	57	2	0	6.4	0.1
EAL	99	V	300-150	88	0	0	3.0	0.7
EAU	99	V	300-150	95	0	1	3.2	0.7
EDC	99	V	300-150	135	0	0	3.2	-0.2
EDW	99	V	300-150	1768	0	0	3.1	0.2
EIN	99	V	300-150	21003	0	0	3.0	0.3
EJM	99	V	300-150	850	0	0	3.3	0.0
EJO	99	V	300-150	32	0	0	3.3	0.5
ELV	99	V	300-150	36	0	0	3.9	1.1
ELY	99	V	300-150	6170	8	0	7.1	0.0
ETD	99	V	300-150	7464	3	0	6.1	0.2
ETH	99	V	300-150	3209	3	0	5.0	0.0
EUK	99	V	300-150	1771	0	0	3.1	0.4
EUW	99	V	300-150	31	0	0	3.1	-0.8
EVE	99	V	300-150	113	0	0	2.8	-0.1
EXS	99	V	300-150	5012	0	0	2.8	0.2
EZY	99	V	300-150	248	0	0	3.2	-0.2
FAD	99	V	300-150	40	0	0	3.7	-0.3
FAF	99	V	300-150	21	0	0	2.8	0.9
FBU	99	V	300-150	3586	0	0	3.5	0.2
FDX	99	V	300-150	7354	0	0	3.1	0.2
FIN	99	V	300-150	1413	0	0	3.3	0.3
FJI	99	V	300-150	2410	0	0	4.0	0.5
FJO	99	V	300-150	232	0	0	3.2	0.4
FLJ	99	V	300-150	32	0	0	3.6	1.5
FPY	99	V	300-150	3320	0	0	2.8	0.1
FWI	99	V	300-150	1596	0	0	3.2	-0.1
FYG	99	V	300-150	32	0	3	3.0	-0.9
GAF	99	V	300-150	100	0	0	2.7	0.6
GCK	99	V	300-150	121	0	0	3.1	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
GEC	99	V	300-150	750	0	0	3.1	0.1
GES	99	V	300-150	168	0	0	3.3	0.4
GFA	99	V	300-150	289	0	0	7.7	0.6
GIA	99	V	300-150	1415	0	0	4.7	0.8
GJE	99	V	300-150	126	0	0	4.3	0.6
GLH	99	V	300-150	64	0	0	2.8	0.2
GLJ	99	V	300-150	54	0	0	3.9	0.6
GNJ	99	V	300-150	38	0	0	3.6	0.0
GOL	99	V	300-150	85	0	0	4.4	3.0
GRP	99	V	300-150	33	0	0	4.6	0.0
GSM	99	V	300-150	87	0	0	3.5	-0.8
GTI	99	V	300-150	2101	0	0	3.6	-0.1
HAL	99	V	300-150	546	0	0	4.7	0.2
HFM	99	V	300-150	154	0	1	3.2	0.4
HKC	99	V	300-150	55	0	0	4.7	0.6
HRT	99	V	300-150	62	0	0	4.2	0.0
HTT	99	V	300-150	145	0	0	7.8	0.8
HUE	99	V	300-150	57	0	0	4.9	0.4
HUF	99	V	300-150	70	0	0	3.5	0.0
HVK	99	V	300-150	30	0	0	6.3	-0.1
HYP	99	V	300-150	47	0	0	3.3	0.6
HYS	99	V	300-150	519	0	0	3.3	0.4
IBE	99	V	300-150	7385	0	0	3.4	0.3
ICE	99	V	300-150	11111	0	0	3.1	0.3
ICL	99	V	300-150	263	0	0	3.6	-0.1
ICV	99	V	300-150	208	0	0	3.7	-0.8
IFA	99	V	300-150	614	0	0	3.5	0.2
IGA	99	V	300-150	33	0	0	2.7	0.6
IJM	99	V	300-150	48	0	0	3.7	-0.3
ITY	99	V	300-150	7071	0	0	3.2	0.4
JAF	99	V	300-150	514	8	0	7.8	0.2
JAL	99	V	300-150	125	0	0	8.2	-0.1
JAS	99	V	300-150	172	0	0	3.6	-0.3
JBD	99	V	300-150	31	0	0	2.4	-0.4
JBU	99	V	300-150	11119	0	0	3.3	0.4
JCO	99	V	300-150	49	0	0	3.3	1.1
JCY	99	V	300-150	24	0	0	2.9	0.3
JEF	99	V	300-150	27	0	0	2.9	-1.0
JEN	99	V	300-150	60	0	0	3.2	0.0
JET	99	V	300-150	33	0	0	3.8	0.7
JME	99	V	300-150	49	0	0	4.2	0.3
JNY	99	V	300-150	45	0	0	3.0	0.1
JST	99	V	300-150	1029	0	0	3.8	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
JTH	99	V	300-150	72	0	0	3.5	-0.4
JTZ	99	V	300-150	34	0	0	3.3	0.0
KAC	99	V	300-150	857	0	0	3.4	0.2
KAF	99	V	300-150	89	0	0	3.4	0.3
KAI	99	V	300-150	122	0	1	5.2	0.2
KAL	99	V	300-150	55	0	0	3.3	0.3
KAY	99	V	300-150	160	0	0	2.9	0.4
KCE	99	V	300-150	73	0	0	3.2	0.5
KFE	99	V	300-150	44	0	0	3.1	-1.1
KIW	99	V	300-150	61	0	0	4.5	1.2
KLM	99	V	300-150	17581	3	0	5.3	0.1
KNT	99	V	300-150	30	0	0	2.8	0.6
KOC	99	V	300-150	23	0	0	3.5	-0.3
KPO	99	V	300-150	57	0	0	5.8	1.4
KQA	99	V	300-150	343	8	0	5.6	0.1
KUG	99	V	300-150	40	0	0	3.5	-0.2
LCO	99	V	300-150	681	0	0	3.7	-0.7
LDX	99	V	300-150	70	0	0	3.5	0.0
LEA	99	V	300-150	103	0	0	3.4	-0.2
LMJ	99	V	300-150	79	0	0	2.8	0.4
LNI	99	V	300-150	95	0	1	4.7	0.4
LNK	99	V	300-150	78	0	0	3.2	0.6
LOT	99	V	300-150	3957	4	0	7.8	0.2
LRQ	99	V	300-150	50	0	0	3.1	0.4
LUC	99	V	300-150	37	0	0	3.0	1.1
LVA	99	V	300-150	22	0	0	2.7	-0.5
LXJ	99	V	300-150	1040	0	0	3.2	0.3
MAS	99	V	300-150	4244	0	0	4.6	0.6
MED	99	V	300-150	34	0	0	3.8	1.7
MJF	99	V	300-150	32	0	0	2.2	0.0
MLM	99	V	300-150	87	0	0	4.5	-0.4
MMD	99	V	300-150	231	0	0	3.2	0.3
MMF	99	V	300-150	169	0	0	2.8	0.4
MNB	99	V	300-150	447	0	0	3.1	0.2
MPH	99	V	300-150	397	0	0	3.5	-0.6
MSR	99	V	300-150	1704	4	0	5.7	0.1
NBT	99	V	300-150	4753	9	0	7.8	0.0
NCR	99	V	300-150	557	0	0	3.7	0.3
NEW	99	V	300-150	82	0	0	3.2	0.2
NJE	99	V	300-150	588	0	0	3.5	0.5
NJM	99	V	300-150	35	0	0	2.1	-0.2
NOJ	99	V	300-150	66	0	0	3.6	0.1
NOS	99	V	300-150	1087	6	0	7.1	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
NUM	99	V	300-150	101	0	0	4.1	0.5
OAE	99	V	300-150	644	0	0	3.6	0.3
OCN	99	V	300-150	5237	0	0	3.1	0.3
OLI	99	V	300-150	67	0	0	3.0	0.1
OMA	99	V	300-150	368	0	0	7.4	0.8
ORF	99	V	300-150	20	0	0	6.0	2.5
PAC	99	V	300-150	20	0	0	2.3	0.3
PAL	99	V	300-150	42	0	2	6.6	-0.2
PAT	99	V	300-150	50	0	0	2.8	0.1
PEX	99	V	300-150	73	0	0	2.4	0.0
PIA	99	V	300-150	58	0	0	2.4	0.5
PJV	99	V	300-150	34	0	0	7.3	-0.6
PLF	99	V	300-150	63	0	2	2.6	0.3
PVA	99	V	300-150	561	0	0	3.5	0.4
QFA	99	V	300-150	3936	1	0	5.4	0.3
QQE	99	V	300-150	477	0	0	3.0	0.3
QTR	99	V	300-150	16490	0	0	4.0	0.2
RAM	99	V	300-150	932	9	0	7.3	0.3
RBA	99	V	300-150	216	0	0	6.1	0.3
RCH	99	V	300-150	5121	0	0	4.7	0.5
RDN	99	V	300-150	80	0	0	3.5	0.5
RHH	99	V	300-150	27	0	0	8.8	-0.8
RJA	99	V	300-150	2782	8	0	8.6	0.0
RJR	99	V	300-150	44	0	0	3.1	0.6
RKK	99	V	300-150	22	0	0	5.0	-0.7
ROJ	99	V	300-150	33	0	0	5.4	1.3
ROM	99	V	300-150	35	0	0	4.7	-0.3
RRR	99	V	300-150	120	0	0	4.3	-0.2
RSF	99	V	300-150	53	0	0	3.0	-0.6
RYR	99	V	300-150	686	0	0	2.5	0.3
RZO	99	V	300-150	373	0	0	3.7	0.4
SAM	99	V	300-150	407	0	0	3.4	-0.2
SAS	99	V	300-150	6564	0	0	3.0	0.3
SAZ	99	V	300-150	118	0	0	3.7	-0.1
SCX	99	V	300-150	51	0	0	6.3	1.5
SIA	99	V	300-150	9991	0	0	4.8	0.5
SIO	99	V	300-150	151	0	0	3.0	0.2
SJE	99	V	300-150	51	0	2	3.5	-0.1
SKV	99	V	300-150	84	0	0	3.0	0.2
SLM	99	V	300-150	134	0	0	2.8	0.2
SON	99	V	300-150	63	0	0	3.4	0.7
SPA	99	V	300-150	185	0	0	3.1	0.4
SSG	99	V	300-150	35	0	0	1.7	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
SVA	99	V	300-150	5561	1	0	5.0	0.5
SVW	99	V	300-150	315	0	0	3.3	0.4
SWR	99	V	300-150	12695	0	0	3.2	0.3
SWW	99	V	300-150	62	0	0	3.0	0.3
SYB	99	V	300-150	406	2	0	7.0	0.4
TAM	99	V	300-150	117	0	0	3.8	0.6
TAP	99	V	300-150	3798	0	0	3.6	0.4
TAR	99	V	300-150	376	0	0	3.3	0.4
TAY	99	V	300-150	206	0	0	3.7	-0.4
TEU	99	V	300-150	53	0	0	3.0	0.7
TFF	99	V	300-150	111	0	0	4.3	0.7
TFL	99	V	300-150	1422	7	0	6.8	0.0
TGW	99	V	300-150	693	0	0	5.6	1.0
THA	99	V	300-150	433	0	0	4.8	0.6
THT	99	V	300-150	2599	4	0	6.9	0.4
THY	99	V	300-150	18639	4	0	5.5	0.1
TMN	99	V	300-150	439	0	0	3.9	0.4
TOM	99	V	300-150	5700	8	0	7.8	0.2
TOR	99	V	300-150	35	0	0	3.3	-0.1
TSC	99	V	300-150	16587	0	0	3.3	0.4
TVS	99	V	300-150	92	0	1	3.5	0.9
TWY	99	V	300-150	1158	0	0	3.3	0.2
UAE	99	V	300-150	16458	0	0	3.8	0.2
UAF	99	V	300-150	100	0	0	5.1	0.4
UAL	99	V	300-150	92080	2	1	5.3	0.1
UBT	99	V	300-150	3428	10	0	7.7	0.1
ULC	99	V	300-150	101	0	0	3.1	0.1
UPS	99	V	300-150	5331	0	0	3.4	-0.1
UZB	99	V	300-150	218	5	0	6.6	0.1
VCG	99	V	300-150	59	0	0	2.7	0.5
VCJ	99	V	300-150	34	0	0	3.3	-0.5
VIR	99	V	300-150	25681	2	0	5.2	0.1
VJA	99	V	300-150	220	0	0	3.7	0.5
VJH	99	V	300-150	436	0	0	3.3	0.2
VJT	99	V	300-150	2376	0	0	3.4	0.4
VLZ	99	V	300-150	30	0	0	2.9	0.0
VOZ	99	V	300-150	116	0	0	3.1	0.4
WGN	99	V	300-150	38	0	0	3.2	0.2
WJA	99	V	300-150	5693	2	0	5.3	0.2
WWI	99	V	300-150	177	0	0	3.7	0.5
XAX	99	V	300-150	130	0	0	4.7	0.9
XFL	99	V	300-150	34	0	0	3.1	1.1
XGN	99	V	300-150	31	0	0	4.3	2.8

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
XLS	99	V	300-150	32	0	0	4.0	1.7
XRO	99	V	300-150	23	0	0	3.7	-0.3
XSR	99	V	300-150	24	0	0	2.1	0.6

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10 °N - 90 °N, 70 °W - 40 °E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10 °N - 90 °N, 70 °W - 40 °E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	31	8.3	-3.4
01001	00	Z	50	31	6.6	2.6
01028	12	Z	50	31	6.8	-5.0
01028	00	Z	50	31	6.7	-4.4
01400	00	Z	50	28	83.5	83.1
01400	12	Z	50	31	75.6	75.2
01415	00	Z	50	29	7.7	3.6
01415	12	Z	50	31	6.6	-2.7
02365	12	Z	50	26	7.4	-2.8
02365	00	Z	50	27	5.3	1.2
02591	00	Z	50	17	11.5	10.4
02591	12	Z	50	24	7.5	2.8
02836	00	Z	50	28	6.9	-2.3
02836	12	Z	50	28	8.8	-6.0
02963	00	Z	50	28	5.1	1.5
02963	12	Z	50	30	7.3	-4.1
03005	12	Z	50	31	9.9	-7.1
03005	00	Z	50	29	4.3	-1.2
03238	00	Z	50	20	6.1	0.6
03238	12	Z	50	1	1.1	-1.1
03808	00	Z	50	29	5.3	0.7
03808	12	Z	50	30	8.4	-6.0
03918	00	Z	50	31	7.4	2.9
03918	12	Z	50	2	6.7	5.7
03953	12	Z	50	31	11.5	-9.3
03953	00	Z	50	31	7.8	-6.3
04018	12	Z	50	28	7.0	-2.5
04018	00	Z	50	28	7.0	-2.2
04220	00	Z	50	30	19.2	-17.0
04220	12	Z	50	31	12.5	0.9
04270	12	Z	50	26	14.3	-0.3
04270	00	Z	50	27	38.3	-26.4
04320	12	Z	50	30	13.1	8.2
04320	00	Z	50	31	10.1	-6.2
04339	12	Z	50	10	10.9	-6.6
04339	00	Z	50	13	27.8	-26.0
04360	12	Z	50	25	28.9	-23.4
04360	00	Z	50	23	48.5	-47.3
06011	12	Z	50	31	59.2	-58.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	50	7	5.7	-0.5
06260	00	Z	50	31	8.1	1.7
06610	00	Z	50	31	5.6	2.2
06610	12	Z	50	30	7.1	-3.7
07110	12	Z	50	29	27.4	-25.8
07110	00	Z	50	27	21.4	-19.6
07510	00	Z	50	27	10.6	-2.2
07510	12	Z	50	28	11.9	-4.1
07645	00	Z	50	27	8.1	-2.9
07645	12	Z	50	29	11.1	-4.0
07761	00	Z	50	27	20.1	-15.5
07761	12	Z	50	30	25.9	-22.6
08001	12	Z	50	30	5.8	-1.8
08001	00	Z	50	30	5.9	3.1
08221	00	Z	50	30	7.9	5.3
08221	12	Z	50	31	6.8	-1.3
08302	12	Z	50	29	13.7	-12.2
08302	00	Z	50	28	6.0	-2.3
08508	12	Z	50	30	7.5	0.4
08522	12	Z	50	31	7.6	-4.8
10035	12	Z	50	31	11.6	7.5
10035	00	Z	50	30	13.1	12.1
10393	12	Z	50	31	12.5	-2.4
10393	00	Z	50	31	5.3	2.3
10410	12	Z	50	28	7.2	-5.4
10410	00	Z	50	28	4.0	-0.4
10739	12	Z	50	31	6.9	-0.4
10739	00	Z	50	31	7.7	4.4
11035	00	Z	50	30	16.4	-3.6
11035	12	Z	50	31	20.9	-9.3
12982	00	Z	50	30	7.1	4.7
12982	12	Z	50	31	6.5	-0.1
16245	00	Z	50	31	6.0	3.3
16245	12	Z	50	29	7.6	-5.0
16429	00	Z	50	31	8.2	4.4
16429	12	Z	50	31	6.6	-2.6
16622	00	Z	50	7	7.3	-3.5
16754	00	Z	50	10	10.0	-7.6
17607	12	Z	50	25	13.0	3.3
17607	00	Z	50	10	10.2	7.4
26435	12	Z	50	8	7.8	-2.2
2TDJJ8	12	Z	50	2	7.1	6.8
60018	00	Z	50	30	8.0	6.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	12	Z	50	31	6.4	-5.0
7JUNA4	12	Z	50	9	13.7	-6.6
7JUNA4	00	Z	50	9	12.4	-2.5
9ZT9MR	00	Z	50	3	38.6	-33.6
9ZT9MR	12	Z	50	5	9.8	-9.0
ASDE09	12	Z	50	0	0.0	0.0
ATGU3F	00	Z	50	2	37.8	-37.5
ATGU3F	12	Z	50	3	40.2	-35.2
FPUW5G	12	Z	50	20	8.0	-5.6
GQBZLZ	00	Z	50	0	0.0	0.0
GQBZLZ	12	Z	50	0	0.0	0.0
JNKN7J	00	Z	50	12	41.2	35.9
JNKN7J	12	Z	50	13	76.6	54.5
KJJF9X	12	Z	50	1	11.9	-11.9
KJJF9X	00	Z	50	1	27.4	-27.4
LAGY8	00	Z	50	3	39.6	-39.4
LAGY8	12	Z	50	1	79.5	-79.5
LAGZ8	00	Z	50	3	131.4	131.0
LAGZ8	12	Z	50	1	27.4	27.4
LRYQE3	12	Z	50	20	84.8	59.6
LRYQE3	00	Z	50	20	14.0	-0.6
UXK5JT	00	Z	50	3	26.1	-24.3
UXK5JT	12	Z	50	0	0.0	0.0
WDK38H	12	Z	50	27	27.9	-16.2
XKQLWQ	12	Z	50	16	17.9	13.4
YLV96W	00	Z	50	8	9.0	-6.0
YLV96W	12	Z	50	6	112.1	104.1
ZVQEQC	00	Z	50	22	4.7	0.6
ZVQEQC	12	Z	50	1	11.2	-11.2

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	31	2.9	0.5	-0.8
01001	00	V	50	28	2.7	0.5	-0.8
01028	12	V	50	31	2.8	-0.6	0.2
01028	00	V	50	28	2.5	0.2	0.4
01400	00	V	50	26	2.8	0.4	0.0
01400	12	V	50	30	3.3	0.1	0.6
01415	00	V	50	26	3.0	-0.6	0.4
01415	12	V	50	30	2.5	0.6	-0.1
02365	12	V	50	26	2.8	1.0	0.1
02365	00	V	50	24	2.8	0.9	0.1
02591	00	V	50	13	2.4	-0.3	0.6
02591	12	V	50	23	3.2	-0.6	0.3
02836	00	V	50	25	2.8	0.3	0.8
02836	12	V	50	24	3.0	-0.3	-0.6
02963	00	V	50	24	5.4	0.7	-1.9
02963	12	V	50	30	2.7	0.0	-0.2
03005	12	V	50	31	2.8	0.9	-0.4
03005	00	V	50	27	2.7	0.2	-0.3
03238	00	V	50	18	2.9	0.0	0.6
03238	12	V	50	1	4.3	3.5	2.5
03808	00	V	50	28	2.6	0.6	-0.1
03808	12	V	50	30	2.7	0.5	-0.2
03918	00	V	50	26	2.9	0.5	0.5
03918	12	V	50	2	3.3	-0.4	0.6
03953	12	V	50	30	2.8	-0.1	0.0
03953	00	V	50	25	2.5	-0.2	-0.8
04018	12	V	50	28	2.9	0.4	-0.4
04018	00	V	50	26	2.8	-0.1	-1.3
04220	00	V	50	25	2.8	-0.3	0.0
04220	12	V	50	31	2.8	-0.4	0.2
04270	12	V	50	26	2.8	0.3	1.0
04270	00	V	50	26	3.4	0.4	0.8
04320	12	V	50	30	3.0	-0.2	-0.6
04320	00	V	50	29	3.1	-0.2	-0.6
04339	12	V	50	10	2.7	-0.1	0.2
04339	00	V	50	11	3.1	1.0	0.9
04360	12	V	50	25	2.6	0.4	0.3
04360	00	V	50	22	3.0	0.6	0.7
06011	12	V	50	31	2.5	-0.1	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	50	7	2.9	1.0	-0.7
06260	00	V	50	30	2.3	0.1	-0.4
06610	00	V	50	28	3.6	0.9	0.3
06610	12	V	50	30	3.5	0.4	-0.3
07110	12	V	50	29	2.8	0.2	0.2
07110	00	V	50	25	2.2	0.6	0.2
07510	00	V	50	23	3.7	0.3	0.3
07510	12	V	50	28	3.1	-0.1	0.7
07645	00	V	50	25	2.8	-0.5	-0.1
07645	12	V	50	29	3.0	-0.1	0.0
07761	00	V	50	22	3.4	0.7	-0.1
07761	12	V	50	30	2.9	0.2	0.0
08001	12	V	50	30	3.0	0.2	-0.1
08001	00	V	50	24	2.8	0.1	0.1
08221	00	V	50	25	3.2	0.6	0.7
08221	12	V	50	31	3.2	0.2	-0.5
08302	12	V	50	29	3.4	0.5	-0.3
08302	00	V	50	25	3.2	-0.1	0.3
08508	12	V	50	30	3.2	0.6	-0.5
08522	12	V	50	31	3.7	0.4	1.4
10035	12	V	50	31	3.3	-0.5	-0.6
10035	00	V	50	29	2.9	-0.1	-0.5
10393	12	V	50	30	2.9	0.2	0.0
10393	00	V	50	30	3.3	0.5	0.2
10410	12	V	50	28	2.8	0.2	-0.2
10410	00	V	50	28	2.8	0.5	-0.4
10739	12	V	50	31	2.5	0.0	0.2
10739	00	V	50	30	2.9	0.1	0.1
11035	00	V	50	25	3.0	-0.2	0.0
11035	12	V	50	31	3.2	0.6	-0.9
12982	00	V	50	27	3.7	0.0	-0.4
12982	12	V	50	31	3.1	0.4	-0.5
16245	00	V	50	30	3.2	0.3	-0.2
16245	12	V	50	29	3.3	-0.5	-0.3
16429	00	V	50	28	4.7	0.2	-0.4
16429	12	V	50	31	4.2	0.0	0.2
16622	00	V	50	7	3.5	-0.7	-0.9
16754	00	V	50	9	3.7	0.4	0.3
17607	12	V	50	17	4.4	0.3	-0.1
17607	00	V	50	2	4.5	-3.6	0.9
26435	12	V	50	6	1.9	0.8	-0.7
2TDJJ8	12	V	50	2	1.8	0.4	-1.6
60018	00	V	50	26	4.1	0.2	0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	12	V	50	31	3.7	-0.8	0.3
7JUNA4	12	V	50	9	3.4	1.2	0.8
7JUNA4	00	V	50	9	2.7	0.2	0.2
9ZT9MR	00	V	50	3	2.0	-0.3	0.1
9ZT9MR	12	V	50	5	2.1	0.2	-0.5
ASDE09	12	V	50	0	0.0	0.0	0.0
ATGU3F	00	V	50	2	2.5	-1.3	0.5
ATGU3F	12	V	50	3	3.9	1.3	-0.5
FPUW5G	12	V	50	13	2.3	0.6	-0.1
GQBZLZ	00	V	50	0	0.0	0.0	0.0
GQBZLZ	12	V	50	0	0.0	0.0	0.0
JNKN7J	00	V	50	12	2.0	0.1	-0.3
JNKN7J	12	V	50	13	2.5	-0.2	-0.6
KJJF9X	12	V	50	1	0.4	-0.1	0.4
KJJF9X	00	V	50	1	4.7	0.1	-4.7
LAGY8	00	V	50	3	3.7	2.0	2.0
LAGY8	12	V	50	1	2.1	-1.4	-1.6
LAGZ8	00	V	50	3	2.6	-1.6	0.9
LAGZ8	12	V	50	1	5.2	3.8	-3.5
LRYQE3	12	V	50	20	2.8	-0.3	-0.9
LRYQE3	00	V	50	20	3.3	0.0	0.6
UXK5JT	00	V	50	3	5.7	2.9	-2.2
UXK5JT	12	V	50	0	0.0	0.0	0.0
WDK38H	12	V	50	27	3.2	-0.2	0.8
XKQLWQ	12	V	50	15	3.0	0.4	-1.0
YLV96W	00	V	50	8	2.5	0.3	0.3
YLV96W	12	V	50	6	2.0	-0.1	-0.1
ZVQEQC	00	V	50	22	3.3	0.6	-0.2
ZVQEQC	12	V	50	1	8.6	-4.9	7.1

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	31	8.0	-5.1
01001	00	Z	100	31	6.0	0.3
01028	12	Z	100	31	6.6	-5.1
01028	00	Z	100	31	7.8	-6.5
01400	00	Z	100	30	80.3	79.8
01400	12	Z	100	31	74.8	74.6
01415	00	Z	100	29	6.3	-0.4
01415	12	Z	100	31	5.1	-2.1
02365	12	Z	100	26	6.5	-3.5
02365	00	Z	100	27	4.6	0.1
02591	00	Z	100	22	8.2	7.1
02591	12	Z	100	24	4.0	1.5
02836	00	Z	100	30	6.8	-2.4
02836	12	Z	100	31	8.1	-6.9
02963	00	Z	100	31	4.3	0.1
02963	12	Z	100	30	6.5	-4.5
03005	12	Z	100	32	8.1	-6.5
03005	00	Z	100	29	4.8	-3.3
03238	00	Z	100	20	5.4	-3.0
03238	12	Z	100	1	0.9	-0.9
03808	00	Z	100	29	5.7	-2.4
03808	12	Z	100	30	7.9	-5.4
03918	00	Z	100	31	6.7	1.0
03918	12	Z	100	2	4.0	2.9
03953	12	Z	100	32	10.4	-9.1
03953	00	Z	100	31	9.4	-8.4
04018	12	Z	100	29	6.7	-4.4
04018	00	Z	100	29	6.2	-3.1
04220	00	Z	100	30	15.8	-14.2
04220	12	Z	100	31	8.2	-2.2
04270	12	Z	100	27	11.4	-4.3
04270	00	Z	100	28	23.2	-22.0
04320	12	Z	100	30	8.0	3.3
04320	00	Z	100	31	9.2	-6.6
04339	12	Z	100	11	11.5	-8.8
04339	00	Z	100	13	23.3	-22.7
04360	12	Z	100	25	26.6	-24.1
04360	00	Z	100	23	39.5	-39.0
06011	12	Z	100	31	44.6	-43.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	100	7	5.0	-3.5
06260	00	Z	100	31	5.9	0.1
06610	00	Z	100	33	3.5	-0.7
06610	12	Z	100	32	6.7	-4.2
07110	12	Z	100	29	19.2	-18.4
07110	00	Z	100	27	18.6	-17.6
07510	00	Z	100	28	7.3	-2.1
07510	12	Z	100	29	8.1	-2.3
07645	00	Z	100	29	8.5	-5.6
07645	12	Z	100	30	9.2	-4.4
07761	00	Z	100	27	18.4	-15.3
07761	12	Z	100	30	21.5	-19.7
08001	12	Z	100	30	4.8	-1.4
08001	00	Z	100	31	4.3	1.6
08221	00	Z	100	31	5.5	2.2
08221	12	Z	100	31	5.6	-2.0
08302	12	Z	100	29	13.0	-12.1
08302	00	Z	100	29	8.5	-7.8
08508	12	Z	100	31	6.1	1.6
08522	12	Z	100	31	5.3	-2.4
10035	12	Z	100	31	9.6	7.2
10035	00	Z	100	31	10.2	9.4
10393	12	Z	100	31	9.2	-1.8
10393	00	Z	100	31	4.5	-0.6
10410	12	Z	100	28	5.6	-4.2
10410	00	Z	100	29	5.8	-4.0
10739	12	Z	100	31	5.3	-1.1
10739	00	Z	100	31	4.0	1.6
11035	00	Z	100	32	13.8	-6.1
11035	12	Z	100	31	16.5	-8.0
12982	00	Z	100	31	4.9	0.6
12982	12	Z	100	31	5.9	-2.6
16245	00	Z	100	31	3.8	2.1
16245	12	Z	100	30	6.9	-5.4
16429	00	Z	100	31	4.5	1.5
16429	12	Z	100	31	6.8	-4.1
16622	00	Z	100	12	9.3	-4.5
16754	00	Z	100	21	14.2	-11.9
17607	12	Z	100	25	12.4	2.5
17607	00	Z	100	10	6.8	3.4
26435	12	Z	100	13	5.0	-2.3
2TDJJ8	12	Z	100	2	9.0	8.1
60018	00	Z	100	31	8.1	6.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	12	Z	100	31	3.8	-1.9
7JUNA4	12	Z	100	9	8.2	-5.1
7JUNA4	00	Z	100	9	7.6	-2.6
9ZT9MR	00	Z	100	4	34.9	-32.7
9ZT9MR	12	Z	100	5	12.1	-11.2
ASDE09	12	Z	100	1	33.4	33.4
ATGU3F	00	Z	100	1	37.0	-37.0
ATGU3F	12	Z	100	1	34.4	-34.4
FPUW5G	12	Z	100	22	7.6	-6.3
GQBZLZ	00	Z	100	0	0.0	0.0
GQBZLZ	12	Z	100	0	0.0	0.0
JNKN7J	00	Z	100	12	34.5	31.8
JNKN7J	12	Z	100	13	48.4	41.4
KJJF9X	12	Z	100	1	19.3	-19.3
KJJF9X	00	Z	100	0	0.0	0.0
LAGY8	00	Z	100	3	37.9	-37.7
LAGY8	12	Z	100	1	65.9	-65.9
LAGZ8	00	Z	100	3	131.2	129.0
LAGZ8	12	Z	100	1	32.3	32.3
LRYPE3	12	Z	100	22	43.5	28.5
LRYPE3	00	Z	100	20	11.4	-4.4
UXK5JT	00	Z	100	1	16.6	-16.6
UXK5JT	12	Z	100	0	0.0	0.0
WDK38H	12	Z	100	28	27.2	-16.5
XKQLWQ	12	Z	100	17	13.2	8.7
YLV96W	00	Z	100	8	9.7	-6.2
YLV96W	12	Z	100	7	58.2	52.7
ZVQEQC	00	Z	100	22	3.8	1.4
ZVQEQC	12	Z	100	1	1.0	1.0

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	31	2.6	0.3	0.2
01001	00	V	100	29	2.8	0.8	-0.1
01028	12	V	100	31	2.1	0.2	0.0
01028	00	V	100	30	2.9	0.4	0.8
01400	00	V	100	29	2.6	-0.2	0.2
01400	12	V	100	31	2.7	-0.3	-0.4
01415	00	V	100	27	2.2	0.1	-0.3
01415	12	V	100	30	2.4	0.2	0.1
02365	12	V	100	26	2.6	-0.4	-0.2
02365	00	V	100	25	2.8	0.5	0.0
02591	00	V	100	21	2.1	-0.4	-0.6
02591	12	V	100	23	2.5	0.2	-0.4
02836	00	V	100	29	2.8	-0.1	0.1
02836	12	V	100	29	2.4	-0.2	0.2
02963	00	V	100	28	2.5	0.0	0.0
02963	12	V	100	29	2.3	-0.2	0.2
03005	12	V	100	31	2.6	-0.2	-0.1
03005	00	V	100	29	2.5	-0.2	0.3
03238	00	V	100	18	2.8	-0.2	0.1
03238	12	V	100	1	0.8	-0.8	0.0
03808	00	V	100	29	2.7	0.7	-0.6
03808	12	V	100	30	3.0	-0.1	0.4
03918	00	V	100	26	2.4	-0.2	0.2
03918	12	V	100	2	2.3	1.6	-1.5
03953	12	V	100	31	3.0	-0.1	-0.2
03953	00	V	100	29	2.6	0.5	-0.4
04018	12	V	100	29	3.2	0.2	0.2
04018	00	V	100	28	3.0	0.4	-0.5
04220	00	V	100	28	2.6	-0.3	0.0
04220	12	V	100	31	2.6	0.2	0.2
04270	12	V	100	27	3.3	-0.1	0.1
04270	00	V	100	27	3.4	0.0	-0.4
04320	12	V	100	30	3.2	-0.4	-0.4
04320	00	V	100	30	3.2	-0.4	-0.7
04339	12	V	100	11	2.3	-0.3	-0.4
04339	00	V	100	13	2.4	-0.7	-0.2
04360	12	V	100	25	3.2	-0.5	0.4
04360	00	V	100	23	2.6	-0.9	0.5
06011	12	V	100	31	2.4	-0.4	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	100	7	2.7	-1.4	-0.5
06260	00	V	100	30	3.0	-0.4	0.2
06610	00	V	100	29	2.7	-0.1	-0.3
06610	12	V	100	31	2.5	-0.4	-0.5
07110	12	V	100	29	2.5	-0.1	-0.6
07110	00	V	100	26	2.8	0.8	0.1
07510	00	V	100	27	2.7	0.5	0.1
07510	12	V	100	29	2.7	-0.1	-0.4
07645	00	V	100	28	3.4	0.6	0.1
07645	12	V	100	30	2.6	-0.3	0.3
07761	00	V	100	26	3.2	-0.2	-0.6
07761	12	V	100	30	4.1	-1.4	-0.3
08001	12	V	100	30	2.9	0.1	0.1
08001	00	V	100	27	2.7	0.1	-0.6
08221	00	V	100	30	3.3	0.4	-0.4
08221	12	V	100	31	2.8	0.8	-0.2
08302	12	V	100	29	3.4	0.7	-0.5
08302	00	V	100	29	2.9	0.8	0.8
08508	12	V	100	31	2.8	0.5	-0.1
08522	12	V	100	31	3.1	0.1	0.1
10035	12	V	100	31	2.7	-1.1	-0.3
10035	00	V	100	30	2.1	0.2	0.3
10393	12	V	100	31	2.3	0.0	-0.2
10393	00	V	100	30	2.6	0.8	-0.4
10410	12	V	100	28	2.4	-0.1	-0.7
10410	00	V	100	28	2.3	0.8	0.2
10739	12	V	100	31	2.6	-1.0	0.1
10739	00	V	100	30	2.7	0.4	0.1
11035	00	V	100	27	2.3	-0.2	0.0
11035	12	V	100	31	2.4	-0.1	0.0
12982	00	V	100	29	2.9	0.5	0.0
12982	12	V	100	31	2.7	-0.7	-0.6
16245	00	V	100	30	3.6	-0.2	-0.1
16245	12	V	100	29	3.4	-0.4	-0.3
16429	00	V	100	30	3.0	0.7	-0.1
16429	12	V	100	31	4.0	0.0	-0.8
16622	00	V	100	11	3.3	1.0	1.1
16754	00	V	100	18	3.6	-0.1	0.7
17607	12	V	100	19	4.7	-0.7	-1.1
17607	00	V	100	4	5.7	1.2	0.7
26435	12	V	100	10	2.1	0.3	-0.6
2TDJJ8	12	V	100	2	3.3	1.4	-2.8
60018	00	V	100	28	3.0	0.3	-0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	12	V	100	31	3.2	-0.3	-0.4
7JUNA4	12	V	100	9	2.0	0.4	0.3
7JUNA4	00	V	100	9	2.5	-0.4	1.0
9ZT9MR	00	V	100	4	2.0	0.8	0.2
9ZT9MR	12	V	100	5	2.8	0.0	1.7
ASDE09	12	V	100	1	1.7	1.1	1.3
ATGU3F	00	V	100	1	2.4	-2.2	-0.9
ATGU3F	12	V	100	1	2.3	-1.6	-1.6
FPUW5G	12	V	100	17	2.4	0.1	1.0
GQBZLZ	00	V	100	0	0.0	0.0	0.0
GQBZLZ	12	V	100	0	0.0	0.0	0.0
JNKN7J	00	V	100	12	3.7	0.4	0.0
JNKN7J	12	V	100	13	2.3	0.5	0.0
KJJF9X	12	V	100	1	3.7	-3.0	2.1
KJJF9X	00	V	100	0	0.0	0.0	0.0
LAGY8	00	V	100	3	1.9	1.7	0.6
LAGY8	12	V	100	1	3.5	1.6	-3.1
LAGZ8	00	V	100	3	3.5	-1.2	-1.2
LAGZ8	12	V	100	1	4.0	-2.9	-2.7
LRYQE3	12	V	100	22	3.2	0.4	-0.5
LRYQE3	00	V	100	20	2.9	-0.2	0.5
UXK5JT	00	V	100	1	3.8	3.8	0.3
UXK5JT	12	V	100	0	0.0	0.0	0.0
WDK38H	12	V	100	27	2.5	0.2	0.5
XKQLWQ	12	V	100	17	3.0	-0.3	0.1
YLV96W	00	V	100	8	2.5	0.6	0.7
YLV96W	12	V	100	7	2.1	0.7	-0.1
ZVQEQC	00	V	100	22	3.0	0.5	-0.5
ZVQEQC	12	V	100	1	4.1	-2.2	3.5

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	31	3.5	0.1
01001	00	Z	500	31	7.1	6.0
01028	12	Z	500	31	1.9	-0.1
01028	00	Z	500	31	4.6	-2.7
01400	00	Z	500	30	82.3	82.1
01400	12	Z	500	31	80.6	80.5
01415	00	Z	500	29	3.9	2.6
01415	12	Z	500	31	5.0	4.0
02365	12	Z	500	26	3.1	0.8
02365	00	Z	500	27	3.7	3.0
02591	00	Z	500	23	8.5	8.2
02591	12	Z	500	25	8.1	7.8
02836	00	Z	500	31	2.4	0.1
02836	12	Z	500	33	2.2	-0.4
02963	00	Z	500	31	4.7	2.9
02963	12	Z	500	31	3.9	1.9
03005	12	Z	500	32	3.3	-0.5
03005	00	Z	500	29	2.7	-0.6
03238	00	Z	500	21	4.5	2.4
03238	12	Z	500	1	0.2	-0.2
03808	00	Z	500	29	2.9	2.1
03808	12	Z	500	30	3.3	2.5
03918	00	Z	500	32	8.2	7.6
03918	12	Z	500	0	0.0	0.0
03953	12	Z	500	32	3.3	-0.8
03953	00	Z	500	31	1.7	-0.9
04018	12	Z	500	30	2.5	0.7
04018	00	Z	500	30	3.9	2.2
04220	00	Z	500	31	5.1	-2.0
04220	12	Z	500	31	3.6	0.5
04270	12	Z	500	32	10.4	-8.5
04270	00	Z	500	31	11.7	-10.6
04320	12	Z	500	31	7.3	5.3
04320	00	Z	500	31	5.1	0.6
04339	12	Z	500	13	9.4	-7.2
04339	00	Z	500	14	9.6	-8.8
04360	12	Z	500	26	11.6	-10.6
04360	00	Z	500	23	14.3	-13.7
06011	12	Z	500	31	13.6	-10.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	500	7	3.2	2.2
06260	00	Z	500	31	3.1	2.7
06610	00	Z	500	33	2.2	1.3
06610	12	Z	500	32	2.2	-0.2
07110	12	Z	500	31	3.5	-1.9
07110	00	Z	500	28	5.3	-3.3
07510	00	Z	500	27	6.6	5.8
07510	12	Z	500	29	7.9	6.3
07645	00	Z	500	31	3.5	0.2
07645	12	Z	500	31	3.4	1.3
07761	00	Z	500	31	10.3	-7.9
07761	12	Z	500	32	7.7	-6.8
08001	12	Z	500	30	3.2	2.4
08001	00	Z	500	31	3.4	2.6
08221	00	Z	500	31	4.1	3.2
08221	12	Z	500	31	3.0	2.1
08302	12	Z	500	29	8.1	-7.8
08302	00	Z	500	29	6.7	-6.4
08508	12	Z	500	31	6.0	5.2
08522	12	Z	500	31	5.3	4.8
10035	12	Z	500	32	13.5	13.1
10035	00	Z	500	31	13.5	13.3
10393	12	Z	500	31	3.6	1.1
10393	00	Z	500	31	2.4	1.3
10410	12	Z	500	29	3.4	-0.1
10410	00	Z	500	29	1.8	0.6
10739	12	Z	500	31	4.3	3.6
10739	00	Z	500	31	5.1	4.8
11035	00	Z	500	32	5.6	-1.9
11035	12	Z	500	31	6.7	-1.7
12982	00	Z	500	31	2.4	0.8
12982	12	Z	500	31	3.1	-0.5
16245	00	Z	500	31	4.1	3.3
16245	12	Z	500	31	2.4	-0.4
16429	00	Z	500	31	4.7	3.9
16429	12	Z	500	31	2.3	1.2
16622	00	Z	500	31	4.7	2.5
16754	00	Z	500	27	7.3	-3.7
17607	12	Z	500	25	4.1	2.0
17607	00	Z	500	10	3.6	3.2
26435	12	Z	500	15	2.9	-0.3
2TDJJ8	12	Z	500	2	18.2	18.1
60018	00	Z	500	31	4.1	2.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	12	Z	500	31	2.7	0.8
7JUNA4	12	Z	500	9	6.6	0.2
7JUNA4	00	Z	500	9	5.8	2.7
9ZT9MR	00	Z	500	4	19.4	-18.5
9ZT9MR	12	Z	500	5	10.6	-10.0
ASDE09	12	Z	500	1	35.9	35.9
ATGU3F	00	Z	500	0	0.0	0.0
ATGU3F	12	Z	500	0	0.0	0.0
FPUW5G	12	Z	500	22	3.4	-2.4
GQBZLZ	00	Z	500	0	0.0	0.0
GQBZLZ	12	Z	500	0	0.0	0.0
JNKN7J	00	Z	500	12	36.9	36.7
JNKN7J	12	Z	500	13	41.5	41.2
KJJF9X	12	Z	500	0	0.0	0.0
KJJF9X	00	Z	500	0	0.0	0.0
LAGY8	00	Z	500	3	34.7	-34.7
LAGY8	12	Z	500	1	54.0	-54.0
LAGZ8	00	Z	500	3	109.8	109.8
LAGZ8	12	Z	500	1	55.1	55.1
LRYPE3	12	Z	500	22	6.2	0.0
LRYPE3	00	Z	500	20	8.4	-6.2
UXK5JT	00	Z	500	0	0.0	0.0
UXK5JT	12	Z	500	0	0.0	0.0
WDK38H	12	Z	500	28	25.3	-13.2
XKQLWQ	12	Z	500	20	20.3	1.9
YLV96W	00	Z	500	8	5.7	-1.8
YLV96W	12	Z	500	8	9.6	7.3
ZVQEQC	00	Z	500	23	4.5	0.3
ZVQEQC	12	Z	500	1	2.9	2.9

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	31	2.3	0.0	0.3
01001	00	V	500	30	2.2	0.0	-0.2
01028	12	V	500	31	1.7	-0.1	0.0
01028	00	V	500	30	1.9	0.0	0.1
01400	00	V	500	29	1.9	0.1	0.3
01400	12	V	500	31	1.6	-0.5	-0.1
01415	00	V	500	27	1.9	0.0	-0.2
01415	12	V	500	30	2.3	-0.2	0.6
02365	12	V	500	26	2.5	0.4	-0.2
02365	00	V	500	26	2.1	-0.1	0.5
02591	00	V	500	22	1.9	0.0	-0.4
02591	12	V	500	25	2.1	-0.3	-0.5
02836	00	V	500	30	2.6	0.2	0.5
02836	12	V	500	31	2.4	0.1	-0.2
02963	00	V	500	30	2.5	-0.1	0.3
02963	12	V	500	31	2.7	0.6	0.1
03005	12	V	500	31	2.5	0.0	0.4
03005	00	V	500	29	2.2	0.2	0.1
03238	00	V	500	19	2.7	0.2	0.4
03238	12	V	500	1	0.4	-0.4	0.0
03808	00	V	500	28	2.5	-0.2	0.4
03808	12	V	500	30	2.2	0.3	0.0
03918	00	V	500	30	2.4	0.3	0.1
03918	12	V	500	0	0.0	0.0	0.0
03953	12	V	500	31	2.1	0.0	-0.1
03953	00	V	500	30	2.1	0.2	0.2
04018	12	V	500	30	2.1	0.3	0.5
04018	00	V	500	29	1.9	0.0	0.1
04220	00	V	500	30	2.1	-0.4	-0.1
04220	12	V	500	31	1.9	0.0	-0.4
04270	12	V	500	31	3.2	0.5	0.2
04270	00	V	500	30	3.6	-0.1	-0.3
04320	12	V	500	31	2.1	0.7	0.0
04320	00	V	500	30	2.3	0.1	0.1
04339	12	V	500	13	2.1	0.0	-0.2
04339	00	V	500	14	3.0	0.4	1.2
04360	12	V	500	26	2.3	-0.6	0.2
04360	00	V	500	23	3.0	0.0	0.9
06011	12	V	500	31	2.3	0.1	0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	500	7	2.4	-0.2	0.3
06260	00	V	500	30	1.6	0.2	-0.3
06610	00	V	500	29	2.2	0.2	-0.3
06610	12	V	500	31	2.3	0.3	-0.4
07110	12	V	500	30	2.1	-0.3	0.2
07110	00	V	500	27	1.8	0.4	0.3
07510	00	V	500	26	2.4	0.6	0.0
07510	12	V	500	28	2.3	-0.5	-0.5
07645	00	V	500	29	2.4	0.3	0.4
07645	12	V	500	30	2.5	0.2	-0.5
07761	00	V	500	30	1.9	0.1	0.1
07761	12	V	500	31	2.4	0.0	-0.4
08001	12	V	500	30	2.1	-0.1	0.1
08001	00	V	500	30	2.1	0.3	0.3
08221	00	V	500	30	1.7	0.0	-0.3
08221	12	V	500	31	2.1	0.1	-0.4
08302	12	V	500	29	2.6	-0.2	0.7
08302	00	V	500	29	2.0	0.3	-0.4
08508	12	V	500	31	2.8	0.1	0.1
08522	12	V	500	31	1.9	0.3	0.2
10035	12	V	500	31	2.0	-0.3	0.4
10035	00	V	500	30	1.8	0.0	-0.1
10393	12	V	500	31	2.6	-0.3	0.2
10393	00	V	500	30	2.1	-0.2	-0.2
10410	12	V	500	29	1.7	0.0	-0.1
10410	00	V	500	28	1.4	0.1	-0.4
10739	12	V	500	31	2.1	0.3	-0.2
10739	00	V	500	30	2.0	-0.1	0.3
11035	00	V	500	29	2.1	-0.1	-0.3
11035	12	V	500	31	2.1	-0.5	-0.1
12982	00	V	500	30	2.6	-0.6	0.2
12982	12	V	500	31	2.3	-0.7	-0.1
16245	00	V	500	30	2.1	0.0	-0.2
16245	12	V	500	31	2.5	0.7	-0.2
16429	00	V	500	30	3.0	-0.5	-0.3
16429	12	V	500	31	1.9	0.5	-0.3
16622	00	V	500	29	2.4	0.7	-0.1
16754	00	V	500	26	3.5	0.8	-0.2
17607	12	V	500	22	4.1	-0.4	-0.5
17607	00	V	500	10	2.1	0.7	-0.6
26435	12	V	500	15	4.3	-0.2	0.1
2TDJJ8	12	V	500	2	0.5	0.1	0.1
60018	00	V	500	30	2.2	0.9	0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	12	V	500	31	1.7	0.4	-0.3
7JUNA4	12	V	500	9	2.8	0.9	0.6
7JUNA4	00	V	500	9	1.9	-0.4	0.6
9ZT9MR	00	V	500	4	2.0	0.6	0.9
9ZT9MR	12	V	500	5	1.9	0.7	-0.2
ASDE09	12	V	500	1	1.1	0.7	0.9
ATGU3F	00	V	500	0	0.0	0.0	0.0
ATGU3F	12	V	500	0	0.0	0.0	0.0
FPUW5G	12	V	500	22	2.1	0.0	0.2
GQBZLZ	00	V	500	0	0.0	0.0	0.0
GQBZLZ	12	V	500	0	0.0	0.0	0.0
JNKN7J	00	V	500	12	1.9	-0.6	0.3
JNKN7J	12	V	500	13	2.2	-0.2	-0.6
KJJF9X	12	V	500	0	0.0	0.0	0.0
KJJF9X	00	V	500	0	0.0	0.0	0.0
LAGY8	00	V	500	3	1.7	0.2	0.0
LAGY8	12	V	500	1	3.5	-1.7	-3.1
LAGZ8	00	V	500	3	3.0	-1.2	0.3
LAGZ8	12	V	500	1	0.4	0.0	0.4
LRYQE3	12	V	500	22	3.8	-0.1	-0.2
LRYQE3	00	V	500	20	3.2	0.1	0.7
UXK5JT	00	V	500	0	0.0	0.0	0.0
UXK5JT	12	V	500	0	0.0	0.0	0.0
WDK38H	12	V	500	28	1.8	0.0	0.1
XKQLWQ	12	V	500	20	2.1	0.1	0.1
YLV96W	00	V	500	8	2.0	-0.1	0.5
YLV96W	12	V	500	8	2.1	0.8	0.3
ZVQEQC	00	V	500	23	2.5	0.4	0.8
ZVQEQC	12	V	500	1	1.1	-1.1	-0.2

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	31	4.0	0.0
01001	00	Z	850	31	8.2	7.5
01028	12	Z	850	31	2.6	0.2
01028	00	Z	850	31	2.0	-0.2
01400	00	Z	850	30	80.6	80.5
01400	12	Z	850	31	79.9	79.8
01415	00	Z	850	29	3.8	3.3
01415	12	Z	850	30	4.5	4.0
02365	12	Z	850	26	2.4	1.4
02365	00	Z	850	27	2.8	1.7
02591	00	Z	850	23	7.6	7.5
02591	12	Z	850	25	8.8	8.7
02836	00	Z	850	31	1.6	0.2
02836	12	Z	850	33	2.0	0.6
02963	00	Z	850	31	3.4	3.0
02963	12	Z	850	31	3.9	3.5
03005	12	Z	850	32	2.2	-0.1
03005	00	Z	850	29	1.7	-0.4
03238	00	Z	850	21	3.2	2.9
03238	12	Z	850	1	0.8	0.8
03808	00	Z	850	29	2.8	2.5
03808	12	Z	850	30	2.5	1.8
03918	00	Z	850	32	7.2	7.0
03918	12	Z	850	0	0.0	0.0
03953	12	Z	850	32	3.3	-0.3
03953	00	Z	850	31	1.5	-0.6
04018	12	Z	850	31	1.7	1.0
04018	00	Z	850	31	3.0	2.5
04220	00	Z	850	31	2.6	-0.5
04220	12	Z	850	31	2.4	-1.2
04270	12	Z	850	32	7.8	-7.0
04270	00	Z	850	31	8.0	-7.3
04320	12	Z	850	31	4.5	2.3
04320	00	Z	850	32	4.8	2.1
04339	12	Z	850	13	10.4	-7.8
04339	00	Z	850	14	10.1	-8.3
04360	12	Z	850	27	9.6	-9.0
04360	00	Z	850	25	8.5	-8.1
06011	12	Z	850	30	5.0	-3.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	850	7	1.8	0.3
06260	00	Z	850	31	1.7	0.9
06610	00	Z	850	33	1.9	1.2
06610	12	Z	850	32	2.1	1.0
07110	12	Z	850	31	2.2	-0.8
07110	00	Z	850	28	1.8	-0.6
07510	00	Z	850	28	6.0	5.6
07510	12	Z	850	30	6.2	5.9
07645	00	Z	850	31	3.0	0.5
07645	12	Z	850	32	2.1	0.6
07761	00	Z	850	31	4.6	-4.0
07761	12	Z	850	32	5.6	-4.9
08001	12	Z	850	30	2.1	1.5
08001	00	Z	850	31	2.8	2.1
08221	00	Z	850	31	2.8	2.2
08221	12	Z	850	31	2.6	1.8
08302	12	Z	850	29	7.6	-7.4
08302	00	Z	850	29	7.7	-7.4
08508	12	Z	850	31	4.9	4.5
08522	12	Z	850	31	3.4	2.7
10035	12	Z	850	32	13.1	12.9
10035	00	Z	850	31	13.5	13.4
10393	12	Z	850	31	2.3	1.1
10393	00	Z	850	31	2.0	1.0
10410	12	Z	850	29	3.0	-0.7
10410	00	Z	850	29	1.8	0.5
10739	12	Z	850	31	4.6	4.3
10739	00	Z	850	31	5.1	4.9
11035	00	Z	850	32	5.1	-2.3
11035	12	Z	850	31	3.6	0.6
12982	00	Z	850	32	2.5	1.5
12982	12	Z	850	31	2.5	1.4
16245	00	Z	850	31	3.4	2.8
16245	12	Z	850	31	3.1	2.6
16429	00	Z	850	31	3.0	2.4
16429	12	Z	850	31	3.2	1.8
16622	00	Z	850	32	5.1	4.7
16754	00	Z	850	27	7.5	-6.9
17607	12	Z	850	25	2.8	1.8
17607	00	Z	850	10	2.2	1.8
26435	12	Z	850	15	2.0	0.1
2TDJJ8	12	Z	850	2	17.9	17.8
60018	00	Z	850	31	1.4	-0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	12	Z	850	31	2.1	-1.0
7JUNA4	12	Z	850	9	4.3	1.6
7JUNA4	00	Z	850	9	7.2	3.6
9ZT9MR	00	Z	850	4	14.5	-13.9
9ZT9MR	12	Z	850	5	11.7	-11.4
ASDE09	12	Z	850	1	37.9	37.9
ATGU3F	00	Z	850	0	0.0	0.0
ATGU3F	12	Z	850	0	0.0	0.0
FPUW5G	12	Z	850	22	3.0	-1.1
GQBZLZ	00	Z	850	0	0.0	0.0
GQBZLZ	12	Z	850	0	0.0	0.0
JNKN7J	00	Z	850	12	41.7	41.5
JNKN7J	12	Z	850	14	43.6	43.4
KJJF9X	12	Z	850	0	0.0	0.0
KJJF9X	00	Z	850	0	0.0	0.0
LAGY8	00	Z	850	2	41.5	-41.1
LAGY8	12	Z	850	1	49.9	-49.9
LAGZ8	00	Z	850	3	0.0	0.0
LAGZ8	12	Z	850	1	59.5	59.5
LRYPE3	12	Z	850	22	4.8	-3.1
LRYPE3	00	Z	850	20	6.0	-4.2
UXK5JT	00	Z	850	0	0.0	0.0
UXK5JT	12	Z	850	0	0.0	0.0
WDK38H	12	Z	850	28	11.0	-10.2
XKQLWQ	12	Z	850	20	16.3	-1.9
YLV96W	00	Z	850	9	3.8	1.3
YLV96W	12	Z	850	8	3.5	2.6
ZVQEQC	00	Z	850	23	5.3	-1.1
ZVQEQC	12	Z	850	1	0.8	-0.8

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	31	3.3	0.1	-0.5
01001	00	V	850	30	2.8	-0.3	-0.8
01028	12	V	850	31	2.5	-0.1	0.0
01028	00	V	850	30	2.3	-0.5	-0.3
01400	00	V	850	29	1.7	0.5	0.1
01400	12	V	850	31	1.8	-0.5	0.1
01415	00	V	850	27	2.5	-0.1	-0.3
01415	12	V	850	30	2.5	0.2	-0.3
02365	12	V	850	26	2.9	0.2	-0.4
02365	00	V	850	26	2.1	0.4	-0.1
02591	00	V	850	22	2.2	0.4	0.0
02591	12	V	850	25	2.5	-0.3	-0.7
02836	00	V	850	30	2.3	-0.1	-0.1
02836	12	V	850	31	2.8	-0.6	0.2
02963	00	V	850	30	2.1	0.3	-0.2
02963	12	V	850	31	2.5	-0.5	0.2
03005	12	V	850	31	2.5	0.2	-0.3
03005	00	V	850	29	2.3	0.0	0.0
03238	00	V	850	19	1.9	0.2	0.0
03238	12	V	850	1	0.4	0.3	0.2
03808	00	V	850	28	2.3	0.6	0.0
03808	12	V	850	30	2.7	0.1	-0.2
03918	00	V	850	30	2.3	-0.2	0.1
03918	12	V	850	0	0.0	0.0	0.0
03953	12	V	850	31	2.4	0.5	0.6
03953	00	V	850	30	2.2	0.2	0.7
04018	12	V	850	31	2.3	0.1	0.2
04018	00	V	850	30	2.3	-0.3	0.3
04220	00	V	850	30	2.3	0.4	0.0
04220	12	V	850	31	2.1	-0.3	-0.2
04270	12	V	850	31	6.5	0.9	0.4
04270	00	V	850	30	4.0	1.2	0.0
04320	12	V	850	31	3.3	-0.2	-0.2
04320	00	V	850	30	3.1	0.1	-0.6
04339	12	V	850	13	4.1	0.7	-0.5
04339	00	V	850	14	4.5	1.0	0.3
04360	12	V	850	27	4.4	0.0	0.5
04360	00	V	850	25	3.2	0.3	-0.1
06011	12	V	850	30	2.3	-0.4	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	850	7	1.6	0.7	0.4
06260	00	V	850	30	2.3	-0.1	0.0
06610	00	V	850	29	2.8	1.0	0.3
06610	12	V	850	31	2.7	0.4	0.5
07110	12	V	850	30	2.4	0.4	-0.7
07110	00	V	850	27	2.1	0.1	-0.1
07510	00	V	850	27	2.7	-0.1	-0.1
07510	12	V	850	29	2.4	-0.7	0.3
07645	00	V	850	29	2.9	-0.6	-0.2
07645	12	V	850	31	3.0	0.4	0.5
07761	00	V	850	30	2.6	-0.7	0.4
07761	12	V	850	31	2.9	0.0	0.1
08001	12	V	850	30	1.8	0.1	-0.1
08001	00	V	850	30	2.5	-0.1	-0.4
08221	00	V	850	30	3.6	0.2	0.1
08221	12	V	850	31	2.1	0.7	-0.2
08302	12	V	850	29	2.6	-0.5	0.5
08302	00	V	850	29	2.6	-0.4	-0.6
08508	12	V	850	31	3.2	-0.3	-0.5
08522	12	V	850	31	3.1	-0.8	-0.5
10035	12	V	850	31	2.5	0.7	-0.4
10035	00	V	850	30	2.4	0.2	0.3
10393	12	V	850	31	2.8	0.3	0.4
10393	00	V	850	30	2.1	0.2	-0.3
10410	12	V	850	29	1.8	-0.2	-0.1
10410	00	V	850	28	2.3	0.3	-0.1
10739	12	V	850	31	2.1	-0.1	0.0
10739	00	V	850	30	2.7	0.2	0.2
11035	00	V	850	30	2.8	-0.1	-0.1
11035	12	V	850	31	3.0	0.7	-0.1
12982	00	V	850	30	2.8	0.5	-1.0
12982	12	V	850	31	2.8	-0.2	0.8
16245	00	V	850	30	2.6	0.0	0.2
16245	12	V	850	31	3.0	-0.1	-0.5
16429	00	V	850	30	2.7	0.2	0.4
16429	12	V	850	31	3.1	-0.3	-0.7
16622	00	V	850	30	3.1	0.5	-0.1
16754	00	V	850	26	3.2	-0.2	0.0
17607	12	V	850	24	4.2	0.0	-0.6
17607	00	V	850	10	3.0	-0.7	0.5
26435	12	V	850	15	2.6	-0.5	0.1
2TDJJ8	12	V	850	2	3.4	2.4	-2.1
60018	00	V	850	30	2.7	-1.0	0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	12	V	850	31	2.6	-0.5	0.3
7JUNA4	12	V	850	9	2.4	0.2	-0.3
7JUNA4	00	V	850	9	1.6	-0.3	-0.2
9ZT9MR	00	V	850	4	3.5	-1.3	1.0
9ZT9MR	12	V	850	5	1.8	0.2	0.6
ASDE09	12	V	850	1	3.2	1.0	-3.0
ATGU3F	00	V	850	0	0.0	0.0	0.0
ATGU3F	12	V	850	0	0.0	0.0	0.0
FPUW5G	12	V	850	22	2.5	0.5	0.3
GQBZLZ	00	V	850	0	0.0	0.0	0.0
GQBZLZ	12	V	850	0	0.0	0.0	0.0
JNKN7J	00	V	850	12	2.3	0.4	0.6
JNKN7J	12	V	850	14	1.9	0.2	-0.5
KJJF9X	12	V	850	0	0.0	0.0	0.0
KJJF9X	00	V	850	0	0.0	0.0	0.0
LAGY8	00	V	850	2	2.3	-1.5	0.5
LAGY8	12	V	850	1	0.9	-0.7	-0.5
LAGZ8	00	V	850	3	2.0	0.3	-0.6
LAGZ8	12	V	850	1	3.7	-1.9	-3.2
LRYQE3	12	V	850	22	3.4	0.3	0.6
LRYQE3	00	V	850	20	1.8	0.1	0.4
UXK5JT	00	V	850	0	0.0	0.0	0.0
UXK5JT	12	V	850	0	0.0	0.0	0.0
WDK38H	12	V	850	28	2.3	-0.2	0.2
XKQLWQ	12	V	850	20	1.9	0.4	0.3
YLV96W	00	V	850	9	2.4	0.4	0.7
YLV96W	12	V	850	8	3.7	-0.1	0.6
ZVQEQC	00	V	850	23	1.5	0.0	0.2
ZVQEQC	12	V	850	1	0.9	-0.3	0.9

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
00000	99	P	SUR	45	-64	1	0	0.0	-3.9	3.9
1000044	99	P	SUR	55	10	236	0	0.4	-3.3	3.3
1300001	99	P	SUR	11	-23	699	0	0.4	0.3	0.5
1300008	99	P	SUR	15	-38	604	0	0.3	0.2	0.4
1300130	99	P	SUR	28	-16	743	0	0.3	0.2	0.3
1300131	99	P	SUR	28	-17	743	0	0.3	-0.1	0.3
1301622	99	P	SUR	40	-47	744	0	0.5	0.5	0.7
1301714	99	P	SUR	27	-69	743	0	0.3	0.1	0.3
1301718	99	P	SUR	29	-43	741	0	0.2	0.1	0.3
1301725	99	P	SUR	35	-35	744	0	0.3	0.0	0.3
1301726	99	P	SUR	27	-52	743	0	0.3	0.0	0.3
1301767	99	P	SUR	23	-31	49	0	3.2	0.4	3.2
1301769	99	P	SUR	25	-37	742	0	0.2	-0.5	0.6
1301771	99	P	SUR	22	-34	743	0	0.2	0.0	0.2
1301773	99	P	SUR	24	-30	742	0	0.2	0.0	0.2
1301778	99	P	SUR	21	-43	742	0	0.3	0.1	0.3
1301782	99	P	SUR	57	-50	740	1	0.5	0.2	0.5
1301784	99	P	SUR	37	-16	738	0	0.3	0.1	0.3
1301785	99	P	SUR	36	-21	682	0	0.3	0.2	0.3
1301798	99	P	SUR	25	-36	740	0	0.2	0.4	0.5
1301799	99	P	SUR	27	-30	717	0	0.2	0.3	0.4
1301800	99	P	SUR	70	17	738	0	0.3	0.1	0.3
1301802	99	P	SUR	67	12	742	0	0.3	-0.4	0.5
1301804	99	P	SUR	63	-15	742	0	0.3	-0.8	0.8
1301810	99	P	SUR	29	-32	742	0	0.2	-0.1	0.3
1301814	99	P	SUR	38	-19	741	0	0.2	0.1	0.2
1301816	99	P	SUR	47	-28	740	0	0.3	0.1	0.3
1301819	99	P	SUR	21	-33	744	0	0.2	-0.3	0.4
1301820	99	P	SUR	31	-32	742	0	0.4	-0.1	0.4
1301822	99	P	SUR	19	-33	742	0	0.2	0.2	0.3
1301823	99	P	SUR	23	-32	665	0	0.3	0.2	0.3
1801670	99	P	SUR	50	-30	738	0	0.4	0.2	0.4
1801671	99	P	SUR	47	-13	526	0	0.3	0.1	0.3
1801675	99	P	SUR	51	-33	738	0	0.4	0.2	0.5
1801676	99	P	SUR	51	-18	715	0	0.4	0.2	0.5
1801678	99	P	SUR	17	-29	739	0	0.3	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1801716	99	P	SUR	23	-38	741	0	0.2	0.3	0.4
1801732	99	P	SUR	44	-44	742	0	0.4	-0.1	0.4
1801777	99	P	SUR	36	-27	744	0	0.2	0.3	0.4
1801778	99	P	SUR	53	-45	744	0	0.3	-0.2	0.4
2801968	99	P	SUR	45	-25	738	0	0.3	-0.1	0.3
2802007	99	P	SUR	18	-39	739	0	0.3	0.1	0.3
2802008	99	P	SUR	65	-40	8	0	4.5	-6.2	7.6
2802010	99	P	SUR	19	-37	743	0	0.3	0.5	0.6
2802011	99	P	SUR	41	-42	3	0	0.0	0.2	0.2
2802022	99	P	SUR	36	-43	743	0	0.3	0.0	0.3
2802100	99	P	SUR	65	-4	719	0	0.3	0.3	0.5
2802124	99	P	SUR	25	-35	733	0	0.3	0.1	0.3
3801571	99	P	SUR	47	-34	727	0	0.4	0.1	0.4
3801575	99	P	SUR	49	-38	732	0	0.4	0.0	0.4
3801596	99	P	SUR	32	-30	741	0	0.3	-0.2	0.3
3801598	99	P	SUR	36	-50	740	0	0.3	0.0	0.3
3801612	99	P	SUR	21	-40	741	0	0.3	0.2	0.3
3801625	99	P	SUR	21	-43	739	0	0.2	0.5	0.6
3801676	99	P	SUR	74	16	743	0	0.3	0.2	0.4
3801703	99	P	SUR	66	-29	726	0	0.4	0.1	0.4
4100040	99	P	SUR	15	-53	4458	0	0.3	-0.1	0.3
4100043	99	P	SUR	21	-65	4456	0	0.3	-0.1	0.3
4100044	99	P	SUR	22	-59	4459	0	0.3	-0.1	0.3
4100046	99	P	SUR	24	-68	4459	0	0.3	-0.1	0.3
4100049	99	P	SUR	28	-62	4456	0	0.3	-0.5	0.6
4100052	99	P	SUR	18	-65	4412	0	0.4	-1.1	1.1
4100053	99	P	SUR	18	-66	4446	0	0.4	-0.8	0.9
4100056	99	P	SUR	18	-65	4391	0	0.3	-0.9	0.9
4100300	99	P	SUR	16	-57	744	0	0.4	0.1	0.4
4101665	99	P	SUR	71	24	742	0	0.3	-0.3	0.4
4101725	99	P	SUR	18	-63	740	0	0.3	-0.1	0.3
4101728	99	P	SUR	32	-39	744	0	0.2	0.4	0.5
4101755	99	P	SUR	33	-61	744	0	0.4	0.2	0.4
4101851	99	P	SUR	27	-68	742	0	0.3	-1.2	1.2
4101861	99	P	SUR	30	-60	742	0	0.3	0.3	0.5
4101863	99	P	SUR	20	-51	743	0	0.3	0.1	0.3
4101870	99	P	SUR	22	-45	742	0	0.3	0.0	0.3
4101873	99	P	SUR	25	-29	735	0	0.2	0.0	0.2
4101875	99	P	SUR	25	-24	740	0	0.3	0.4	0.5
4102557	99	P	SUR	30	-66	738	0	0.4	0.1	0.4
41040	99	P	SUR	15	-53	744	0	0.3	-0.1	0.3
41043	99	P	SUR	21	-65	744	0	0.3	-0.1	0.3
41044	99	P	SUR	22	-59	744	0	0.3	-0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41046	99	P	SUR	24	-68	744	0	0.2	-0.1	0.3
41049	99	P	SUR	28	-62	743	0	0.3	-0.5	0.6
41052	99	P	SUR	18	-65	744	0	0.4	-1.0	1.1
41053	99	P	SUR	19	-66	743	0	0.3	-0.8	0.9
41056	99	P	SUR	18	-66	743	0	0.3	-0.9	1.0
4200059	99	P	SUR	15	-68	1253	0	0.4	0.2	0.5
4200060	99	P	SUR	16	-63	4460	0	0.4	-0.4	0.5
4200085	99	P	SUR	18	-67	4375	0	0.3	-0.8	0.8
42059	99	P	SUR	15	-68	209	0	0.5	0.2	0.5
42060	99	P	SUR	16	-63	741	0	0.4	-0.3	0.5
42085	99	P	SUR	18	-67	735	0	0.3	-0.8	0.8
4400008	99	P	SUR	40	-69	3136	0	0.4	-0.4	0.6
4400011	99	P	SUR	41	-67	4406	0	0.4	0.1	0.5
4400027	99	P	SUR	44	-67	4455	0	0.5	-0.8	1.0
4400032	99	P	SUR	44	-69	691	0	0.5	-0.2	0.5
4400033	99	P	SUR	44	-69	695	0	0.5	-1.5	1.6
4400034	99	P	SUR	44	-68	695	0	0.5	-0.5	0.7
4400488	99	P	SUR	45	-61	743	0	0.4	0.1	0.4
4400489	99	P	SUR	45	-61	743	0	0.4	0.1	0.4
44008	99	P	SUR	41	-69	523	0	0.4	-0.4	0.6
44011	99	P	SUR	41	-67	736	0	0.4	0.1	0.4
4401582	99	P	SUR	34	-55	744	0	0.3	0.5	0.5
4401584	99	P	SUR	24	-62	744	0	0.3	0.1	0.3
4401588	99	P	SUR	69	15	741	0	0.3	0.0	0.3
4402674	99	P	SUR	24	-65	727	0	0.3	0.2	0.4
4402676	99	P	SUR	26	-46	743	0	0.2	0.2	0.3
44027	99	P	SUR	44	-67	744	0	0.5	-0.8	1.0
4402730	99	P	SUR	37	-36	681	0	0.3	0.0	0.3
4402733	99	P	SUR	59	-17	743	0	0.3	0.1	0.3
4402736	99	P	SUR	21	-49	742	0	0.3	0.0	0.3
4402737	99	P	SUR	63	-28	738	0	0.4	-0.1	0.4
4402739	99	P	SUR	37	-9	595	0	0.0	-6.4	6.4
4402743	99	P	SUR	29	-50	743	0	0.3	-1.0	1.1
4402744	99	P	SUR	37	-50	742	0	0.3	0.0	0.3
4402747	99	P	SUR	29	-16	743	0	0.3	-0.2	0.4
4402749	99	P	SUR	63	4	744	0	0.2	0.0	0.2
4402750	99	P	SUR	55	-31	743	0	0.4	-0.5	0.6
44032	99	P	SUR	44	-69	658	0	0.5	-0.2	0.5
44033	99	P	SUR	44	-69	631	0	0.5	-1.5	1.6
44034	99	P	SUR	44	-68	657	0	0.5	-0.5	0.7
4403568	99	P	SUR	30	-37	744	0	0.2	0.2	0.3
44078	99	P	SUR	60	-40	512	0	0.7	0.7	1.0
44137	99	P	SUR	42	-62	704	0	0.4	-0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44139	99	P	SUR	44	-57	742	0	0.4	-0.2	0.5
44150	99	P	SUR	43	-64	729	0	0.4	-0.1	0.4
44258	99	P	SUR	45	-63	743	0	0.4	0.0	0.4
44488	99	P	SUR	45	-61	743	0	0.5	0.1	0.5
44489	99	P	SUR	46	-61	742	0	0.4	0.1	0.4
4601782	99	P	SUR	33	-52	741	0	0.3	0.6	0.7
4701527	99	P	SUR	85	-26	326	0	0.4	0.2	0.5
4701546	99	P	SUR	88	-43	743	0	0.4	-0.3	0.5
4701547	99	P	SUR	87	-32	743	0	0.4	0.2	0.4
4701548	99	P	SUR	88	-69	741	0	0.3	0.1	0.4
4701555	99	P	SUR	64	-22	6	0	0.0	-5.7	5.7
4701558	99	P	SUR	79	-18	61	0	0.3	-4.3	4.3
4701561	99	P	SUR	66	-21	742	0	0.4	0.0	0.4
4801763	99	P	SUR	59	-55	744	0	0.5	-5.8	5.8
4802506	99	P	SUR	58	-8	307	80	2.2	-1.7	2.8
4802582	99	P	SUR	64	-18	741	182	5.6	-7.7	9.6
4802594	99	P	SUR	82	-17	742	0	0.4	-0.3	0.5
4802608	99	P	SUR	76	-16	742	0	0.3	-0.2	0.4
4802664	99	P	SUR	83	-53	744	0	0.5	-0.2	0.5
4803997	99	P	SUR	51	-38	729	0	0.4	-0.2	0.4
4804003	99	P	SUR	54	-50	695	0	0.5	0.0	0.5
4804016	99	P	SUR	19	-58	715	0	0.4	0.1	0.4
4804120	99	P	SUR	71	28	564	0	0.3	0.3	0.5
4804127	99	P	SUR	26	-28	732	0	0.2	0.2	0.3
4804128	99	P	SUR	38	16	685	0	0.4	-0.6	0.7
4804130	99	P	SUR	13	-29	724	0	0.3	-0.4	0.5
5801972	99	P	SUR	43	-23	737	0	0.2	-0.1	0.3
5801976	99	P	SUR	54	-16	737	0	0.4	-0.1	0.4
5801978	99	P	SUR	56	-37	703	0	2.5	0.6	2.6
5802011	99	P	SUR	19	-35	742	0	0.3	0.3	0.4
5802019	99	P	SUR	39	-29	202	0	0.3	0.3	0.4
5802026	99	P	SUR	46	-24	742	0	0.3	-0.1	0.3
5802033	99	P	SUR	22	-40	743	0	0.2	0.3	0.4
5802070	99	P	SUR	75	26	741	0	0.4	0.1	0.4
5802095	99	P	SUR	62	-35	725	0	0.5	0.0	0.5
5802096	99	P	SUR	65	-21	735	0	0.4	-0.7	0.8
5802112	99	P	SUR	25	-36	734	0	0.2	0.3	0.4
5802115	99	P	SUR	42	15	725	0	0.4	0.1	0.5
5802118	99	P	SUR	21	-30	719	0	0.2	0.2	0.3
5802156	99	P	SUR	71	-19	387	0	0.4	0.1	0.4
6100001	99	P	SUR	43	8	659	0	0.5	-0.1	0.5
6100002	99	P	SUR	42	5	770	0	0.3	-0.1	0.4
6100196	99	P	SUR	42	4	743	0	0.5	0.4	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6100197	99	P	SUR	40	4	85	0	0.3	0.3	0.4
6100198	99	P	SUR	37	-2	743	0	0.3	0.3	0.5
6100280	99	P	SUR	41	1	743	0	0.3	0.5	0.6
6100281	99	P	SUR	40	0	743	0	0.4	0.4	0.6
6100417	99	P	SUR	38	0	743	0	0.3	0.3	0.4
6100430	99	P	SUR	40	2	743	0	0.3	0.5	0.6
6101031	99	P	SUR	42	8	739	0	0.3	0.2	0.4
6101032	99	P	SUR	42	10	655	12	0.6	0.2	0.6
6101033	99	P	SUR	43	8	742	0	0.3	0.3	0.5
6101034	99	P	SUR	42	5	742	0	0.4	0.1	0.4
6101035	99	P	SUR	41	7	743	0	0.3	0.3	0.4
6200001	99	P	SUR	45	-5	743	0	0.3	0.0	0.3
6200024	99	P	SUR	44	-3	744	0	0.4	0.4	0.6
6200025	99	P	SUR	44	-6	743	0	0.4	0.4	0.5
6200081	99	P	SUR	51	-13	738	0	0.3	-0.2	0.3
6200082	99	P	SUR	44	-8	743	0	0.4	0.3	0.5
6200083	99	P	SUR	43	-9	595	0	0.4	0.2	0.4
6200084	99	P	SUR	42	-9	743	0	0.4	0.2	0.4
6200085	99	P	SUR	36	-7	743	0	0.3	0.3	0.5
6200086	99	P	SUR	55	7	184	0	0.2	-0.2	0.3
6200087	99	P	SUR	55	7	203	0	0.3	-0.3	0.4
6200091	99	P	SUR	53	-5	744	0	0.3	-0.1	0.3
6200092	99	P	SUR	51	-11	744	0	0.3	-0.1	0.3
6200093	99	P	SUR	55	-10	744	0	0.3	-0.1	0.3
6200094	99	P	SUR	52	-7	744	0	0.3	-0.2	0.3
6200095	99	P	SUR	53	-16	744	0	0.4	-0.2	0.4
6200103	99	P	SUR	50	-3	744	0	0.3	0.1	0.3
6200163	99	P	SUR	47	-8	744	0	0.3	0.0	0.3
6200192	99	P	SUR	40	-10	501	0	0.3	-0.5	0.6
6201065	99	P	SUR	54	7	530	0	0.2	1.1	1.2
6201066	99	P	SUR	55	7	619	0	0.3	0.3	0.4
6201081	99	P	SUR	38	-9	501	0	0.3	0.8	0.8
6202113	99	P	SUR	54	7	211	0	0.3	0.0	0.3
6202114	99	P	SUR	54	6	248	0	0.3	0.0	0.3
6202598	99	P	SUR	24	-37	744	0	0.3	0.1	0.3
6203612	99	P	SUR	53	-14	744	0	0.3	-0.1	0.3
6203615	99	P	SUR	32	-42	744	0	0.3	0.0	0.3
6203625	99	P	SUR	32	-50	744	0	0.3	0.0	0.3
6203632	99	P	SUR	34	-39	742	0	0.3	0.4	0.5
6203634	99	P	SUR	33	-44	744	0	0.3	0.5	0.6
6203639	99	P	SUR	28	-41	744	0	0.2	0.0	0.2
6203662	99	P	SUR	82	-1	744	0	0.3	-0.1	0.3
6203666	99	P	SUR	78	-3	743	0	0.3	0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203668	99	P	SUR	80	14	314	0	0.3	-0.5	0.6
6203669	99	P	SUR	80	16	744	0	0.4	-0.3	0.5
6203671	99	P	SUR	17	-25	590	0	0.4	-0.1	0.5
6203672	99	P	SUR	20	-30	744	0	0.2	0.3	0.4
6203673	99	P	SUR	19	-29	137	115	0.4	2.5	2.5
6203679	99	P	SUR	26	-21	743	0	0.3	0.1	0.3
6203686	99	P	SUR	21	-37	744	0	0.2	0.2	0.3
6203687	99	P	SUR	17	-36	744	0	0.3	0.2	0.3
6203688	99	P	SUR	13	-57	744	0	0.4	0.2	0.5
6203753	99	P	SUR	59	-16	657	0	0.4	-0.3	0.5
6203771	99	P	SUR	26	-56	66	0	0.3	0.0	0.3
6203772	99	P	SUR	34	-65	692	0	0.3	0.0	0.3
6203773	99	P	SUR	35	-26	648	0	0.2	-0.6	0.6
6203823	99	P	SUR	66	12	739	0	0.3	0.0	0.3
6203830	99	P	SUR	66	12	742	0	0.3	-0.4	0.5
6203831	99	P	SUR	65	-4	743	0	0.3	0.4	0.5
6203832	99	P	SUR	63	0	741	0	0.3	0.2	0.4
6203834	99	P	SUR	61	-11	518	0	0.3	0.1	0.3
6203835	99	P	SUR	62	-6	743	0	0.3	0.1	0.3
6203836	99	P	SUR	62	-17	506	0	0.3	0.1	0.3
6203837	99	P	SUR	61	-2	742	0	0.3	0.2	0.3
6203842	99	P	SUR	24	-61	6	0	3.7	2.8	4.7
6203846	99	P	SUR	32	-45	743	0	0.3	-0.1	0.3
6203849	99	P	SUR	37	-51	743	0	0.3	0.0	0.3
6203854	99	P	SUR	66	3	742	0	0.3	0.3	0.4
6203894	99	P	SUR	18	-36	741	0	0.3	0.1	0.3
6204604	99	P	SUR	37	11	612	0	0.4	-2.1	2.1
6204613	99	P	SUR	39	8	670	0	0.4	-1.4	1.4
62050	99	P	SUR	50	-4	1488	0	0.3	0.0	0.3
62081	99	P	SUR	51	-13	1488	0	0.3	-0.2	0.3
62091	99	P	SUR	53	-5	744	0	0.3	-0.1	0.3
62092	99	P	SUR	51	-11	744	0	0.3	-0.1	0.3
62093	99	P	SUR	55	-10	744	0	0.3	-0.1	0.3
62094	99	P	SUR	52	-7	744	0	0.3	-0.2	0.3
62095	99	P	SUR	53	-16	744	0	0.4	-0.2	0.4
62102	99	P	SUR	58	2	1487	0	0.3	0.2	0.3
62103	99	P	SUR	50	-3	1488	0	0.3	0.1	0.3
62104	99	P	SUR	57	1	1487	0	0.3	-0.1	0.3
62105	99	P	SUR	55	-13	1486	0	0.4	-0.2	0.5
62107	99	P	SUR	50	-6	1488	0	0.3	-0.5	0.5
62112	99	P	SUR	58	0	1488	0	0.2	0.3	0.4
62113	99	P	SUR	58	0	1487	0	0.4	-0.1	0.4
62114	99	P	SUR	58	0	1152	0	0.3	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62115	99	P	SUR	58	-3	1488	0	0.3	0.1	0.3
62116	99	P	SUR	58	1	1487	0	0.3	0.0	0.3
62118	99	P	SUR	58	1	1463	0	0.3	0.3	0.4
62119	99	P	SUR	57	2	1488	0	0.6	0.3	0.7
62120	99	P	SUR	56	2	1454	0	0.5	-0.1	0.5
62121	99	P	SUR	54	3	1488	0	0.3	0.2	0.4
62122	99	P	SUR	57	2	1488	0	0.4	0.1	0.4
62124	99	P	SUR	54	-4	1488	0	0.3	0.0	0.3
62127	99	P	SUR	54	1	1475	0	0.3	0.2	0.4
62129	99	P	SUR	58	0	1487	0	0.3	0.1	0.4
62130	99	P	SUR	59	1	1485	0	0.6	-0.1	0.6
62131	99	P	SUR	54	1	1488	0	0.3	0.5	0.6
62132	99	P	SUR	56	2	1472	0	0.5	0.6	0.8
62133	99	P	SUR	57	1	1488	0	0.3	0.1	0.3
62134	99	P	SUR	58	1	1487	0	0.3	0.2	0.3
62138	99	P	SUR	54	0	1468	0	0.4	0.4	0.5
62140	99	P	SUR	57	1	1488	0	0.3	0.1	0.3
62143	99	P	SUR	58	2	1487	0	0.3	0.7	0.8
62144	99	P	SUR	53	2	1488	0	0.3	0.2	0.3
62145	99	P	SUR	53	3	1488	0	0.3	0.2	0.4
62146	99	P	SUR	57	2	1488	0	0.3	0.2	0.4
62148	99	P	SUR	54	2	1488	0	0.4	0.4	0.6
62149	99	P	SUR	54	1	1488	0	0.2	0.4	0.5
62151	99	P	SUR	57	2	1488	0	0.2	0.2	0.3
62152	99	P	SUR	57	2	1488	0	0.3	0.3	0.5
62153	99	P	SUR	57	2	1487	0	0.3	0.5	0.6
62154	99	P	SUR	56	2	1488	0	0.3	0.0	0.3
62155	99	P	SUR	58	1	1487	0	0.3	0.3	0.5
62157	99	P	SUR	58	0	1487	0	0.3	-0.2	0.3
62160	99	P	SUR	57	2	1488	0	0.3	0.2	0.3
62161	99	P	SUR	58	1	1485	0	0.3	-0.4	0.5
62162	99	P	SUR	57	1	1479	0	0.3	0.2	0.3
62163	99	P	SUR	48	-9	1488	0	0.3	-0.1	0.3
62164	99	P	SUR	57	1	1488	0	0.3	0.4	0.5
62165	99	P	SUR	54	1	1467	0	0.4	0.4	0.5
62168	99	P	SUR	58	1	1487	0	0.3	0.1	0.3
62170	99	P	SUR	51	2	1487	0	0.3	-0.3	0.5
62297	99	P	SUR	59	2	1488	0	0.3	-0.2	0.3
62302	99	P	SUR	61	-2	1488	0	0.3	0.1	0.3
62304	99	P	SUR	51	2	1487	0	0.4	-0.1	0.4
62305	99	P	SUR	50	0	1488	0	0.3	-0.2	0.4
6301003	99	P	SUR	74	24	701	0	0.3	-0.2	0.4
6301004	99	P	SUR	72	20	712	0	0.5	-0.5	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6301582	99	P	SUR	72	26	460	0	0.3	-0.1	0.3
6301583	99	P	SUR	84	-12	742	0	0.3	0.0	0.3
6301584	99	P	SUR	86	-10	743	0	0.4	0.2	0.4
63055	99	P	SUR	61	2	1439	0	0.3	0.0	0.3
63056	99	P	SUR	60	2	1483	0	0.3	0.2	0.4
63057	99	P	SUR	59	2	1488	0	0.2	-0.4	0.4
63058	99	P	SUR	53	2	831	0	0.2	0.1	0.3
63059	99	P	SUR	58	-1	1488	0	0.3	0.6	0.7
63102	99	P	SUR	61	1	1485	0	0.3	0.0	0.3
63108	99	P	SUR	61	2	1475	0	0.4	-0.1	0.4
63109	99	P	SUR	60	2	1487	0	0.3	-0.2	0.3
63110	99	P	SUR	60	2	1487	0	0.3	-0.3	0.4
63111	99	P	SUR	61	2	1487	0	0.3	-0.2	0.4
63112	99	P	SUR	61	1	1484	0	0.2	-0.3	0.4
63115	99	P	SUR	62	1	1485	0	0.3	0.2	0.4
63118	99	P	SUR	58	1	1471	0	0.3	-0.2	0.3
6400045	99	P	SUR	59	-12	743	0	0.4	-0.2	0.4
6401763	99	P	SUR	66	12	744	0	0.3	-0.5	0.6
6402616	99	P	SUR	29	-53	743	0	0.3	0.1	0.3
6402617	99	P	SUR	31	-51	743	0	0.3	0.3	0.4
6402619	99	P	SUR	19	-69	403	0	0.3	-0.4	0.5
6402621	99	P	SUR	24	-35	683	0	0.2	0.4	0.5
6402622	99	P	SUR	22	-46	338	0	0.3	0.3	0.5
6402628	99	P	SUR	38	6	741	0	0.4	0.1	0.4
6402635	99	P	SUR	37	12	741	0	0.5	0.1	0.5
6402636	99	P	SUR	39	3	453	0	0.4	0.0	0.4
6402637	99	P	SUR	40	5	741	0	0.4	-0.1	0.4
64041	99	P	SUR	61	-3	1488	0	0.3	0.1	0.3
64045	99	P	SUR	59	-12	1487	0	0.4	-0.2	0.4
6600021	99	P	SUR	55	14	136	0	0.3	-0.9	1.0
6600024	99	P	SUR	55	13	254	0	0.4	-1.3	1.3
6801771	99	P	SUR	44	-24	552	0	0.4	0.2	0.4
6801791	99	P	SUR	27	-39	742	0	0.3	0.4	0.5
6801811	99	P	SUR	44	-28	742	0	0.3	0.1	0.3
6801879	99	P	SUR	19	-42	744	0	0.2	0.2	0.3
6801897	99	P	SUR	84	-63	735	0	0.4	-0.4	0.5
6801900	99	P	SUR	66	-35	72	0	0.5	0.0	0.5
6801907	99	P	SUR	65	-4	723	0	0.3	0.1	0.4
6801928	99	P	SUR	40	10	720	0	0.4	0.0	0.4
6801929	99	P	SUR	21	-36	728	0	0.3	0.2	0.3
7801571	99	P	SUR	47	-38	713	0	0.9	-0.2	0.9
7801572	99	P	SUR	21	-62	738	0	0.3	0.0	0.3
7801588	99	P	SUR	28	-30	615	0	0.3	0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
7801616	99	P	SUR	21	-28	741	0	0.2	0.1	0.2
7801627	99	P	SUR	15	-38	740	0	0.3	0.5	0.6
7801647	99	P	SUR	19	-38	743	0	0.2	0.0	0.2
7801697	99	P	SUR	35	-29	744	0	0.3	-0.1	0.3
7801699	99	P	SUR	31	-52	741	0	0.3	0.2	0.4
7801722	99	P	SUR	85	-42	734	0	0.4	-0.7	0.8
7801723	99	P	SUR	85	-53	740	0	0.6	0.1	0.6
7801742	99	P	SUR	25	-24	727	0	0.3	0.1	0.3
7801755	99	P	SUR	21	-24	740	0	0.3	0.0	0.3
7810290	99	P	SUR	31	-63	739	0	0.3	0.0	0.3
7810310	99	P	SUR	36	-39	216	0	0.7	-0.3	0.8
7810312	99	P	SUR	33	-52	737	0	0.3	0.0	0.3
7810313	99	P	SUR	42	-32	1	0	0.0	0.7	0.7
7810322	99	P	SUR	21	-70	736	0	0.3	0.3	0.4
7810323	99	P	SUR	27	-65	737	0	0.3	0.2	0.3
7810324	99	P	SUR	33	-63	734	0	1.2	5.5	5.7
9193264	99	P	SUR	54	8	1	0	0.0	0.2	0.2

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
00000	99	SPEED	SUR	45	-64	1	0	0	0.0	0.0	0.0
1000044	99	SPEED	SUR	55	10	237	0	0	1.7	1.6	2.3
1300001	99	SPEED	SUR	11	-23	699	0	0	0.9	0.6	1.1
1300008	99	SPEED	SUR	15	-38	604	0	0	0.7	-0.3	0.8
1300130	99	SPEED	SUR	28	-16	739	0	0	1.0	0.2	1.0
1300131	99	SPEED	SUR	28	-17	693	0	0	2.1	1.3	2.4
4100040	99	SPEED	SUR	15	-53	4458	0	0	0.8	-0.1	0.8
4100043	99	SPEED	SUR	21	-65	4455	0	0	1.0	0.0	1.0
4100044	99	SPEED	SUR	22	-59	4452	0	0	1.0	0.1	1.0
4100046	99	SPEED	SUR	24	-68	4459	0	0	0.9	0.1	0.9
4100049	99	SPEED	SUR	28	-62	4454	0	0	1.0	0.2	1.0
4100052	99	SPEED	SUR	18	-65	4412	0	0	1.0	0.5	1.2
4100053	99	SPEED	SUR	18	-66	4449	0	0	1.6	1.0	1.8
4100056	99	SPEED	SUR	18	-65	4394	0	0	1.3	0.0	1.3
4100300	99	SPEED	SUR	16	-57	744	0	0	1.1	0.0	1.1
41040	99	SPEED	SUR	15	-53	744	0	0	0.9	-0.6	1.1
41043	99	SPEED	SUR	21	-65	744	0	0	1.1	-0.3	1.1
41044	99	SPEED	SUR	22	-59	744	0	0	1.1	-0.4	1.2
41046	99	SPEED	SUR	24	-68	744	0	0	0.9	-0.2	1.0
41049	99	SPEED	SUR	28	-62	743	0	0	1.1	-0.1	1.1
41052	99	SPEED	SUR	18	-65	744	0	0	1.1	0.2	1.2
41053	99	SPEED	SUR	19	-66	744	0	0	1.6	-0.1	1.6
41056	99	SPEED	SUR	18	-66	744	0	0	1.4	-0.3	1.5
4200059	99	SPEED	SUR	15	-68	1252	0	0	1.2	0.4	1.3
4200060	99	SPEED	SUR	16	-63	4460	0	0	1.3	0.5	1.3
4200085	99	SPEED	SUR	18	-67	4375	0	0	1.4	0.2	1.4
42059	99	SPEED	SUR	15	-68	209	0	0	1.3	0.2	1.3
42060	99	SPEED	SUR	16	-63	741	0	0	1.4	0.1	1.4
42085	99	SPEED	SUR	18	-67	735	0	0	1.4	0.3	1.5
4400008	99	SPEED	SUR	40	-69	3110	0	0	1.2	-0.9	1.5
4400011	99	SPEED	SUR	41	-67	4405	0	0	1.4	-0.6	1.5
4400027	99	SPEED	SUR	44	-67	4454	0	0	1.3	-0.3	1.4
4400032	99	SPEED	SUR	44	-69	1221	0	0	1.4	-0.3	1.5
4400033	99	SPEED	SUR	44	-69	1264	0	0	1.6	-0.3	1.6

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400034	99	SPEED	SUR	44	-68	1251	0	0	1.5	-1.1	1.9
4400488	99	SPEED	SUR	45	-61	743	0	0	1.8	0.3	1.8
4400489	99	SPEED	SUR	45	-61	743	0	0	2.1	1.4	2.5
44008	99	SPEED	SUR	41	-69	523	0	0	1.4	-1.8	2.2
44011	99	SPEED	SUR	41	-67	736	0	0	1.5	-1.4	2.0
44027	99	SPEED	SUR	44	-67	744	0	0	1.4	-1.0	1.7
44032	99	SPEED	SUR	44	-69	681	0	0	1.7	-0.8	1.8
44033	99	SPEED	SUR	44	-69	680	0	0	1.7	-0.6	1.8
44034	99	SPEED	SUR	44	-68	688	0	0	1.7	-1.5	2.3
44078	99	SPEED	SUR	60	-40	522	0	0	2.0	-1.9	2.8
44137	99	SPEED	SUR	42	-62	738	0	0	1.5	-0.8	1.7
44139	99	SPEED	SUR	44	-57	742	0	0	1.4	-0.5	1.5
44150	99	SPEED	SUR	43	-64	729	0	0	1.3	-1.0	1.7
44258	99	SPEED	SUR	45	-63	743	0	0	1.7	-1.0	1.9
44488	99	SPEED	SUR	45	-61	743	0	0	1.8	0.0	1.8
44489	99	SPEED	SUR	46	-61	742	0	0	2.2	0.9	2.4
6100001	99	SPEED	SUR	43	8	655	0	0	1.5	0.1	1.5
6100002	99	SPEED	SUR	42	5	770	0	0	1.4	0.5	1.5
6100196	99	SPEED	SUR	42	4	729	0	0	1.7	-0.8	1.9
6100197	99	SPEED	SUR	40	4	662	0	0	1.5	-1.9	2.4
6100198	99	SPEED	SUR	37	-2	716	0	0	1.4	-0.7	1.5
6100280	99	SPEED	SUR	41	1	692	0	0	1.4	-1.0	1.7
6100281	99	SPEED	SUR	40	0	734	0	0	1.7	0.5	1.8
6100417	99	SPEED	SUR	38	0	734	0	0	1.2	0.0	1.2
6100430	99	SPEED	SUR	40	2	727	0	0	1.5	-0.3	1.6
6101031	99	SPEED	SUR	42	8	739	0	0	1.0	0.0	1.0
6101032	99	SPEED	SUR	42	10	743	0	0	1.4	0.5	1.5
6101033	99	SPEED	SUR	43	8	742	0	0	1.4	0.7	1.6
6101034	99	SPEED	SUR	42	5	742	0	0	1.3	0.4	1.4
6101035	99	SPEED	SUR	41	7	743	0	0	1.3	0.7	1.5
6200001	99	SPEED	SUR	45	-5	737	0	0	1.1	0.0	1.1
6200024	99	SPEED	SUR	44	-3	724	0	0	1.4	-0.1	1.4
6200025	99	SPEED	SUR	44	-6	731	0	0	1.2	-0.4	1.3
6200081	99	SPEED	SUR	51	-13	738	0	0	1.1	0.1	1.1
6200082	99	SPEED	SUR	44	-8	716	0	0	1.3	-0.9	1.6
6200083	99	SPEED	SUR	43	-9	577	0	0	1.2	-1.1	1.7
6200084	99	SPEED	SUR	42	-9	725	0	0	1.2	-0.8	1.4
6200085	99	SPEED	SUR	36	-7	737	0	0	1.3	-0.4	1.3
6200086	99	SPEED	SUR	55	7	184	0	0	1.3	1.1	1.7
6200087	99	SPEED	SUR	55	7	203	0	0	1.1	1.2	1.6
6200091	99	SPEED	SUR	53	-5	744	0	0	1.2	0.3	1.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200092	99	SPEED	SUR	51	-11	744	0	0	1.5	-0.5	1.6
6200093	99	SPEED	SUR	55	-10	744	0	0	1.0	0.0	1.0
6200094	99	SPEED	SUR	52	-7	744	0	0	1.2	-0.5	1.4
6200095	99	SPEED	SUR	53	-16	744	0	0	1.2	-0.2	1.2
6200103	99	SPEED	SUR	50	-3	744	0	0	1.4	-0.3	1.4
6200163	99	SPEED	SUR	47	-8	744	0	0	0.9	0.3	1.0
6201065	99	SPEED	SUR	54	7	529	0	0	1.8	-1.1	2.1
6201066	99	SPEED	SUR	55	7	619	0	0	1.1	0.3	1.1
6202113	99	SPEED	SUR	54	7	211	0	0	1.3	0.1	1.3
6202114	99	SPEED	SUR	54	6	246	0	0	1.0	-0.2	1.0
62050	99	SPEED	SUR	50	-4	1488	0	0	1.3	0.1	1.3
62081	99	SPEED	SUR	51	-13	1488	0	0	1.1	0.1	1.1
62091	99	SPEED	SUR	53	-5	744	0	0	1.3	0.6	1.4
62092	99	SPEED	SUR	51	-11	744	0	0	1.6	-0.4	1.6
62093	99	SPEED	SUR	55	-10	744	0	0	1.1	0.1	1.1
62094	99	SPEED	SUR	52	-7	744	0	0	1.3	-0.5	1.4
62095	99	SPEED	SUR	53	-16	744	0	0	1.2	0.0	1.2
62102	99	SPEED	SUR	58	2	1487	0	0	1.2	0.3	1.2
62103	99	SPEED	SUR	50	-3	1488	0	0	1.4	-0.4	1.5
62104	99	SPEED	SUR	57	1	1487	0	0	1.5	-0.3	1.5
62105	99	SPEED	SUR	55	-13	1486	0	0	1.0	0.3	1.1
62107	99	SPEED	SUR	50	-6	1486	0	0	1.3	0.3	1.4
62112	99	SPEED	SUR	58	0	1488	0	0	1.1	-0.3	1.1
62113	99	SPEED	SUR	58	0	1487	0	0	1.4	0.1	1.4
62114	99	SPEED	SUR	58	0	1150	0	0	1.2	0.4	1.3
62118	99	SPEED	SUR	58	1	1463	0	0	1.1	0.5	1.2
62120	99	SPEED	SUR	56	2	1452	0	0	1.2	-0.3	1.2
62121	99	SPEED	SUR	54	3	1488	0	0	1.1	-0.2	1.1
62122	99	SPEED	SUR	57	2	1270	0	0	1.2	-0.2	1.2
62129	99	SPEED	SUR	58	0	1487	0	0	1.3	0.3	1.3
62134	99	SPEED	SUR	58	1	1487	0	0	1.7	-1.5	2.3
62140	99	SPEED	SUR	57	1	752	0	0	1.0	0.4	1.1
62143	99	SPEED	SUR	58	2	1487	0	0	1.6	-0.1	1.6
62144	99	SPEED	SUR	53	2	1488	0	0	1.5	-0.7	1.7
62145	99	SPEED	SUR	53	3	1488	0	0	1.7	0.8	1.8
62146	99	SPEED	SUR	57	2	1488	0	0	1.1	0.7	1.3
62148	99	SPEED	SUR	54	2	1488	0	0	1.4	-0.5	1.5
62149	99	SPEED	SUR	54	1	1488	0	0	1.0	-0.1	1.0
62152	99	SPEED	SUR	57	2	1488	0	0	1.4	-0.8	1.7
62154	99	SPEED	SUR	56	2	1488	0	0	1.4	0.3	1.5
62155	99	SPEED	SUR	58	1	1483	0	0	1.2	0.0	1.2

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62163	99	SPEED	SUR	48	-9	1488	0	0	0.9	0.3	1.0
62164	99	SPEED	SUR	57	1	1488	0	0	1.4	-1.0	1.7
62165	99	SPEED	SUR	54	1	1467	0	0	1.1	0.0	1.2
62170	99	SPEED	SUR	51	2	1487	0	0	1.3	0.7	1.5
62304	99	SPEED	SUR	51	2	1479	0	0	1.5	1.0	1.8
62305	99	SPEED	SUR	50	0	1488	0	0	1.3	0.7	1.5
63055	99	SPEED	SUR	61	2	1439	0	0	1.2	-0.7	1.4
63056	99	SPEED	SUR	60	2	1483	0	0	1.1	0.5	1.2
63057	99	SPEED	SUR	59	2	1486	0	0	1.9	-0.5	2.0
63058	99	SPEED	SUR	53	2	830	0	0	1.3	-0.4	1.3
63108	99	SPEED	SUR	61	2	1473	0	0	1.9	-0.6	2.0
63109	99	SPEED	SUR	60	2	1481	0	0	1.1	0.3	1.2
63112	99	SPEED	SUR	61	1	1484	0	0	1.0	-0.4	1.1
63115	99	SPEED	SUR	62	1	1485	0	0	1.1	-0.6	1.3
64041	99	SPEED	SUR	61	-3	1488	0	0	1.0	-0.4	1.1
6600021	99	SPEED	SUR	55	14	136	0	0	1.2	0.3	1.2
6600024	99	SPEED	SUR	55	13	251	0	0	1.4	0.8	1.7
9193264	99	SPEED	SUR	54	8	1	0	0	0.0	-0.6	0.6

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : MAY 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
00000	99	DIRN	SUR	45	-64	1	0	0	0.0	-16.7	16.7
1300001	99	DIRN	SUR	11	-23	639	0	0	9.3	2.0	9.5
1300008	99	DIRN	SUR	15	-38	604	0	0	6.7	1.4	6.8
1300130	99	DIRN	SUR	28	-16	666	0	0	9.6	-1.5	9.7
1300131	99	DIRN	SUR	28	-17	303	0	0	13.3	5.5	14.4
4100001	99	DIRN	SUR	35	-72	1946	0	0	18.2	-0.8	18.2
4100002	99	DIRN	SUR	32	-75	3698	0	0	18.4	14.2	23.2
4100004	99	DIRN	SUR	33	-79	3363	0	0	27.8	13.5	30.9
4100008	99	DIRN	SUR	31	-81	3337	0	0	28.0	4.8	28.4
4100009	99	DIRN	SUR	29	-80	1708	0	0	23.3	5.3	23.8
4100010	99	DIRN	SUR	29	-78	3787	0	0	17.6	5.9	18.5
4100013	99	DIRN	SUR	33	-78	3527	0	0	25.7	6.9	26.6
4100024	99	DIRN	SUR	34	-78	562	0	0	26.5	5.1	26.9
4100025	99	DIRN	SUR	35	-75	3871	0	0	22.8	8.3	24.3
4100029	99	DIRN	SUR	33	-80	551	0	0	23.5	-0.8	23.5
4100033	99	DIRN	SUR	32	-80	573	0	0	28.1	9.5	29.7
4100037	99	DIRN	SUR	34	-77	612	0	0	23.9	2.0	24.0
4100038	99	DIRN	SUR	34	-78	598	0	0	25.9	5.9	26.5
4100040	99	DIRN	SUR	15	-53	4317	0	0	9.5	4.4	10.5
4100043	99	DIRN	SUR	21	-65	3585	0	0	14.9	8.0	16.9
4100044	99	DIRN	SUR	22	-59	3666	0	0	13.1	10.8	16.9
4100046	99	DIRN	SUR	24	-68	3561	0	0	9.9	4.6	11.0
4100047	99	DIRN	SUR	28	-71	3219	0	0	13.4	5.5	14.5
4100049	99	DIRN	SUR	28	-62	3175	0	0	14.5	6.8	16.0
4100052	99	DIRN	SUR	18	-65	4308	0	0	14.4	7.5	16.2
4100053	99	DIRN	SUR	18	-66	3195	0	0	16.2	0.3	16.2
4100056	99	DIRN	SUR	18	-65	4076	0	0	15.9	3.6	16.3
4100064	99	DIRN	SUR	34	-77	334	0	0	25.5	-13.4	28.8
4100066	99	DIRN	SUR	33	-80	555	0	0	25.3	3.7	25.5
4100068	99	DIRN	SUR	28	-80	534	0	0	23.3	-6.0	24.1
4100069	99	DIRN	SUR	29	-81	328	0	0	24.7	5.7	25.3
4100082	99	DIRN	SUR	36	-75	2538	0	0	23.9	-3.5	24.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4100083	99	DIRN	SUR	36	-75	2128	0	0	21.9	-7.9	23.2
41001	99	DIRN	SUR	35	-72	317	0	0	17.6	-0.5	17.6
41002	99	DIRN	SUR	32	-75	616	0	0	18.8	14.3	23.6
4100300	99	DIRN	SUR	16	-57	682	0	0	15.9	1.9	16.0
41004	99	DIRN	SUR	33	-79	558	0	0	28.9	13.7	32.0
41008	99	DIRN	SUR	31	-81	566	0	0	27.9	4.6	28.3
41009	99	DIRN	SUR	29	-80	261	0	0	20.5	5.2	21.2
41010	99	DIRN	SUR	29	-79	629	0	0	19.4	5.7	20.2
41013	99	DIRN	SUR	33	-78	588	0	0	26.4	7.3	27.3
41024	99	DIRN	SUR	34	-79	580	0	0	26.6	3.7	26.9
41025	99	DIRN	SUR	35	-76	644	0	0	22.5	8.0	23.9
41029	99	DIRN	SUR	33	-80	569	0	0	25.8	-1.6	25.8
41033	99	DIRN	SUR	32	-80	577	0	0	27.9	9.5	29.5
41037	99	DIRN	SUR	34	-77	612	0	0	24.1	1.6	24.2
41038	99	DIRN	SUR	34	-78	602	0	0	27.3	4.2	27.6
41040	99	DIRN	SUR	15	-53	717	0	0	10.7	4.0	11.4
41043	99	DIRN	SUR	21	-65	581	0	0	13.8	7.4	15.7
41044	99	DIRN	SUR	22	-59	615	0	0	13.0	10.1	16.5
41046	99	DIRN	SUR	24	-68	587	0	0	9.8	4.3	10.7
41047	99	DIRN	SUR	28	-72	525	0	0	11.9	4.7	12.8
41049	99	DIRN	SUR	28	-62	512	0	0	13.7	6.8	15.3
41052	99	DIRN	SUR	18	-65	725	0	0	14.9	6.5	16.2
41053	99	DIRN	SUR	19	-66	548	0	0	16.2	0.5	16.2
41056	99	DIRN	SUR	18	-66	687	0	0	16.1	4.2	16.7
41064	99	DIRN	SUR	34	-77	327	0	0	25.7	-13.3	28.9
41066	99	DIRN	SUR	33	-80	565	0	0	26.9	3.5	27.1
41068	99	DIRN	SUR	28	-80	533	0	0	24.5	-5.7	25.1
41069	99	DIRN	SUR	29	-81	330	0	0	25.0	5.5	25.6
41082	99	DIRN	SUR	36	-75	413	0	0	23.3	-3.8	23.6
41083	99	DIRN	SUR	36	-75	356	0	0	23.6	-8.5	25.1
4200013	99	DIRN	SUR	27	-83	661	0	0	23.1	-2.0	23.2
4200022	99	DIRN	SUR	28	-84	687	0	0	24.8	-1.7	24.8
4200023	99	DIRN	SUR	26	-83	733	0	0	17.8	-2.2	17.9
4200026	99	DIRN	SUR	25	-83	1027	0	0	14.3	-5.8	15.4
4200036	99	DIRN	SUR	29	-85	2228	0	0	24.3	7.3	25.4
4200056	99	DIRN	SUR	20	-85	4128	0	0	8.7	3.8	9.5
4200057	99	DIRN	SUR	17	-82	4419	0	0	8.6	2.0	8.8
4200058	99	DIRN	SUR	15	-75	4455	0	0	8.1	5.5	9.8
4200059	99	DIRN	SUR	15	-68	1196	0	0	16.5	10.6	19.6
4200060	99	DIRN	SUR	16	-63	3976	0	0	14.0	6.9	15.6
4200085	99	DIRN	SUR	18	-67	3845	0	0	18.2	4.9	18.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42013	99	DIRN	SUR	27	-83	336	0	0	26.2	0.2	26.2
42022	99	DIRN	SUR	28	-84	331	0	0	25.2	1.1	25.2
42023	99	DIRN	SUR	26	-83	362	0	0	19.8	-1.0	19.8
42026	99	DIRN	SUR	25	-84	491	0	0	15.2	-4.3	15.8
42036	99	DIRN	SUR	29	-85	356	0	0	24.4	8.8	26.0
42056	99	DIRN	SUR	20	-85	687	0	0	9.6	3.5	10.2
42057	99	DIRN	SUR	17	-82	733	0	0	9.1	1.9	9.3
42058	99	DIRN	SUR	15	-75	742	0	0	8.4	5.2	9.9
42059	99	DIRN	SUR	15	-68	198	0	0	16.2	10.8	19.5
42060	99	DIRN	SUR	16	-63	656	0	0	14.5	6.7	15.9
42085	99	DIRN	SUR	18	-67	625	0	0	18.2	3.6	18.5
4400007	99	DIRN	SUR	44	-70	2556	0	0	23.3	10.7	25.7
4400008	99	DIRN	SUR	40	-69	2276	0	0	16.2	16.4	23.0
4400009	99	DIRN	SUR	38	-75	3387	0	0	20.9	6.2	21.8
4400011	99	DIRN	SUR	41	-67	3521	0	0	14.4	15.9	21.5
4400013	99	DIRN	SUR	42	-71	3196	0	0	25.5	14.5	29.4
4400014	99	DIRN	SUR	37	-75	2852	0	0	21.2	10.0	23.4
4400020	99	DIRN	SUR	41	-70	3743	0	0	16.2	5.8	17.2
4400025	99	DIRN	SUR	40	-73	3342	0	0	17.2	10.9	20.4
4400027	99	DIRN	SUR	44	-67	3316	0	0	15.8	16.5	22.8
4400029	99	DIRN	SUR	43	-71	983	0	0	23.2	15.7	27.9
4400030	99	DIRN	SUR	43	-70	903	0	0	20.1	11.6	23.2
4400032	99	DIRN	SUR	44	-69	855	0	0	18.6	10.5	21.4
4400033	99	DIRN	SUR	44	-69	839	0	0	24.4	13.5	27.8
4400034	99	DIRN	SUR	44	-68	834	0	0	16.0	7.7	17.7
4400042	99	DIRN	SUR	38	-76	3864	0	0	23.8	3.8	24.1
4400058	99	DIRN	SUR	38	-76	3903	0	0	26.8	1.4	26.8
4400062	99	DIRN	SUR	39	-76	3565	0	0	23.5	3.0	23.7
4400063	99	DIRN	SUR	39	-76	3472	0	0	29.1	2.7	29.2
4400065	99	DIRN	SUR	40	-74	3181	0	0	22.1	13.5	25.9
4400072	99	DIRN	SUR	37	-76	4113	0	0	25.1	2.7	25.2
4400073	99	DIRN	SUR	43	-71	2086	0	0	20.7	7.2	21.9
4400079	99	DIRN	SUR	36	-75	2460	0	0	21.6	-7.6	22.9
4400488	99	DIRN	SUR	45	-61	520	0	0	24.0	-18.8	30.5
4400489	99	DIRN	SUR	45	-61	446	0	0	24.4	-24.5	34.6
44007	99	DIRN	SUR	44	-70	435	0	0	26.2	12.4	29.0
44008	99	DIRN	SUR	41	-69	367	0	0	17.2	15.8	23.3
44009	99	DIRN	SUR	39	-75	557	0	0	21.8	6.8	22.8
44011	99	DIRN	SUR	41	-67	574	0	0	14.5	15.1	20.9
44013	99	DIRN	SUR	42	-71	523	0	0	27.4	15.2	31.3
44014	99	DIRN	SUR	37	-75	478	0	0	22.2	9.0	24.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44020	99	DIRN	SUR	42	-70	605	0	0	17.5	5.6	18.4
44025	99	DIRN	SUR	40	-73	557	0	0	18.0	9.8	20.5
44027	99	DIRN	SUR	44	-67	549	0	0	16.5	15.8	22.9
44029	99	DIRN	SUR	43	-71	490	0	0	28.5	11.0	30.6
44030	99	DIRN	SUR	43	-70	418	0	0	28.7	11.2	30.9
44032	99	DIRN	SUR	44	-69	432	0	0	23.7	11.0	26.1
44033	99	DIRN	SUR	44	-69	415	0	0	26.6	9.4	28.2
44034	99	DIRN	SUR	44	-68	407	0	0	17.1	6.5	18.3
44042	99	DIRN	SUR	38	-76	505	0	0	25.5	4.2	25.8
44058	99	DIRN	SUR	38	-76	499	0	0	29.9	2.2	30.0
44062	99	DIRN	SUR	39	-76	476	0	0	23.9	4.1	24.2
44063	99	DIRN	SUR	39	-76	461	0	0	29.0	4.5	29.4
44065	99	DIRN	SUR	40	-74	522	0	0	22.5	12.3	25.7
44072	99	DIRN	SUR	37	-76	511	0	0	25.7	3.0	25.8
44073	99	DIRN	SUR	43	-71	359	0	0	23.9	7.2	24.9
44078	99	DIRN	SUR	60	-40	479	0	0	11.4	-17.9	21.2
44079	99	DIRN	SUR	36	-75	401	0	0	20.5	-8.0	22.0
44137	99	DIRN	SUR	42	-62	633	0	0	19.4	3.6	19.8
44139	99	DIRN	SUR	44	-57	655	0	0	17.5	-2.6	17.7
44150	99	DIRN	SUR	43	-64	599	0	0	16.0	3.3	16.4
44258	99	DIRN	SUR	45	-63	532	0	0	21.8	7.9	23.2
44488	99	DIRN	SUR	45	-61	516	0	0	25.0	-18.0	30.8
44489	99	DIRN	SUR	46	-61	468	0	0	25.4	-25.1	35.7
4500003	99	DIRN	SUR	45	-83	2375	0	0	20.1	14.7	24.9
4500005	99	DIRN	SUR	42	-82	1821	0	0	20.2	7.2	21.5
4500008	99	DIRN	SUR	44	-82	2174	0	0	17.8	15.2	23.4
4500012	99	DIRN	SUR	44	-77	2789	0	0	20.8	15.8	26.1
4500135	99	DIRN	SUR	44	-77	542	0	0	27.0	7.3	28.0
4500137	99	DIRN	SUR	46	-81	342	0	0	24.5	13.8	28.1
4500139	99	DIRN	SUR	43	-80	416	0	0	32.8	7.7	33.7
4500143	99	DIRN	SUR	45	-81	494	0	0	23.1	10.4	25.3
4500159	99	DIRN	SUR	44	-79	469	0	0	21.4	5.0	21.9
4500175	99	DIRN	SUR	46	-85	356	0	0	19.3	-14.5	24.2
4500176	99	DIRN	SUR	42	-82	1164	0	0	19.7	-22.6	30.0
4500197	99	DIRN	SUR	42	-82	1166	0	0	28.2	6.0	28.8
4500204	99	DIRN	SUR	42	-82	2537	0	0	23.9	15.1	28.3
4500205	99	DIRN	SUR	42	-82	2363	0	0	25.5	-1.0	25.5
4500207	99	DIRN	SUR	42	-81	2480	0	0	25.4	-26.6	36.8
4500208	99	DIRN	SUR	42	-81	2594	0	0	27.3	-14.3	30.8
4500209	99	DIRN	SUR	43	-82	2366	0	0	88.9	123.3	152.0
45003	99	DIRN	SUR	45	-83	389	0	0	20.9	13.4	24.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45005	99	DIRN	SUR	42	-82	297	0	0	21.6	6.7	22.6
45008	99	DIRN	SUR	44	-82	353	0	0	18.0	14.3	23.0
45012	99	DIRN	SUR	44	-77	455	0	0	21.4	16.1	26.8
45135	99	DIRN	SUR	44	-77	514	0	0	25.8	6.4	26.6
45137	99	DIRN	SUR	46	-81	328	0	0	24.7	12.7	27.8
45139	99	DIRN	SUR	43	-80	401	0	0	29.9	3.3	30.1
45143	99	DIRN	SUR	45	-81	476	0	0	20.2	8.3	21.9
45149	99	DIRN	SUR	44	-82	497	0	0	23.6	8.9	25.2
45151	99	DIRN	SUR	45	-79	253	0	0	20.8	-4.0	21.2
45152	99	DIRN	SUR	46	-80	236	0	0	22.8	-3.3	23.1
45154	99	DIRN	SUR	46	-83	263	0	0	27.0	5.6	27.6
45159	99	DIRN	SUR	44	-79	461	0	0	22.4	6.3	23.2
45175	99	DIRN	SUR	46	-85	137	0	0	24.5	-14.6	28.5
45176	99	DIRN	SUR	42	-82	207	0	0	25.2	-21.5	33.1
45197	99	DIRN	SUR	42	-82	196	0	0	27.3	5.8	27.9
45204	99	DIRN	SUR	42	-82	449	0	0	26.7	15.4	30.8
45205	99	DIRN	SUR	42	-82	405	0	0	25.4	-0.4	25.4
45207	99	DIRN	SUR	42	-81	418	0	0	25.0	-25.8	35.9
45208	99	DIRN	SUR	42	-81	436	0	0	26.1	-14.9	30.0
45209	99	DIRN	SUR	43	-82	407	0	0	95.9	117.4	151.5
6100198	99	DIRN	SUR	37	-2	412	0	0	25.3	-4.3	25.6
6100281	99	DIRN	SUR	40	0	319	0	0	38.0	1.7	38.1
6100417	99	DIRN	SUR	38	0	396	0	0	18.9	6.0	19.8
6200001	99	DIRN	SUR	45	-5	571	0	0	16.6	-3.6	17.0
6200024	99	DIRN	SUR	44	-3	434	0	0	23.9	1.0	23.9
6200025	99	DIRN	SUR	44	-6	426	0	0	19.1	5.2	19.8
6200081	99	DIRN	SUR	51	-13	653	0	0	14.5	1.8	14.6
6200082	99	DIRN	SUR	44	-8	439	0	0	15.7	4.4	16.3
6200083	99	DIRN	SUR	43	-9	374	0	0	13.2	-2.3	13.4
6200084	99	DIRN	SUR	42	-9	525	0	0	12.9	-0.2	12.9
6200085	99	DIRN	SUR	36	-7	517	0	0	17.2	10.2	19.9
6200091	99	DIRN	SUR	53	-5	548	0	0	15.2	5.2	16.1
6200092	99	DIRN	SUR	51	-11	559	0	0	13.8	0.9	13.8
6200093	99	DIRN	SUR	55	-10	619	0	0	13.6	3.1	14.0
6200094	99	DIRN	SUR	52	-7	628	0	0	10.6	-0.7	10.7
6200095	99	DIRN	SUR	53	-16	653	0	0	13.0	6.4	14.5
6200103	99	DIRN	SUR	50	-3	612	0	0	19.6	14.9	24.6
6200163	99	DIRN	SUR	47	-8	673	0	0	20.1	-1.5	20.1
62050	99	DIRN	SUR	50	-4	1227	0	0	17.1	0.3	17.1
62081	99	DIRN	SUR	51	-13	1315	0	0	14.7	1.5	14.8
62091	99	DIRN	SUR	53	-5	525	0	0	15.0	4.8	15.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62092	99	DIRN	SUR	51	-11	549	0	0	14.1	0.6	14.1
62093	99	DIRN	SUR	55	-10	608	0	0	13.8	2.4	14.0
62094	99	DIRN	SUR	52	-7	609	0	0	11.2	-1.1	11.3
62095	99	DIRN	SUR	53	-16	646	0	0	13.3	5.8	14.5
62103	99	DIRN	SUR	50	-3	1228	0	0	20.0	14.8	24.8
62105	99	DIRN	SUR	55	-13	1284	0	0	14.3	-10.4	17.7
62107	99	DIRN	SUR	50	-6	1285	0	0	15.2	1.2	15.2
62112	99	DIRN	SUR	58	0	1345	0	0	11.5	0.0	11.5
62114	99	DIRN	SUR	58	0	1055	0	0	9.1	-2.2	9.3
62163	99	DIRN	SUR	48	-9	1337	0	0	20.1	-1.6	20.1
62305	99	DIRN	SUR	50	0	1184	0	0	19.6	8.3	21.3
64041	99	DIRN	SUR	61	-3	1349	0	0	10.6	6.0	12.2

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ASDE09	ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	JNSR	KJJF9XN	LAGY8	LAGZ8
LRVQE3U	USSIO	UXK5JTU	WDK38HS	XKQLWQB	YLV96WM	ZVQEQQM	2TDJJ8J	7JUNA4N
9ZT9MRK	01001	01004	01010	01028	01241	01400	01415	01492
02185	02365	02591	02836	02963	03005	03023	03238	03354
03502	03743	03808	03882	03918	03953	04018	04220	04270
04320	04339	04360	04417	06011	06260	06458	06610	07110
07145	07510	07645	07761	08001	08023	08190	08221	08302
08383	08430	08508	08522	08536	10035	10113	10184	10238
10304	10393	10410	10548	10618	10739	10771	10868	10954
10962	11010	11035	11120	11240	11520	11747	11952	12120
12374	12425	12575	12843	12982	13275	13388	14015	14240
14430	15420	15614	16045	16064	16113	16144	16224	16245
16332	16429	16546	16622	16716	16754	17030	17064	17095
17196	17220	17240	17351	17516	17607	20674	21824	22008
22522	22820	22845	23205	23330	23472	23884	23921	23955
24266	24641	24688	24908	24947	26038	26435	26477	26629
26708	27459	27707	27713	27962	28225	28445	28661	28695
29572	29612	29698	30557	30673	30935	31004	31770	31873
31977	34122	34172	34731	35121	40179	40186	42027	42079
42101	42123	42182	42339	42348	42361	42399	42622	42623
42647	42675	42867	42971	43014	43041	43063	43128	43150
43185	43243	43279	43295	43346	43353	43371	45004	47102
47104	47138	47155	47169	47186	47191	47230	47269	47401
47412	47582	47646	47678	47741	47778	47807	47827	47909
47918	47945	47971	47991	48601	48615	48650	48657	48698
50527	50557	50774	50953	51076	51243	51431	51463	51644
51656	51709	51777	51828	51839	52203	52267	52323	52418
52533	52652	52681	52818	52836	52866	52983	53068	53463
53513	53543	53614	53772	53845	53915	54102	54135	54161
54218	54292	54340	54374	54511	54662	54727	54857	55299
55591	56029	56046	56080	56137	56146	56187	56492	56571
56651	56691	56739	56778	56964	56985	57083	57127	57131
57178	57245	57461	57494	57516	57541	57687	57749	57816
57957	57972	57993	58027	58150	58203	58238	58362	58424
58457	58606	58633	58665	58725	58847	59023	59134	59211
59265	59280	59293	59316	59431	59758	59981	60018	60096
60155	60253	61901	61980	61998	65344	66160	67083	70026
70200	70219	70231	70261	70273	70308	70316	70326	70350
70361	70398	71043	71081	71082	71109	71119	71603	71722
71802	71811	71815	71816	71823	71845	71867	71906	71907
71908	71909	71913	71917	71924	71925	71926	71934	71945
71957	71964	72201	72202	72206	72208	72210	72215	72230
72233	72235	72240	72248	72249	72250	72251	72261	72265
72274	72293	72305	72317	72318	72327	72340	72357	72363
72364	72365	72376	72388	72402	72403	72426	72440	72451
72456	72476	72489	72493	72501	72518	72520	72528	72558
72562	72572	72582	72597	72632	72634	72645	72649	72659
72662	72672	72681	72694	72712	72747	72764	72768	72776
72786	72797	73033	73110	73111	74389	74455	74560	76256
76394	76405	76458	76526	76595	76612	76644	76654	76679
76692	76743	76805	76903	78397	78486	78583	78897	78954
78988	80001	81405	84372	84516	84622	84754	85442	85586
85799	85934	87155	87344	87418	87585	87623	87715	87860
88889	89002	89055	89062	89504	89564	89571	89592	89611
89625	89642	91165	91212	91285	91334	91348	91376	91408
91413	91592	91765	91925	91938	91948	91958	93112	93417
93844	94001	94005	94120	94155	94170	94203	94299	94302
94312	94326	94332	94403	94430	94461	94510	94578	94610
94637	94653	94659	94672	94711	94767	94775	94802	94821

94866	94910	94995	94996	94998	95282	95527	95954	96413
96441	96471	96481	96996					

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ASDE09	ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	KJJF9XN	LAGY8	LAGZ8	LRYQE3U
UXK5JTU	WDK38HS	XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J	7JUNA4N	9ZT9MRK	01001
01004	01010	01028	01241	01400	01415	01492	02836	02963
06610	07110	07145	07510	07645	07761	08001	08023	08190
08221	08302	08383	08430	08508	08522	08536	11010	11035
11120	11240	12575	17607	40186	42622	47191	47269	48698
50527	50557	50774	50953	51076	51243	51431	51463	51644
51656	51709	51777	51828	51839	52203	52267	52323	52418
52533	52652	52681	52818	52836	52866	52983	53068	53463
53513	53543	53614	53772	53845	53915	54102	54135	54161
54218	54292	54340	54374	54511	54662	54727	54857	55299
55591	56029	56046	56080	56137	56146	56187	56492	56571
56651	56691	56739	56778	56964	56985	57083	57127	57131
57178	57245	57461	57494	57516	57541	57687	57749	57816
57957	57972	57993	58027	58150	58203	58238	58362	58424
58457	58606	58633	58665	58725	58847	59023	59134	59211
59265	59280	59293	59316	59431	59758	59981	60096	60253
66160	67083	76743	76903	87585	89002	89504	89642	91925
91938	91948	91958	94001	94005	94653	94767		

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMP's and TEMP's/PILOT's believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.