



ECMWF Global Data Monitoring Report

June 2026

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - METOP-B ATOVS : AMSU-A	16
3.2.9	Figure 9 - Availability - METOP-C ATOVS : AMSU-A	17
3.2.10	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	18
3.2.11	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	20
3.2.12	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	21
3.2.13	Table 4 - Suspect drifters: Surface pressure (HPA)	22
3.2.14	Table 5 - Suspect drifters: Wind speed (m/s)	23
3.2.15	Table 6 - Suspect drifters: Wind direction (degrees)	24
3.2.16	Table 7 - Suspect radiosondes: Geopotential height (metres)	26
3.2.17	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.18	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.19	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.20	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.21	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.22	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.23	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.24	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	35
3.2.25	Figure 14 - SATOB Winds: 700-1000hPa	36
3.2.26	Figure 15 - SATOB Winds: 150- 400hPa	37
3.2.27	Figure 16 - SATOB Winds: 700-1000hPa	38
3.2.28	Figure 17 - SATOB Winds: 150- 400hPa	39
3.2.29	Figure 18 - AIRCRAFT Winds: 150- 300hPa	40
3.2.30	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	41
4	EUCOS Area Monitoring Statistics	49
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	50
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)	53
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	56
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	59
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	62
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	65
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	68
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	71
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	74
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	84
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	89
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	96
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	98

5 Annex - Explanations of figures and tables	99
5.1 General	99
5.2 Data Availability	99
5.3 Data Quality	99

Summary of Revisions (in reverse order)

- Revision 31 (Dec 25) - Due to decommissioning of NOAA-15 and NOAA-18 AMSU-A in 2025,
Figure 9.3 becomes Figure 8 (METOP-B ATOVS : AMSU-A)
Figure 9.2 becomes Figure 9 (METOP-C ATOVS : AMSU-A)
Removed Figure 9.1
- Revision 30 (Nov 23) - Coverage charts for AIREP/AMDARs updated:
Added MODE-S and ADS-C to Figure 5 and Figure 18
- Revision 29 (Dec 22) - Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOBS figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) - Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPS are modified as per
SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of
these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by
EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by
ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100
hPa replaced by (A) TOVS AMSU-A and MSU
(Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as
satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all
mention about data usage. Two more levels
(50 and 850 hPa) added to the COSNA statistics
for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates
temperature data instead of geopotential from

radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.

Revision 18 (Apr 98) – Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	May	Jun	Ident	Time	May	Jun
16716	(12)	30	16	30054	(12)	17	28
20292	(00)	29	18	30758	(00)	14	28
23078	(12)	30	18	32061	(00)	0	27
29231	(12)	31	17	32098	(12)	0	28
30230	(12)	30	17	40738	(12)	6	30
34122	(12)	23	6	40800	(00)	4	25
42314	(00)	27	2	40809	(12)	6	27
60191	(00)	29	13	40841	(12)	6	30
61052	(00)	30	15	40848	(00)	5	24
61052	(12)	30	15	42348	(00)	6	28
65503	(00)	19	0	42492	(00)	0	27
65503	(12)	17	0	42492	(12)	0	29
66160	(12)	27	4	42867	(00)	1	26
67083	(00)	25	13	42867	(12)	0	28
68512	(00)	14	0	42971	(12)	14	27
68512	(12)	15	0	43003	(12)	7	30
70350	(00)	31	6	43014	(00)	8	29
70350	(12)	31	12	43110	(00)	0	17
72250	(12)	31	1	43110	(12)	0	19
72261	(00)	25	13	43192	(00)	9	23
72518	(12)	31	0	44288	(12)	0	16
72712	(12)	30	0	47135	(00)	0	17
72764	(12)	14	0	47135	(12)	0	17
72768	(12)	27	0	60715	(00)	0	24
74004	(00)	17	6	60760	(12)	0	33
82022	(00)	30	5	62378	(12)	9	20
82022	(12)	29	6	68816	(00)	10	29
82107	(00)	17	2	68816	(12)	7	28
82599	(12)	31	16	70414	(00)	0	21
82705	(00)	27	10	70414	(12)	0	23
82705	(12)	31	16	72202	(12)	1	20
87344	(12)	31	1	72393	(00)	0	29
87623	(12)	31	0	72393	(12)	0	29
87715	(12)	26	0	72764	(00)	16	28
94996	(00)	29	15	72801	(00)	0	29
-	-	-	-	72801	(12)	0	30
-	-	-	-	74005	(12)	21	51
-	-	-	-	74626	(12)	0	18
-	-	-	-	74794	(00)	0	29
-	-	-	-	74794	(12)	0	54
-	-	-	-	76394	(00)	5	28
-	-	-	-	76394	(12)	13	29
-	-	-	-	76612	(00)	12	28
-	-	-	-	78583	(00)	0	25
-	-	-	-	78583	(12)	0	26
-	-	-	-	78897	(00)	0	25
-	-	-	-	80371	(12)	1	15
-	-	-	-	91610	(00)	0	18
-	-	-	-	91610	(12)	0	17
-	-	-	-	94160	(00)	18	29

2.2 Drifting Buoys

Surface pressure observations from **1076** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC


Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE


Figure 1
 ECMWF Monitoring Statistics - JUN 2026
 Availability - SYNOP/SHIP (manual, auto) pressure
 Average number of observations in 24 hours - 114803
 LAND - WMO Region I: 7980 II: 24053 III: 4582 IV: 8396
 Region V: 14308 VI: 41510 Antarctic: 1105
 Oceans - N. Atlantic 5898 S. Atlantic 142 Indian 479 Pacific 6349




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2


ECMWF Monitoring Statistics - JUN 2026
 Availability - DRIFTER PRESSURE
 Average number of observations in 24 hours - 14618
 Oceans - N. Atlantic 3704 S. Atlantic 1502 Indian 1734 Pacific 7678



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5


ECMWF Monitoring Statistics - JUN 2026
 Availability - Aircraft winds 300-150 hPa
 Average number of observations in 24 hours - 263580



3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6


ECMWF Monitoring Statistics - JUN 2026
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 1374000



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7


ECMWF Monitoring Statistics - JUN 2026
Availability - AMV winds 1000-700 hPa
Average number of observations in 24 hours - 716520



3.2.8 Figure 8 - Availability - METOP-B ATOVS : AMSU-A

Figure 8


ECMWF Monitoring Statistics - JUN 2026
Availability - METOP-B ATOVS : AMSU-A
Average number of observations in 24 hours - 84372



3.2.9 Figure 9 - Availability - METOP-C ATOVS : AMSU-A

Figure 9

ECMWF Monitoring Statistics - JUN 2026
 Availability - METOP-C ATOVS : AMSU-A
 Average number of observations in 24 hours - 84058



3.2.10 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
3E3566	99	P	SUR	28	0	2.2	5.5	5.9
3E4612	99	P	SUR	25	0	2.2	4.5	5.0
3E5193	99	P	SUR	16	0	0.3	3.2	3.2
3EBY2	99	P	SUR	27	26	0.0	14.9	14.9
3EIF9	99	P	SUR	46	0	1.1	-5.4	5.5
3EPL4	99	P	SUR	20	0	1.3	5.2	5.3
3EPU6	99	P	SUR	18	0	1.4	4.2	4.5
3ETR7	99	P	SUR	32	0	1.8	5.1	5.4
3FOS8	99	P	SUR	15	0	0.9	-4.0	4.2
45170	99	P	SUR	76	76	0.0	0.0	0.0
45201	99	P	SUR	117	13	4.8	6.8	8.3
5LOH5	99	P	SUR	25	0	2.3	5.0	5.5
5LYQ3	99	P	SUR	44	0	2.1	4.6	5.1
7JJL	99	P	SUR	18	0	1.0	4.5	4.6
7JKC	99	P	SUR	19	0	1.0	3.0	3.2
9HA4330	99	P	SUR	24	0	1.2	-5.1	5.2
9HA4638	99	P	SUR	32	0	3.3	8.5	9.1
9HA4777	99	P	SUR	84	0	1.7	4.4	4.7
9HA5209	99	P	SUR	38	9	7.1	3.3	7.8
9HA5370	99	P	SUR	32	0	1.2	5.1	5.2
9HA5677	99	P	SUR	17	0	1.3	3.8	4.0
9HA5682	99	P	SUR	64	0	3.1	-4.5	5.5
9HA5782	99	P	SUR	38	0	3.0	-5.0	5.9
9V7625	99	P	SUR	19	0	1.9	3.7	4.2
9V7628	99	P	SUR	22	0	1.1	3.7	3.8
9V7629	99	P	SUR	22	0	1.1	5.9	6.0
9V7754	99	P	SUR	35	0	1.4	7.0	7.2
9V8191	99	P	SUR	45	0	1.3	-3.4	3.7
A8SI8	99	P	SUR	84	0	0.9	3.4	3.6
BHJH	99	P	SUR	18	0	1.1	10.0	10.1
C6BU3	99	P	SUR	46	0	2.6	4.1	4.9
C6CA7	99	P	SUR	54	0	0.3	5.3	5.3

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
C6HZ7	99	P	SUR	17	0	1.0	5.9	6.0
C6IA6	99	P	SUR	27	0	1.9	-4.6	5.0
C6PZ8	99	P	SUR	18	0	0.5	-5.4	5.5
C6WO8	99	P	SUR	57	0	0.5	4.6	4.6
H3FV	99	P	SUR	15	0	0.8	-4.5	4.6
H3TM	99	P	SUR	17	0	1.1	4.1	4.2
LAJK7	99	P	SUR	23	0	1.3	4.3	4.5
LAOL5	99	P	SUR	18	0	3.3	4.1	5.3
LATL8	99	P	SUR	29	3	1.0	-6.0	6.0
MJKZ4	99	P	SUR	22	0	2.0	4.2	4.6
OVZO2	99	P	SUR	17	0	1.9	7.3	7.6
UCSJ	99	P	SUR	24	0	0.7	3.8	3.8
V7A3918	99	P	SUR	37	0	2.9	3.3	4.4
V7A5254	99	P	SUR	57	0	1.1	3.4	3.5
V7A5727	99	P	SUR	33	0	1.0	-3.2	3.3
V7FA7	99	P	SUR	17	0	1.4	3.0	3.3
VQJW7ML	99	P	SUR	47	0	0.6	3.5	3.6
VRID2	99	P	SUR	50	0	1.6	-3.3	3.7
VRJT5	99	P	SUR	20	0	0.8	3.7	3.8
VRLQ3	99	P	SUR	16	0	1.7	-3.1	3.5
VRTV2	99	P	SUR	15	0	0.6	-5.4	5.4
VRVG8	99	P	SUR	56	0	1.6	-3.0	3.4
VRWY9	99	P	SUR	20	0	0.9	-5.6	5.7
WDG2754	99	P	SUR	72	0	0.6	3.1	3.1
WDG8082	99	P	SUR	26	0	5.0	-0.5	5.0
WDH6745	99	P	SUR	19	0	0.6	3.1	3.2
WGEB	99	P	SUR	92	0	0.5	6.0	6.0
YDDP2	99	P	SUR	22	0	0.5	-3.7	3.8

3.2.11 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
--------------	-------------	-----	-------	------------	--------------	------------	----	------	-----

3.2.12 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45006	99	DIRN	SUR	16	0	0	49.0	37.6	61.8
45165	99	DIRN	SUR	83	0	0	26.6	32.4	41.9
45201	99	DIRN	SUR	24	0	0	119.8	-8.2	120.0
45207	99	DIRN	SUR	68	0	0	30.5	30.9	43.4
46118	99	DIRN	SUR	59	0	0	51.0	-46.0	68.7
46120	99	DIRN	SUR	54	0	0	25.6	32.6	41.5

3.2.13 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1701664	99	P	SUR	-38	-79	720	359	5.6	-4.0	6.9
1701678	99	P	SUR	-29	72	48	48	0.0	0.0	0.0
2101868	99	P	SUR	50	-128	427	0	2.2	5.3	5.7
2501555	99	P	SUR	80	-171	101	27	1.3	13.1	13.2
2501586	99	P	SUR	76	-149	720	720	0.0	0.0	0.0
2501590	99	P	SUR	70	170	720	41	3.0	-7.6	8.2
3801765	99	P	SUR	-54	-168	355	111	4.1	-1.6	4.3
4101867	99	P	SUR	6	81	705	82	5.8	-4.7	7.4
4500170	99	P	SUR	42	-87	2700	2700	0.0	0.0	0.0
4500201	99	P	SUR	42	83	4152	442	4.8	6.8	8.4
45170	99	P	SUR	42	-87	455	455	0.0	0.0	0.0
45201	99	P	SUR	42	83	706	76	4.8	6.8	8.4
4701555	99	P	SUR	64	-22	24	0	0.0	-5.8	5.8
4701558	99	P	SUR	79	-18	60	0	0.3	-4.5	4.5
4701599	99	P	SUR	70	-177	563	175	4.5	1.4	4.7
4801763	99	P	SUR	66	2	720	0	0.5	-11.5	11.5
4802582	99	P	SUR	64	-18	626	0	0.4	-9.8	9.9
5501690	99	P	SUR	-29	153	507	0	0.4	-8.5	8.5
5501735	99	P	SUR	-37	-98	720	720	0.0	0.0	0.0
5802091	99	P	SUR	-26	52	50	50	0.0	0.0	0.0
5802227	99	P	SUR	50	-38	720	720	0.0	0.0	0.0
6801821	99	P	SUR	-62	-59	283	83	6.4	3.0	7.1
6801944	99	P	SUR	16	-136	697	610	1.0	13.8	13.8
7801693	99	P	SUR	23	148	294	294	0.0	0.0	0.0
7810693	99	P	SUR	31	-155	720	0	0.3	-5.2	5.2
7810917	99	P	SUR	16	-113	713	506	4.0	11.5	12.2
7810921	99	P	SUR	14	-120	701	397	1.9	10.4	10.5

3.2.14 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
2300093	99	SPEED	SUR	16	88	39	0	0	1.3	-6.2	6.3
23093	99	SPEED	SUR	16	88	38	0	0	1.3	-6.1	6.2
4400069	99	SPEED	SUR	41	-73	2868	0	0	2.2	5.2	5.7

3.2.15 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
2200184	99	DIRN	SUR	34	126	425	0	1	31.9	32.0	45.2
2200185	99	DIRN	SUR	37	125	284	0	1	22.2	20.5	30.3
2200188	99	DIRN	SUR	34	128	440	0	1	15.4	33.3	36.7
2200193	99	DIRN	SUR	38	124	381	0	1	20.5	36.6	41.9
2300453	99	DIRN	SUR	8	73	227	0	19	31.8	42.2	52.8
23099	99	DIRN	SUR	13	80	110	0	15	32.7	47.6	57.7
23453	99	DIRN	SUR	8	73	215	0	20	32.3	42.4	53.3
3200303	99	DIRN	SUR	5	-95	760	0	99	80.2	20.6	82.8
4500001	99	DIRN	SUR	48	-88	373	0	3	27.3	27.2	38.5
4500006	99	DIRN	SUR	47	-90	583	0	10	31.4	26.4	41.0
4500029	99	DIRN	SUR	43	-86	2592	0	1	23.0	20.9	31.1
45001	99	DIRN	SUR	48	-88	61	0	2	29.2	23.7	37.7
4500165	99	DIRN	SUR	42	-83	3096	0	1	25.5	33.8	42.4
4500168	99	DIRN	SUR	42	-86	2641	0	0	20.5	28.3	34.9
4500186	99	DIRN	SUR	42	-88	2049	0	2	29.0	25.6	38.7
4500201	99	DIRN	SUR	42	83	548	0	55	52.8	-32.9	62.2
4500204	99	DIRN	SUR	42	-82	2705	0	0	25.1	-22.1	33.5
4500207	99	DIRN	SUR	42	-81	2256	0	1	32.9	27.8	43.1
45006	99	DIRN	SUR	47	-90	92	0	9	31.5	28.9	42.7
45029	99	DIRN	SUR	43	-86	450	0	1	23.8	21.0	31.8
45165	99	DIRN	SUR	42	-83	505	0	1	25.4	34.5	42.8
45168	99	DIRN	SUR	42	-86	432	0	1	20.5	27.7	34.4
45186	99	DIRN	SUR	42	-88	382	0	3	30.2	27.0	40.5
45201	99	DIRN	SUR	42	83	148	0	52	55.7	-20.9	59.5
45204	99	DIRN	SUR	42	-82	455	0	0	25.4	-22.4	33.9
45207	99	DIRN	SUR	42	-81	380	0	1	32.5	29.0	43.5
4600092	99	DIRN	SUR	37	-122	364	0	0	26.8	23.5	35.7
4600118	99	DIRN	SUR	49	-123	1704	0	13	42.7	-45.8	62.6
4600120	99	DIRN	SUR	48	-122	1190	0	2	18.5	39.6	43.7
4600146	99	DIRN	SUR	49	-124	444	0	1	19.4	21.1	28.7
4600185	99	DIRN	SUR	53	-130	544	0	0	16.6	26.1	30.9

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4600204	99	DIRN	SUR	51	-129	576	0	0	13.5	28.7	31.7
4600304	99	DIRN	SUR	49	-123	354	0	3	20.8	21.6	30.0
46092	99	DIRN	SUR	37	-122	336	0	0	27.9	20.8	34.8
46118	99	DIRN	SUR	49	-123	342	0	12	45.3	-40.8	60.9
46120	99	DIRN	SUR	48	-122	300	0	1	19.4	36.1	41.0
46146	99	DIRN	SUR	49	-124	429	0	1	20.6	21.0	29.4
46185	99	DIRN	SUR	53	-130	543	0	0	16.6	25.1	30.1
46204	99	DIRN	SUR	51	-129	567	0	0	13.7	28.1	31.2
46304	99	DIRN	SUR	49	-123	390	0	6	21.3	21.4	30.2
6100198	99	DIRN	SUR	37	-2	465	1	100	24.7	-58.8	63.8
6200086	99	DIRN	SUR	55	7	130	0	0	18.3	27.7	33.2
6600024	99	DIRN	SUR	55	13	118	0	0	21.0	30.9	37.4

3.2.16 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	12	Z	1000	57	3	28	0	5.6	77.5	77.7
01400	00	Z	1000	57	3	29	0	3.9	75.6	75.7
20674	00	Z	200	74	80	20	0	44.7	74.5	86.9
20674	12	Z	200	74	80	21	0	52.7	96.2	109.7
22522	00	Z	50	65	35	25	0	88.6	-108.4	140.0
23933	12	Z	250	61	69	28	0	20.1	-94.7	96.8
23933	00	Z	250	61	69	29	0	16.9	-88.8	90.4
25913	12	Z	50	60	151	23	0	84.6	-122.2	148.6
26075	00	Z	50	60	31	14	0	58.5	-126.0	138.9
26477	00	Z	50	56	31	19	0	77.2	-115.2	138.7
26708	00	Z	50	55	21	23	1	127.3	-129.1	181.3
26708	12	Z	50	55	21	16	0	85.6	-124.0	150.7
29231	12	Z	200	58	83	11	0	48.6	81.6	95.0
30054	00	Z	30	59	113	15	0	35.0	-173.5	177.0
30054	12	Z	150	59	113	22	0	73.5	-53.0	90.6
31088	12	Z	30	59	143	28	0	106.6	-144.4	179.5
31977	12	Z	200	43	132	27	0	19.1	90.0	92.0
31977	00	Z	50	43	132	26	0	58.1	165.3	175.2
34172	00	Z	50	52	46	16	0	77.4	-110.5	134.9
34172	12	Z	70	52	46	24	0	86.9	-116.1	145.0
42079	00	Z	150	32	77	11	6	90.9	85.5	124.8
42348	00	Z	925	27	76	27	0	9.8	48.0	49.0
42727	00	Z	850	24	93	17	0	2.9	-40.9	41.0
52323	12	Z	30	42	97	29	0	151.4	118.5	192.3
52323	00	Z	30	42	97	28	0	179.3	134.2	224.0
55299	00	Z	30	31	92	29	0	131.9	200.5	240.0
55299	12	Z	50	31	92	28	0	116.5	139.4	181.7
56492	00	Z	30	29	105	24	0	176.5	155.8	235.4
58027	00	Z	70	34	117	28	0	113.0	93.1	146.4
76644	00	Z	1000	21	-90	18	0	5.9	34.2	34.7
76644	12	Z	850	21	-90	21	1	4.5	34.3	34.6
80371	12	Z	200	1	-78	14	0	93.3	182.3	204.8

LIST OF SUSPECT STATIONS (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
91680	12	Z	1000	-18	177	25	0	3.8	35.1	35.3
91680	00	Z	1000	-18	177	27	0	2.7	35.6	35.7
94159	12	Z	1000	-28	153	29	0	0.0	47.4	47.4
94159	00	Z	1000	-28	153	29	0	3.1	46.7	46.8
JNKN7J	00	Z	1000	44	-48	10	0	4.0	39.4	39.6
JNKN7J	12	Z	1000	45	-44	10	0	0.0	38.7	38.7

3.2.17 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
40179	12	V	150	32	35	18	0	-5.0	-3.2	16.1
48381	00	V	100	16	103	18	0	16.5	1.5	20.7

3.2.18 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS ≥ 5 M/S
 NO. OF OBSERVATIONS ≥ 5 , AND,
 ABSOLUTE BIAS ≥ 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
48327	00	DD	19	99	16	-13.3	2.7	11.3
48568	00	DD	7	101	22	-14.1	8.9	14.7


3.2.19 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

Figure 10

ECMWF Monitoring Statistics - JUN 2026 00 UTC
Suspect TEMP observations - GEOPOTENTIAL




3.2.20 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC




3.2.21 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12
ECMWF Monitoring Statistics - JUN 2026 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.22 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13
ECMWF Monitoring Statistics - JUN 2026 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.23 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
2TDJJ8	12	Z	100	1	10.2	10.2
7JUNA4	00	Z	100	8	18.1	7.1
7JUNA4	12	Z	100	6	37.0	16.9
7KPB	12	Z	100	16	5.8	-3.0
7KPB	00	Z	100	9	6.8	4.4
9ZT9MR	00	Z	100	2	28.5	-28.3
9ZT9MR	12	Z	100	4	79.4	-57.8
ATGU3F	12	Z	100	11	31.7	-19.3
ATGU3F	00	Z	100	8	29.3	-26.0
DEN	12	Z	100	0	0.0	0.0
DEN	00	Z	100	0	0.0	0.0
FPUW5G	12	Z	100	12	9.0	-7.2
GKA32C	00	Z	100	0	0.0	0.0
GKA32C	12	Z	100	0	0.0	0.0
JNKN7J	00	Z	100	11	22.4	21.8
JNKN7J	12	Z	100	10	61.7	34.0
KMPLHP	12	Z	100	11	23.1	-11.8
KMPLHP	00	Z	100	10	11.7	-7.3
LAGY8	00	Z	100	2	37.0	-36.7
LAGY8	12	Z	100	1	31.2	-31.2
LAGZ8	12	Z	100	4	51.8	51.4
LAR	00	Z	100	0	0.0	0.0
LAR	12	Z	100	0	0.0	0.0
LRQE3	00	Z	100	5	13.7	-11.2
LRQE3	12	Z	100	5	71.7	62.2
TLH	00	Z	100	0	0.0	0.0
TLH	12	Z	100	0	0.0	0.0
USVAL	00	Z	100	1	27.4	27.4
WDK38H	12	Z	100	16	15.1	-14.5
WFF	12	Z	100	0	0.0	0.0
WFF	00	Z	100	0	0.0	0.0
XKQLWQ	12	Z	100	22	17.7	15.3
YLV96W	12	Z	100	6	47.8	35.6
YLV96W	00	Z	100	7	17.7	-4.9
ZVQEQC	00	Z	100	8	9.5	8.3
ZVQEQC	12	Z	100	7	8.4	6.3

3.2.24 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)


MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OB TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
2TDJJ8	12	V	100	1	2.3	-0.5	-2.2
7JUNA4	00	V	100	8	2.3	0.6	1.0
7JUNA4	12	V	100	6	3.4	2.0	-0.3
7KPB	12	V	100	14	3.7	0.9	-0.6
7KPB	00	V	100	9	4.4	-1.3	0.3
9ZT9MR	00	V	100	2	1.4	-0.8	-0.8
9ZT9MR	12	V	100	4	1.4	1.2	-0.3
ATGU3F	12	V	100	11	2.3	-0.6	0.6
ATGU3F	00	V	100	8	2.5	0.5	-0.6
DEN	12	V	100	0	0.0	0.0	0.0
DEN	00	V	100	0	0.0	0.0	0.0
FPUW5G	12	V	100	12	1.8	0.3	0.4
GKA32C	00	V	100	0	0.0	0.0	0.0
GKA32C	12	V	100	0	0.0	0.0	0.0
JNKN7J	00	V	100	11	2.9	0.1	0.1
JNKN7J	12	V	100	10	2.5	0.2	0.7
KMPLHP	12	V	100	11	2.8	-0.4	1.3
KMPLHP	00	V	100	10	2.5	-0.2	0.5
LAGY8	00	V	100	2	2.9	-0.5	1.5
LAGY8	12	V	100	1	1.2	0.3	1.2
LAGZ8	12	V	100	4	1.7	-0.3	-0.5
LAR	00	V	100	0	0.0	0.0	0.0
LAR	12	V	100	0	0.0	0.0	0.0
LRQEQ3	00	V	100	5	2.1	-0.1	1.7
LRQEQ3	12	V	100	5	2.6	-0.4	1.1
TLH	00	V	100	0	0.0	0.0	0.0
TLH	12	V	100	0	0.0	0.0	0.0
USVAL	00	V	100	1	1.4	-1.0	-1.0
WDK38H	12	V	100	15	2.6	0.7	0.5
WFF	12	V	100	0	0.0	0.0	0.0
WFF	00	V	100	0	0.0	0.0	0.0
XKQLWQ	12	V	100	21	3.3	0.9	0.2
YLV96W	12	V	100	6	3.0	-0.5	-0.4
YLV96W	00	V	100	7	2.6	0.3	0.8
ZVQEQC	00	V	100	8	3.1	0.8	0.0
ZVQEQC	12	V	100	7	3.7	1.6	-1.0


3.2.25 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14


ECMWF Monitoring Statistics: Jun 2026
AMV Winds: 700-1000hPa
Mean Observed Wind



3.2.26 Figure 15 - SATOB Winds: 150- 400hPa




3.2.27 Figure 16 - SATOB Winds: 700-1000hPa




3.2.28 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17

ECMWF Monitoring Statistics: Jun 2026
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.29 Figure 18 - AIRCRAFT Winds: 150- 300hPa



3.2.30 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAL	99	V	300-150	62176	4	0	5.4	0.0
ABD	99	V	300-150	542	0	0	3.8	-0.2
ABY	99	V	300-150	55	0	0	3.8	0.6
ACA	99	V	300-150	42342	2	0	4.6	0.0
ACI	99	V	300-150	395	0	0	3.9	0.6
AEA	99	V	300-150	452	5	0	5.1	0.3
AFR	99	V	300-150	43473	0	0	3.3	0.1
AIC	99	V	300-150	4061	0	0	4.3	0.2
AIH	99	V	300-150	165	0	0	3.9	-1.6
AIZ	99	V	300-150	778	0	0	3.0	0.4
AJD	99	V	300-150	30	0	0	1.9	0.3
AJT	99	V	300-150	130	0	0	3.1	0.5
AKK	99	V	300-150	34	0	0	2.5	-0.3
AME	99	V	300-150	27	0	0	4.3	0.7
AMX	99	V	300-150	5268	7	0	5.9	-0.2
ANA	99	V	300-150	177	0	1	5.1	0.7
ANZ	99	V	300-150	14644	0	0	3.6	0.5
AOJ	99	V	300-150	84	0	0	3.0	0.2
ARL	99	V	300-150	35	0	0	3.1	0.5
ASA	99	V	300-150	1356	5	0	6.7	0.3
ASL	99	V	300-150	1588	0	0	2.8	0.2
ASP	99	V	300-150	84	0	0	3.7	0.6
ASV	99	V	300-150	22	0	0	7.6	2.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ASY	99	V	300-150	59	0	0	3.6	0.5
ATC	99	V	300-150	28	0	0	4.7	0.8
ATG	99	V	300-150	85	0	1	3.9	0.2
ATN	99	V	300-150	196	0	1	4.7	-0.6
AUA	99	V	300-150	4642	3	0	5.2	-0.2
AVA	99	V	300-150	869	7	0	7.7	0.0
AWC	99	V	300-150	143	0	0	3.0	0.0
AXS	99	V	300-150	34	0	0	2.7	0.8
AXY	99	V	300-150	55	0	0	2.9	-0.6
AZG	99	V	300-150	1417	0	0	4.2	0.6
BAF	99	V	300-150	31	0	0	3.7	0.0
BAH	99	V	300-150	34	0	0	3.8	-0.4
BAW	99	V	300-150	53023	2	0	4.2	0.0
BBB	99	V	300-150	66	0	0	3.3	0.1
BBC	99	V	300-150	448	7	0	6.0	0.0
BCS	99	V	300-150	1270	0	0	3.2	0.4
BEL	99	V	300-150	1610	0	0	2.9	0.2
BOB	99	V	300-150	52	0	0	2.9	-1.8
BOX	99	V	300-150	4710	0	0	3.4	0.2
BOX	99	V	300-150	53	0	0	2.8	0.3
BRJ	99	V	300-150	88	0	0	2.3	1.1
BRK	99	V	300-150	88	0	0	6.5	-0.1
BTX	99	V	300-150	75	0	0	3.3	-0.3
BVR	99	V	300-150	30	0	0	3.0	-0.5
CAL	99	V	300-150	1083	0	0	3.7	0.6
CBJ	99	V	300-150	284	0	0	4.4	0.6
CCA	99	V	300-150	148	0	1	3.8	0.5
CEB	99	V	300-150	190	0	0	4.8	0.6
CEF	99	V	300-150	70	0	0	2.2	0.2
CES	99	V	300-150	929	0	0	3.8	0.5
CFC	99	V	300-150	348	0	0	2.8	0.1
CFG	99	V	300-150	5637	0	0	2.8	0.2
CHG	99	V	300-150	526	0	0	3.6	-0.6
CHH	99	V	300-150	135	1	0	4.4	0.4
CJT	99	V	300-150	382	0	0	3.3	0.1
CKS	99	V	300-150	843	0	0	3.1	0.3
CLE	99	V	300-150	20	0	0	4.1	2.5
CLX	99	V	300-150	4152	0	0	3.7	-0.4
CLY	99	V	300-150	38	0	0	3.4	0.9
CMA	99	V	300-150	54	0	0	3.4	1.2
CMB	99	V	300-150	1788	0	0	3.1	-0.2
CND	99	V	300-150	285	0	0	3.7	0.8
CNK	99	V	300-150	24	0	0	2.2	0.6

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
CNV	99	V	300-150	105	0	0	2.6	0.0
COL	99	V	300-150	35	0	0	4.3	-0.1
CPA	99	V	300-150	1953	0	0	3.7	0.4
CPI	99	V	300-150	34	0	0	2.7	0.7
CRL	99	V	300-150	721	0	0	2.8	0.2
CRR	99	V	300-150	32	0	0	2.8	0.2
CRV	99	V	300-150	87	0	0	3.1	0.8
CSC	99	V	300-150	300	0	0	4.1	0.7
CSG	99	V	300-150	27	0	0	2.9	0.3
CSN	99	V	300-150	480	0	0	4.0	0.3
CTM	99	V	300-150	99	0	0	2.9	0.2
DAH	99	V	300-150	1333	0	0	3.1	0.3
DAL	99	V	300-150	82250	0	0	3.0	0.1
DCS	99	V	300-150	24	0	0	2.4	0.8
DCW	99	V	300-150	43	0	0	2.5	0.1
DHK	99	V	300-150	3091	0	0	3.4	-0.1
DHX	99	V	300-150	111	0	0	3.5	1.5
DJT	99	V	300-150	2555	0	0	3.2	0.2
DLH	99	V	300-150	31136	1	0	3.5	0.0
DSO	99	V	300-150	58	0	0	3.3	0.9
DTA	99	V	300-150	27	0	0	5.4	1.0
DUB	99	V	300-150	45	0	0	2.8	-0.1
DWC	99	V	300-150	20	0	0	4.4	0.7
EAL	99	V	300-150	76	0	0	5.9	-2.0
EAU	99	V	300-150	92	0	0	3.0	0.1
EDG	99	V	300-150	32	0	0	2.9	-0.4
EDW	99	V	300-150	1624	0	0	3.1	0.0
EIN	99	V	300-150	23097	0	0	2.8	0.2
EJM	99	V	300-150	1259	0	0	3.0	0.4
EJO	99	V	300-150	26	0	0	2.7	0.5
ELY	99	V	300-150	6150	7	0	5.4	-0.2
ETD	99	V	300-150	11141	2	0	4.8	0.0
ETH	99	V	300-150	5299	3	0	5.0	0.1
EVA	99	V	300-150	1436	0	0	6.8	2.1
EVE	99	V	300-150	181	0	0	4.2	-0.5
EXS	99	V	300-150	3279	0	0	2.9	0.1
EZY	99	V	300-150	95	0	0	3.7	0.4
FAD	99	V	300-150	25	0	0	2.2	0.5
FBU	99	V	300-150	3287	0	0	3.3	0.0
FDX	99	V	300-150	7763	0	0	3.0	0.2
FIN	99	V	300-150	2214	0	0	3.4	0.3
FJI	99	V	300-150	2740	0	0	3.9	0.5
FJO	99	V	300-150	52	0	0	2.2	-0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
FWI	99	V	300-150	1120	0	0	3.1	0.1
FWK	99	V	300-150	23	0	0	1.8	0.9
FYG	99	V	300-150	91	0	0	3.8	0.0
GAF	99	V	300-150	114	0	0	2.9	0.0
GCK	99	V	300-150	355	0	0	3.1	0.2
GEC	99	V	300-150	1197	0	0	3.0	0.1
GES	99	V	300-150	51	0	0	3.6	0.3
GFA	99	V	300-150	1274	2	0	6.1	0.4
GIA	99	V	300-150	152	0	0	4.1	0.3
GJE	99	V	300-150	120	0	0	3.3	-0.7
GJW	99	V	300-150	52	0	0	3.2	-0.8
GSM	99	V	300-150	149	0	0	2.8	0.4
GTI	99	V	300-150	3158	0	0	4.1	0.1
GTR	99	V	300-150	58	0	0	3.5	0.5
HGO	99	V	300-150	126	0	1	3.5	0.2
HKC	99	V	300-150	135	0	1	3.5	0.6
HKH	99	V	300-150	34	0	0	3.0	0.7
HLF	99	V	300-150	58	0	0	3.8	0.8
HRN	99	V	300-150	34	0	0	3.9	-0.7
HRT	99	V	300-150	135	0	0	2.9	0.1
HTT	99	V	300-150	164	0	0	7.6	0.7
HVN	99	V	300-150	1257	0	0	5.3	0.2
HYP	99	V	300-150	60	0	0	3.3	0.1
HYS	99	V	300-150	371	0	0	2.7	-0.3
IAM	99	V	300-150	50	0	0	3.4	1.3
IBE	99	V	300-150	7130	0	0	3.0	0.1
ICE	99	V	300-150	12237	0	0	2.7	0.2
ICL	99	V	300-150	523	0	0	3.1	-0.1
ICV	99	V	300-150	134	0	0	3.7	-1.5
IFA	99	V	300-150	640	0	0	3.3	0.1
IGA	99	V	300-150	131	0	0	4.5	-0.3
IJM	99	V	300-150	88	0	0	2.7	-0.2
ITY	99	V	300-150	8076	0	0	2.9	0.2
JAL	99	V	300-150	258	0	0	5.4	0.0
JAS	99	V	300-150	226	0	0	2.9	0.3
JBD	99	V	300-150	35	0	0	3.1	0.1
JBU	99	V	300-150	13689	0	0	3.0	0.3
JCO	99	V	300-150	112	0	0	2.7	0.3
JDI	99	V	300-150	77	0	0	2.8	-0.3
JST	99	V	300-150	2075	0	0	3.9	0.7
JTH	99	V	300-150	28	0	0	3.2	-0.5
JTL	99	V	300-150	46	0	0	4.2	0.1
JTZ	99	V	300-150	31	0	0	2.6	-0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
KAC	99	V	300-150	825	0	0	3.9	0.4
KAF	99	V	300-150	73	0	0	3.8	0.2
KAI	99	V	300-150	152	0	1	3.1	0.2
KAL	99	V	300-150	333	0	0	6.4	0.0
KAY	99	V	300-150	327	0	0	2.7	-0.1
KCE	99	V	300-150	33	0	0	2.5	0.4
KFE	99	V	300-150	55	0	0	3.0	-1.2
KIW	99	V	300-150	42	0	0	4.0	0.7
KLM	99	V	300-150	20172	3	0	5.0	0.1
KNE	99	V	300-150	28	0	0	4.0	0.8
KPO	99	V	300-150	167	0	0	4.9	1.0
KQA	99	V	300-150	115	0	0	6.9	1.1
KUG	99	V	300-150	109	0	0	2.8	0.2
LCO	99	V	300-150	585	0	0	3.3	-0.9
LDX	99	V	300-150	102	0	1	3.0	-0.2
LHO	99	V	300-150	66	0	0	3.0	0.7
LNK	99	V	300-150	109	0	0	2.7	0.3
LOT	99	V	300-150	5100	1	0	5.5	-0.3
LSM	99	V	300-150	25	0	0	2.9	-0.6
LUA	99	V	300-150	56	0	0	3.8	0.6
LVA	99	V	300-150	51	0	0	3.1	-0.2
LVL	99	V	300-150	1548	0	0	3.3	0.2
LXJ	99	V	300-150	2060	0	0	3.0	0.3
MAS	99	V	300-150	2901	0	0	4.9	0.5
MAV	99	V	300-150	23	0	0	2.8	-0.3
MED	99	V	300-150	67	0	0	4.3	-0.5
MFJ	99	V	300-150	184	0	1	5.5	1.7
MJF	99	V	300-150	39	0	0	2.2	-0.1
MLM	99	V	300-150	168	0	0	2.9	0.2
MMD	99	V	300-150	532	0	0	2.9	0.0
MMF	99	V	300-150	37	0	0	4.5	-1.0
MMZ	99	V	300-150	33	0	0	2.1	0.6
MNB	99	V	300-150	472	0	0	2.9	0.2
MPH	99	V	300-150	381	0	0	3.0	0.1
MSR	99	V	300-150	2865	3	0	5.0	0.0
MVJ	99	V	300-150	77	1	0	3.7	0.0
MXD	99	V	300-150	237	0	0	6.2	0.6
NBT	99	V	300-150	1819	8	0	7.1	0.0
NCR	99	V	300-150	889	0	0	3.4	0.0
NEW	99	V	300-150	71	0	0	3.5	0.1
NJE	99	V	300-150	682	0	0	3.1	0.1
NOJ	99	V	300-150	54	0	0	3.6	1.3
NOS	99	V	300-150	967	5	0	6.1	0.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
NSP	99	V	300-150	31	0	0	2.8	0.0
NUM	99	V	300-150	92	0	0	4.0	0.6
OAE	99	V	300-150	517	0	0	3.7	0.1
OCN	99	V	300-150	5177	0	0	2.8	0.1
OLI	99	V	300-150	70	0	0	2.4	0.2
OMA	99	V	300-150	1040	0	0	6.1	0.7
PAL	99	V	300-150	256	0	0	5.0	0.6
PAT	99	V	300-150	64	0	0	3.0	0.7
PEX	99	V	300-150	21	0	5	2.2	0.5
PGQ	99	V	300-150	50	0	0	3.5	0.6
PIA	99	V	300-150	54	0	0	2.1	-0.1
PIT	99	V	300-150	36	0	0	2.0	0.4
PJS	99	V	300-150	20	0	0	2.7	0.9
PJZ	99	V	300-150	54	0	0	2.8	0.1
PLF	99	V	300-150	45	0	0	3.3	0.2
PRD	99	V	300-150	68	0	0	3.4	-0.5
PVA	99	V	300-150	516	0	0	3.0	0.1
QAF	99	V	300-150	103	0	0	2.4	0.2
QFA	99	V	300-150	4491	1	0	4.8	0.3
QFX	99	V	300-150	29	0	0	3.1	0.2
QLK	99	V	300-150	198	0	0	4.1	0.5
QNT	99	V	300-150	61	0	0	3.9	0.0
QQE	99	V	300-150	596	0	0	3.2	0.4
QTR	99	V	300-150	16667	0	0	3.8	0.1
RAM	99	V	300-150	1154	8	0	5.6	0.3
RBA	99	V	300-150	291	0	0	4.7	0.5
RCH	99	V	300-150	5748	0	0	4.2	0.3
RHH	99	V	300-150	46	0	0	4.3	0.6
RJA	99	V	300-150	3547	6	0	6.3	-0.2
RKK	99	V	300-150	26	0	0	3.7	-2.3
ROJ	99	V	300-150	30	0	0	3.0	0.6
ROU	99	V	300-150	145	0	1	2.2	0.1
RRR	99	V	300-150	332	0	0	3.8	0.0
RSF	99	V	300-150	37	0	0	3.0	0.9
RXI	99	V	300-150	78	0	0	2.6	-0.1
RYR	99	V	300-150	208	0	0	2.7	-0.1
RZO	99	V	300-150	486	0	0	4.2	0.2
SAM	99	V	300-150	380	0	0	2.9	0.2
SAS	99	V	300-150	5915	0	0	2.5	0.2
SAZ	99	V	300-150	69	0	0	3.6	0.6
SCX	99	V	300-150	64	2	0	3.3	0.5
SDE	99	V	300-150	31	0	0	3.4	0.4
SIA	99	V	300-150	13302	0	0	4.7	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
SIO	99	V	300-150	50	0	0	2.8	0.4
SIS	99	V	300-150	37	0	0	7.1	1.1
SJE	99	V	300-150	38	0	0	2.6	0.0
SKV	99	V	300-150	162	0	0	3.1	-0.3
SLM	99	V	300-150	142	0	0	2.9	0.3
SPA	99	V	300-150	138	0	0	2.6	-0.2
SPM	99	V	300-150	73	0	0	2.6	0.1
SUI	99	V	300-150	26	0	0	3.2	1.6
SVA	99	V	300-150	4765	1	0	4.7	0.3
SVW	99	V	300-150	327	0	0	3.3	0.5
SWR	99	V	300-150	13623	0	0	3.3	0.3
SYB	99	V	300-150	333	0	0	3.2	-0.1
TAI	99	V	300-150	37	0	0	4.7	2.7
TAM	99	V	300-150	112	5	0	10.1	0.8
TAP	99	V	300-150	4267	0	0	3.2	0.1
TAR	99	V	300-150	547	0	0	3.2	0.4
TAX	99	V	300-150	116	0	0	4.7	-0.1
TAY	99	V	300-150	73	0	0	4.1	0.8
TCJ	99	V	300-150	21	0	0	4.0	2.7
TEU	99	V	300-150	26	0	0	2.7	0.9
TFF	99	V	300-150	107	0	0	3.4	-0.2
TFL	99	V	300-150	1323	8	0	6.7	-0.1
TGW	99	V	300-150	687	0	0	5.8	0.4
THA	99	V	300-150	5238	0	0	4.5	0.2
THT	99	V	300-150	2224	2	0	5.7	0.0
THY	99	V	300-150	24668	2	0	4.7	0.2
TIT	99	V	300-150	42	0	0	3.5	-0.3
TIV	99	V	300-150	60	0	0	4.5	-0.1
TMN	99	V	300-150	363	0	0	3.8	0.6
TOM	99	V	300-150	4687	7	0	6.7	-0.1
TOR	99	V	300-150	175	0	0	3.1	-0.1
TRK	99	V	300-150	28	0	0	2.3	-0.1
TSC	99	V	300-150	23766	0	0	3.1	0.2
TUA	99	V	300-150	173	0	0	3.9	0.5
TVR	99	V	300-150	283	0	0	4.1	1.1
TVS	99	V	300-150	137	0	0	2.9	0.4
TWY	99	V	300-150	1495	0	0	3.2	0.0
TYJ	99	V	300-150	36	0	0	2.8	-0.2
UAE	99	V	300-150	19151	0	0	3.7	0.1
UAF	99	V	300-150	71	0	0	4.5	0.0
UAL	99	V	300-150	91049	2	1	4.5	0.1
UBG	99	V	300-150	39	0	0	3.2	0.3
UBT	99	V	300-150	1935	8	0	7.0	-0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ULC	99	V	300-150	117	0	0	3.0	0.1
UPS	99	V	300-150	4634	0	0	3.7	-0.1
UZH	99	V	300-150	443	2	0	5.4	0.6
VAJ	99	V	300-150	45	0	0	3.2	0.6
VCG	99	V	300-150	68	0	0	3.7	0.7
VCJ	99	V	300-150	130	0	0	2.9	0.1
VIR	99	V	300-150	22313	2	0	4.0	0.0
VJA	99	V	300-150	282	0	0	3.6	1.1
VJT	99	V	300-150	2410	0	0	3.1	0.4
VLZ	99	V	300-150	48	0	0	2.9	0.2
VOZ	99	V	300-150	512	0	0	3.6	0.2
VSV	99	V	300-150	86	0	0	3.9	0.1
WJA	99	V	300-150	10840	1	0	3.7	0.1
WWI	99	V	300-150	348	0	0	3.7	0.6
XAX	99	V	300-150	768	0	0	5.2	0.6
XFL	99	V	300-150	64	0	0	4.2	1.5

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10 °N - 90 °N, 70 °W - 40 °E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10 °N - 90 °N, 70 °W - 40 °E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	27	7.0	-4.6
01001	00	Z	50	29	9.6	8.0
01028	12	Z	50	28	5.4	-2.8
01028	00	Z	50	29	3.8	-0.2
01400	00	Z	50	29	79.0	78.5
01400	12	Z	50	27	73.9	73.5
01415	00	Z	50	29	10.1	2.9
01415	12	Z	50	29	9.0	-4.1
02591	00	Z	50	8	6.8	6.4
02591	12	Z	50	29	5.9	-1.4
02836	00	Z	50	29	5.8	-3.6
02836	12	Z	50	30	7.6	-5.7
02963	00	Z	50	29	6.8	-3.3
02963	12	Z	50	30	10.6	-7.5
03005	12	Z	50	26	8.0	-4.6
03005	00	Z	50	22	8.3	-4.2
03238	12	Z	50	2	1.4	0.6
03238	00	Z	50	26	7.8	-3.8
03808	00	Z	50	28	5.5	0.5
03808	12	Z	50	29	6.1	-3.5
03918	12	Z	50	4	8.1	1.3
03918	00	Z	50	29	7.8	-0.4
03953	00	Z	50	29	6.3	-0.8
03953	12	Z	50	30	6.4	-3.4
04018	00	Z	50	28	4.9	-1.2
04018	12	Z	50	28	12.5	-6.7
04220	12	Z	50	29	15.6	-8.4
04220	00	Z	50	29	14.7	-10.9
04270	00	Z	50	29	25.1	-23.1
04270	12	Z	50	29	26.6	-24.7
04320	00	Z	50	27	16.7	-7.0
04320	12	Z	50	29	9.8	-1.2
04339	12	Z	50	27	30.1	-23.0
04339	00	Z	50	23	35.3	-31.3
04360	00	Z	50	29	41.2	-39.6
04360	12	Z	50	27	34.6	-27.9
06011	12	Z	50	28	10.7	-6.1
06260	12	Z	50	4	4.7	-3.9
06260	00	Z	50	29	9.8	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06610	00	Z	50	28	4.9	-0.1
06610	12	Z	50	31	6.7	-2.7
07110	00	Z	50	21	17.6	-11.8
07110	12	Z	50	23	25.6	7.1
07510	00	Z	50	24	12.3	4.6
07510	12	Z	50	27	23.2	16.4
07645	00	Z	50	29	23.2	5.1
07645	12	Z	50	29	15.5	1.5
07761	00	Z	50	18	19.1	12.8
07761	12	Z	50	22	11.2	4.3
08001	12	Z	50	29	8.4	-5.5
08001	00	Z	50	28	6.3	2.9
08221	00	Z	50	29	6.6	4.5
08221	12	Z	50	29	7.5	-6.0
08302	12	Z	50	28	17.4	-16.6
08302	00	Z	50	27	8.3	-5.3
08508	12	Z	50	29	13.0	-10.5
08522	12	Z	50	29	7.6	-5.6
10035	00	Z	50	29	7.2	-2.6
10035	12	Z	50	29	14.5	-12.3
10393	12	Z	50	29	10.3	-7.2
10393	00	Z	50	29	4.9	-1.0
10410	12	Z	50	29	11.3	-8.9
10410	00	Z	50	28	6.5	-2.6
10739	00	Z	50	27	17.5	-11.7
10739	12	Z	50	29	26.9	-25.4
11035	00	Z	50	29	6.0	0.2
11035	12	Z	50	27	18.0	1.5
12982	00	Z	50	29	7.5	2.9
12982	12	Z	50	29	6.0	-3.2
16245	12	Z	50	29	7.6	-5.7
16245	00	Z	50	26	5.3	1.3
16429	00	Z	50	29	8.2	5.9
16429	12	Z	50	28	7.6	-6.6
16622	00	Z	50	28	7.9	1.0
16754	00	Z	50	12	6.3	-2.4
17607	12	Z	50	27	6.0	-0.3
17607	00	Z	50	9	12.8	12.4
26435	12	Z	50	5	13.7	-12.8
2TDJJ8	12	Z	50	1	9.3	9.3
60018	00	Z	50	26	8.5	7.4
60018	12	Z	50	28	6.0	-5.2
7JUNA4	00	Z	50	8	23.0	5.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	50	6	67.2	27.1
9ZT9MR	00	Z	50	2	27.6	-27.5
9ZT9MR	12	Z	50	4	80.0	-55.8
ATGU3F	12	Z	50	11	46.0	-1.3
ATGU3F	00	Z	50	8	35.2	-27.6
FPUW5G	12	Z	50	11	8.1	-4.5
GKA32C	00	Z	50	0	0.0	0.0
GKA32C	12	Z	50	0	0.0	0.0
JNKN7J	00	Z	50	11	25.4	24.6
JNKN7J	12	Z	50	8	107.8	48.6
KMPLHP	12	Z	50	7	37.4	-4.8
KMPLHP	00	Z	50	8	14.1	-8.9
LAGY8	00	Z	50	1	44.1	-44.1
LAGY8	12	Z	50	1	22.0	-22.0
LAGZ8	12	Z	50	4	57.0	56.1
LRYQE3	00	Z	50	5	19.6	-14.3
LRYQE3	12	Z	50	5	155.8	141.7
TLH	00	Z	50	0	0.0	0.0
TLH	12	Z	50	0	0.0	0.0
USVAL	00	Z	50	0	0.0	0.0
WDK38H	12	Z	50	11	14.3	-13.4
WFF	12	Z	50	0	0.0	0.0
WFF	00	Z	50	0	0.0	0.0
XKQLWQ	12	Z	50	22	21.6	18.7
YLV96W	12	Z	50	4	59.9	35.1
YLV96W	00	Z	50	6	76.9	31.2
ZVQEQC	00	Z	50	8	9.1	5.9
ZVQEQC	12	Z	50	7	8.5	1.4

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	27	2.5	0.3	0.2
01001	00	V	50	29	2.2	0.0	0.0
01028	12	V	50	28	2.3	-0.2	0.2
01028	00	V	50	21	2.1	0.8	-0.5
01400	00	V	50	27	2.9	-0.5	-1.3
01400	12	V	50	25	2.7	-0.6	-0.6
01415	00	V	50	27	2.8	-0.3	-0.3
01415	12	V	50	29	3.0	-0.2	0.0
02591	00	V	50	7	3.3	0.7	-0.4
02591	12	V	50	28	2.7	0.5	-0.2
02836	00	V	50	0	0.0	0.0	0.0
02836	12	V	50	6	1.9	0.0	0.3
02963	00	V	50	1	1.4	1.3	-0.6
02963	12	V	50	22	3.1	-0.9	0.2
03005	12	V	50	26	3.2	-0.5	-0.1
03005	00	V	50	21	3.5	0.2	-0.4
03238	12	V	50	2	1.6	-0.4	-1.6
03238	00	V	50	23	3.3	0.2	0.0
03808	00	V	50	26	2.9	0.3	0.5
03808	12	V	50	29	2.7	0.1	0.4
03918	12	V	50	4	3.9	0.5	-1.8
03918	00	V	50	27	3.0	-0.8	-0.7
03953	00	V	50	27	2.7	-0.5	-0.4
03953	12	V	50	29	2.8	-0.3	-0.4
04018	00	V	50	23	2.7	0.5	0.0
04018	12	V	50	28	2.5	-0.3	0.4
04220	12	V	50	29	2.1	0.0	0.3
04220	00	V	50	24	2.3	-0.2	0.0
04270	00	V	50	27	2.2	-0.1	0.1
04270	12	V	50	29	2.5	-0.1	0.0
04320	00	V	50	22	2.3	-0.4	-0.7
04320	12	V	50	29	2.0	-0.3	0.3
04339	12	V	50	27	3.0	0.0	0.5
04339	00	V	50	20	2.3	0.6	0.4
04360	00	V	50	25	2.2	-0.4	0.4
04360	12	V	50	27	2.0	-0.2	0.4
06011	12	V	50	28	3.0	0.1	0.2
06260	12	V	50	4	2.9	-0.6	-0.8
06260	00	V	50	29	3.0	-0.2	0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06610	00	V	50	23	3.1	0.3	-0.4
06610	12	V	50	29	3.2	-0.2	0.0
07110	00	V	50	21	3.0	-0.1	0.4
07110	12	V	50	23	3.0	-0.1	0.1
07510	00	V	50	24	3.5	-0.8	-0.2
07510	12	V	50	27	2.5	-0.4	-0.5
07645	00	V	50	25	3.2	0.0	0.3
07645	12	V	50	29	3.3	-0.5	0.8
07761	00	V	50	18	3.4	0.4	-1.5
07761	12	V	50	22	2.8	-0.3	-0.3
08001	12	V	50	29	2.9	-0.5	0.1
08001	00	V	50	22	2.9	-0.1	-0.5
08221	00	V	50	26	4.3	0.1	-0.1
08221	12	V	50	29	3.4	0.4	-0.2
08302	12	V	50	28	3.8	-0.2	-0.6
08302	00	V	50	25	3.6	-0.2	-0.5
08508	12	V	50	29	2.9	0.4	-0.4
08522	12	V	50	29	2.8	-0.1	-0.4
10035	00	V	50	29	2.9	0.1	-0.4
10035	12	V	50	29	2.8	-0.4	0.4
10393	12	V	50	29	2.6	-0.3	-1.0
10393	00	V	50	29	2.6	0.1	-0.5
10410	12	V	50	29	3.1	-0.7	-0.1
10410	00	V	50	28	2.8	-0.6	0.1
10739	00	V	50	26	3.3	-0.2	-0.7
10739	12	V	50	29	2.5	-0.2	-0.4
11035	00	V	50	25	3.0	0.3	-0.1
11035	12	V	50	27	2.3	-0.1	0.1
12982	00	V	50	26	3.2	0.7	0.2
12982	12	V	50	28	3.1	-0.1	-0.3
16245	12	V	50	29	3.0	0.2	0.2
16245	00	V	50	26	3.4	-0.2	0.0
16429	00	V	50	23	3.6	0.9	0.6
16429	12	V	50	28	3.3	0.7	1.0
16622	00	V	50	25	3.4	0.4	1.0
16754	00	V	50	11	2.3	-0.1	1.1
17607	12	V	50	27	3.2	0.0	0.8
17607	00	V	50	9	3.5	1.1	0.7
26435	12	V	50	1	2.8	-2.4	1.4
2TDJJ8	12	V	50	1	0.8	-0.1	0.8
60018	00	V	50	22	2.9	0.3	-0.3
60018	12	V	50	28	3.3	-0.3	0.2
7JUNA4	00	V	50	8	2.2	1.1	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	50	6	3.5	-0.7	0.2
9ZT9MR	00	V	50	2	1.1	-0.8	-0.1
9ZT9MR	12	V	50	4	2.0	0.2	-0.4
ATGU3F	12	V	50	11	2.7	-0.1	0.2
ATGU3F	00	V	50	8	3.4	0.0	0.8
FPUW5G	12	V	50	11	2.4	0.3	0.0
GKA32C	00	V	50	0	0.0	0.0	0.0
GKA32C	12	V	50	0	0.0	0.0	0.0
JNKN7J	00	V	50	11	2.6	-0.2	-1.2
JNKN7J	12	V	50	8	3.0	-1.2	1.2
KMPLHP	12	V	50	7	3.0	0.2	-0.5
KMPLHP	00	V	50	8	3.2	-1.3	1.4
LAGY8	00	V	50	1	5.9	-5.3	-2.5
LAGY8	12	V	50	1	2.9	-0.1	-2.9
LAGZ8	12	V	50	4	3.2	2.1	0.7
LRYQE3	00	V	50	5	2.1	-0.1	-0.7
LRYQE3	12	V	50	5	1.7	-1.0	-0.5
TLH	00	V	50	0	0.0	0.0	0.0
TLH	12	V	50	0	0.0	0.0	0.0
USVAL	00	V	50	0	0.0	0.0	0.0
WDK38H	12	V	50	5	3.0	-0.2	-0.4
WFF	12	V	50	0	0.0	0.0	0.0
WFF	00	V	50	0	0.0	0.0	0.0
XKQLWQ	12	V	50	21	2.8	0.3	-0.4
YLV96W	12	V	50	4	2.6	-1.4	0.2
YLV96W	00	V	50	6	3.1	0.3	0.9
ZVQEQC	00	V	50	8	2.4	-0.6	-1.2
ZVQEQC	12	V	50	7	3.5	-0.9	0.3

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	27	7.7	-6.6
01001	00	Z	100	29	7.1	5.8
01028	12	Z	100	29	6.0	-4.7
01028	00	Z	100	29	4.4	-2.8
01400	00	Z	100	29	77.3	77.0
01400	12	Z	100	28	74.3	73.9
01415	00	Z	100	29	7.3	1.8
01415	12	Z	100	29	8.0	-4.3
02591	00	Z	100	17	7.1	3.2
02591	12	Z	100	29	3.4	-0.2
02836	00	Z	100	29	6.1	-4.6
02836	12	Z	100	30	7.5	-6.5
02963	00	Z	100	29	6.7	-4.2
02963	12	Z	100	30	8.9	-6.9
03005	12	Z	100	29	7.4	-4.8
03005	00	Z	100	23	8.2	-5.8
03238	12	Z	100	2	2.8	-0.2
03238	00	Z	100	26	8.3	-5.6
03808	00	Z	100	28	4.2	-1.0
03808	12	Z	100	29	4.8	-2.7
03918	12	Z	100	4	5.3	-0.2
03918	00	Z	100	29	7.3	-3.8
03953	00	Z	100	29	7.4	-2.8
03953	12	Z	100	30	6.5	-4.9
04018	00	Z	100	28	4.8	-2.5
04018	12	Z	100	28	8.6	-6.4
04220	12	Z	100	29	11.5	-7.4
04220	00	Z	100	29	11.8	-9.3
04270	00	Z	100	29	22.6	-21.1
04270	12	Z	100	29	21.5	-20.1
04320	00	Z	100	28	11.6	-5.2
04320	12	Z	100	29	8.1	-1.4
04339	12	Z	100	27	22.6	-18.6
04339	00	Z	100	23	29.0	-26.8
04360	00	Z	100	29	35.5	-34.0
04360	12	Z	100	29	28.8	-25.5
06011	12	Z	100	28	7.3	-4.9
06260	12	Z	100	4	4.5	-2.9
06260	00	Z	100	29	8.6	0.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06610	00	Z	100	30	4.3	0.0
06610	12	Z	100	30	6.5	-1.8
07110	00	Z	100	21	27.0	-6.9
07110	12	Z	100	24	15.4	-0.2
07510	00	Z	100	25	9.8	2.2
07510	12	Z	100	27	15.1	9.4
07645	00	Z	100	29	17.0	2.4
07645	12	Z	100	29	12.5	2.0
07761	00	Z	100	22	10.9	7.0
07761	12	Z	100	25	7.6	2.3
08001	12	Z	100	29	4.7	-1.8
08001	00	Z	100	29	6.7	3.9
08221	00	Z	100	29	5.7	4.0
08221	12	Z	100	29	3.9	-2.5
08302	12	Z	100	28	14.1	-13.3
08302	00	Z	100	27	7.7	-6.1
08508	12	Z	100	29	8.0	-4.5
08522	12	Z	100	29	4.5	-0.9
10035	00	Z	100	29	6.1	-2.8
10035	12	Z	100	29	11.2	-9.4
10393	12	Z	100	29	7.9	-5.9
10393	00	Z	100	29	4.3	-1.2
10410	12	Z	100	29	9.1	-7.4
10410	00	Z	100	29	6.3	-2.9
10739	00	Z	100	28	15.5	-11.7
10739	12	Z	100	29	24.5	-23.2
11035	00	Z	100	29	5.4	0.8
11035	12	Z	100	28	11.0	0.3
12982	00	Z	100	29	5.7	2.0
12982	12	Z	100	29	4.9	-2.6
16245	12	Z	100	29	5.6	-4.4
16245	00	Z	100	29	4.0	0.6
16429	00	Z	100	29	5.8	3.6
16429	12	Z	100	29	5.3	-4.1
16622	00	Z	100	26	6.1	3.2
16754	00	Z	100	14	5.6	-1.9
17607	12	Z	100	27	6.7	2.3
17607	00	Z	100	9	13.2	12.3
26435	12	Z	100	12	10.0	-9.2
2TDJJ8	12	Z	100	1	10.2	10.2
60018	00	Z	100	26	8.1	7.1
60018	12	Z	100	28	3.9	-0.9
7JUNA4	00	Z	100	8	18.1	7.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	100	6	37.0	16.9
9ZT9MR	00	Z	100	2	28.5	-28.3
9ZT9MR	12	Z	100	4	79.4	-57.8
ATGU3F	12	Z	100	11	31.7	-19.3
ATGU3F	00	Z	100	8	29.3	-26.0
FPUW5G	12	Z	100	12	9.0	-7.2
GKA32C	00	Z	100	0	0.0	0.0
GKA32C	12	Z	100	0	0.0	0.0
JNKN7J	00	Z	100	11	22.4	21.8
JNKN7J	12	Z	100	10	61.7	34.0
KMPLHP	12	Z	100	11	23.1	-11.8
KMPLHP	00	Z	100	10	11.7	-7.3
LAGY8	00	Z	100	2	37.0	-36.7
LAGY8	12	Z	100	1	31.2	-31.2
LAGZ8	12	Z	100	4	51.8	51.4
LRYQE3	00	Z	100	5	13.7	-11.2
LRYQE3	12	Z	100	5	71.7	62.2
TLH	00	Z	100	0	0.0	0.0
TLH	12	Z	100	0	0.0	0.0
USVAL	00	Z	100	1	27.4	27.4
WDK38H	12	Z	100	16	15.1	-14.5
WFF	12	Z	100	0	0.0	0.0
WFF	00	Z	100	0	0.0	0.0
XKQLWQ	12	Z	100	22	17.7	15.3
YLV96W	12	Z	100	6	47.8	35.6
YLV96W	00	Z	100	7	17.7	-4.9
ZVQEQC	00	Z	100	8	9.5	8.3
ZVQEQC	12	Z	100	7	8.4	6.3

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	27	2.3	0.8	-0.3
01001	00	V	100	29	2.6	0.8	-0.8
01028	12	V	100	29	2.0	0.4	-0.4
01028	00	V	100	22	2.1	0.6	0.4
01400	00	V	100	28	2.6	0.0	-0.5
01400	12	V	100	28	2.4	0.7	-0.4
01415	00	V	100	27	3.2	0.2	-0.4
01415	12	V	100	29	2.8	-0.2	-0.3
02591	00	V	100	10	3.0	0.4	0.6
02591	12	V	100	29	3.2	0.1	0.0
02836	00	V	100	0	0.0	0.0	0.0
02836	12	V	100	12	2.1	-0.5	-0.2
02963	00	V	100	3	2.1	-0.5	1.4
02963	12	V	100	22	2.6	-0.6	0.1
03005	12	V	100	28	2.8	0.1	-0.3
03005	00	V	100	21	3.3	0.2	0.1
03238	12	V	100	2	2.3	-1.4	0.9
03238	00	V	100	23	3.2	0.5	0.2
03808	00	V	100	27	2.9	-0.3	0.4
03808	12	V	100	29	2.3	0.0	-0.3
03918	12	V	100	4	3.9	-0.9	-1.9
03918	00	V	100	28	2.8	-0.2	-0.6
03953	00	V	100	27	2.1	0.2	0.3
03953	12	V	100	29	2.7	0.3	0.6
04018	00	V	100	26	2.4	0.1	-0.3
04018	12	V	100	28	2.4	-0.2	-0.6
04220	12	V	100	29	2.3	0.1	0.4
04220	00	V	100	29	1.8	0.0	0.4
04270	00	V	100	29	2.1	-0.6	0.3
04270	12	V	100	29	1.8	0.0	0.1
04320	00	V	100	28	2.3	-0.1	-0.4
04320	12	V	100	29	2.5	0.2	0.0
04339	12	V	100	27	2.0	0.2	-0.6
04339	00	V	100	23	2.0	0.4	0.1
04360	00	V	100	29	1.8	0.0	-0.2
04360	12	V	100	29	1.8	-0.1	0.1
06011	12	V	100	28	2.5	0.2	0.6
06260	12	V	100	4	3.3	0.3	1.4
06260	00	V	100	29	2.5	-0.4	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06610	00	V	100	27	3.2	0.9	-0.3
06610	12	V	100	29	3.3	0.2	0.3
07110	00	V	100	21	3.1	0.0	-0.7
07110	12	V	100	24	2.0	-0.7	-0.4
07510	00	V	100	25	2.6	0.5	0.9
07510	12	V	100	27	2.7	-0.9	0.0
07645	00	V	100	26	3.1	-0.2	0.4
07645	12	V	100	29	2.7	-0.2	0.3
07761	00	V	100	21	2.7	-0.3	0.7
07761	12	V	100	25	4.1	-0.5	0.0
08001	12	V	100	29	2.4	0.3	0.4
08001	00	V	100	23	2.7	0.5	0.0
08221	00	V	100	27	3.1	-0.4	0.3
08221	12	V	100	29	3.1	0.3	-0.2
08302	12	V	100	28	2.8	0.5	0.4
08302	00	V	100	25	3.8	0.3	0.5
08508	12	V	100	29	3.0	0.0	-0.1
08522	12	V	100	29	2.8	0.4	-0.8
10035	00	V	100	29	2.9	0.1	-0.1
10035	12	V	100	29	2.8	0.1	-0.4
10393	12	V	100	29	2.9	0.4	0.1
10393	00	V	100	28	3.1	0.5	-0.6
10410	12	V	100	29	3.0	0.4	0.2
10410	00	V	100	29	2.6	-0.4	-0.2
10739	00	V	100	27	3.1	-0.2	-0.3
10739	12	V	100	29	2.8	-0.1	-0.2
11035	00	V	100	25	3.1	-0.9	0.4
11035	12	V	100	28	2.4	0.5	0.4
12982	00	V	100	29	2.8	0.0	0.1
12982	12	V	100	29	3.0	0.0	-0.6
16245	12	V	100	29	2.8	-0.5	0.2
16245	00	V	100	28	2.7	0.2	-0.1
16429	00	V	100	29	3.1	0.3	0.3
16429	12	V	100	29	3.0	0.4	-0.2
16622	00	V	100	25	3.0	0.2	-0.1
16754	00	V	100	13	3.3	0.4	0.2
17607	12	V	100	27	3.6	0.8	-0.1
17607	00	V	100	9	3.8	-2.3	0.1
26435	12	V	100	10	2.7	-1.2	0.4
2TDJJ8	12	V	100	1	2.3	-0.5	-2.2
60018	00	V	100	24	3.6	0.4	-0.3
60018	12	V	100	28	3.5	0.0	0.9
7JUNA4	00	V	100	8	2.3	0.6	1.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	100	6	3.4	2.0	-0.3
9ZT9MR	00	V	100	2	1.4	-0.8	-0.8
9ZT9MR	12	V	100	4	1.4	1.2	-0.3
ATGU3F	12	V	100	11	2.3	-0.6	0.6
ATGU3F	00	V	100	8	2.5	0.5	-0.6
FPUW5G	12	V	100	12	1.8	0.3	0.4
GKA32C	00	V	100	0	0.0	0.0	0.0
GKA32C	12	V	100	0	0.0	0.0	0.0
JNKN7J	00	V	100	11	2.9	0.1	0.1
JNKN7J	12	V	100	10	2.5	0.2	0.7
KMPLHP	12	V	100	11	2.8	-0.4	1.3
KMPLHP	00	V	100	10	2.5	-0.2	0.5
LAGY8	00	V	100	2	2.9	-0.5	1.5
LAGY8	12	V	100	1	1.2	0.3	1.2
LAGZ8	12	V	100	4	1.7	-0.3	-0.5
LRYQE3	00	V	100	5	2.1	-0.1	1.7
LRYQE3	12	V	100	5	2.6	-0.4	1.1
TLH	00	V	100	0	0.0	0.0	0.0
TLH	12	V	100	0	0.0	0.0	0.0
USVAL	00	V	100	1	1.4	-1.0	-1.0
WDK38H	12	V	100	15	2.6	0.7	0.5
WFF	12	V	100	0	0.0	0.0	0.0
WFF	00	V	100	0	0.0	0.0	0.0
XKQLWQ	12	V	100	21	3.3	0.9	0.2
YLV96W	12	V	100	6	3.0	-0.5	-0.4
YLV96W	00	V	100	7	2.6	0.3	0.8
ZVQEQC	00	V	100	8	3.1	0.8	0.0
ZVQEQC	12	V	100	7	3.7	1.6	-1.0

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	29	3.9	-0.4
01001	00	Z	500	29	10.9	10.4
01028	12	Z	500	29	2.5	0.8
01028	00	Z	500	29	4.1	0.5
01400	00	Z	500	29	79.5	79.4
01400	12	Z	500	28	78.8	78.6
01415	00	Z	500	29	4.9	4.1
01415	12	Z	500	29	4.4	2.0
02591	00	Z	500	29	8.6	8.3
02591	12	Z	500	29	8.0	7.8
02836	00	Z	500	29	2.0	0.3
02836	12	Z	500	30	2.2	0.0
02963	00	Z	500	29	2.5	1.7
02963	12	Z	500	30	2.3	0.9
03005	12	Z	500	30	3.2	-1.1
03005	00	Z	500	24	3.4	-0.5
03238	12	Z	500	2	0.5	0.5
03238	00	Z	500	27	3.7	1.0
03808	00	Z	500	28	4.7	4.1
03808	12	Z	500	29	3.8	2.9
03918	12	Z	500	4	3.6	-0.7
03918	00	Z	500	29	4.1	0.7
03953	00	Z	500	29	3.7	2.4
03953	12	Z	500	30	2.6	0.7
04018	00	Z	500	28	2.6	2.0
04018	12	Z	500	28	2.3	0.6
04220	12	Z	500	29	3.0	0.5
04220	00	Z	500	29	4.7	1.2
04270	00	Z	500	29	9.7	-8.4
04270	12	Z	500	29	9.4	-6.6
04320	00	Z	500	28	7.0	6.1
04320	12	Z	500	29	8.6	5.0
04339	12	Z	500	28	7.7	-5.1
04339	00	Z	500	28	8.1	-6.6
04360	00	Z	500	29	11.0	-10.3
04360	12	Z	500	30	9.8	-8.7
06011	12	Z	500	28	5.5	1.5
06260	12	Z	500	5	2.9	1.3
06260	00	Z	500	29	6.3	1.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06610	00	Z	500	33	3.3	2.2
06610	12	Z	500	31	3.2	1.4
07110	00	Z	500	22	7.3	-3.3
07110	12	Z	500	24	3.6	1.2
07510	00	Z	500	28	6.2	1.3
07510	12	Z	500	28	6.5	4.1
07645	00	Z	500	30	7.9	2.7
07645	12	Z	500	30	9.3	6.7
07761	00	Z	500	31	3.0	1.0
07761	12	Z	500	30	4.4	2.7
08001	12	Z	500	29	3.4	2.4
08001	00	Z	500	29	4.5	3.8
08221	00	Z	500	29	4.6	4.3
08221	12	Z	500	29	4.3	3.8
08302	12	Z	500	28	7.5	-6.8
08302	00	Z	500	27	5.8	-5.6
08508	12	Z	500	29	3.5	1.2
08522	12	Z	500	29	4.8	4.1
10035	00	Z	500	30	4.1	0.8
10035	12	Z	500	29	2.8	-0.7
10393	12	Z	500	29	2.7	-0.6
10393	00	Z	500	29	2.7	1.3
10410	12	Z	500	29	3.2	-2.1
10410	00	Z	500	29	2.4	-0.8
10739	00	Z	500	28	12.6	-12.1
10739	12	Z	500	31	18.3	-17.2
11035	00	Z	500	29	5.5	0.8
11035	12	Z	500	29	6.7	3.7
12982	00	Z	500	29	3.9	2.6
12982	12	Z	500	29	3.5	2.3
16245	12	Z	500	29	3.1	2.6
16245	00	Z	500	29	4.6	4.1
16429	00	Z	500	29	4.6	4.3
16429	12	Z	500	29	3.9	3.7
16622	00	Z	500	25	6.8	6.1
16754	00	Z	500	17	3.8	-2.4
17607	12	Z	500	27	4.8	4.5
17607	00	Z	500	9	5.3	5.2
26435	12	Z	500	15	3.7	-1.7
2TDJJ8	12	Z	500	1	19.2	19.2
60018	00	Z	500	26	5.5	4.3
60018	12	Z	500	28	3.6	2.2
7JUNA4	00	Z	500	9	23.4	18.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	500	9	20.8	18.1
9ZT9MR	00	Z	500	2	17.3	-16.7
9ZT9MR	12	Z	500	4	16.3	-16.3
ATGU3F	12	Z	500	13	43.4	-7.5
ATGU3F	00	Z	500	10	13.1	-12.6
FPUW5G	12	Z	500	12	2.5	0.4
GKA32C	00	Z	500	0	0.0	0.0
GKA32C	12	Z	500	0	0.0	0.0
JNKN7J	00	Z	500	11	35.8	35.6
JNKN7J	12	Z	500	10	36.1	35.0
KMPLHP	12	Z	500	12	8.9	-5.4
KMPLHP	00	Z	500	12	8.7	-6.5
LAGY8	00	Z	500	2	38.8	-38.8
LAGY8	12	Z	500	1	13.5	-13.5
LAGZ8	12	Z	500	4	62.4	62.1
LRYQE3	00	Z	500	5	10.0	-9.0
LRYQE3	12	Z	500	6	3.5	2.5
TLH	00	Z	500	3	21.6	20.8
TLH	12	Z	500	4	21.4	21.3
USVAL	00	Z	500	1	20.1	20.1
WDK38H	12	Z	500	18	11.1	-10.6
WFF	12	Z	500	0	0.0	0.0
WFF	00	Z	500	6	21.8	21.8
XKQLWQ	12	Z	500	23	23.2	1.7
YLV96W	12	Z	500	9	38.2	14.7
YLV96W	00	Z	500	8	20.2	-0.9
ZVQEQC	00	Z	500	9	3.6	3.0
ZVQEQC	12	Z	500	8	3.7	3.3

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	29	1.9	0.2	-0.1
01001	00	V	500	29	1.8	0.1	-0.6
01028	12	V	500	29	1.8	0.5	0.0
01028	00	V	500	29	1.8	-0.2	-0.4
01400	00	V	500	29	2.4	0.4	-0.1
01400	12	V	500	28	2.6	0.2	0.0
01415	00	V	500	29	2.2	0.4	0.1
01415	12	V	500	29	2.4	0.5	-0.1
02591	00	V	500	27	3.0	-0.2	-0.8
02591	12	V	500	29	2.4	0.1	0.2
02836	00	V	500	29	2.7	0.7	0.3
02836	12	V	500	28	2.3	0.4	-0.2
02963	00	V	500	25	2.2	-0.6	0.2
02963	12	V	500	29	2.3	-0.3	0.0
03005	12	V	500	28	2.1	0.2	0.3
03005	00	V	500	23	2.6	0.0	0.2
03238	12	V	500	2	1.2	0.3	0.3
03238	00	V	500	27	1.9	0.7	-0.2
03808	00	V	500	28	2.1	0.7	0.3
03808	12	V	500	29	2.5	0.2	0.2
03918	12	V	500	4	3.0	0.0	0.5
03918	00	V	500	29	2.7	0.3	0.2
03953	00	V	500	29	2.3	0.1	0.6
03953	12	V	500	29	2.2	0.1	0.4
04018	00	V	500	28	2.0	0.0	-0.2
04018	12	V	500	28	1.7	-0.1	-0.4
04220	12	V	500	29	2.0	-0.2	-0.6
04220	00	V	500	29	2.4	-0.1	0.2
04270	00	V	500	29	2.3	-0.1	-0.1
04270	12	V	500	29	3.0	-0.1	0.7
04320	00	V	500	28	2.3	0.5	0.3
04320	12	V	500	29	1.4	0.0	0.0
04339	12	V	500	28	2.8	0.2	0.0
04339	00	V	500	28	2.1	0.5	0.0
04360	00	V	500	29	1.8	0.3	-0.3
04360	12	V	500	29	2.8	-0.1	-0.1
06011	12	V	500	28	2.1	-0.2	0.2
06260	12	V	500	5	3.6	0.0	-2.4
06260	00	V	500	29	2.1	0.3	-0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06610	00	V	500	29	2.5	-0.2	-0.6
06610	12	V	500	29	2.4	0.5	-0.4
07110	00	V	500	22	2.3	-0.9	0.2
07110	12	V	500	24	1.8	0.1	0.4
07510	00	V	500	27	2.5	0.2	-0.1
07510	12	V	500	28	1.9	0.4	-0.2
07645	00	V	500	29	2.6	0.0	-0.1
07645	12	V	500	29	1.5	-0.1	0.3
07761	00	V	500	28	1.8	0.7	0.4
07761	12	V	500	29	1.7	-0.3	0.0
08001	12	V	500	29	1.8	-0.1	0.1
08001	00	V	500	29	2.3	0.4	0.6
08221	00	V	500	29	2.5	0.1	-0.3
08221	12	V	500	29	1.9	0.4	-0.1
08302	12	V	500	28	1.9	0.2	-0.1
08302	00	V	500	27	1.6	0.0	-0.4
08508	12	V	500	29	1.7	0.4	-0.2
08522	12	V	500	29	2.1	0.1	0.4
10035	00	V	500	29	3.1	-0.2	1.0
10035	12	V	500	29	1.9	-0.4	0.0
10393	12	V	500	29	2.3	1.1	0.1
10393	00	V	500	29	2.4	0.2	-0.2
10410	12	V	500	29	1.7	0.3	0.1
10410	00	V	500	29	2.1	0.2	0.0
10739	00	V	500	27	2.3	-0.1	0.0
10739	12	V	500	29	2.3	0.1	-0.1
11035	00	V	500	29	2.1	0.0	0.2
11035	12	V	500	29	3.5	-0.7	0.3
12982	00	V	500	29	2.5	-0.1	-0.2
12982	12	V	500	29	1.9	0.1	0.0
16245	12	V	500	29	2.1	0.2	-0.4
16245	00	V	500	29	2.2	0.3	-0.1
16429	00	V	500	29	2.1	0.2	0.1
16429	12	V	500	29	1.6	0.0	0.0
16622	00	V	500	25	1.8	0.5	0.2
16754	00	V	500	17	2.1	0.8	0.0
17607	12	V	500	27	2.2	0.8	0.0
17607	00	V	500	9	1.8	0.7	0.0
26435	12	V	500	15	2.0	0.5	0.0
2TDJJ8	12	V	500	1	1.3	1.1	-0.7
60018	00	V	500	26	1.8	0.0	0.4
60018	12	V	500	28	2.2	0.0	-0.3
7JUNA4	00	V	500	9	3.9	-0.6	1.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	500	9	2.1	0.1	-0.7
9ZT9MR	00	V	500	2	0.8	0.5	-0.3
9ZT9MR	12	V	500	4	2.8	0.7	-0.1
ATGU3F	12	V	500	13	3.0	0.2	-1.1
ATGU3F	00	V	500	10	4.0	-1.2	0.1
FPUW5G	12	V	500	12	1.6	0.2	0.2
GKA32C	00	V	500	0	0.0	0.0	0.0
GKA32C	12	V	500	0	0.0	0.0	0.0
JNKN7J	00	V	500	11	2.0	-0.4	-0.5
JNKN7J	12	V	500	10	2.7	0.5	-0.5
KMPLHP	12	V	500	12	2.8	0.0	0.5
KMPLHP	00	V	500	12	3.5	-0.7	1.0
LAGY8	00	V	500	2	2.0	1.2	1.4
LAGY8	12	V	500	1	1.7	0.1	-1.7
LAGZ8	12	V	500	4	1.7	1.0	-0.3
LRYQE3	00	V	500	5	1.8	-0.5	0.8
LRYQE3	12	V	500	6	2.7	-1.4	0.7
TLH	00	V	500	3	2.7	-0.5	-0.1
TLH	12	V	500	4	1.6	-0.6	0.0
USVAL	00	V	500	1	7.8	7.4	-2.5
WDK38H	12	V	500	18	1.5	-0.4	-0.5
WFF	12	V	500	0	0.0	0.0	0.0
WFF	00	V	500	6	0.6	-0.1	-0.3
XKQLWQ	12	V	500	22	2.9	-0.1	-0.7
YLV96W	12	V	500	9	1.4	0.1	-0.1
YLV96W	00	V	500	8	2.9	-0.5	-1.3
ZVQEQC	00	V	500	9	2.7	0.3	0.0
ZVQEQC	12	V	500	8	3.0	1.5	-0.1

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	29	3.5	-1.4
01001	00	Z	850	29	10.0	9.8
01028	12	Z	850	29	2.9	1.5
01028	00	Z	850	29	3.2	1.6
01400	00	Z	850	29	77.9	77.8
01400	12	Z	850	28	78.7	78.5
01415	00	Z	850	29	3.3	2.8
01415	12	Z	850	29	3.8	2.8
02591	00	Z	850	30	7.8	7.6
02591	12	Z	850	29	8.1	8.0
02836	00	Z	850	29	2.0	1.0
02836	12	Z	850	29	2.4	0.0
02963	00	Z	850	29	2.8	1.7
02963	12	Z	850	30	2.2	1.6
03005	12	Z	850	30	1.9	-0.7
03005	00	Z	850	24	2.8	-1.1
03238	12	Z	850	2	2.6	1.6
03238	00	Z	850	27	2.6	1.0
03808	00	Z	850	28	2.7	2.0
03808	12	Z	850	29	2.2	1.5
03918	12	Z	850	4	3.0	1.0
03918	00	Z	850	29	2.8	1.0
03953	00	Z	850	29	2.2	0.2
03953	12	Z	850	30	2.1	0.1
04018	00	Z	850	28	2.2	1.7
04018	12	Z	850	28	1.6	0.7
04220	12	Z	850	29	3.1	-1.5
04220	00	Z	850	29	2.8	0.1
04270	00	Z	850	29	9.1	-8.7
04270	12	Z	850	29	8.4	-7.8
04320	00	Z	850	28	7.2	6.3
04320	12	Z	850	29	8.3	4.9
04339	12	Z	850	28	8.0	-5.9
04339	00	Z	850	28	7.9	-6.2
04360	00	Z	850	29	4.8	-4.4
04360	12	Z	850	31	5.0	-4.5
06011	12	Z	850	28	2.1	0.5
06260	12	Z	850	4	2.1	1.4
06260	00	Z	850	29	6.2	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06610	00	Z	850	33	2.0	-0.1
06610	12	Z	850	31	2.8	2.2
07110	00	Z	850	22	4.2	-3.1
07110	12	Z	850	24	4.0	-2.7
07510	00	Z	850	28	5.3	-4.4
07510	12	Z	850	28	5.0	-4.3
07645	00	Z	850	30	2.8	-1.5
07645	12	Z	850	30	2.3	0.9
07761	00	Z	850	31	5.0	-4.6
07761	12	Z	850	30	3.8	-3.5
08001	12	Z	850	29	1.5	0.6
08001	00	Z	850	29	2.3	0.6
08221	00	Z	850	29	2.5	0.9
08221	12	Z	850	29	1.2	0.7
08302	12	Z	850	28	10.1	-9.5
08302	00	Z	850	27	9.7	-9.6
08508	12	Z	850	29	2.0	0.6
08522	12	Z	850	29	2.4	1.8
10035	00	Z	850	30	3.4	-1.3
10035	12	Z	850	29	2.1	-1.0
10393	12	Z	850	29	1.7	0.4
10393	00	Z	850	29	1.6	-0.6
10410	12	Z	850	29	2.2	-1.5
10410	00	Z	850	29	3.1	-2.3
10739	00	Z	850	28	13.8	-13.7
10739	12	Z	850	31	17.8	-16.7
11035	00	Z	850	29	4.7	0.1
11035	12	Z	850	29	3.8	3.2
12982	00	Z	850	29	1.7	1.2
12982	12	Z	850	29	6.0	5.7
16245	12	Z	850	29	3.3	3.0
16245	00	Z	850	29	2.9	2.6
16429	00	Z	850	29	2.0	1.3
16429	12	Z	850	29	2.4	2.1
16622	00	Z	850	27	5.3	4.8
16754	00	Z	850	20	6.5	-6.3
17607	12	Z	850	27	1.8	1.3
17607	00	Z	850	9	2.5	2.4
26435	12	Z	850	15	1.0	-0.1
2TDJJ8	12	Z	850	1	19.6	19.6
60018	00	Z	850	26	2.2	-0.2
60018	12	Z	850	28	1.8	-0.3
7JUNA4	00	Z	850	9	25.9	21.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	850	10	23.8	20.5
9ZT9MR	00	Z	850	2	13.7	-13.7
9ZT9MR	12	Z	850	4	18.2	-17.9
ATGU3F	12	Z	850	13	14.9	-8.1
ATGU3F	00	Z	850	11	12.3	-8.1
FPUW5G	12	Z	850	12	3.2	-0.1
GKA32C	00	Z	850	1	2.6	-2.6
GKA32C	12	Z	850	1	9.9	-9.9
JNKN7J	00	Z	850	11	38.9	38.7
JNKN7J	12	Z	850	10	40.0	39.8
KMPLHP	12	Z	850	12	5.5	-3.2
KMPLHP	00	Z	850	12	6.7	-4.1
LAGY8	00	Z	850	2	44.3	-44.3
LAGY8	12	Z	850	0	0.0	0.0
LAGZ8	12	Z	850	4	69.2	69.1
LRYQE3	00	Z	850	5	4.1	-2.4
LRYQE3	12	Z	850	6	4.3	-1.2
TLH	00	Z	850	4	12.8	-1.2
TLH	12	Z	850	6	10.0	8.8
USVAL	00	Z	850	1	13.8	13.8
WDK38H	12	Z	850	18	12.1	-11.7
WFF	12	Z	850	5	14.4	13.9
WFF	00	Z	850	3	12.0	9.7
XKQLWQ	12	Z	850	23	18.8	-4.3
YLV96W	12	Z	850	10	21.6	7.4
YLV96W	00	Z	850	8	20.4	3.0
ZVQEQC	00	Z	850	9	3.9	-2.1
ZVQEQC	12	Z	850	8	3.0	-1.1

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	29	2.5	-0.5	0.0
01001	00	V	850	29	3.1	-0.1	-0.7
01028	12	V	850	29	2.6	-0.5	-0.2
01028	00	V	850	29	2.5	0.2	-0.6
01400	00	V	850	29	2.3	-0.1	-0.3
01400	12	V	850	28	1.8	-0.2	-0.4
01415	00	V	850	29	2.1	0.3	-0.2
01415	12	V	850	29	3.0	-0.1	-0.1
02591	00	V	850	29	2.3	-0.4	-0.3
02591	12	V	850	29	2.6	0.7	-0.5
02836	00	V	850	29	2.3	-0.4	-0.3
02836	12	V	850	29	3.4	0.8	-0.3
02963	00	V	850	29	2.8	-0.2	0.6
02963	12	V	850	29	2.5	-0.1	0.3
03005	12	V	850	28	1.9	0.0	0.3
03005	00	V	850	23	2.3	-0.1	-0.4
03238	12	V	850	2	2.7	-1.1	1.9
03238	00	V	850	27	2.6	0.9	0.4
03808	00	V	850	28	2.1	0.2	-0.4
03808	12	V	850	29	2.2	0.2	0.4
03918	12	V	850	4	1.6	-0.5	-0.3
03918	00	V	850	29	2.8	0.0	-0.7
03953	00	V	850	29	2.6	-0.1	0.4
03953	12	V	850	29	2.7	0.5	0.2
04018	00	V	850	28	3.0	0.1	-0.4
04018	12	V	850	28	2.6	-1.0	-0.2
04220	12	V	850	29	2.1	0.3	-0.3
04220	00	V	850	29	2.4	-0.1	-0.3
04270	00	V	850	29	2.4	0.5	0.3
04270	12	V	850	29	3.5	0.4	0.4
04320	00	V	850	28	2.9	0.0	0.1
04320	12	V	850	29	2.5	-0.8	0.1
04339	12	V	850	28	3.6	0.0	-0.2
04339	00	V	850	28	3.8	0.3	0.1
04360	00	V	850	29	2.8	0.5	0.1
04360	12	V	850	29	3.8	1.4	-0.1
06011	12	V	850	28	2.5	-0.1	-0.3
06260	12	V	850	4	4.4	-1.3	2.0
06260	00	V	850	29	3.3	-0.4	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06610	00	V	850	29	2.6	0.9	0.2
06610	12	V	850	29	2.5	0.0	0.5
07110	00	V	850	22	2.1	0.2	0.4
07110	12	V	850	24	2.3	-0.7	-0.3
07510	00	V	850	27	2.5	-0.3	0.5
07510	12	V	850	28	2.1	-0.2	0.0
07645	00	V	850	29	2.4	-0.1	0.4
07645	12	V	850	29	2.1	0.0	0.1
07761	00	V	850	28	2.7	-0.2	0.5
07761	12	V	850	29	2.0	-0.2	0.2
08001	12	V	850	29	2.3	-0.4	-0.2
08001	00	V	850	29	2.1	0.2	0.0
08221	00	V	850	29	3.5	0.2	0.6
08221	12	V	850	29	1.9	0.3	-0.2
08302	12	V	850	28	2.1	-0.1	0.1
08302	00	V	850	27	1.8	-0.3	0.1
08508	12	V	850	29	2.6	-0.4	0.1
08522	12	V	850	29	3.1	-0.8	-0.5
10035	00	V	850	29	2.3	-0.1	-0.4
10035	12	V	850	29	2.9	0.8	0.8
10393	12	V	850	29	2.2	0.0	-0.1
10393	00	V	850	29	1.8	-0.1	-0.1
10410	12	V	850	29	2.1	0.6	0.3
10410	00	V	850	29	2.3	0.2	-0.1
10739	00	V	850	27	2.9	0.4	0.4
10739	12	V	850	29	2.1	0.3	0.4
11035	00	V	850	29	2.7	-0.4	-0.2
11035	12	V	850	29	2.6	0.3	-0.2
12982	00	V	850	29	3.1	0.2	0.5
12982	12	V	850	29	2.9	-0.4	0.7
16245	12	V	850	29	2.1	0.0	-0.2
16245	00	V	850	29	2.4	0.1	-0.1
16429	00	V	850	29	2.2	-0.2	0.3
16429	12	V	850	29	2.2	-0.5	0.6
16622	00	V	850	27	3.0	-0.9	-0.3
16754	00	V	850	20	1.5	-0.1	0.1
17607	12	V	850	27	3.0	0.6	-0.4
17607	00	V	850	9	1.6	-0.5	-0.2
26435	12	V	850	15	2.1	0.0	0.3
2TDJJ8	12	V	850	1	2.5	1.0	-2.3
60018	00	V	850	26	2.1	0.4	-0.3
60018	12	V	850	28	3.0	0.2	-0.2
7JUNA4	00	V	850	9	1.7	-0.1	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	850	10	2.1	0.0	-0.3
9ZT9MR	00	V	850	2	1.2	0.0	-0.8
9ZT9MR	12	V	850	4	1.5	-0.6	-0.1
ATGU3F	12	V	850	13	6.4	0.1	-1.0
ATGU3F	00	V	850	11	6.2	0.9	1.7
FPUW5G	12	V	850	12	2.3	0.0	-0.9
GKA32C	00	V	850	1	1.4	1.3	-0.6
GKA32C	12	V	850	1	0.9	0.8	-0.5
JNKN7J	00	V	850	11	2.8	0.5	0.7
JNKN7J	12	V	850	10	2.1	0.1	-0.2
KMPLHP	12	V	850	12	3.0	-0.6	0.1
KMPLHP	00	V	850	12	3.0	0.9	0.2
LAGY8	00	V	850	2	2.2	-0.7	2.0
LAGY8	12	V	850	0	0.0	0.0	0.0
LAGZ8	12	V	850	4	2.1	0.2	0.7
LRYQE3	00	V	850	5	2.9	0.1	-1.2
LRYQE3	12	V	850	6	2.8	0.7	1.0
TLH	00	V	850	4	3.4	-2.4	-1.0
TLH	12	V	850	6	2.8	1.2	-0.3
USVAL	00	V	850	1	8.1	-8.0	1.2
WDK38H	12	V	850	18	1.8	0.0	0.5
WFF	12	V	850	5	4.3	1.4	2.2
WFF	00	V	850	3	2.3	-0.4	0.2
XKQLWQ	12	V	850	22	2.3	-0.4	0.5
YLV96W	12	V	850	9	3.0	-0.4	0.7
YLV96W	00	V	850	8	2.8	-0.8	0.3
ZVQEQC	00	V	850	9	1.8	-0.2	-0.2
ZVQEQC	12	V	850	8	2.5	0.7	-0.9

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1000044	99	P	SUR	55	10	17	0	0.3	-3.3	3.3
1300008	99	P	SUR	15	-38	256	0	0.2	0.1	0.2
1300130	99	P	SUR	28	-16	720	0	0.2	0.3	0.4
1300131	99	P	SUR	28	-17	720	0	0.4	0.4	0.6
1301622	99	P	SUR	32	-30	718	0	0.3	0.0	0.3
1301726	99	P	SUR	32	-48	650	0	0.3	-0.2	0.3
1301773	99	P	SUR	36	-55	720	0	0.4	-0.3	0.5
1301778	99	P	SUR	26	-68	720	0	0.3	-0.1	0.3
1301782	99	P	SUR	46	-8	720	0	0.4	0.0	0.4
1301784	99	P	SUR	17	-25	720	0	0.3	0.0	0.3
1301785	99	P	SUR	32	-26	719	0	0.2	-0.2	0.3
1301805	99	P	SUR	60	-28	720	0	0.4	-0.3	0.5
1301806	99	P	SUR	53	-43	720	0	0.4	-0.2	0.4
1301808	99	P	SUR	61	-6	720	0	0.3	0.1	0.3
1301809	99	P	SUR	51	-32	719	0	0.3	0.0	0.3
1301810	99	P	SUR	25	-45	720	0	0.2	-0.3	0.3
1301814	99	P	SUR	24	-39	720	0	0.2	0.0	0.2
1301819	99	P	SUR	30	-57	720	0	0.3	-0.5	0.6
1301823	99	P	SUR	32	-48	720	0	0.3	-0.1	0.3
1801670	99	P	SUR	51	-9	686	0	0.4	0.1	0.4
1801675	99	P	SUR	61	-22	481	0	0.3	0.1	0.3
1801695	99	P	SUR	50	-30	720	0	0.3	-0.4	0.5
1801716	99	P	SUR	27	-43	720	0	0.4	0.4	0.6
1801732	99	P	SUR	41	-17	720	0	0.2	-0.1	0.3
1801777	99	P	SUR	35	-33	718	0	0.2	-0.1	0.2
1801778	99	P	SUR	52	-16	720	0	0.4	-0.2	0.5
1801943	99	P	SUR	40	-48	715	0	0.4	0.1	0.5
1801944	99	P	SUR	43	-50	712	0	0.5	-0.5	0.6
1801945	99	P	SUR	44	-32	708	0	0.3	0.1	0.3
1801946	99	P	SUR	47	-21	714	24	1.2	0.1	1.2
1801951	99	P	SUR	34	18	696	0	0.3	0.2	0.4
2801968	99	P	SUR	50	-7	528	0	0.3	0.0	0.3
2801970	99	P	SUR	24	-21	719	0	0.2	-0.4	0.5
2801979	99	P	SUR	56	-56	720	0	0.6	-0.2	0.6
2801980	99	P	SUR	61	-60	720	0	0.4	0.5	0.6
2802007	99	P	SUR	22	-54	720	0	0.2	-0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
2802010	99	P	SUR	20	-69	720	0	0.3	0.1	0.3
2802011	99	P	SUR	39	-24	720	0	0.2	-0.3	0.4
2802022	99	P	SUR	29	-42	720	0	0.2	-0.2	0.3
2802100	99	P	SUR	72	2	702	0	0.3	0.1	0.3
2802124	99	P	SUR	22	-39	650	0	0.3	-0.1	0.3
2802243	99	P	SUR	45	-35	716	0	0.8	0.3	0.8
2802244	99	P	SUR	58	-18	710	0	0.3	0.0	0.3
2802246	99	P	SUR	51	-41	714	0	0.4	0.0	0.4
2802247	99	P	SUR	66	-6	369	0	0.3	0.0	0.3
3801575	99	P	SUR	71	19	540	0	0.3	0.0	0.3
3801596	99	P	SUR	29	-55	720	0	0.3	-0.3	0.4
3801598	99	P	SUR	30	-46	720	0	0.2	0.0	0.2
3801612	99	P	SUR	25	-59	720	0	0.3	0.0	0.3
3801625	99	P	SUR	22	-59	720	0	0.3	0.4	0.5
3801676	99	P	SUR	79	16	720	0	0.5	-0.1	0.5
3801713	99	P	SUR	32	-17	716	0	0.3	-0.1	0.3
3801834	99	P	SUR	45	-37	544	32	3.4	-0.9	3.5
3801835	99	P	SUR	42	-35	350	50	4.8	-3.4	5.9
3801836	99	P	SUR	44	-52	715	0	0.5	0.1	0.5
3801838	99	P	SUR	49	-33	717	0	0.3	0.0	0.3
3801839	99	P	SUR	51	-19	707	35	2.2	-1.4	2.6
3801840	99	P	SUR	47	-30	711	0	0.3	0.1	0.3
3801841	99	P	SUR	52	-43	717	0	0.4	-0.3	0.5
3801842	99	P	SUR	65	-7	458	0	0.3	0.0	0.3
3801846	99	P	SUR	34	27	625	0	0.3	0.0	0.3
4100040	99	P	SUR	15	-53	4319	0	0.3	-0.4	0.5
4100041	99	P	SUR	14	-46	4320	0	0.2	0.2	0.3
4100043	99	P	SUR	21	-65	4319	0	0.3	-0.6	0.6
4100044	99	P	SUR	22	-59	4319	0	0.2	-0.6	0.6
4100046	99	P	SUR	24	-68	4320	0	0.3	-0.2	0.4
4100048	99	P	SUR	32	-70	4320	0	0.4	0.0	0.4
4100049	99	P	SUR	28	-62	4320	0	0.3	0.2	0.4
4100052	99	P	SUR	18	-65	3547	0	0.3	-0.7	0.7
4100053	99	P	SUR	18	-66	3828	0	0.3	-0.5	0.6
4100056	99	P	SUR	18	-65	2230	0	0.3	-0.5	0.6
4101725	99	P	SUR	18	-63	720	0	0.3	-0.2	0.3
4101727	99	P	SUR	35	-59	719	0	0.4	-0.1	0.4
4101728	99	P	SUR	25	-45	720	0	0.2	0.2	0.3
4101729	99	P	SUR	28	-63	720	0	0.3	0.1	0.3
4101863	99	P	SUR	26	-70	719	0	0.3	-0.4	0.5
4101870	99	P	SUR	31	-64	720	0	0.3	-0.3	0.5
4101873	99	P	SUR	28	-43	12	0	0.9	-0.1	0.9
4101875	99	P	SUR	22	-47	720	0	0.2	0.0	0.2

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4101877	99	P	SUR	29	-25	707	0	0.2	-0.1	0.2
4101878	99	P	SUR	28	-22	34	0	0.5	0.1	0.5
41040	99	P	SUR	15	-53	719	0	0.3	-0.4	0.5
41041	99	P	SUR	14	-46	720	0	0.3	0.2	0.3
41043	99	P	SUR	21	-65	720	0	0.3	-0.6	0.7
41044	99	P	SUR	22	-59	719	0	0.2	-0.6	0.6
41046	99	P	SUR	24	-68	719	0	0.3	-0.2	0.4
41048	99	P	SUR	32	-70	719	0	0.4	0.0	0.4
41049	99	P	SUR	28	-62	720	0	0.3	0.2	0.4
41052	99	P	SUR	18	-65	646	0	0.3	-0.6	0.7
41053	99	P	SUR	19	-66	315	0	0.3	-0.5	0.6
41056	99	P	SUR	18	-66	121	0	0.3	-0.5	0.6
4200059	99	P	SUR	15	-68	4319	0	0.3	-0.1	0.3
4200060	99	P	SUR	16	-63	4319	0	0.3	-0.2	0.3
4200085	99	P	SUR	18	-67	3314	0	0.3	-0.4	0.5
42059	99	P	SUR	15	-68	720	0	0.3	-0.2	0.3
42060	99	P	SUR	16	-63	719	0	0.3	-0.2	0.3
42085	99	P	SUR	18	-67	588	0	0.3	-0.5	0.5
4400008	99	P	SUR	40	-69	4320	0	0.4	-0.5	0.7
4400011	99	P	SUR	41	-67	4320	0	0.4	-0.1	0.4
4400027	99	P	SUR	44	-67	4318	0	0.4	-1.1	1.1
4400137	99	P	SUR	42	-62	688	0	0.4	-0.1	0.4
4400139	99	P	SUR	44	-57	645	0	0.4	-0.2	0.5
4400150	99	P	SUR	43	-64	564	0	0.3	-0.3	0.4
4400258	99	P	SUR	45	-63	718	0	0.4	-0.1	0.4
4400488	99	P	SUR	45	-61	624	0	0.4	0.0	0.4
4400489	99	P	SUR	45	-61	698	0	0.4	0.0	0.4
44008	99	P	SUR	41	-69	720	0	0.4	-0.6	0.7
44011	99	P	SUR	41	-67	719	0	0.4	-0.1	0.4
4401584	99	P	SUR	29	-63	719	0	0.3	-0.1	0.3
44027	99	P	SUR	44	-67	719	0	0.4	-1.0	1.1
4402730	99	P	SUR	28	-36	660	0	0.3	-0.1	0.3
4402737	99	P	SUR	53	-45	720	0	0.4	-0.5	0.7
4402744	99	P	SUR	30	-50	720	0	0.2	0.0	0.2
4402749	99	P	SUR	70	1	554	0	0.3	-0.3	0.4
4402750	99	P	SUR	59	-6	627	0	0.3	-0.3	0.5
4403568	99	P	SUR	27	-47	720	0	0.2	0.2	0.3
44078	99	P	SUR	60	-40	677	0	0.4	-0.4	0.6
44137	99	P	SUR	42	-62	688	0	0.4	-0.2	0.4
44139	99	P	SUR	44	-57	646	0	0.5	-0.2	0.5
44150	99	P	SUR	43	-64	565	0	0.4	-0.3	0.5
44258	99	P	SUR	45	-63	719	0	0.4	-0.1	0.4
44488	99	P	SUR	45	-61	624	0	0.4	0.0	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44489	99	P	SUR	46	-61	698	0	0.4	0.0	0.4
4601782	99	P	SUR	29	-30	720	0	0.2	0.4	0.5
4701555	99	P	SUR	64	-22	24	0	0.0	-5.8	5.8
4701558	99	P	SUR	79	-18	60	0	0.3	-4.5	4.5
4801763	99	P	SUR	66	2	720	0	0.5	-11.5	11.5
4802582	99	P	SUR	64	-18	626	0	0.4	-9.8	9.9
4802664	99	P	SUR	83	-56	720	0	0.4	-0.6	0.7
4803997	99	P	SUR	45	-15	719	0	0.3	-0.2	0.4
4804044	99	P	SUR	35	16	679	0	0.3	-0.2	0.4
4804127	99	P	SUR	26	-47	719	0	0.3	0.0	0.3
4804130	99	P	SUR	14	-46	716	0	0.4	-0.8	0.9
4804271	99	P	SUR	39	-47	710	0	0.4	0.1	0.4
4804272	99	P	SUR	65	-6	369	0	0.3	-0.1	0.3
4804282	99	P	SUR	37	19	650	0	0.3	0.2	0.4
5801972	99	P	SUR	33	-17	667	0	0.2	-0.2	0.3
5802011	99	P	SUR	22	-53	720	0	0.2	0.1	0.2
5802026	99	P	SUR	33	-12	720	0	0.2	-0.1	0.3
5802033	99	P	SUR	17	-47	720	0	0.2	-0.1	0.3
5802060	99	P	SUR	77	-14	721	0	0.4	-0.4	0.6
5802095	99	P	SUR	50	-45	627	0	0.4	-0.2	0.5
5802112	99	P	SUR	19	-51	683	0	0.3	0.0	0.3
5802118	99	P	SUR	28	-45	720	0	0.3	0.0	0.3
5802227	99	P	SUR	50	-38	720	720	0.0	0.0	0.0
5802228	99	P	SUR	50	-58	536	0	0.5	0.0	0.5
5802253	99	P	SUR	43	-20	714	0	0.2	0.1	0.3
5802254	99	P	SUR	58	-29	531	0	0.3	-0.1	0.3
5802267	99	P	SUR	31	29	668	0	0.3	-0.1	0.3
6100001	99	P	SUR	43	8	682	0	0.4	0.3	0.5
6100002	99	P	SUR	42	5	682	0	0.3	0.1	0.3
6100197	99	P	SUR	40	4	720	0	0.3	0.5	0.6
6100198	99	P	SUR	37	-2	720	0	0.4	0.2	0.5
6100207	99	P	SUR	37	15	1199	0	0.3	-0.3	0.5
6100210	99	P	SUR	39	17	1282	0	0.4	-0.3	0.5
6100211	99	P	SUR	39	16	1229	0	0.3	-0.5	0.5
6100213	99	P	SUR	41	8	1195	0	0.3	-1.4	1.5
6100214	99	P	SUR	41	13	881	0	0.3	0.7	0.8
6100215	99	P	SUR	41	17	1412	0	0.3	-0.2	0.4
6100216	99	P	SUR	42	12	1011	0	0.3	-0.7	0.7
6100217	99	P	SUR	42	15	1125	0	0.4	0.1	0.4
6100218	99	P	SUR	44	14	897	0	0.4	-0.1	0.4
6100219	99	P	SUR	44	10	1122	0	0.3	0.0	0.3
6100220	99	P	SUR	45	13	1186	0	0.5	-0.1	0.5
6100280	99	P	SUR	41	1	719	0	0.3	0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6100281	99	P	SUR	40	0	719	0	0.4	-0.2	0.4
6100417	99	P	SUR	38	0	720	0	0.4	0.2	0.4
6100430	99	P	SUR	40	2	720	0	0.3	0.3	0.4
6101031	99	P	SUR	42	8	689	0	0.3	0.1	0.3
6101032	99	P	SUR	42	10	654	0	0.3	0.3	0.5
6101033	99	P	SUR	43	8	683	0	0.3	0.4	0.5
6101034	99	P	SUR	42	6	686	0	0.4	-0.1	0.4
6101035	99	P	SUR	40	7	683	0	0.3	0.2	0.3
6101036	99	P	SUR	42	7	692	0	0.3	0.1	0.4
6200001	99	P	SUR	45	-5	681	0	0.4	0.1	0.4
6200024	99	P	SUR	44	-3	720	0	0.4	0.3	0.5
6200025	99	P	SUR	44	-6	719	0	0.6	0.0	0.6
6200029	99	P	SUR	49	-12	720	0	0.4	-0.1	0.5
6200050	99	P	SUR	50	-4	718	0	0.3	-0.1	0.3
6200081	99	P	SUR	51	-13	720	0	0.4	-0.1	0.4
6200082	99	P	SUR	44	-8	719	0	0.4	0.2	0.5
6200083	99	P	SUR	43	-9	719	0	0.4	0.2	0.5
6200084	99	P	SUR	42	-9	719	0	0.4	0.1	0.4
6200085	99	P	SUR	36	-7	719	0	0.3	0.3	0.4
6200086	99	P	SUR	55	7	149	0	0.3	-0.3	0.4
6200087	99	P	SUR	55	7	182	0	0.3	-0.4	0.5
6200091	99	P	SUR	53	-5	720	0	0.4	-0.1	0.4
6200092	99	P	SUR	51	-11	720	0	0.4	-0.1	0.4
6200094	99	P	SUR	52	-7	720	0	0.4	-0.2	0.4
6200095	99	P	SUR	48	-2	664	91	5.9	-3.8	7.0
6200103	99	P	SUR	50	-3	720	0	0.4	0.1	0.4
6200163	99	P	SUR	47	-8	707	0	0.4	-0.2	0.4
6200442	99	P	SUR	49	-16	720	0	0.3	-0.2	0.4
6201065	99	P	SUR	54	7	643	0	0.3	1.2	1.2
6201066	99	P	SUR	55	7	719	0	0.3	0.1	0.4
6202598	99	P	SUR	34	-47	719	0	0.2	-0.1	0.3
6202599	99	P	SUR	46	-37	720	0	0.4	0.0	0.4
62029	99	P	SUR	49	-13	1438	0	0.4	-0.1	0.5
62030	99	P	SUR	50	-4	1433	0	0.4	-0.1	0.4
6203615	99	P	SUR	27	-34	719	0	0.2	0.3	0.3
6203625	99	P	SUR	31	-33	719	0	0.2	-0.2	0.3
6203632	99	P	SUR	33	-26	718	0	0.3	0.1	0.3
6203639	99	P	SUR	29	-34	720	0	0.2	-0.1	0.2
6203662	99	P	SUR	75	-19	714	0	0.6	-0.5	0.7
6203666	99	P	SUR	54	-26	720	0	0.3	0.0	0.3
6203668	99	P	SUR	80	14	718	0	0.4	-0.5	0.7
6203672	99	P	SUR	27	-59	720	0	0.3	0.2	0.3
6203674	99	P	SUR	60	-11	719	0	0.3	-0.1	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203676	99	P	SUR	62	-25	716	0	0.4	0.1	0.4
6203677	99	P	SUR	29	-21	719	0	0.2	-0.2	0.3
6203679	99	P	SUR	24	-44	719	0	0.2	-0.1	0.2
6203680	99	P	SUR	62	-1	719	0	0.3	-0.1	0.3
6203683	99	P	SUR	21	-39	718	0	0.2	0.2	0.3
6203686	99	P	SUR	29	-58	719	0	0.3	0.1	0.3
6203831	99	P	SUR	70	32	629	0	0.4	-0.2	0.4
6203836	99	P	SUR	65	-33	720	0	0.3	-0.1	0.3
6203849	99	P	SUR	30	-21	324	0	0.2	-0.1	0.2
6203853	99	P	SUR	76	18	719	0	0.4	0.2	0.4
6203854	99	P	SUR	71	27	705	0	0.3	0.0	0.3
6204523	99	P	SUR	45	-57	719	0	0.4	0.1	0.5
6204524	99	P	SUR	41	-34	535	0	0.3	0.1	0.3
6204525	99	P	SUR	41	-48	719	0	0.5	-0.2	0.5
6204526	99	P	SUR	43	-29	718	0	0.3	0.0	0.3
6204527	99	P	SUR	41	-40	717	0	0.7	0.3	0.7
6204528	99	P	SUR	48	-14	358	10	2.9	0.3	2.9
6204529	99	P	SUR	41	-30	717	0	0.3	0.1	0.3
6204530	99	P	SUR	44	-15	719	0	0.3	0.1	0.4
6204533	99	P	SUR	43	-24	440	0	0.3	-0.2	0.3
6204534	99	P	SUR	45	-35	658	0	0.3	-0.4	0.5
6204535	99	P	SUR	40	-41	183	2	4.5	-2.0	5.0
6204536	99	P	SUR	45	-31	555	16	1.9	-0.4	2.0
6204537	99	P	SUR	44	-57	717	0	0.4	0.2	0.5
62050	99	P	SUR	50	-4	1438	0	0.4	-0.1	0.4
62081	99	P	SUR	51	-13	1440	0	0.4	-0.1	0.4
62091	99	P	SUR	53	-5	719	0	0.4	-0.1	0.4
62092	99	P	SUR	51	-11	719	0	0.4	-0.1	0.4
62094	99	P	SUR	52	-7	719	0	0.4	-0.2	0.4
62095	99	P	SUR	48	-2	661	91	5.9	-3.8	7.0
62102	99	P	SUR	58	2	1440	0	0.3	0.2	0.4
62103	99	P	SUR	50	-3	1440	0	0.4	0.1	0.4
62104	99	P	SUR	57	1	1440	0	0.3	0.0	0.3
62105	99	P	SUR	55	-13	1433	0	0.4	-0.2	0.5
62107	99	P	SUR	50	-6	1438	0	0.4	-0.5	0.6
62112	99	P	SUR	58	0	1435	0	0.3	0.1	0.3
62113	99	P	SUR	58	0	1440	0	0.4	0.1	0.4
62114	99	P	SUR	58	0	1440	0	0.3	0.0	0.3
62115	99	P	SUR	58	-3	800	0	0.3	0.2	0.4
62116	99	P	SUR	58	1	1440	0	0.4	0.0	0.4
62118	99	P	SUR	58	1	1438	0	0.3	0.3	0.5
62119	99	P	SUR	57	2	1440	0	0.4	0.0	0.4
62120	99	P	SUR	56	2	1439	0	0.4	-0.4	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62121	99	P	SUR	54	3	1440	0	0.4	0.3	0.5
62122	99	P	SUR	57	2	1434	0	0.4	0.0	0.4
62124	99	P	SUR	54	-4	1061	0	0.4	-0.2	0.4
62127	99	P	SUR	54	1	1436	0	0.4	0.2	0.4
62129	99	P	SUR	58	0	1440	0	0.4	0.2	0.4
62130	99	P	SUR	59	1	1440	0	0.3	-0.2	0.4
62131	99	P	SUR	54	1	1438	0	0.4	0.5	0.6
62132	99	P	SUR	56	2	1437	0	0.4	0.0	0.4
62133	99	P	SUR	57	1	1440	0	0.4	0.2	0.4
62134	99	P	SUR	58	1	1432	0	0.3	0.2	0.4
62138	99	P	SUR	54	0	1436	0	0.4	0.5	0.6
62140	99	P	SUR	57	1	1438	0	0.3	0.2	0.4
62141	99	P	SUR	58	1	1292	0	0.3	-0.1	0.4
62143	99	P	SUR	58	2	1440	0	0.4	0.5	0.7
62144	99	P	SUR	53	2	1426	0	0.4	0.2	0.4
62145	99	P	SUR	53	3	1440	0	0.3	0.2	0.4
62146	99	P	SUR	57	2	1440	0	0.4	0.1	0.4
62148	99	P	SUR	54	2	1048	0	0.4	0.0	0.4
62149	99	P	SUR	54	1	1440	0	0.3	0.4	0.5
62151	99	P	SUR	57	2	1440	0	0.4	0.3	0.5
62152	99	P	SUR	57	2	1414	0	0.4	0.4	0.5
62153	99	P	SUR	57	2	1418	0	0.4	0.2	0.4
62154	99	P	SUR	56	2	1440	0	0.4	-0.3	0.5
62155	99	P	SUR	58	1	1440	0	0.3	0.4	0.5
62157	99	P	SUR	58	0	1436	0	0.3	0.0	0.3
62160	99	P	SUR	57	2	1440	0	0.4	0.1	0.4
62161	99	P	SUR	58	1	1440	0	0.3	-0.2	0.4
62162	99	P	SUR	57	1	1420	0	0.3	0.1	0.3
62163	99	P	SUR	48	-9	1412	0	0.4	-0.2	0.4
62164	99	P	SUR	57	1	1440	0	0.4	0.4	0.5
62165	99	P	SUR	54	1	1406	0	0.3	0.2	0.4
62168	99	P	SUR	58	1	1440	0	0.3	0.1	0.4
62170	99	P	SUR	51	2	1435	0	0.4	-0.4	0.6
62302	99	P	SUR	61	-2	1419	0	0.3	0.2	0.4
62304	99	P	SUR	51	2	1434	0	0.4	-0.1	0.4
62305	99	P	SUR	50	0	1440	0	0.4	-0.2	0.4
62442	99	P	SUR	49	-16	1439	0	0.3	-0.2	0.4
6301003	99	P	SUR	74	24	720	0	0.3	-0.4	0.5
6301004	99	P	SUR	72	20	637	0	0.3	-0.5	0.5
6301583	99	P	SUR	51	-27	717	0	0.3	0.0	0.3
6301584	99	P	SUR	79	-15	719	0	0.4	-0.1	0.4
6301587	99	P	SUR	84	-30	717	0	0.4	-0.1	0.4
6301634	99	P	SUR	57	-42	423	0	2.7	-0.7	2.8

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6301636	99	P	SUR	64	-25	523	57	1.5	-0.3	1.6
6301638	99	P	SUR	69	-23	718	0	0.7	0.2	0.7
6301641	99	P	SUR	82	-10	719	0	0.4	0.0	0.4
6301642	99	P	SUR	69	9	268	0	0.3	0.1	0.3
6301643	99	P	SUR	73	-2	269	0	0.2	0.0	0.2
6301644	99	P	SUR	73	7	270	0	0.3	-0.3	0.4
6301645	99	P	SUR	76	3	269	0	0.2	0.2	0.3
6301646	99	P	SUR	73	20	118	0	0.3	0.0	0.3
6301647	99	P	SUR	71	22	270	0	0.3	0.0	0.3
63055	99	P	SUR	61	2	1414	0	0.3	0.0	0.3
63056	99	P	SUR	60	2	1398	0	0.3	0.4	0.5
63057	99	P	SUR	59	2	1440	0	0.3	-0.3	0.5
63058	99	P	SUR	53	2	1410	0	0.4	0.1	0.4
63059	99	P	SUR	58	-1	1433	0	0.5	0.6	0.8
63102	99	P	SUR	61	1	1440	0	0.3	0.0	0.3
63108	99	P	SUR	61	2	1418	0	0.4	0.0	0.4
63109	99	P	SUR	60	2	1440	0	0.3	-0.2	0.4
63110	99	P	SUR	60	2	1440	0	0.3	-0.1	0.3
63111	99	P	SUR	61	2	1440	0	0.3	-0.3	0.4
63112	99	P	SUR	61	1	1440	0	0.3	-0.2	0.3
63115	99	P	SUR	62	1	1438	0	0.3	0.0	0.3
63118	99	P	SUR	58	1	1390	0	0.7	-0.7	0.9
6400045	99	P	SUR	59	-12	717	0	0.4	-0.1	0.4
6400046	99	P	SUR	61	-4	720	0	0.3	-0.1	0.3
6401599	99	P	SUR	84	-36	719	0	0.4	-0.1	0.4
6401601	99	P	SUR	60	-45	422	2	3.1	-0.2	3.2
6401602	99	P	SUR	75	-17	719	0	0.4	0.1	0.4
6402617	99	P	SUR	39	-41	628	0	0.3	-0.1	0.3
6402621	99	P	SUR	27	-49	672	0	0.2	0.3	0.4
6402631	99	P	SUR	33	23	720	0	0.3	0.1	0.3
64041	99	P	SUR	61	-3	1427	0	0.3	0.2	0.3
64045	99	P	SUR	59	-12	1434	0	0.4	-0.1	0.4
64046	99	P	SUR	61	-4	1440	0	0.3	-0.1	0.3
6600021	99	P	SUR	55	14	191	0	0.3	-0.8	0.9
6600022	99	P	SUR	54	14	271	0	0.4	-0.2	0.4
6600024	99	P	SUR	55	13	204	0	0.3	-1.2	1.2
6801771	99	P	SUR	44	-4	716	0	0.4	-0.1	0.4
6801789	99	P	SUR	16	-61	211	0	0.3	-0.1	0.3
6801791	99	P	SUR	39	-21	720	0	0.2	0.1	0.2
6801897	99	P	SUR	84	-45	81	0	0.4	-0.6	0.7
6801907	99	P	SUR	68	-6	689	0	0.4	-0.1	0.4
6801929	99	P	SUR	26	-58	720	0	0.3	0.0	0.3
6802060	99	P	SUR	51	-29	716	0	0.3	0.1	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6802061	99	P	SUR	60	-32	529	0	0.3	0.0	0.3
7801593	99	P	SUR	61	-28	720	0	0.3	-0.2	0.4
7801594	99	P	SUR	71	28	719	0	0.5	0.0	0.5
7801616	99	P	SUR	18	-50	720	0	0.2	-0.1	0.3
7801627	99	P	SUR	22	-64	720	0	0.3	0.4	0.5
7801647	99	P	SUR	36	-54	720	0	0.4	-0.4	0.6
7801697	99	P	SUR	22	-41	718	0	0.2	-0.3	0.4
7801699	99	P	SUR	34	-30	719	0	0.2	0.3	0.3
7801723	99	P	SUR	79	-13	708	0	0.4	0.0	0.4
7801742	99	P	SUR	23	-44	604	0	0.3	0.0	0.3
7801749	99	P	SUR	32	-18	719	0	0.3	-0.2	0.3
7801755	99	P	SUR	18	-42	473	0	0.2	-0.2	0.3
7810095	99	P	SUR	56	-23	720	0	0.3	0.0	0.3
7810096	99	P	SUR	43	-37	708	0	0.3	0.0	0.3
7810097	99	P	SUR	41	-49	720	0	0.4	-0.1	0.4
7810098	99	P	SUR	45	-19	719	0	0.3	-0.1	0.3
7810099	99	P	SUR	43	-14	708	0	0.2	-0.6	0.6
7810263	99	P	SUR	45	-35	720	0	0.4	-1.2	1.3
7810264	99	P	SUR	46	-31	720	0	0.3	-0.5	0.5
7810265	99	P	SUR	41	-33	600	0	0.3	-0.1	0.3
7810266	99	P	SUR	47	-36	720	0	0.4	0.2	0.4
7810268	99	P	SUR	20	-33	636	0	0.2	0.1	0.3
7810290	99	P	SUR	42	-39	717	0	0.4	-0.3	0.6
7810310	99	P	SUR	22	-39	720	0	0.3	-0.3	0.4
7810312	99	P	SUR	30	-26	719	0	0.2	-0.3	0.3
7810437	99	P	SUR	50	-43	698	0	0.5	-0.2	0.5
7810438	99	P	SUR	50	-51	714	0	0.5	0.1	0.5
7810439	99	P	SUR	54	-45	715	0	0.4	0.3	0.5
7810440	99	P	SUR	53	-51	714	0	0.4	0.0	0.4
7810441	99	P	SUR	47	-45	714	0	0.5	-0.1	0.5
7810442	99	P	SUR	51	-33	713	0	0.4	-0.3	0.5
7810445	99	P	SUR	49	-37	714	0	0.4	0.1	0.4
7810446	99	P	SUR	44	-31	589	0	0.6	0.5	0.8
7810608	99	P	SUR	32	-45	707	0	0.4	0.0	0.4
7810609	99	P	SUR	34	-46	719	0	0.4	-0.1	0.4
7810612	99	P	SUR	35	-31	12	0	0.2	0.0	0.2
7810616	99	P	SUR	45	-43	573	0	0.4	0.2	0.4
7810617	99	P	SUR	37	20	662	0	0.4	0.2	0.4
7810618	99	P	SUR	38	17	629	0	0.3	0.6	0.7
7810765	99	P	SUR	33	-47	717	0	0.4	0.2	0.4
7810766	99	P	SUR	34	-28	714	0	0.3	0.1	0.3
7810767	99	P	SUR	41	-57	714	0	0.4	0.1	0.4
7810768	99	P	SUR	38	-60	715	0	0.4	-0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
7810770	99	P	SUR	36	-53	716	0	0.5	0.2	0.5
7810771	99	P	SUR	36	-49	697	0	0.4	0.0	0.4
7810772	99	P	SUR	34	-22	715	0	0.2	-0.1	0.2
7810773	99	P	SUR	33	-37	718	0	0.3	-0.1	0.3
7810774	99	P	SUR	38	-26	718	0	0.3	0.0	0.3
7810775	99	P	SUR	36	-19	716	0	0.2	0.0	0.2
7810776	99	P	SUR	34	-67	713	0	0.4	-0.3	0.5
7810777	99	P	SUR	34	-39	719	0	0.3	-0.1	0.3
7810778	99	P	SUR	35	-35	718	0	0.3	-0.2	0.3
7810780	99	P	SUR	35	-18	708	0	0.3	0.0	0.3
7810781	99	P	SUR	45	-44	671	0	0.3	0.0	0.3
7810782	99	P	SUR	45	-33	682	0	0.4	-0.1	0.4
7810783	99	P	SUR	45	-28	709	0	0.3	0.2	0.3
7810784	99	P	SUR	38	-42	719	0	0.3	0.2	0.3
7811007	99	P	SUR	89	-4	718	0	0.4	-0.5	0.7
7894568	99	P	SUR	56	-13	711	0	0.3	0.1	0.4
7894569	99	P	SUR	50	-13	709	7	1.3	0.2	1.3
7894570	99	P	SUR	51	-18	427	34	3.1	-0.7	3.2
9014066	99	P	SUR	11	-52	19	0	0.7	-4.2	4.3
9193264	99	P	SUR	36	23	1	0	0.0	-0.7	0.7

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1000044	99	SPEED	SUR	55	10	17	0	0	1.1	0.2	1.1
1300008	99	SPEED	SUR	15	-38	255	0	0	0.9	-0.1	0.9
1300130	99	SPEED	SUR	28	-16	720	0	0	0.7	-0.8	1.1
1300131	99	SPEED	SUR	28	-17	694	0	0	2.3	0.8	2.5
1801951	99	SPEED	SUR	34	18	696	0	0	1.5	1.2	1.9
4100040	99	SPEED	SUR	15	-53	4317	0	0	0.6	0.1	0.7
4100041	99	SPEED	SUR	14	-46	4320	0	0	0.7	0.0	0.7
4100043	99	SPEED	SUR	21	-65	4316	0	0	0.8	0.2	0.8
4100044	99	SPEED	SUR	22	-59	4316	0	0	0.7	0.2	0.8
4100046	99	SPEED	SUR	24	-68	4307	0	0	1.1	0.6	1.2
4100048	99	SPEED	SUR	32	-70	4317	0	0	1.1	-0.2	1.1
4100049	99	SPEED	SUR	28	-62	4319	0	0	1.2	0.1	1.2
4100052	99	SPEED	SUR	18	-65	3557	0	0	0.8	0.2	0.8
4100053	99	SPEED	SUR	18	-66	3839	0	0	1.2	1.0	1.6
4100056	99	SPEED	SUR	18	-65	2230	0	0	0.9	0.0	1.0
41040	99	SPEED	SUR	15	-53	719	0	0	0.7	-0.5	0.8
41041	99	SPEED	SUR	14	-46	720	0	0	0.8	-0.7	1.0
41043	99	SPEED	SUR	21	-65	719	0	0	0.9	-0.2	0.9
41044	99	SPEED	SUR	22	-59	719	0	0	0.8	-0.2	0.8
41046	99	SPEED	SUR	24	-68	719	0	0	1.2	0.2	1.2
41048	99	SPEED	SUR	32	-70	719	0	0	1.2	-0.5	1.3
41049	99	SPEED	SUR	28	-62	720	0	0	1.3	-0.1	1.3
41052	99	SPEED	SUR	18	-65	646	0	0	0.9	-0.2	0.9
41053	99	SPEED	SUR	19	-66	318	0	0	1.4	-0.3	1.4
41056	99	SPEED	SUR	18	-66	121	0	0	1.0	-0.4	1.1
4200059	99	SPEED	SUR	15	-68	4319	0	0	0.7	0.2	0.7
4200060	99	SPEED	SUR	16	-63	4319	0	0	1.0	0.2	1.0
4200085	99	SPEED	SUR	18	-67	3316	0	0	1.1	0.0	1.1
42059	99	SPEED	SUR	15	-68	720	0	0	0.8	-0.4	0.9
42060	99	SPEED	SUR	16	-63	719	0	0	1.1	-0.3	1.1
42085	99	SPEED	SUR	18	-67	589	0	0	1.3	0.0	1.3
4400008	99	SPEED	SUR	40	-69	4242	0	0	1.2	-0.8	1.4
4400011	99	SPEED	SUR	41	-67	4320	0	0	1.6	0.0	1.6
4400027	99	SPEED	SUR	44	-67	4317	0	0	1.3	-0.6	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
440032	99	SPEED	SUR	44	-69	3012	0	0	1.6	-0.7	1.7
440033	99	SPEED	SUR	44	-69	3229	0	0	1.5	-0.4	1.5
440034	99	SPEED	SUR	44	-68	3139	0	0	1.5	-1.4	2.0
4400137	99	SPEED	SUR	42	-62	688	0	0	1.5	-1.0	1.7
4400139	99	SPEED	SUR	44	-57	645	0	0	1.3	-0.6	1.4
4400150	99	SPEED	SUR	43	-64	564	0	0	1.4	-0.6	1.5
4400258	99	SPEED	SUR	45	-63	718	0	0	1.3	-0.1	1.3
4400488	99	SPEED	SUR	45	-61	624	0	0	1.4	0.2	1.5
4400489	99	SPEED	SUR	45	-61	698	0	0	1.4	1.5	2.1
44008	99	SPEED	SUR	41	-69	714	0	0	1.4	-1.5	2.1
44011	99	SPEED	SUR	41	-67	719	0	0	1.8	-0.5	1.9
44027	99	SPEED	SUR	44	-67	719	0	0	1.5	-1.3	1.9
44032	99	SPEED	SUR	44	-69	182	0	0	1.8	-1.5	2.3
44033	99	SPEED	SUR	44	-69	219	0	0	1.7	-0.7	1.8
44034	99	SPEED	SUR	44	-68	224	0	0	1.7	-2.2	2.8
44078	99	SPEED	SUR	60	-40	677	0	0	1.4	-1.2	1.9
44137	99	SPEED	SUR	42	-62	688	0	0	1.5	-0.9	1.7
44139	99	SPEED	SUR	44	-57	646	0	0	1.3	-0.6	1.5
44150	99	SPEED	SUR	43	-64	565	0	0	1.5	-1.1	1.9
44258	99	SPEED	SUR	45	-63	719	0	0	1.4	-0.6	1.5
44488	99	SPEED	SUR	45	-61	624	0	0	1.4	0.1	1.4
44489	99	SPEED	SUR	46	-61	698	0	0	1.5	1.0	1.8
6100001	99	SPEED	SUR	43	8	682	0	0	1.5	0.1	1.5
6100002	99	SPEED	SUR	42	5	677	0	0	1.2	0.5	1.3
6100196	99	SPEED	SUR	42	4	686	0	0	1.5	-0.6	1.6
6100197	99	SPEED	SUR	40	4	706	0	0	1.1	-0.2	1.1
6100198	99	SPEED	SUR	37	-2	684	1	0	1.6	-1.2	2.0
6100207	99	SPEED	SUR	37	15	1199	0	0	1.5	1.3	2.0
6100210	99	SPEED	SUR	39	17	1282	0	0	1.5	0.4	1.6
6100211	99	SPEED	SUR	39	16	1229	0	0	1.3	0.6	1.4
6100213	99	SPEED	SUR	41	8	1195	0	0	1.2	0.5	1.3
6100214	99	SPEED	SUR	41	13	881	0	0	1.2	0.6	1.3
6100215	99	SPEED	SUR	41	17	1412	0	0	1.4	0.8	1.6
6100216	99	SPEED	SUR	42	12	1011	0	0	1.4	0.6	1.5
6100217	99	SPEED	SUR	42	15	1125	0	0	1.4	0.7	1.5
6100218	99	SPEED	SUR	44	14	897	0	0	1.4	0.7	1.6
6100219	99	SPEED	SUR	44	10	1122	0	0	1.5	0.3	1.5
6100220	99	SPEED	SUR	45	13	1186	0	0	1.8	0.6	1.9
6100280	99	SPEED	SUR	41	1	627	0	0	1.2	-0.7	1.4
6100281	99	SPEED	SUR	40	0	641	0	0	1.4	-0.2	1.4
6100417	99	SPEED	SUR	38	0	713	0	0	1.1	-0.5	1.2

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6100430	99	SPEED	SUR	40	2	696	0	0	1.5	0.0	1.5
6101031	99	SPEED	SUR	42	8	689	0	0	1.1	0.6	1.2
6101032	99	SPEED	SUR	42	10	654	0	0	1.4	0.2	1.4
6101033	99	SPEED	SUR	43	8	683	0	0	1.2	0.1	1.2
6101034	99	SPEED	SUR	42	6	686	0	0	1.3	0.8	1.5
6101035	99	SPEED	SUR	40	7	683	0	0	1.2	0.6	1.3
6101036	99	SPEED	SUR	42	7	692	0	0	1.2	0.1	1.2
6200001	99	SPEED	SUR	45	-5	682	0	0	1.1	0.5	1.3
6200024	99	SPEED	SUR	44	-3	689	0	0	1.5	-0.9	1.8
6200025	99	SPEED	SUR	44	-6	666	0	0	1.5	-0.8	1.7
6200029	99	SPEED	SUR	49	-12	720	0	0	1.1	0.7	1.3
6200050	99	SPEED	SUR	50	-4	718	0	0	1.2	-0.4	1.3
6200081	99	SPEED	SUR	51	-13	720	0	0	1.1	0.3	1.2
6200082	99	SPEED	SUR	44	-8	692	0	0	1.2	-0.5	1.3
6200083	99	SPEED	SUR	43	-9	703	0	0	1.1	-0.9	1.5
6200084	99	SPEED	SUR	42	-9	710	0	0	1.2	-0.8	1.4
6200085	99	SPEED	SUR	36	-7	714	0	0	1.3	-0.4	1.4
6200086	99	SPEED	SUR	55	7	149	0	0	1.6	1.4	2.1
6200087	99	SPEED	SUR	55	7	181	0	0	1.5	0.7	1.6
6200091	99	SPEED	SUR	53	-5	720	0	0	1.3	0.2	1.3
6200092	99	SPEED	SUR	51	-11	720	0	0	1.2	0.6	1.3
6200094	99	SPEED	SUR	52	-7	720	0	0	1.1	0.1	1.1
6200095	99	SPEED	SUR	48	-2	664	0	0	3.1	4.6	5.5
6200103	99	SPEED	SUR	50	-3	720	0	0	1.3	-0.2	1.3
6200163	99	SPEED	SUR	47	-8	707	0	0	1.1	0.4	1.2
6200442	99	SPEED	SUR	49	-16	720	0	0	1.1	0.3	1.2
6201065	99	SPEED	SUR	54	7	643	0	0	1.5	-0.7	1.6
6201066	99	SPEED	SUR	55	7	719	0	0	1.5	0.3	1.5
62029	99	SPEED	SUR	49	-13	1438	0	0	1.2	0.2	1.2
62050	99	SPEED	SUR	50	-4	1438	0	0	1.2	-0.4	1.3
62081	99	SPEED	SUR	51	-13	1440	0	0	1.1	0.3	1.2
62091	99	SPEED	SUR	53	-5	719	0	0	1.3	0.5	1.4
62092	99	SPEED	SUR	51	-11	719	0	0	1.2	0.7	1.4
62094	99	SPEED	SUR	52	-7	719	0	0	1.1	0.2	1.1
62095	99	SPEED	SUR	48	-2	661	0	0	3.1	4.6	5.6
62102	99	SPEED	SUR	58	2	1440	0	0	1.2	0.3	1.3
62103	99	SPEED	SUR	50	-3	1440	0	0	1.3	-0.4	1.4
62104	99	SPEED	SUR	57	1	1440	0	0	1.3	0.3	1.3
62105	99	SPEED	SUR	55	-13	1437	0	0	1.1	0.1	1.1
62112	99	SPEED	SUR	58	0	1435	0	0	1.3	-0.4	1.3
62113	99	SPEED	SUR	58	0	1440	0	0	1.3	0.3	1.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62114	99	SPEED	SUR	58	0	1440	0	0	1.4	0.7	1.6
62118	99	SPEED	SUR	58	1	1436	0	0	1.2	0.7	1.4
62120	99	SPEED	SUR	56	2	1437	0	0	1.2	-0.6	1.4
62121	99	SPEED	SUR	54	3	1440	0	0	1.3	-0.2	1.3
62122	99	SPEED	SUR	57	2	1434	0	0	1.0	-0.1	1.0
62129	99	SPEED	SUR	58	0	1440	0	0	1.2	0.5	1.3
62131	99	SPEED	SUR	54	1	1438	0	0	1.5	0.0	1.5
62133	99	SPEED	SUR	57	1	1440	0	0	1.1	-0.3	1.2
62134	99	SPEED	SUR	58	1	1432	0	0	1.1	-0.8	1.3
62140	99	SPEED	SUR	57	1	1438	0	0	1.1	0.2	1.1
62143	99	SPEED	SUR	58	2	1440	0	0	1.4	0.0	1.4
62144	99	SPEED	SUR	53	2	1424	0	0	1.9	-0.4	1.9
62145	99	SPEED	SUR	53	3	1436	0	0	1.6	1.1	1.9
62146	99	SPEED	SUR	57	2	1440	0	0	1.1	0.3	1.2
62148	99	SPEED	SUR	54	2	1116	0	0	1.5	0.3	1.5
62149	99	SPEED	SUR	54	1	1440	0	0	1.6	0.0	1.6
62152	99	SPEED	SUR	57	2	1414	0	0	1.3	0.6	1.4
62154	99	SPEED	SUR	56	2	1440	0	0	1.3	0.7	1.5
62155	99	SPEED	SUR	58	1	1440	0	0	1.4	0.1	1.4
62163	99	SPEED	SUR	48	-9	1412	0	0	1.1	0.4	1.2
62164	99	SPEED	SUR	57	1	1440	0	0	1.3	-0.6	1.5
62165	99	SPEED	SUR	54	1	1406	0	0	1.6	-0.5	1.7
62170	99	SPEED	SUR	51	2	1435	0	0	1.6	0.5	1.7
62304	99	SPEED	SUR	51	2	1434	0	0	1.7	0.6	1.8
62305	99	SPEED	SUR	50	0	1440	0	0	1.4	0.8	1.6
62442	99	SPEED	SUR	49	-16	1439	0	0	1.2	0.2	1.2
6301003	99	SPEED	SUR	74	24	720	0	0	0.8	0.0	0.8
6301004	99	SPEED	SUR	72	20	638	0	0	1.1	0.2	1.1
63055	99	SPEED	SUR	61	2	1410	0	0	1.0	-0.3	1.0
63056	99	SPEED	SUR	60	2	1392	0	0	1.2	0.8	1.5
63057	99	SPEED	SUR	59	2	1440	0	0	1.7	-0.5	1.8
63058	99	SPEED	SUR	53	2	1410	0	0	1.5	0.2	1.5
63108	99	SPEED	SUR	61	2	1416	0	0	1.2	0.6	1.3
63109	99	SPEED	SUR	60	2	1440	0	0	1.2	0.7	1.4
63110	99	SPEED	SUR	60	2	1440	0	0	1.2	0.4	1.2
63112	99	SPEED	SUR	61	1	1440	0	0	1.0	0.1	1.0
63115	99	SPEED	SUR	62	1	1438	0	0	1.2	-0.2	1.2
6400046	99	SPEED	SUR	61	-4	720	0	0	1.1	0.4	1.2
64041	99	SPEED	SUR	61	-3	1427	0	0	1.2	-0.1	1.2
64046	99	SPEED	SUR	61	-4	1440	0	0	1.1	0.4	1.2
6600021	99	SPEED	SUR	55	14	191	0	0	1.1	0.2	1.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6600022	99	SPEED	SUR	54	14	271	0	0	1.4	0.2	1.4
6600024	99	SPEED	SUR	55	13	151	0	0	1.5	0.6	1.6
9014066	99	SPEED	SUR	11	-52	19	2	0	4.9	0.6	4.9
9193264	99	SPEED	SUR	36	23	1	0	0	0.0	-0.9	0.9

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2026
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300008	99	DIRN	SUR	15	-38	255	0	0	9.0	-0.7	9.0
1300130	99	DIRN	SUR	28	-16	703	0	0	8.1	-0.4	8.1
1300131	99	DIRN	SUR	28	-17	380	0	2	17.5	-0.8	17.5
4100001	99	DIRN	SUR	35	-72	3524	0	0	17.4	3.7	17.8
4100002	99	DIRN	SUR	32	-75	3632	0	0	16.2	7.0	17.6
4100004	99	DIRN	SUR	33	-79	3514	0	0	15.7	3.8	16.2
4100008	99	DIRN	SUR	31	-81	2380	0	0	18.4	2.3	18.6
4100009	99	DIRN	SUR	29	-80	2859	0	1	23.0	7.4	24.1
4100010	99	DIRN	SUR	29	-78	3644	0	0	17.2	3.0	17.5
4100013	99	DIRN	SUR	33	-78	3733	0	0	13.6	5.3	14.6
4100024	99	DIRN	SUR	34	-78	424	0	0	14.2	3.2	14.6
4100025	99	DIRN	SUR	35	-75	3561	0	1	16.1	8.8	18.4
4100029	99	DIRN	SUR	33	-80	602	0	0	18.3	0.1	18.3
4100033	99	DIRN	SUR	32	-80	584	0	0	15.7	2.0	15.8
4100037	99	DIRN	SUR	34	-77	600	0	0	13.6	2.6	13.8
4100038	99	DIRN	SUR	34	-78	629	0	0	17.3	3.5	17.7
4100040	99	DIRN	SUR	15	-53	4317	0	0	6.5	-2.0	6.8
4100041	99	DIRN	SUR	14	-46	4320	0	0	6.7	-1.0	6.8
4100043	99	DIRN	SUR	21	-65	4011	0	0	10.1	4.9	11.2
4100044	99	DIRN	SUR	22	-59	4130	0	0	9.5	-0.4	9.5
4100046	99	DIRN	SUR	24	-68	3969	0	0	12.6	3.2	13.0
4100047	99	DIRN	SUR	28	-71	3176	0	1	15.5	6.0	16.7
4100048	99	DIRN	SUR	32	-70	3432	0	0	15.0	6.0	16.2
4100049	99	DIRN	SUR	28	-62	2694	0	0	18.2	8.8	20.2
4100052	99	DIRN	SUR	18	-65	3555	0	0	8.6	1.4	8.7
4100053	99	DIRN	SUR	18	-66	3316	0	0	12.0	-4.2	12.7
4100056	99	DIRN	SUR	18	-65	2209	0	0	11.6	0.3	11.6
4100064	99	DIRN	SUR	34	-77	624	0	1	14.8	-13.8	20.2
4100066	99	DIRN	SUR	33	-80	582	0	0	19.3	3.2	19.5
4100068	99	DIRN	SUR	28	-80	397	0	2	22.0	6.6	23.0
4100069	99	DIRN	SUR	29	-81	472	0	1	26.0	-10.8	28.1
4100082	99	DIRN	SUR	36	-75	3292	0	0	15.3	-10.1	18.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4100083	99	DIRN	SUR	36	-75	3281	0	1	15.9	-11.8	19.8
41001	99	DIRN	SUR	35	-72	582	0	0	16.2	3.9	16.7
41002	99	DIRN	SUR	32	-75	602	0	0	17.1	6.0	18.1
41004	99	DIRN	SUR	33	-79	583	0	0	15.5	3.6	15.9
41008	99	DIRN	SUR	31	-81	398	0	0	19.0	2.7	19.2
41009	99	DIRN	SUR	29	-80	483	0	1	23.6	7.4	24.7
41010	99	DIRN	SUR	29	-79	617	0	0	17.8	3.3	18.1
41013	99	DIRN	SUR	33	-78	614	0	0	13.6	5.0	14.5
41024	99	DIRN	SUR	34	-79	387	0	0	13.6	2.7	13.8
41025	99	DIRN	SUR	35	-75	595	0	1	17.1	8.3	19.0
41029	99	DIRN	SUR	33	-80	611	0	0	20.2	-0.7	20.2
41033	99	DIRN	SUR	32	-80	574	0	0	16.2	1.5	16.3
41037	99	DIRN	SUR	34	-77	598	0	0	14.2	2.0	14.3
41038	99	DIRN	SUR	34	-78	627	0	0	17.9	3.0	18.2
41040	99	DIRN	SUR	15	-53	719	0	0	7.0	-2.4	7.4
41041	99	DIRN	SUR	14	-46	720	0	0	7.3	-1.5	7.4
41043	99	DIRN	SUR	21	-65	662	0	0	9.6	4.4	10.6
41044	99	DIRN	SUR	22	-59	683	0	0	10.4	-0.8	10.5
41046	99	DIRN	SUR	24	-68	659	0	0	13.0	2.3	13.2
41047	99	DIRN	SUR	28	-72	512	0	1	16.3	6.7	17.7
41048	99	DIRN	SUR	32	-70	568	0	0	14.9	5.7	15.9
41049	99	DIRN	SUR	28	-62	434	0	0	19.2	8.6	21.0
41052	99	DIRN	SUR	18	-65	645	0	0	9.3	1.0	9.3
41053	99	DIRN	SUR	19	-66	279	0	0	13.0	-2.8	13.2
41056	99	DIRN	SUR	18	-66	119	0	0	10.2	1.7	10.4
41064	99	DIRN	SUR	34	-77	626	0	1	15.7	-14.3	21.2
41066	99	DIRN	SUR	33	-80	428	0	0	17.8	7.1	19.2
41068	99	DIRN	SUR	28	-80	397	0	1	22.6	4.6	23.1
41069	99	DIRN	SUR	29	-81	481	0	2	25.8	-12.1	28.5
41082	99	DIRN	SUR	36	-75	545	0	0	16.2	-9.9	19.0
41083	99	DIRN	SUR	36	-75	548	0	1	16.8	-12.5	20.9
4200013	99	DIRN	SUR	27	-83	696	0	0	16.1	-5.9	17.1
4200023	99	DIRN	SUR	26	-83	523	0	1	18.1	-4.8	18.7
4200026	99	DIRN	SUR	25	-83	937	0	0	16.5	1.7	16.6
4200036	99	DIRN	SUR	29	-85	2439	0	0	16.2	7.3	17.8
4200056	99	DIRN	SUR	20	-85	4279	0	0	10.9	-2.3	11.2
4200057	99	DIRN	SUR	17	-82	4320	0	0	9.3	4.6	10.4
4200058	99	DIRN	SUR	14	-76	4319	0	0	6.2	2.5	6.7
4200059	99	DIRN	SUR	15	-68	4319	0	0	6.9	3.0	7.6
4200060	99	DIRN	SUR	16	-63	4303	0	0	10.2	2.5	10.5
4200085	99	DIRN	SUR	18	-67	3293	0	0	11.9	-0.3	11.9

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42013	99	DIRN	SUR	27	-83	353	0	0	18.0	-4.8	18.6
42022	99	DIRN	SUR	28	-84	50	0	0	16.3	-2.4	16.4
42023	99	DIRN	SUR	26	-83	157	0	1	19.3	-3.6	19.6
42026	99	DIRN	SUR	25	-84	446	0	0	16.9	3.5	17.3
42036	99	DIRN	SUR	29	-85	402	0	0	16.3	8.1	18.1
42056	99	DIRN	SUR	20	-85	706	0	0	11.5	-2.9	11.9
42057	99	DIRN	SUR	17	-82	718	0	0	9.8	4.1	10.6
42058	99	DIRN	SUR	14	-76	720	0	0	6.8	2.0	7.1
42059	99	DIRN	SUR	15	-68	720	0	0	7.6	2.5	8.0
42060	99	DIRN	SUR	16	-63	713	0	0	10.2	1.9	10.3
42085	99	DIRN	SUR	18	-67	580	0	0	12.9	-1.1	12.9
4400007	99	DIRN	SUR	44	-70	2019	0	1	20.3	6.0	21.1
4400008	99	DIRN	SUR	40	-69	2495	0	0	15.3	15.1	21.5
4400009	99	DIRN	SUR	38	-75	2969	0	1	17.0	2.5	17.2
4400011	99	DIRN	SUR	41	-67	2706	0	0	16.3	9.4	18.8
4400013	99	DIRN	SUR	42	-71	2268	0	1	18.2	11.5	21.5
4400020	99	DIRN	SUR	41	-70	3334	0	1	17.1	1.2	17.2
4400025	99	DIRN	SUR	40	-73	157	0	0	18.2	6.2	19.2
4400027	99	DIRN	SUR	44	-67	2672	0	0	16.9	17.6	24.4
4400029	99	DIRN	SUR	43	-71	1815	0	1	20.4	8.4	22.1
4400030	99	DIRN	SUR	43	-70	1801	0	3	20.1	18.2	27.1
4400032	99	DIRN	SUR	44	-69	1617	0	1	22.0	14.7	26.5
4400033	99	DIRN	SUR	44	-69	1406	0	1	22.4	11.1	25.0
4400034	99	DIRN	SUR	44	-68	1433	0	0	19.1	9.6	21.4
4400042	99	DIRN	SUR	38	-76	3281	0	1	22.7	3.8	23.0
4400058	99	DIRN	SUR	38	-76	3060	0	0	21.0	-0.5	21.0
4400062	99	DIRN	SUR	39	-76	3356	0	1	22.9	0.5	22.9
4400063	99	DIRN	SUR	39	-76	2625	0	1	22.6	-1.7	22.7
4400065	99	DIRN	SUR	40	-74	3139	0	1	18.2	8.8	20.3
4400072	99	DIRN	SUR	37	-76	54	0	0	28.9	0.4	28.9
4400073	99	DIRN	SUR	43	-71	1	1	0	0.0	-93.2	93.2
4400074	99	DIRN	SUR	43	-71	447	0	0	19.1	-0.3	19.1
4400079	99	DIRN	SUR	36	-75	2996	0	1	16.5	-8.0	18.4
4400080	99	DIRN	SUR	39	-77	1362	0	2	18.8	-0.4	18.8
4400137	99	DIRN	SUR	42	-62	490	0	0	16.9	0.3	16.9
4400139	99	DIRN	SUR	44	-57	534	0	0	13.5	-0.5	13.5
4400150	99	DIRN	SUR	43	-64	332	0	0	19.0	8.4	20.8
4400258	99	DIRN	SUR	45	-63	449	0	0	16.8	1.1	16.8
4400488	99	DIRN	SUR	45	-61	452	0	0	20.2	-15.5	25.5
4400489	99	DIRN	SUR	45	-61	402	0	0	19.1	3.8	19.5
44007	99	DIRN	SUR	44	-70	363	0	1	22.4	6.7	23.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44008	99	DIRN	SUR	41	-69	420	0	0	15.3	14.7	21.3
44009	99	DIRN	SUR	39	-75	493	0	1	16.9	2.8	17.2
44011	99	DIRN	SUR	41	-67	443	0	0	16.4	9.0	18.7
44013	99	DIRN	SUR	42	-71	370	0	1	19.7	12.3	23.2
44020	99	DIRN	SUR	42	-70	552	0	1	16.7	1.1	16.7
44025	99	DIRN	SUR	40	-73	14	0	7	15.2	0.6	15.2
44027	99	DIRN	SUR	44	-67	422	0	0	18.1	15.4	23.7
44029	99	DIRN	SUR	43	-71	114	0	0	20.1	10.2	22.6
44030	99	DIRN	SUR	43	-70	234	0	3	22.3	17.4	28.3
44032	99	DIRN	SUR	44	-69	108	0	2	26.0	15.7	30.4
44033	99	DIRN	SUR	44	-69	96	0	2	25.1	9.6	26.9
44034	99	DIRN	SUR	44	-68	103	0	0	20.0	10.3	22.5
44042	99	DIRN	SUR	38	-76	428	0	2	23.5	4.0	23.8
44058	99	DIRN	SUR	38	-76	394	0	1	21.4	1.2	21.4
44062	99	DIRN	SUR	39	-76	463	0	1	24.4	1.2	24.4
44063	99	DIRN	SUR	39	-76	382	0	1	25.5	-1.2	25.5
44065	99	DIRN	SUR	40	-74	519	0	1	19.5	8.8	21.4
44069	99	DIRN	SUR	41	-73	505	0	1	18.8	-8.2	20.5
44072	99	DIRN	SUR	37	-76	21	0	0	39.6	-0.2	39.6
44074	99	DIRN	SUR	43	-71	126	0	0	18.2	-0.6	18.2
44078	99	DIRN	SUR	60	-40	531	0	0	13.7	-14.6	20.0
44079	99	DIRN	SUR	36	-75	506	0	1	16.0	-8.0	17.9
44080	99	DIRN	SUR	39	-77	288	0	3	22.9	0.8	23.0
44137	99	DIRN	SUR	42	-62	474	0	0	17.5	-0.4	17.5
44139	99	DIRN	SUR	44	-57	519	0	0	14.0	-1.0	14.0
44150	99	DIRN	SUR	43	-64	335	0	0	19.4	8.0	21.0
44258	99	DIRN	SUR	45	-63	446	0	0	18.9	1.2	18.9
44488	99	DIRN	SUR	45	-61	445	0	0	20.0	-15.9	25.5
44489	99	DIRN	SUR	46	-61	452	0	0	20.6	4.0	21.0
4500005	99	DIRN	SUR	42	-82	3046	0	1	21.5	10.5	24.0
4500012	99	DIRN	SUR	44	-77	2238	0	1	22.1	16.3	27.4
4500132	99	DIRN	SUR	42	-81	378	1	4	25.4	5.6	26.0
4500135	99	DIRN	SUR	44	-77	266	0	1	24.1	1.6	24.1
4500137	99	DIRN	SUR	46	-81	508	0	0	20.6	4.0	21.0
4500139	99	DIRN	SUR	43	-80	289	0	1	23.1	2.4	23.2
4500142	99	DIRN	SUR	43	-79	387	0	2	22.9	4.4	23.3
4500143	99	DIRN	SUR	45	-81	469	0	1	25.1	14.6	29.0
4500159	99	DIRN	SUR	44	-79	313	0	1	28.1	3.0	28.2
4500162	99	DIRN	SUR	45	-83	677	0	2	23.9	4.9	24.4
4500163	99	DIRN	SUR	44	-84	1323	0	2	23.4	9.2	25.1
4500164	99	DIRN	SUR	42	-82	3	0	67	0.0	-12.8	12.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4500165	99	DIRN	SUR	42	-83	3096	0	1	25.5	33.8	42.4
4500167	99	DIRN	SUR	42	-80	1268	0	1	24.6	4.1	25.0
4500175	99	DIRN	SUR	46	-85	903	0	1	27.3	-0.8	27.3
4500176	99	DIRN	SUR	42	-82	2511	0	0	20.9	-5.0	21.5
4500178	99	DIRN	SUR	45	-73	250	0	0	19.5	6.0	20.4
4500190	99	DIRN	SUR	43	-77	385	0	0	19.9	1.7	20.0
4500196	99	DIRN	SUR	42	-82	2568	0	0	27.7	-14.6	31.3
4500197	99	DIRN	SUR	42	-82	2249	0	0	18.2	-15.5	24.0
4500200	99	DIRN	SUR	42	-83	2789	0	0	17.9	5.8	18.8
4500202	99	DIRN	SUR	42	-83	2840	0	1	30.7	-13.5	33.5
4500203	99	DIRN	SUR	41	-83	2405	0	0	26.3	16.2	30.9
4500204	99	DIRN	SUR	42	-82	2705	0	0	25.1	-22.1	33.5
4500205	99	DIRN	SUR	42	-82	2026	0	0	27.5	18.2	32.9
4500206	99	DIRN	SUR	42	-82	1927	0	0	19.6	-19.6	27.7
4500207	99	DIRN	SUR	42	-81	2256	0	1	32.9	27.8	43.1
4500208	99	DIRN	SUR	42	-81	2216	0	0	24.5	12.5	27.5
4500220	99	DIRN	SUR	43	-79	2005	0	2	28.0	-2.7	28.2
4500221	99	DIRN	SUR	45	-73	972	0	0	28.1	-3.1	28.2
45005	99	DIRN	SUR	42	-82	500	0	1	22.2	9.8	24.3
45012	99	DIRN	SUR	44	-77	365	0	2	21.6	18.0	28.1
45132	99	DIRN	SUR	43	-81	368	1	3	25.6	4.9	26.1
45135	99	DIRN	SUR	44	-77	245	0	1	24.8	1.2	24.9
45137	99	DIRN	SUR	46	-81	468	0	0	20.6	3.8	20.9
45139	99	DIRN	SUR	43	-80	298	0	1	24.9	1.4	25.0
45142	99	DIRN	SUR	43	-79	378	0	1	23.9	4.8	24.4
45143	99	DIRN	SUR	45	-81	421	0	0	24.9	13.3	28.2
45147	99	DIRN	SUR	42	-83	428	0	1	25.6	-2.4	25.7
45149	99	DIRN	SUR	44	-82	411	0	1	21.6	1.5	21.7
45151	99	DIRN	SUR	45	-79	346	0	1	23.2	0.0	23.2
45152	99	DIRN	SUR	46	-80	346	0	1	22.2	3.9	22.5
45154	99	DIRN	SUR	46	-83	396	0	1	21.9	14.7	26.4
45159	99	DIRN	SUR	44	-79	320	0	1	27.3	3.7	27.6
45162	99	DIRN	SUR	45	-83	233	0	3	23.2	5.8	24.0
45163	99	DIRN	SUR	44	-84	430	0	1	23.4	10.3	25.6
45164	99	DIRN	SUR	42	-82	2	0	50	0.0	-18.4	18.4
45165	99	DIRN	SUR	42	-83	505	0	1	25.4	34.5	42.8
45167	99	DIRN	SUR	42	-80	444	0	2	24.1	5.3	24.7
45175	99	DIRN	SUR	46	-85	326	0	2	28.9	0.2	28.9
45176	99	DIRN	SUR	42	-82	438	0	0	22.5	-2.3	22.6
45178	99	DIRN	SUR	45	-73	160	0	4	24.1	4.6	24.6
45190	99	DIRN	SUR	43	-77	132	0	0	20.3	-1.5	20.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45196	99	DIRN	SUR	42	-82	425	0	0	26.7	-15.3	30.8
45197	99	DIRN	SUR	42	-82	361	0	0	19.2	-13.9	23.7
45200	99	DIRN	SUR	42	-83	461	0	0	18.3	5.9	19.2
45202	99	DIRN	SUR	42	-83	470	0	1	30.7	-12.8	33.2
45203	99	DIRN	SUR	41	-83	416	0	0	27.4	16.9	32.2
45204	99	DIRN	SUR	42	-82	455	0	0	25.4	-22.4	33.9
45205	99	DIRN	SUR	42	-82	340	0	0	27.5	19.1	33.5
45206	99	DIRN	SUR	42	-82	363	0	0	20.3	-17.9	27.1
45207	99	DIRN	SUR	42	-81	380	0	1	32.5	29.0	43.5
45208	99	DIRN	SUR	42	-81	388	0	0	25.0	12.9	28.1
45220	99	DIRN	SUR	43	-79	436	0	1	26.3	-3.0	26.4
45221	99	DIRN	SUR	45	-73	145	0	0	27.2	-0.6	27.2
6001001	99	DIRN	SUR	40	-71	1672	0	53	50.5	-10.6	51.6
6100198	99	DIRN	SUR	37	-2	465	1	100	24.7	-58.8	63.8
6100281	99	DIRN	SUR	40	0	191	0	1	22.1	-5.3	22.8
6100417	99	DIRN	SUR	38	0	493	0	0	15.4	5.8	16.5
6200001	99	DIRN	SUR	45	-5	418	0	0	17.5	5.3	18.3
6200024	99	DIRN	SUR	44	-3	306	0	1	16.1	6.8	17.5
6200025	99	DIRN	SUR	44	-6	354	0	0	16.5	-2.3	16.7
6200029	99	DIRN	SUR	49	-12	641	0	0	11.2	1.9	11.4
6200050	99	DIRN	SUR	50	-4	651	0	0	11.7	7.2	13.7
6200081	99	DIRN	SUR	51	-13	620	0	0	10.2	0.4	10.2
6200082	99	DIRN	SUR	44	-8	437	0	0	16.8	-3.2	17.1
6200083	99	DIRN	SUR	43	-9	458	0	48	20.1	2.5	20.2
6200084	99	DIRN	SUR	42	-9	485	0	0	13.3	9.1	16.1
6200085	99	DIRN	SUR	36	-7	427	0	0	15.0	8.3	17.1
6200091	99	DIRN	SUR	53	-5	603	0	0	14.8	10.6	18.2
6200092	99	DIRN	SUR	51	-11	642	0	0	14.0	-1.0	14.0
6200094	99	DIRN	SUR	52	-7	642	0	0	10.3	1.4	10.4
6200095	99	DIRN	SUR	48	-2	250	0	12	31.8	-0.9	31.8
6200103	99	DIRN	SUR	50	-3	602	0	0	14.3	9.7	17.2
6200163	99	DIRN	SUR	47	-8	652	0	0	13.4	4.5	14.1
6200442	99	DIRN	SUR	49	-16	630	0	0	11.7	-1.2	11.8
62029	99	DIRN	SUR	49	-13	1298	0	0	11.6	1.8	11.8
62050	99	DIRN	SUR	50	-4	1304	0	0	12.3	6.9	14.1
62081	99	DIRN	SUR	51	-13	1231	0	0	10.2	0.4	10.2
62091	99	DIRN	SUR	53	-5	593	0	1	14.8	9.8	17.8
62092	99	DIRN	SUR	51	-11	642	0	0	14.8	-1.3	14.8
62094	99	DIRN	SUR	52	-7	638	0	0	10.6	0.6	10.6
62095	99	DIRN	SUR	48	-2	243	0	10	33.6	-1.4	33.6
62103	99	DIRN	SUR	50	-3	1211	0	0	14.7	10.3	18.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62105	99	DIRN	SUR	55	-13	1332	0	0	12.6	-12.8	18.0
62112	99	DIRN	SUR	58	0	1209	0	0	13.6	-0.1	13.6
62114	99	DIRN	SUR	58	0	1257	0	0	14.3	-7.2	16.0
62163	99	DIRN	SUR	48	-9	1303	0	0	13.5	4.3	14.2
62305	99	DIRN	SUR	50	0	1188	0	1	16.5	8.5	18.6
62442	99	DIRN	SUR	49	-16	1256	0	0	12.0	-1.1	12.1
6400046	99	DIRN	SUR	61	-4	645	0	0	13.2	2.4	13.4
64041	99	DIRN	SUR	61	-3	1250	0	0	13.9	6.3	15.3
64046	99	DIRN	SUR	61	-4	1289	0	0	13.6	2.4	13.8
9014066	99	DIRN	SUR	11	-52	16	2	44	31.2	-11.9	33.4

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ATGU3FT	DEN	FPUW5GN	GKA32CV	JNKN7JF	KMPLHPW	LAGY8	LAGZ8	LAR
LRYQE3U	SMLQ	TLH	USUND	USVAL	WDK38HS	WFF	XKQLWQB	YLV96WM
ZVQEQCM	2TDJJ8J	7JUNA4N	7KPB	9ZT9MRK	01001	01004	01010	01028
01241	01400	01415	02185	02591	02836	02963	03005	03023
03238	03354	03502	03808	03882	03918	03953	04018	04220
04270	04320	04339	04360	06011	06260	06447	06458	06610
07110	07145	07510	07645	07761	08001	08023	08190	08221
08302	08383	08430	08508	08522	08536	10035	10113	10184
10238	10304	10393	10410	10548	10618	10739	10771	10868
10954	10962	11010	11035	11120	11240	11520	11747	11952
12120	12374	12425	12575	12843	12982	13275	13388	14015
14240	15420	15614	16045	16064	16113	16144	16245	16332
16429	16546	16622	16716	16754	17030	17064	17095	17196
17220	17240	17351	17607	20292	20674	21824	22271	22522
22820	22845	23078	23205	23330	23415	23472	23802	23884
23921	23955	24266	24641	24688	24908	24947	25703	25913
26038	26075	26435	26477	26629	26708	27459	27707	27713
27962	28225	28275	28445	28661	28695	28722	29572	29612
29698	30557	30673	30935	31004	31770	31873	31977	32061
32215	32540	34122	34172	34731	35121	37055	40179	40186
42056	42079	42101	42111	42182	42314	42339	42361	42369
42379	42516	42634	42647	42667	42675	42874	42886	42971
43041	43049	43128	43150	43185	43243	43295	43353	45004
47102	47104	47135	47138	47155	47169	47186	47206	47230
47269	47401	47412	47418	47582	47600	47646	47678	47741
47778	47807	47827	47909	47918	47945	47971	47991	48615
48650	48698	50527	50557	50774	50953	51076	51243	51431
51463	51644	51656	51709	51777	51828	51839	52203	52267
52323	52418	52533	52652	52681	52818	52836	52866	52983
53068	53463	53513	53543	53614	53772	53845	53915	54102
54135	54161	54218	54292	54340	54374	54511	54662	54727
54857	55299	55591	56029	56046	56080	56137	56146	56187
56492	56571	56651	56691	56739	56778	56964	56985	57083
57127	57131	57178	57245	57461	57494	57516	57541	57687
57749	57816	57957	57972	57993	58027	58150	58203	58238
58362	58424	58457	58606	58633	58665	58725	58847	59023
59134	59211	59265	59280	59293	59316	59431	59758	59981
60018	60096	60155	60390	60680	60715	60760	61901	61980
61998	65344	66160	67083	68263	68424	68442	68816	68842
70026	70200	70219	70231	70261	70273	70316	70326	70350
70361	70398	71043	71081	71082	71109	71119	71603	71722
71802	71811	71815	71816	71845	71867	71906	71907	71908
71909	71913	71917	71924	71925	71926	71934	71945	71957
71964	72201	72202	72206	72208	72210	72215	72230	72233
72235	72240	72248	72249	72250	72251	72261	72265	72293
72305	72317	72318	72327	72357	72363	72364	72365	72376
72388	72403	72413	72426	72440	72451	72456	72476	72489
72493	72501	72518	72520	72528	72558	72562	72572	72582
72597	72632	72634	72645	72649	72659	72662	72672	72681
72694	72712	72747	72764	72768	72776	72786	72797	72801
73033	73111	73140	74389	74455	74560	76256	76405	76458
76526	76595	76644	76654	76679	76692	76743	76805	76903
78397	78486	78583	78866	78897	78954	78970	78988	80001
81405	82022	82026	82099	82107	82193	82244	82332	82411
82532	82705	82824	82917	82965	83208	83378	83525	83554
83566	83612	83649	83746	83768	83779	83827	83840	83899
83928	83937	84372	84516	84622	84754	85442	85586	85799
85934	87155	87344	87418	87585	87860	88889	89002	89062
89504	89564	89571	89592	89611	89625	89642	91165	91212

91285	91334	91348	91376	91408	91413	91592	91765	91925
91938	91948	91958	93112	93417	93844	94001	94005	94113
94155	94159	94160	94170	94203	94299	94302	94312	94326
94332	94403	94430	94461	94510	94578	94610	94637	94653
94659	94672	94711	94767	94775	94802	94821	94865	94910
94995	94996	94998	95282	95527	96413	96441	96471	96996

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ATGU3FT	DEN	FPUW5GN	GKA32CV	JNKN7JF	KMPLHPW	LAGY8	LAGZ8	LAR
LRYQE3U	SMLQ	TLH	USUND	USVAL	WDK38HS	WFF	XKQLWQB	YLV96WM
ZVQEQCM	2TDJJ8J	7JUNA4N	7KPB	9ZT9MRK	01001	01004	01010	01028
01241	01400	01415	02836	02963	06447	06610	07110	07145
07510	07645	07761	08001	08023	08190	08221	08302	08383
08430	08508	08522	08536	11010	11035	11120	11240	12575
14015	17607	26037	40186	47206	48698	50527	50557	50774
50953	51076	51243	51431	51463	51644	51656	51709	51777
51828	51839	52203	52267	52323	52418	52533	52652	52681
52818	52836	52866	52983	53068	53463	53513	53543	53614
53772	53845	53915	54102	54135	54161	54218	54292	54340
54374	54511	54662	54727	54857	55299	55591	56029	56046
56080	56137	56146	56187	56492	56571	56651	56691	56739
56778	56964	56985	57083	57127	57131	57178	57245	57461
57494	57516	57541	57687	57749	57816	57957	57972	57993
58027	58150	58203	58238	58362	58424	58457	58606	58633
58665	58725	58847	59023	59134	59211	59265	59280	59293
59316	59431	59758	59981	60096	66160	67083	72413	72801
89002	89504	89642	91925	91938	91948	91958	94001	94005
94113	94159	94160	94653	94767	94865			

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMP/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.