



ECMWF Global Data Monitoring Report

July 2025

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	8
3	Global monitoring statistics	8
3.1	Data Availability	8
3.2	Data Quality	8
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	10
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	11
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	12
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	13
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	14
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	15
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	16
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	17
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	18
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	19
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	20
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	21
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	23
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	24
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	25
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	27
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	28
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	30
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	31
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	32
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	33
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	34
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	35
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	36
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)	37
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)	38
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	39
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	40
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	41
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	42
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	43
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	44
4	EUCOS Area Monitoring Statistics	52
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	53
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)	56
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	59
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	62
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	65
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	68
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	71
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	74
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	77
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	86
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	90
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	96
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	98

5 Annex - Explanations of figures and tables	99
5.1 General	99
5.2 Data Availability	99
5.3 Data Quality	99

Summary of Revisions (in reverse order)

- Revision 30 (Nov 23) - Coverage charts for AIREP/AMDARs updated:
Added MODE-S and ADS-C to Figure 5 and Figure 18
- Revision 29 (Dec 22) - Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOBS figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) - Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPS are modified as per SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for NOAA_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPS now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for NOAA_14 MSU replaced by ATOVS AMSU-A for NOAA_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A) TOVS AMSU-A and MSU (NOAA_15 and NOAA_14).
- Revision 21 (May 99) - Monitoring statistics ceased for NOAA_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.

Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Jun	Jul	Ident	Time	Jun	Jul
04360	(00)	27	13	03238	(00)	4	29
04360	(12)	28	15	03502	(12)	0	11
04417	(12)	30	0	10954	(00)	14	25
08508	(12)	22	2	11120	(12)	14	25
23921	(00)	30	4	24266	(00)	11	23
23921	(12)	29	5	30715	(00)	0	14
30372	(00)	27	10	30715	(12)	0	14
30372	(12)	26	13	32477	(12)	16	30
32150	(00)	30	7	33008	(12)	0	12
32150	(12)	28	7	42516	(00)	7	26
32618	(12)	27	0	42701	(00)	0	25
34858	(00)	12	0	42724	(12)	12	28
34858	(12)	13	0	47418	(00)	0	14
40650	(00)	28	11	68442	(12)	6	29
40650	(12)	26	10	70231	(00)	4	31
40745	(00)	11	0	70231	(12)	4	31
40800	(00)	12	0	74626	(00)	2	22
40848	(00)	14	1	74626	(12)	16	30
40875	(00)	13	0	76394	(12)	13	30
61024	(12)	29	8	76612	(00)	18	29
61291	(00)	29	4	76612	(12)	14	30
61291	(12)	29	3	78384	(00)	0	31
68592	(12)	25	13	78384	(12)	1	31
70326	(12)	30	10	78583	(00)	20	31
70350	(00)	15	0	78583	(12)	19	31
71845	(12)	29	16	80028	(12)	9	27
71907	(12)	23	4	80094	(12)	10	22
71913	(00)	20	0	80371	(12)	4	17
71913	(12)	20	0	89504	(12)	0	20
72248	(12)	24	0	94299	(12)	18	31
72251	(12)	13	0	96011	(00)	0	23
72261	(00)	30	16	96011	(12)	0	24
72261	(12)	30	15	96035	(12)	0	31
72365	(12)	27	0	96147	(12)	0	23
72376	(00)	13	0	96163	(00)	0	21
72797	(00)	30	2	96163	(12)	0	21
72797	(12)	29	2	96237	(12)	0	24
73110	(00)	31	0	96509	(12)	0	27
73110	(12)	30	0	96581	(12)	0	24
76256	(00)	18	3	96645	(12)	0	15
76256	(12)	15	2	96685	(00)	0	25
76405	(00)	21	6	96685	(12)	0	23
76405	(12)	18	6	96749	(12)	0	29
76458	(00)	20	4	96805	(12)	0	21
76458	(12)	23	6	96935	(12)	0	28
76526	(00)	26	5	97014	(00)	0	24
76526	(12)	15	3	97014	(12)	0	23
76595	(00)	15	3	97072	(12)	0	24
76595	(12)	19	5	97180	(12)	0	31
76644	(00)	17	6	97372	(12)	0	31
76644	(12)	22	6	97502	(12)	0	30
76654	(00)	24	6	97980	(12)	0	20
76654	(12)	18	6	98646	(00)	0	12
76679	(00)	19	5	98646	(12)	0	12
76692	(00)	17	2	-	-	-	-
76743	(00)	20	6	-	-	-	-
76743	(12)	22	6	-	-	-	-
76805	(00)	18	4	-	-	-	-
76805	(12)	18	5	-	-	-	-
82599	(00)	22	0	-	-	-	-

82599	(12)	23	0	-	-	-	-
82917	(12)	15	0	-	-	-	-
82965	(12)	30	14	-	-	-	-
83554	(00)	12	1	-	-	-	-
83768	(12)	30	15	-	-	-	-
91610	(00)	20	0	-	-	-	-
97560	(00)	17	4	-	-	-	-
97724	(00)	17	5	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1296** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.


Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14–18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.


3.2.1 Figure 1 - Availability - SYNOP PRESSURE




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2


ECMWF Monitoring Statistics - JUL 2025
 Availability - DRIFTER PRESSURE
 Average number of observations in 24 hours - 17051
 Oceans - N. Atlantic 3829 S. Atlantic 2072 Indian 2448 Pacific 8703



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5


ECMWF Monitoring Statistics - JUL 2025
 Availability - Aircraft winds 300-150 hPa
 Average number of observations in 24 hours - 307524



3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6


ECMWF Monitoring Statistics - JUL 2025
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 1385790



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa


Figure 7

ECMWF Monitoring Statistics - JUL 2025
Availability - AMV winds 1000-700 hPa
Average number of observations in 24 hours - 685295




3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8



3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A


Figure 9.1



3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2


ECMWF Monitoring Statistics - JUL 2025
 Availability - METOP-C ATOVS : AMSU-A
 Average number of observations in 24 hours - 87658



3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - JUL 2025
 Availability - METOP-B ATOVS : AMSU-A
 Average number of observations in 24 hours - 87986



3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
3E2032	99	P	SUR	36	0	1.1	-3.3	3.5
3E3566	99	P	SUR	51	0	1.5	6.4	6.5
3E5193	99	P	SUR	53	0	0.5	3.6	3.7
3EBY2	99	P	SUR	15	6	0.7	13.8	13.8
3EFK6	99	P	SUR	18	0	2.9	-5.5	6.2
3ETR7	99	P	SUR	31	3	3.4	7.8	8.5
3FAE4	99	P	SUR	55	0	1.0	3.7	3.8
3FEN2	99	P	SUR	20	0	1.0	3.6	3.7
3FWH8	99	P	SUR	37	4	2.1	12.5	12.7
45014	99	P	SUR	124	124	0.0	0.0	0.0
45161	99	P	SUR	114	0	0.4	9.5	9.5
45201	99	P	SUR	124	79	2.9	10.7	11.0
7JKC	99	P	SUR	16	0	1.5	3.9	4.2
7JUN	99	P	SUR	24	0	1.1	-3.2	3.4
7KOA	99	P	SUR	18	1	1.1	4.9	5.0
9HA2006	99	P	SUR	69	4	1.9	-4.0	4.4
9HA4777	99	P	SUR	84	0	3.7	4.0	5.5
9HA4902	99	P	SUR	18	0	5.0	9.4	10.6
9HJB9	99	P	SUR	22	1	2.2	5.3	5.8
9HJD9	99	P	SUR	48	0	0.5	-3.1	3.1
9HSJ7	99	P	SUR	15	0	3.0	5.2	6.0
9V3532	99	P	SUR	43	0	1.3	4.2	4.4
9V3912	99	P	SUR	60	0	1.1	3.8	4.0
9V5247	99	P	SUR	17	0	0.7	4.1	4.2
9V6256	99	P	SUR	28	0	0.9	-3.5	3.6
9V7626	99	P	SUR	38	1	3.0	-7.0	7.6
9V7659	99	P	SUR	23	0	1.9	6.0	6.3
9V7729	99	P	SUR	17	0	2.1	3.9	4.4
9V8372	99	P	SUR	46	0	1.5	9.0	9.1
9V9724	99	P	SUR	22	0	3.2	-3.7	4.9
9VEN2	99	P	SUR	110	16	6.0	-4.1	7.3
ATAH2	99	P	SUR	29	0	2.2	-4.7	5.2

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
AUTP	99	P	SUR	21	2	3.2	7.4	8.1
C6IA2	99	P	SUR	103	0	1.0	-3.8	4.0
C6PZ8	99	P	SUR	15	0	0.8	-4.9	5.0
DUUFU3N	99	P	SUR	25	0	3.3	-4.0	5.2
H3FV	99	P	SUR	47	0	3.7	3.5	5.1
KRAU	99	P	SUR	108	0	4.6	-5.3	7.0
LAJF7	99	P	SUR	18	0	1.7	4.0	4.3
LAMP5	99	P	SUR	15	0	2.0	-3.5	4.0
LAOE5	99	P	SUR	16	0	0.5	6.4	6.4
LAQL7	99	P	SUR	47	0	1.4	5.5	5.7
LAQN7	99	P	SUR	27	0	1.6	3.7	4.0
LATL8	99	P	SUR	20	0	5.1	-1.9	5.4
OBAA	99	P	SUR	24	0	1.8	-6.4	6.6
OWLD2	99	P	SUR	33	1	1.1	4.0	4.2
OXSQ2	99	P	SUR	24	0	5.0	7.0	8.6
S6LT3	99	P	SUR	31	0	1.6	-3.0	3.4
S6LT9	99	P	SUR	19	0	2.4	-3.9	4.6
UASX	99	P	SUR	19	4	4.8	-8.9	10.2
V7A6082	99	P	SUR	103	0	1.8	7.0	7.2
V7BZ9	99	P	SUR	28	0	3.2	5.5	6.4
VRFX8	99	P	SUR	20	0	1.0	5.3	5.3
VRLN5	99	P	SUR	42	0	1.0	4.9	5.0
VRQL9	99	P	SUR	23	0	3.3	5.9	6.7
VRWP5	99	P	SUR	16	0	0.7	-5.8	5.8
WGEB	99	P	SUR	122	0	0.5	6.4	6.5
WMKQ	99	P	SUR	73	0	0.3	-5.1	5.1
WSAF	99	P	SUR	126	0	0.7	-4.1	4.2

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44078	99	SPEED	SUR	123	0	0	3.3	-6.3	7.1

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45029	99	DIRN	SUR	71	0	0	34.0	34.6	48.5
45144	99	DIRN	SUR	79	0	0	79.7	114.9	139.9
45145	99	DIRN	SUR	90	0	0	153.1	6.3	153.2
45186	99	DIRN	SUR	50	0	0	39.0	31.6	50.2
45199	99	DIRN	SUR	71	0	0	26.5	-33.0	42.3
45207	99	DIRN	SUR	44	0	0	21.4	-31.6	38.1
46092	99	DIRN	SUR	20	0	0	12.9	37.3	39.4
46204	99	DIRN	SUR	80	0	0	11.9	33.8	35.8

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1601728	99	P	SUR	-24	35	728	0	0.3	-4.0	4.1
1601746	99	P	SUR	-50	-135	729	341	5.6	-5.6	7.9
1701667	99	P	SUR	-49	-104	729	241	4.9	-4.1	6.4
2302627	99	P	SUR	11	73	684	657	6.3	-5.7	8.5
2501556	99	P	SUR	78	142	446	226	5.5	2.6	6.1
2501589	99	P	SUR	71	-178	744	735	0.4	0.4	0.5
2802016	99	P	SUR	60	-177	728	0	1.0	12.3	12.4
3401599	99	P	SUR	-48	-32	724	389	5.1	-6.6	8.3
3401636	99	P	SUR	-32	-107	662	0	0.5	-6.6	6.6
3801725	99	P	SUR	53	-130	712	78	4.8	6.2	7.9
4101867	99	P	SUR	6	81	729	0	0.9	-4.6	4.6
4402739	99	P	SUR	37	-9	549	0	0.4	-6.2	6.2
4500014	99	P	SUR	45	-88	1488	1488	0.0	0.0	0.0
4500161	99	P	SUR	43	-86	2018	0	0.6	9.5	9.5
4500201	99	P	SUR	42	83	4418	2804	2.8	10.7	11.1
45014	99	P	SUR	45	-88	744	744	0.0	0.0	0.0
45161	99	P	SUR	43	-86	679	0	0.6	9.5	9.5
45201	99	P	SUR	42	83	744	476	2.9	10.6	11.0
4602563	99	P	SUR	34	-162	724	223	5.3	0.1	5.3
4701543	99	P	SUR	72	-176	691	691	0.0	0.0	0.0
4701558	99	P	SUR	79	-18	62	0	0.3	-4.5	4.5
4801763	99	P	SUR	53	-42	744	6	1.3	-9.7	9.8
4802582	99	P	SUR	64	-18	743	242	4.7	-8.1	9.4
5103563	99	P	SUR	35	-142	218	187	2.0	12.9	13.0
5501735	99	P	SUR	-39	-117	743	743	0.0	0.0	0.0
5601695	99	P	SUR	-47	-107	182	4	6.5	3.2	7.3
5601753	99	P	SUR	-14	105	185	63	4.7	2.9	5.5
5601760	99	P	SUR	-12	87	125	125	0.0	0.0	0.0
5802019	99	P	SUR	48	-4	420	0	2.1	-6.0	6.4
5802090	99	P	SUR	-12	64	310	310	0.0	0.0	0.0
5802091	99	P	SUR	-26	72	310	310	0.0	0.0	0.0
6203818	99	P	SUR	-30	-50	682	335	2.3	-1.2	2.6

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	ME LEVEL	LAT	N LONG	N OBS	GROSS	SD	BIAS	RMS
6301517	99	P	SUR	81	179	741	741	0.0	0.0	0.0
6801806	99	P	SUR	57	-170	383	0	0.8	-7.6	7.7
6801904	99	P	SUR	-17	66	310	310	0.0	0.0	0.0
6801912	99	P	SUR	-37	162	185	72	5.6	-4.2	7.0
6801948	99	P	SUR	53	-130	576	575	0.0	8.4	8.4
7801693	99	P	SUR	18	173	730	0	0.5	-10.6	10.6
7801750	99	P	SUR	20	-132	663	636	1.5	13.2	13.3
7801770	99	P	SUR	58	-153	722	722	0.0	0.0	0.0
7810096	99	P	SUR	33	-117	71	0	2.0	-8.4	8.6
7810324	99	P	SUR	33	-66	706	0	0.9	4.3	4.4

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44078	99	SPEED	SUR	60	-40	737	0	0	3.3	-6.3	7.1

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
2200185	99	DIRN	SUR	37	125	384	0	0	26.1	23.4	35.0
2200297	99	DIRN	SUR	34	125	656	0	0	25.1	39.2	46.6
2200301	99	DIRN	SUR	32	126	629	5	0	97.7	26.0	101.1
2200309	99	DIRN	SUR	34	128	581	0	0	19.6	-20.6	28.4
2200310	99	DIRN	SUR	38	129	200	0	0	66.9	-31.3	73.8
2300016	99	DIRN	SUR	-2	67	152	0	0	40.5	-22.2	46.2
2300092	99	DIRN	SUR	17	89	151	0	0	107.2	-41.2	114.9
2300452	99	DIRN	SUR	12	68	46	0	0	8.8	33.0	34.2
2300456	99	DIRN	SUR	18	67	26	0	0	9.9	-70.0	70.7
23092	99	DIRN	SUR	17	89	140	0	0	107.3	-36.5	113.4
23452	99	DIRN	SUR	12	68	33	0	0	8.8	30.4	31.6
23497	99	DIRN	SUR	10	72	56	0	0	37.8	-37.8	53.5
4200023	99	DIRN	SUR	26	-83	769	0	0	51.8	-26.1	58.0
4200067	99	DIRN	SUR	30	-89	380	0	0	68.8	45.5	82.5
42023	99	DIRN	SUR	26	-83	373	0	0	53.9	-25.1	59.5
42067	99	DIRN	SUR	30	-89	52	0	0	69.2	59.0	90.9
4500004	99	DIRN	SUR	48	-87	2174	0	0	25.2	26.4	36.6
4500029	99	DIRN	SUR	43	-86	2256	0	0	32.4	32.0	45.6
4500176	99	DIRN	SUR	42	-82	2074	0	0	22.2	-23.0	32.0
4500186	99	DIRN	SUR	42	-88	1561	0	0	31.9	29.0	43.1
4500187	99	DIRN	SUR	42	-88	1353	0	0	35.5	34.1	49.3
4500199	99	DIRN	SUR	43	-88	719	0	0	28.3	-33.4	43.8
4500203	99	DIRN	SUR	41	-83	1509	0	0	28.6	27.6	39.8
4500207	99	DIRN	SUR	42	-81	1495	0	0	22.5	-24.3	33.1
45004	99	DIRN	SUR	48	-87	363	0	0	26.4	26.9	37.7
45029	99	DIRN	SUR	43	-86	404	0	0	33.9	35.6	49.1
45144	99	DIRN	SUR	53	-99	461	0	0	74.0	115.5	137.2
45145	99	DIRN	SUR	52	-97	534	0	0	156.0	3.6	156.0
45176	99	DIRN	SUR	42	-82	385	0	0	23.4	-20.4	31.1
45186	99	DIRN	SUR	42	-88	285	0	0	32.9	30.6	44.9
45187	99	DIRN	SUR	43	-88	248	0	0	39.7	32.2	51.1

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45199	99	DIRN	SUR	43	-88	391	0	0	29.1	-33.5	44.4
45203	99	DIRN	SUR	41	-83	276	0	0	34.5	26.8	43.6
45207	99	DIRN	SUR	42	-81	234	0	0	24.6	-25.3	35.3
4600081	99	DIRN	SUR	61	-148	437	0	0	44.0	21.7	49.1
4600087	99	DIRN	SUR	48	-125	1608	0	0	22.2	25.1	33.5
4600092	99	DIRN	SUR	37	-122	158	0	0	40.1	39.8	56.5
4600304	99	DIRN	SUR	49	-123	238	0	0	33.0	26.5	42.3
46081	99	DIRN	SUR	61	-148	99	0	0	43.8	22.8	49.4
46087	99	DIRN	SUR	49	-125	247	0	0	19.4	23.8	30.8
46092	99	DIRN	SUR	37	-122	138	0	0	39.5	36.6	53.8
46204	99	DIRN	SUR	51	-129	488	0	0	12.9	35.6	37.8
46205	99	DIRN	SUR	54	-134	599	0	0	13.0	-25.2	28.3
46304	99	DIRN	SUR	49	-123	239	0	0	35.1	23.5	42.2
4804181	99	DIRN	SUR	-16	150	1363	0	0	12.5	27.6	30.3
6200086	99	DIRN	SUR	55	7	106	0	0	14.8	27.2	31.0
62121	99	DIRN	SUR	54	3	1023	0	0	43.8	22.6	49.3

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	12	Z	1000	57	3	31	0	4.0	80.8	80.9
01400	00	Z	1000	57	3	31	0	4.0	80.3	80.4
17516	00	Z	500	35	33	28	0	24.9	43.6	50.2
23933	12	Z	300	61	69	27	1	18.3	-92.6	94.4
23933	00	Z	300	61	69	29	0	16.0	-91.1	92.5
25913	12	Z	50	60	151	20	0	65.4	122.9	139.2
26708	12	Z	30	55	21	26	0	109.0	164.0	196.9
27730	00	Z	250	55	40	14	0	72.9	-15.0	74.4
31770	00	Z	200	49	140	29	0	72.1	57.3	92.1
36096	00	Z	400	52	95	30	0	43.3	-35.4	55.9
38341	00	Z	200	43	71	15	5	111.7	-103.1	152.0
42726	00	Z	400	24	93	17	0	37.0	-64.1	74.0
47058	00	Z	70	39	126	17	0	73.8	178.1	192.8
55591	12	Z	50	30	91	27	0	111.3	206.5	234.6
55591	00	Z	50	30	91	31	0	86.8	179.4	199.3
65344	12	Z	1000	6	2	25	0	4.9	30.3	30.7
78988	00	Z	1000	12	-69	24	0	29.7	18.7	35.1
78988	12	Z	1000	12	-69	29	0	29.8	20.9	36.4
80371	12	Z	200	1	-78	14	3	79.3	203.5	218.4
91680	12	Z	1000	-18	177	23	0	6.0	30.2	30.8
91680	00	Z	1000	-18	177	30	0	3.5	31.3	31.5
JNKN7J	12	Z	1000	45	-57	10	0	2.9	42.0	42.1

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
26629	00	V	850	55	24	24	0	-5.9	-2.7	15.5
32477	00	V	250	54	156	31	0	-2.7	1.0	15.2
38341	00	V	150	43	71	11	0	-13.5	-2.8	21.4

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS ≥ 5 M/S
 NO. OF OBSERVATIONS ≥ 5 , AND,
 ABSOLUTE BIAS ≥ 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
--------------	-------------	-----	-----	------	------------	------	---------------	----

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC


Figure 10

ECMWF Monitoring Statistics - JUL 2025 00 UTC
Suspect TEMP observations - GEOPOTENTIAL




3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12
ECMWF Monitoring Statistics - JUL 2025 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13
ECMWF Monitoring Statistics - JUL 2025 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
2TDJJ8	12	Z	100	28	10.5	9.7
2TDJJ8	00	Z	100	27	9.6	8.1
7JUNA4	00	Z	100	9	13.3	-11.4
7JUNA4	12	Z	100	9	15.6	-12.0
7KPB	12	Z	100	2	4.5	3.3
7KPB	00	Z	100	2	6.1	5.1
9ZT9MR	12	Z	100	7	27.3	-24.7
9ZT9MR	00	Z	100	8	55.7	-46.5
ASDE09	12	Z	100	1	26.7	26.7
ATGU3F	00	Z	100	5	37.4	-37.1
ATGU3F	12	Z	100	0	0.0	0.0
DSQL7	00	Z	100	9	7.9	-6.3
DSQL7	12	Z	100	9	6.1	-5.5
FPUW5G	12	Z	100	18	8.6	-6.8
JNKN7J	12	Z	100	10	56.1	49.5
JNKN7J	00	Z	100	8	28.4	27.6
JNSR	12	Z	100	2	7.4	7.3
JNSR	00	Z	100	3	3.5	2.2
JPBN	12	Z	100	13	10.3	2.4
JPBN	00	Z	100	8	15.1	9.1
KJJF9X	12	Z	100	1	22.5	-22.5
KJJF9X	00	Z	100	0	0.0	0.0
KMPLHP	12	Z	100	9	47.5	9.7
KMPLHP	00	Z	100	7	22.9	9.7
LAGY8	12	Z	100	1	40.5	-40.5
LAGY8	00	Z	100	3	208.1	-188.4
LAGZ8	00	Z	100	3	36.5	35.9
LRYQE3	00	Z	100	11	15.9	-6.3
LRYQE3	12	Z	100	12	73.9	50.1
USCLL	12	Z	100	0	0.0	0.0
USSIO	00	Z	100	1	18.1	-18.1
UXK5JT	00	Z	100	0	0.0	0.0
UXK5JT	12	Z	100	0	0.0	0.0
WDK38H	12	Z	100	4	18.5	-18.3
XKQLWQ	12	Z	100	21	13.0	10.5
YLV96W	12	Z	100	10	52.4	33.8
YLV96W	00	Z	100	9	9.8	-8.1
ZVQEQC	12	Z	100	25	11.6	10.0


3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)


MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OB TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
2TDJJ8	12	V	100	27	1.8	-0.1	0.0
2TDJJ8	00	V	100	27	2.1	0.1	0.6
7JUNA4	00	V	100	9	2.8	0.9	0.1
7JUNA4	12	V	100	9	2.7	0.7	-0.3
7KPB	12	V	100	2	3.0	-1.3	1.7
7KPB	00	V	100	2	4.5	0.6	-1.5
9ZT9MR	12	V	100	7	2.3	-0.2	0.0
9ZT9MR	00	V	100	8	2.4	0.7	0.9
ASDE09	12	V	100	1	1.0	0.3	1.0
ATGU3F	00	V	100	5	2.4	-0.9	-0.7
ATGU3F	12	V	100	0	0.0	0.0	0.0
DSQL7	00	V	100	8	1.7	0.5	-0.1
DSQL7	12	V	100	9	2.4	-0.3	0.4
FPUW5G	12	V	100	12	2.1	0.3	0.9
JNKN7J	12	V	100	10	2.8	-1.5	-0.3
JNKN7J	00	V	100	8	3.4	-0.2	-1.2
JNSR	12	V	100	2	4.6	1.0	4.5
JNSR	00	V	100	3	3.0	1.3	1.6
JPBN	12	V	100	12	4.6	1.6	-0.4
JPBN	00	V	100	8	3.9	0.2	0.4
KJJF9X	12	V	100	1	1.0	0.2	-1.0
KJJF9X	00	V	100	0	0.0	0.0	0.0
KMPLHP	12	V	100	9	3.1	-0.1	-0.9
KMPLHP	00	V	100	7	2.7	0.4	-0.2
LAGY8	12	V	100	1	1.7	-0.3	1.7
LAGY8	00	V	100	3	2.5	-1.2	1.1
LAGZ8	00	V	100	3	3.5	0.2	1.2
LRYPE3	00	V	100	11	2.3	0.3	0.6
LRYPE3	12	V	100	12	2.9	-0.8	1.0
USCLL	12	V	100	0	0.0	0.0	0.0
USSIO	00	V	100	1	5.3	-4.5	-2.8
UXK5JT	00	V	100	0	0.0	0.0	0.0
UXK5JT	12	V	100	0	0.0	0.0	0.0
WDK38H	12	V	100	4	3.8	0.4	0.6
XKQLWQ	12	V	100	21	3.0	0.6	0.6
YLV96W	12	V	100	10	2.8	-0.9	0.4
YLV96W	00	V	100	9	4.3	1.2	0.1
ZVQEQC	12	V	100	24	5.2	-1.0	0.7


3.2.27 Figure 14 - SATOB Winds: 700-1000hPa



3.2.28 Figure 15 - SATOB Winds: 150- 400hPa




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa




3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17

ECMWF Monitoring Statistics: Jul 2025
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAL	99	V	300-150	62190	4	0	4.7	0.1
AAR	99	V	300-150	191	0	0	3.7	-0.8
ABD	99	V	300-150	659	0	0	3.8	-0.3
ABP	99	V	300-150	25	0	0	2.7	-0.1
ACA	99	V	300-150	45177	3	0	4.5	0.1
ACI	99	V	300-150	315	0	0	4.2	0.3
ADS	99	V	300-150	25	0	0	2.7	1.1
ADY	99	V	300-150	24	0	0	4.5	-0.9
AEA	99	V	300-150	564	6	0	6.3	-0.3
AEW	99	V	300-150	34	0	0	2.6	-0.4
AFR	99	V	300-150	44292	0	0	3.4	0.1
AIC	99	V	300-150	3968	1	0	3.8	0.2
AIZ	99	V	300-150	695	0	0	3.5	0.2
AJD	99	V	300-150	46	0	0	3.9	-0.2
AJT	99	V	300-150	124	0	0	3.7	0.3
ALK	99	V	300-150	754	0	0	4.6	0.5
AMX	99	V	300-150	5332	8	0	5.9	-0.1
ANZ	99	V	300-150	15846	0	0	4.0	0.3
AOJ	99	V	300-150	203	0	0	3.0	0.2
ARL	99	V	300-150	64	0	0	4.1	0.8
ASA	99	V	300-150	48	0	0	3.8	0.5
ASL	99	V	300-150	1454	0	0	3.0	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ASP	99	V	300-150	95	0	0	3.5	-0.1
ATN	99	V	300-150	224	0	0	4.5	0.0
AUA	99	V	300-150	4611	2	0	4.2	0.1
AVA	99	V	300-150	884	8	0	5.8	-0.1
AWC	99	V	300-150	102	0	1	2.7	0.3
AXM	99	V	300-150	44	0	14	5.8	-0.4
AXS	99	V	300-150	52	0	0	2.6	0.0
AXY	99	V	300-150	113	0	0	2.7	0.6
AYJ	99	V	300-150	33	0	0	2.9	0.4
AZG	99	V	300-150	495	0	0	3.7	-0.2
BAF	99	V	300-150	33	0	3	3.0	0.3
BAH	99	V	300-150	25	0	0	3.2	0.7
BAW	99	V	300-150	52080	2	0	4.2	0.1
BBB	99	V	300-150	66	0	0	3.1	0.2
BBC	99	V	300-150	284	8	0	6.4	0.2
BCS	99	V	300-150	871	0	0	3.1	0.2
BEL	99	V	300-150	1610	0	0	3.0	0.3
BFF	99	V	300-150	121	0	0	4.5	0.3
BOX	99	V	300-150	3674	0	0	3.6	0.2
BOX	99	V	300-150	127	0	0	2.9	-0.1
BQB	99	V	300-150	81	0	0	3.2	0.6
BTX	99	V	300-150	95	0	0	3.1	0.7
BVR	99	V	300-150	24	0	0	3.9	0.5
CAL	99	V	300-150	250	0	0	4.0	1.0
CBJ	99	V	300-150	64	0	0	4.2	0.9
CCA	99	V	300-150	148	0	0	5.4	1.1
CEB	99	V	300-150	34	0	3	3.5	-0.6
CES	99	V	300-150	1044	0	0	4.4	0.6
CFC	99	V	300-150	211	0	0	3.7	0.0
CFG	99	V	300-150	6513	0	0	3.0	0.3
CHG	99	V	300-150	729	0	0	3.6	0.0
CHH	99	V	300-150	218	9	0	5.6	0.4
CJT	99	V	300-150	128	0	0	4.4	0.1
CKS	99	V	300-150	1015	0	0	3.1	0.0
CLX	99	V	300-150	4083	0	0	3.6	-0.2
CLY	99	V	300-150	36	0	0	2.6	0.1
CMB	99	V	300-150	1332	0	0	3.5	-0.1
CND	99	V	300-150	336	0	0	3.2	0.1
CNK	99	V	300-150	26	0	0	3.1	0.1
CNV	99	V	300-150	138	0	1	3.5	0.9
COB	99	V	300-150	76	0	0	3.4	0.2
CPA	99	V	300-150	1184	0	0	4.8	0.8
CRK	99	V	300-150	131	0	0	5.8	1.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
CRL	99	V	300-150	1082	0	0	2.8	0.1
CRR	99	V	300-150	20	0	0	2.7	0.9
CRV	99	V	300-150	76	0	0	3.6	-0.2
CSC	99	V	300-150	140	0	0	4.6	0.4
CSG	99	V	300-150	31	0	0	4.1	0.6
CSN	99	V	300-150	129	0	1	4.3	0.6
CTM	99	V	300-150	40	0	0	3.7	0.8
CWG	99	V	300-150	35	0	0	3.2	0.5
DAH	99	V	300-150	1295	0	0	3.1	0.2
DAL	99	V	300-150	86036	0	0	3.2	0.2
DHK	99	V	300-150	3019	0	0	3.4	-0.2
DHX	99	V	300-150	33	0	0	5.2	1.6
DJT	99	V	300-150	1898	0	0	3.2	0.4
DLH	99	V	300-150	30226	0	0	3.3	0.0
DSO	99	V	300-150	124	0	0	3.3	0.6
DUB	99	V	300-150	69	0	0	3.3	-0.2
DWC	99	V	300-150	25	24	0	8.5	1.2
EAU	99	V	300-150	62	0	0	3.1	-0.3
EDC	99	V	300-150	35	0	0	4.1	0.4
EDG	99	V	300-150	22	0	0	2.2	-0.3
EDW	99	V	300-150	2512	0	0	3.1	0.2
EIN	99	V	300-150	20513	0	0	3.2	0.3
EJM	99	V	300-150	1197	0	0	3.2	0.2
EJO	99	V	300-150	30	0	0	3.1	0.3
ELY	99	V	300-150	6863	6	0	5.7	0.1
ETD	99	V	300-150	8255	3	0	4.9	0.1
ETH	99	V	300-150	4353	4	0	4.8	0.0
EUK	99	V	300-150	1927	0	0	3.0	0.3
EUW	99	V	300-150	37	0	0	2.3	-0.6
EVA	99	V	300-150	139	0	0	7.3	4.1
EVE	99	V	300-150	187	0	0	3.5	0.3
EXS	99	V	300-150	4870	0	0	2.8	0.0
EXV	99	V	300-150	26	0	0	5.3	1.1
EZY	99	V	300-150	169	0	0	3.5	0.2
FBU	99	V	300-150	4243	0	0	3.3	0.0
FDX	99	V	300-150	7644	0	0	3.3	0.3
FEX	99	V	300-150	31	0	0	3.1	0.7
FIN	99	V	300-150	1205	0	0	3.6	0.5
FJI	99	V	300-150	2712	0	0	3.8	0.4
FJO	99	V	300-150	242	0	0	2.7	0.1
FLA	99	V	300-150	30	0	0	4.0	-1.0
FPY	99	V	300-150	2981	0	0	2.9	0.1
FWI	99	V	300-150	1978	0	0	2.9	0.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
FYG	99	V	300-150	55	0	0	3.7	1.2
FYL	99	V	300-150	51	0	0	4.7	-0.2
GAF	99	V	300-150	338	0	0	3.1	0.3
GCK	99	V	300-150	175	0	0	3.1	0.1
GEC	99	V	300-150	990	0	0	3.3	0.0
GES	99	V	300-150	80	0	0	2.7	0.7
GFA	99	V	300-150	406	0	0	5.0	0.9
GIA	99	V	300-150	1266	0	0	5.0	0.7
GJE	99	V	300-150	207	0	0	3.4	0.2
GNJ	99	V	300-150	25	0	0	2.4	0.0
GSM	99	V	300-150	49	0	0	3.4	1.0
GTI	99	V	300-150	2046	0	0	3.6	0.0
HAL	99	V	300-150	428	0	1	3.6	0.5
HKC	99	V	300-150	64	0	0	5.6	0.2
HRC	99	V	300-150	38	0	0	2.9	0.2
HRT	99	V	300-150	79	0	0	3.5	-0.5
HTT	99	V	300-150	169	0	0	9.0	2.2
HUE	99	V	300-150	108	0	0	4.4	0.6
HVN	99	V	300-150	65	0	2	6.0	2.3
HYP	99	V	300-150	91	0	0	2.7	0.4
HYS	99	V	300-150	574	0	0	3.1	0.4
HZA	99	V	300-150	59	0	0	3.7	0.6
HZS	99	V	300-150	30	0	0	2.5	0.2
IAM	99	V	300-150	87	0	0	2.9	0.7
IBE	99	V	300-150	8498	0	0	3.2	0.2
ICE	99	V	300-150	12821	0	0	3.3	0.1
ICL	99	V	300-150	273	0	0	3.1	0.0
ICV	99	V	300-150	239	0	0	3.2	-0.6
IFA	99	V	300-150	703	0	0	3.3	0.2
IGA	99	V	300-150	76	0	0	3.4	0.3
IGO	99	V	300-150	41	0	0	4.0	0.1
IJM	99	V	300-150	107	0	0	3.2	0.2
ITY	99	V	300-150	8524	0	0	3.0	0.2
JAF	99	V	300-150	481	8	0	6.2	-0.1
JAL	99	V	300-150	65	0	0	4.5	1.8
JAS	99	V	300-150	216	0	0	2.8	0.3
JBD	99	V	300-150	70	0	0	3.2	0.6
JBU	99	V	300-150	13283	0	0	3.2	0.3
JCO	99	V	300-150	54	0	0	3.2	1.2
JCT	99	V	300-150	28	0	0	2.9	0.3
JDI	99	V	300-150	35	0	0	3.6	0.8
JML	99	V	300-150	41	0	0	3.8	1.2
JNY	99	V	300-150	115	0	0	5.2	1.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
JST	99	V	300-150	1187	0	0	4.2	0.5
KAC	99	V	300-150	808	0	0	3.2	0.2
KAF	99	V	300-150	52	0	0	5.4	-0.3
KAI	99	V	300-150	120	0	2	2.6	0.3
KAL	99	V	300-150	128	0	1	5.2	1.7
KAY	99	V	300-150	347	0	0	3.2	0.3
KCE	99	V	300-150	34	0	0	3.5	1.2
KFE	99	V	300-150	20	0	0	2.4	0.4
KIW	99	V	300-150	100	0	0	4.2	0.5
KLM	99	V	300-150	18049	3	0	4.5	0.1
KOC	99	V	300-150	33	0	0	3.3	0.4
KPO	99	V	300-150	81	0	0	3.2	-0.3
KQA	99	V	300-150	286	6	0	6.0	-0.1
LCO	99	V	300-150	739	0	0	3.5	-0.9
LDX	99	V	300-150	140	0	0	3.1	0.2
LEA	99	V	300-150	31	0	0	4.0	1.3
LNI	99	V	300-150	306	0	0	4.3	0.2
LNK	99	V	300-150	42	0	0	3.1	1.2
LOT	99	V	300-150	4371	4	0	7.3	-0.1
LRQ	99	V	300-150	27	0	0	3.1	0.0
LRT	99	V	300-150	36	0	0	3.1	-0.6
LSM	99	V	300-150	23	0	0	2.6	0.5
LXJ	99	V	300-150	1330	0	0	3.3	0.5
MAS	99	V	300-150	4093	0	0	5.3	1.1
MED	99	V	300-150	102	0	0	3.0	0.3
MLM	99	V	300-150	69	0	0	4.3	0.8
MMD	99	V	300-150	442	0	0	3.1	0.5
MMF	99	V	300-150	68	0	0	3.0	0.8
MNB	99	V	300-150	458	0	0	3.0	0.4
MPH	99	V	300-150	247	0	0	3.3	-0.1
MSR	99	V	300-150	2147	3	0	4.5	0.0
MVJ	99	V	300-150	36	0	0	3.6	0.2
MXD	99	V	300-150	227	0	0	4.4	0.5
NBT	99	V	300-150	5103	7	0	6.3	-0.2
NCR	99	V	300-150	517	0	0	3.6	0.1
NEW	99	V	300-150	126	0	0	3.4	0.4
NJE	99	V	300-150	548	0	0	3.0	0.3
NJU	99	V	300-150	38	0	0	2.8	-0.2
NOJ	99	V	300-150	24	0	0	3.6	-0.2
NOS	99	V	300-150	1715	6	0	5.2	-0.1
NSH	99	V	300-150	50	0	0	2.7	-0.9
NSP	99	V	300-150	33	0	0	3.5	0.0
NUM	99	V	300-150	23	0	0	3.1	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
OAE	99	V	300-150	482	0	0	3.5	0.3
OBS	99	V	300-150	21	0	0	4.8	0.9
OCN	99	V	300-150	5297	0	0	3.0	0.1
OLI	99	V	300-150	23	0	0	5.1	1.3
OMA	99	V	300-150	688	0	0	5.6	1.1
OSY	99	V	300-150	35	0	0	3.0	-0.1
PAL	99	V	300-150	89	0	0	3.9	0.1
PAT	99	V	300-150	33	0	0	2.6	0.7
PEX	99	V	300-150	82	0	0	2.9	-0.2
PIA	99	V	300-150	73	0	0	3.4	0.5
PLF	99	V	300-150	43	0	0	2.9	0.0
PVA	99	V	300-150	546	0	0	3.3	0.0
QAF	99	V	300-150	163	0	0	3.3	0.0
QFA	99	V	300-150	4291	0	0	4.8	0.2
QID	99	V	300-150	35	0	0	3.8	-0.3
QQE	99	V	300-150	554	0	0	3.2	0.4
QTR	99	V	300-150	17492	0	0	4.1	0.2
RAM	99	V	300-150	1078	6	0	6.2	0.0
RBA	99	V	300-150	197	0	0	5.0	0.7
RCH	99	V	300-150	3182	0	0	4.5	0.3
RCR	99	V	300-150	25	0	0	6.3	-0.2
RDN	99	V	300-150	34	0	0	2.9	-0.2
RHH	99	V	300-150	28	0	0	10.3	4.3
RJA	99	V	300-150	2683	7	0	5.9	-0.1
RJR	99	V	300-150	49	0	0	3.0	0.5
RKK	99	V	300-150	35	0	0	4.7	-0.5
RRR	99	V	300-150	392	0	0	3.5	0.3
RSF	99	V	300-150	34	0	0	3.0	0.6
RYR	99	V	300-150	640	0	0	3.0	0.0
RZO	99	V	300-150	449	0	0	3.6	0.9
SAM	99	V	300-150	173	0	0	3.3	0.4
SAS	99	V	300-150	6489	0	0	3.1	0.3
SAZ	99	V	300-150	36	0	0	2.8	-0.1
SCX	99	V	300-150	61	0	0	3.9	0.1
SDE	99	V	300-150	24	0	0	4.5	0.7
SIA	99	V	300-150	7210	0	0	5.0	0.8
SIO	99	V	300-150	36	0	0	3.1	-0.2
SIS	99	V	300-150	52	0	0	3.9	0.9
SKV	99	V	300-150	78	0	0	3.1	0.2
SLM	99	V	300-150	115	0	0	2.5	0.0
SNO	99	V	300-150	54	0	0	4.5	-0.3
SON	99	V	300-150	81	0	0	3.5	0.4
SPA	99	V	300-150	148	0	0	3.2	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
SPM	99	V	300-150	156	0	0	3.3	0.3
SRR	99	V	300-150	34	0	0	3.4	0.3
SVA	99	V	300-150	5029	1	0	4.7	0.5
SVF	99	V	300-150	27	0	0	3.4	0.7
SVW	99	V	300-150	266	0	0	3.4	-0.2
SWR	99	V	300-150	13006	0	0	3.1	0.2
SWW	99	V	300-150	41	0	0	3.1	0.1
SYB	99	V	300-150	214	0	0	3.3	0.6
TAM	99	V	300-150	111	0	0	4.4	0.3
TAP	99	V	300-150	3708	0	0	3.2	0.4
TAR	99	V	300-150	526	0	0	2.9	0.4
TAX	99	V	300-150	20	0	0	4.7	1.4
TAY	99	V	300-150	49	0	0	3.0	-1.3
TFF	99	V	300-150	32	0	0	3.3	0.0
TFL	99	V	300-150	1287	7	0	6.2	0.0
TGW	99	V	300-150	763	0	0	5.4	1.2
THA	99	V	300-150	795	0	0	5.1	0.9
THT	99	V	300-150	2963	2	0	6.1	0.1
THY	99	V	300-150	18403	3	0	4.5	0.0
TJS	99	V	300-150	26	0	0	2.4	0.3
TMN	99	V	300-150	406	0	0	4.3	0.1
TOM	99	V	300-150	5443	7	0	6.0	0.0
TOR	99	V	300-150	106	0	0	2.8	-0.2
TRE	99	V	300-150	50	0	0	3.0	0.7
TRK	99	V	300-150	24	0	0	2.9	0.3
TSC	99	V	300-150	25341	0	0	3.3	0.3
TUA	99	V	300-150	30	0	0	5.5	1.7
TVS	99	V	300-150	92	0	0	2.4	0.3
TWY	99	V	300-150	1069	0	0	3.2	0.3
UAE	99	V	300-150	17311	0	0	4.0	0.2
UAF	99	V	300-150	68	0	0	5.2	0.7
UAL	99	V	300-150	93324	2	1	4.4	0.1
UBT	99	V	300-150	3445	7	0	6.1	-0.2
ULC	99	V	300-150	53	0	0	3.2	0.8
UPS	99	V	300-150	5468	0	0	3.4	-0.2
UZB	99	V	300-150	208	3	0	6.2	1.1
VAL	99	V	300-150	45	0	0	3.6	0.2
VCG	99	V	300-150	73	0	0	3.6	0.5
VCJ	99	V	300-150	29	0	0	3.9	-0.4
VIR	99	V	300-150	24956	2	0	4.2	0.1
VJA	99	V	300-150	234	0	0	3.8	0.6
VJH	99	V	300-150	257	0	0	3.3	0.4
VJT	99	V	300-150	2562	0	0	3.3	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
VKG	99	V	300-150	28	0	0	2.3	0.2
VOZ	99	V	300-150	471	0	0	4.2	0.1
WFL	99	V	300-150	63	0	0	3.4	-0.5
WGN	99	V	300-150	32	0	0	2.5	1.1
WJA	99	V	300-150	10166	1	0	4.4	0.2
WMN	99	V	300-150	20	0	0	3.6	-0.6
WWI	99	V	300-150	252	0	0	3.9	0.4
XAX	99	V	300-150	570	0	0	5.2	1.4
XFL	99	V	300-150	96	0	1	3.8	1.3
XSR	99	V	300-150	23	0	0	3.6	-1.0

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10 °N - 90 °N, 70 °W - 40 °E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10 °N - 90 °N, 70 °W - 40 °E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	50	31	4.6	-0.2
01001	12	Z	50	31	13.4	-11.9
01028	12	Z	50	30	9.0	-8.0
01028	00	Z	50	30	7.1	-5.4
01400	00	Z	50	30	82.9	82.6
01400	12	Z	50	30	78.2	77.7
01415	12	Z	50	30	8.2	-5.3
01415	00	Z	50	31	7.0	2.8
02365	00	Z	50	27	5.7	-3.7
02365	12	Z	50	29	12.3	-10.7
02591	00	Z	50	18	20.9	14.4
02591	12	Z	50	24	13.1	3.5
02836	00	Z	50	0	0.0	0.0
02836	12	Z	50	1	9.2	-9.2
02963	12	Z	50	24	7.9	-5.8
02963	00	Z	50	17	5.1	0.3
03005	12	Z	50	30	11.7	-10.6
03005	00	Z	50	29	7.3	-3.8
03238	12	Z	50	6	12.1	-5.5
03238	00	Z	50	29	5.8	0.9
03808	12	Z	50	29	7.7	-4.7
03808	00	Z	50	29	5.0	2.5
03918	12	Z	50	1	14.0	-14.0
03918	00	Z	50	31	6.4	-2.1
03953	00	Z	50	31	7.5	-4.9
03953	12	Z	50	30	12.0	-9.7
04018	12	Z	50	28	8.9	-5.4
04018	00	Z	50	28	8.0	-7.0
04220	12	Z	50	31	24.1	-19.3
04220	00	Z	50	31	25.1	-22.5
04270	12	Z	50	31	30.6	-21.6
04270	00	Z	50	30	33.2	-27.3
04320	00	Z	50	27	18.9	-10.7
04320	12	Z	50	26	12.4	-1.8
04339	00	Z	50	26	31.3	-24.5
04339	12	Z	50	29	20.9	-7.6
04360	00	Z	50	12	43.7	-42.0
04360	12	Z	50	16	33.8	-31.6
06011	12	Z	50	31	47.6	-44.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	50	9	6.2	-3.1
06260	00	Z	50	31	10.5	2.6
06610	00	Z	50	30	8.6	0.7
06610	12	Z	50	31	6.8	-3.6
07110	00	Z	50	30	17.8	-17.0
07110	12	Z	50	30	23.8	-19.9
07510	12	Z	50	29	12.2	0.1
07510	00	Z	50	28	8.4	3.0
07645	00	Z	50	26	21.1	-3.2
07645	12	Z	50	25	32.5	-14.3
07761	12	Z	50	24	35.8	-19.0
07761	00	Z	50	20	27.2	-22.9
08001	00	Z	50	31	6.4	2.4
08001	12	Z	50	31	7.4	-1.4
08221	00	Z	50	31	8.7	7.4
08221	12	Z	50	31	5.7	-2.5
08302	00	Z	50	26	5.7	-1.5
08302	12	Z	50	28	12.7	-10.9
08508	12	Z	50	2	4.4	-0.5
08522	12	Z	50	31	10.4	-3.8
10035	00	Z	50	30	5.4	2.9
10035	12	Z	50	31	10.6	-3.8
10393	12	Z	50	31	8.1	-3.0
10393	00	Z	50	31	5.1	1.6
10410	00	Z	50	29	5.6	3.2
10410	12	Z	50	29	7.3	-4.5
10739	12	Z	50	31	8.7	0.0
10739	00	Z	50	31	9.1	6.6
11035	00	Z	50	30	20.2	6.5
11035	12	Z	50	31	13.4	1.3
12982	12	Z	50	30	4.2	0.2
12982	00	Z	50	30	7.7	5.2
16245	00	Z	50	30	13.3	6.3
16245	12	Z	50	30	6.2	-3.2
16429	12	Z	50	29	4.8	-1.6
16429	00	Z	50	30	6.9	6.1
16622	00	Z	50	12	10.5	-7.3
16754	00	Z	50	23	4.7	1.8
17607	12	Z	50	22	4.7	1.6
26435	12	Z	50	5	5.3	-4.0
2TDJJ8	12	Z	50	28	10.2	9.2
2TDJJ8	00	Z	50	27	9.3	7.6
60018	12	Z	50	29	5.8	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	50	26	8.6	7.5
7JUNA4	00	Z	50	7	14.5	-11.4
7JUNA4	12	Z	50	8	24.9	-21.9
9ZT9MR	12	Z	50	7	28.3	-23.6
9ZT9MR	00	Z	50	7	62.2	-53.1
ASDE09	12	Z	50	1	42.6	42.6
ATGU3F	00	Z	50	2	36.0	-34.8
ATGU3F	12	Z	50	4	41.3	-37.7
FPUW5G	12	Z	50	16	9.0	-6.8
JNKN7J	12	Z	50	10	93.2	73.1
JNKN7J	00	Z	50	8	30.3	26.1
KJJF9X	12	Z	50	1	42.6	-42.6
KJJF9X	00	Z	50	3	38.1	-37.5
KMPLHP	12	Z	50	9	84.5	23.3
KMPLHP	00	Z	50	7	24.3	14.7
LAGY8	12	Z	50	1	24.4	-24.4
LAGY8	00	Z	50	3	212.8	-192.2
LAGZ8	00	Z	50	3	39.7	37.6
LRYQE3	00	Z	50	12	42.0	7.0
LRYQE3	12	Z	50	12	130.8	111.1
USCLL	12	Z	50	0	0.0	0.0
UXK5JT	00	Z	50	0	0.0	0.0
UXK5JT	12	Z	50	1	34.6	-34.6
WDK38H	12	Z	50	4	17.8	-17.0
XKQLWQ	12	Z	50	21	15.0	12.0
YLV96W	12	Z	50	10	106.8	74.2
YLV96W	00	Z	50	9	11.8	-8.3
ZVQEQC	12	Z	50	24	9.9	6.2

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	50	27	2.9	0.4	0.0
01001	12	V	50	30	2.8	0.4	0.3
01028	12	V	50	30	2.3	0.0	0.6
01028	00	V	50	24	2.5	0.4	0.6
01400	00	V	50	25	2.7	0.3	0.5
01400	12	V	50	30	2.8	0.5	0.0
01415	12	V	50	30	2.6	0.1	-0.2
01415	00	V	50	25	2.8	-0.5	0.2
02365	00	V	50	24	3.1	-0.3	0.0
02365	12	V	50	29	3.1	0.4	-0.8
02591	00	V	50	14	2.8	-0.8	0.7
02591	12	V	50	22	2.8	-0.2	-0.3
02836	00	V	50	0	0.0	0.0	0.0
02836	12	V	50	0	0.0	0.0	0.0
02963	12	V	50	22	3.5	-0.2	-0.3
02963	00	V	50	15	2.9	0.0	-0.6
03005	12	V	50	29	3.0	-0.3	-0.2
03005	00	V	50	27	3.1	0.6	0.0
03238	12	V	50	6	3.5	1.5	0.7
03238	00	V	50	29	2.6	0.3	0.3
03808	12	V	50	29	2.7	0.1	0.0
03808	00	V	50	25	2.9	-0.5	0.6
03918	12	V	50	1	1.4	-0.8	-1.2
03918	00	V	50	27	3.2	0.7	0.5
03953	00	V	50	29	3.1	-0.6	0.3
03953	12	V	50	30	3.3	-0.3	0.3
04018	12	V	50	28	3.1	-0.2	-0.2
04018	00	V	50	28	2.8	0.2	0.0
04220	12	V	50	31	2.1	0.1	0.3
04220	00	V	50	28	2.3	0.0	0.2
04270	12	V	50	31	2.8	0.4	-0.1
04270	00	V	50	27	3.0	-0.2	-0.2
04320	00	V	50	23	2.8	-0.7	-0.6
04320	12	V	50	26	2.5	0.0	-0.2
04339	00	V	50	24	2.3	0.0	0.0
04339	12	V	50	29	2.9	-0.1	0.6
04360	00	V	50	12	1.8	0.2	0.3
04360	12	V	50	16	2.4	-0.1	0.3
06011	12	V	50	31	2.8	0.0	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	50	9	3.3	0.0	-0.4
06260	00	V	50	30	3.3	0.9	0.5
06610	00	V	50	28	3.1	-0.5	0.5
06610	12	V	50	31	3.3	0.3	-0.4
07110	00	V	50	27	3.1	0.1	-0.3
07110	12	V	50	30	3.1	-0.4	0.1
07510	12	V	50	29	3.5	-0.2	-0.4
07510	00	V	50	23	2.8	-0.6	-0.4
07645	00	V	50	24	3.1	-0.7	0.1
07645	12	V	50	25	2.8	-0.1	0.0
07761	12	V	50	24	4.4	-1.4	-0.4
07761	00	V	50	18	3.0	0.1	1.1
08001	00	V	50	24	2.9	-0.1	0.2
08001	12	V	50	31	3.1	0.3	-0.2
08221	00	V	50	27	3.6	-0.1	0.0
08221	12	V	50	31	3.0	-0.3	-0.4
08302	00	V	50	23	3.7	-0.4	0.0
08302	12	V	50	28	3.0	-0.5	-0.5
08508	12	V	50	2	2.5	1.0	-1.6
08522	12	V	50	31	3.4	-0.7	0.3
10035	00	V	50	29	3.5	0.4	-0.5
10035	12	V	50	31	3.3	0.0	0.3
10393	12	V	50	30	3.6	0.5	-0.9
10393	00	V	50	29	3.2	0.3	-0.1
10410	00	V	50	28	3.1	-0.2	-0.1
10410	12	V	50	29	3.0	-0.1	0.0
10739	12	V	50	31	3.1	0.4	-0.1
10739	00	V	50	30	3.9	-0.1	0.3
11035	00	V	50	28	3.3	0.6	0.3
11035	12	V	50	31	3.0	-0.2	0.1
12982	12	V	50	30	2.6	-0.2	0.2
12982	00	V	50	29	2.6	-0.1	-0.3
16245	00	V	50	29	3.8	-0.7	-0.3
16245	12	V	50	30	3.6	0.4	0.2
16429	12	V	50	29	3.7	0.2	-0.6
16429	00	V	50	29	3.5	0.3	0.0
16622	00	V	50	12	4.0	1.6	-1.2
16754	00	V	50	22	3.5	-0.6	0.8
17607	12	V	50	20	3.9	-0.3	-0.7
26435	12	V	50	3	3.6	0.0	-0.6
2TDJJ8	12	V	50	27	2.1	0.4	0.5
2TDJJ8	00	V	50	27	2.1	-0.3	0.5
60018	12	V	50	29	3.5	-0.8	-0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	50	19	2.9	0.9	0.7
7JUNA4	00	V	50	7	2.6	-1.1	0.6
7JUNA4	12	V	50	8	3.5	1.4	0.5
9ZT9MR	12	V	50	7	2.5	-0.4	0.0
9ZT9MR	00	V	50	7	2.5	0.0	-0.6
ASDE09	12	V	50	1	2.6	0.3	-2.6
ATGU3F	00	V	50	2	2.6	2.1	1.2
ATGU3F	12	V	50	4	1.4	-0.7	0.2
FPUW5G	12	V	50	10	1.7	0.6	-0.2
JNKN7J	12	V	50	10	3.1	0.7	1.0
JNKN7J	00	V	50	8	2.5	0.7	-0.7
KJJF9X	12	V	50	1	0.3	0.0	0.3
KJJF9X	00	V	50	3	2.1	0.2	1.2
KMPLHP	12	V	50	9	3.3	0.5	-0.5
KMPLHP	00	V	50	7	2.2	1.1	-0.7
LAGY8	12	V	50	1	1.6	1.5	-0.6
LAGY8	00	V	50	3	2.3	0.3	1.6
LAGZ8	00	V	50	3	2.1	-1.3	0.3
LRYQE3	00	V	50	12	3.2	0.3	-0.3
LRYQE3	12	V	50	12	2.7	0.2	-0.3
USCLL	12	V	50	0	0.0	0.0	0.0
UXK5JT	00	V	50	0	0.0	0.0	0.0
UXK5JT	12	V	50	1	0.8	-0.6	0.6
WDK38H	12	V	50	4	1.7	-0.1	0.9
XKQLWQ	12	V	50	21	2.9	0.7	-0.7
YLV96W	12	V	50	10	3.0	-0.1	0.1
YLV96W	00	V	50	9	2.9	1.1	0.8
ZVQEQC	12	V	50	22	4.5	1.2	0.0

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	100	31	3.8	-0.1
01001	12	Z	100	31	11.4	-10.2
01028	12	Z	100	30	9.8	-9.2
01028	00	Z	100	31	8.0	-6.5
01400	00	Z	100	31	80.2	79.9
01400	12	Z	100	31	77.0	76.7
01415	12	Z	100	31	6.1	-4.8
01415	00	Z	100	31	6.2	0.4
02365	00	Z	100	27	5.2	-2.8
02365	12	Z	100	29	10.4	-9.4
02591	00	Z	100	18	19.4	11.0
02591	12	Z	100	25	18.2	4.9
02836	00	Z	100	8	7.2	-6.4
02836	12	Z	100	5	91.2	-48.9
02963	12	Z	100	29	7.5	-6.1
02963	00	Z	100	24	4.6	1.0
03005	12	Z	100	30	9.7	-8.9
03005	00	Z	100	29	6.3	-4.8
03238	12	Z	100	7	9.1	-3.8
03238	00	Z	100	29	5.7	-1.8
03808	12	Z	100	29	7.1	-4.6
03808	00	Z	100	29	5.0	0.3
03918	12	Z	100	1	10.7	-10.7
03918	00	Z	100	31	6.2	-3.8
03953	00	Z	100	31	8.5	-7.2
03953	12	Z	100	30	11.3	-9.7
04018	12	Z	100	28	8.2	-5.6
04018	00	Z	100	29	8.7	-7.5
04220	12	Z	100	31	16.8	-13.9
04220	00	Z	100	31	18.1	-16.9
04270	12	Z	100	30	23.9	-22.1
04270	00	Z	100	31	46.3	-20.9
04320	00	Z	100	28	16.3	-10.4
04320	12	Z	100	27	8.8	-4.2
04339	00	Z	100	27	24.4	-20.9
04339	12	Z	100	30	18.3	-9.1
04360	00	Z	100	12	36.0	-35.1
04360	12	Z	100	16	29.5	-27.7
06011	12	Z	100	31	36.9	-34.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	100	9	4.0	-1.8
06260	00	Z	100	31	10.6	0.0
06610	00	Z	100	33	6.8	-0.6
06610	12	Z	100	32	7.9	-5.8
07110	00	Z	100	30	16.9	-16.0
07110	12	Z	100	29	17.7	-15.4
07510	12	Z	100	30	7.6	1.5
07510	00	Z	100	31	5.1	0.1
07645	00	Z	100	28	18.2	-6.5
07645	12	Z	100	31	23.5	-10.4
07761	12	Z	100	26	27.3	-25.3
07761	00	Z	100	29	24.7	-21.9
08001	00	Z	100	31	5.9	0.4
08001	12	Z	100	31	5.5	-1.2
08221	00	Z	100	31	8.3	6.9
08221	12	Z	100	31	4.9	-1.6
08302	00	Z	100	27	7.1	-4.0
08302	12	Z	100	28	10.6	-9.6
08508	12	Z	100	2	3.2	3.2
08522	12	Z	100	31	6.9	1.4
10035	00	Z	100	31	4.1	-1.6
10035	12	Z	100	31	7.9	-5.2
10393	12	Z	100	31	7.0	-3.7
10393	00	Z	100	31	4.3	-1.3
10410	00	Z	100	29	3.9	0.5
10410	12	Z	100	30	6.1	-3.8
10739	12	Z	100	31	6.9	-2.2
10739	00	Z	100	31	6.2	4.4
11035	00	Z	100	32	18.4	3.2
11035	12	Z	100	31	9.4	-1.8
12982	12	Z	100	30	5.6	-3.0
12982	00	Z	100	30	6.4	1.9
16245	00	Z	100	30	8.8	3.2
16245	12	Z	100	31	6.2	-4.3
16429	12	Z	100	30	4.6	-2.5
16429	00	Z	100	31	6.3	5.7
16622	00	Z	100	17	20.6	0.7
16754	00	Z	100	30	6.0	2.0
17607	12	Z	100	25	8.4	6.7
26435	12	Z	100	12	8.1	-6.6
2TDJJ8	12	Z	100	28	10.5	9.7
2TDJJ8	00	Z	100	27	9.6	8.1
60018	12	Z	100	29	4.0	1.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	100	27	10.1	8.9
7JUNA4	00	Z	100	9	13.3	-11.4
7JUNA4	12	Z	100	9	15.6	-12.0
9ZT9MR	12	Z	100	7	27.3	-24.7
9ZT9MR	00	Z	100	8	55.7	-46.5
ASDE09	12	Z	100	1	26.7	26.7
ATGU3F	00	Z	100	5	37.4	-37.1
ATGU3F	12	Z	100	0	0.0	0.0
FPUW5G	12	Z	100	18	8.6	-6.8
JNKN7J	12	Z	100	10	56.1	49.5
JNKN7J	00	Z	100	8	28.4	27.6
KJJF9X	12	Z	100	1	22.5	-22.5
KJJF9X	00	Z	100	0	0.0	0.0
KMPLHP	12	Z	100	9	47.5	9.7
KMPLHP	00	Z	100	7	22.9	9.7
LAGY8	12	Z	100	1	40.5	-40.5
LAGY8	00	Z	100	3	208.1	-188.4
LAGZ8	00	Z	100	3	36.5	35.9
LRYPE3	00	Z	100	11	15.9	-6.3
LRYPE3	12	Z	100	12	73.9	50.1
USCLL	12	Z	100	0	0.0	0.0
UXK5JT	00	Z	100	0	0.0	0.0
UXK5JT	12	Z	100	0	0.0	0.0
WDK38H	12	Z	100	4	18.5	-18.3
XKQLWQ	12	Z	100	21	13.0	10.5
YLV96W	12	Z	100	10	52.4	33.8
YLV96W	00	Z	100	9	9.8	-8.1
ZVQEQC	12	Z	100	25	11.6	10.0

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	100	28	2.6	0.1	-0.1
01001	12	V	100	31	2.3	-0.3	0.2
01028	12	V	100	30	2.8	0.5	0.2
01028	00	V	100	27	2.5	-0.2	0.0
01400	00	V	100	30	2.5	-0.5	-0.4
01400	12	V	100	31	2.5	0.8	0.0
01415	12	V	100	31	2.5	0.7	-0.2
01415	00	V	100	29	2.3	0.0	-0.3
02365	00	V	100	25	2.6	0.2	-0.5
02365	12	V	100	29	2.9	0.2	-0.9
02591	00	V	100	13	2.5	1.1	-0.1
02591	12	V	100	25	3.1	0.2	-0.6
02836	00	V	100	3	2.6	-0.6	2.1
02836	12	V	100	3	2.4	-0.6	0.3
02963	12	V	100	28	2.4	0.0	-0.1
02963	00	V	100	22	2.6	-0.3	-0.2
03005	12	V	100	30	2.8	0.3	-0.2
03005	00	V	100	28	2.7	0.9	-0.1
03238	12	V	100	6	3.4	1.8	1.8
03238	00	V	100	29	2.9	0.2	0.1
03808	12	V	100	29	2.8	0.2	0.1
03808	00	V	100	27	2.8	0.4	0.4
03918	12	V	100	1	5.4	-3.1	4.4
03918	00	V	100	28	2.7	0.5	0.4
03953	00	V	100	30	3.3	0.7	0.5
03953	12	V	100	30	2.5	0.2	0.0
04018	12	V	100	28	2.8	0.2	0.1
04018	00	V	100	28	2.7	0.1	0.1
04220	12	V	100	31	2.3	0.3	0.1
04220	00	V	100	30	2.3	-0.3	0.0
04270	12	V	100	30	2.9	0.1	0.3
04270	00	V	100	30	2.8	-0.2	0.4
04320	00	V	100	27	2.1	0.2	-0.3
04320	12	V	100	27	2.2	-0.4	0.6
04339	00	V	100	27	2.7	0.2	0.0
04339	12	V	100	29	2.3	-0.3	0.0
04360	00	V	100	12	3.4	0.0	0.6
04360	12	V	100	16	2.9	0.0	0.1
06011	12	V	100	31	2.5	0.3	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	100	9	3.3	0.5	0.5
06260	00	V	100	30	2.9	0.4	-0.1
06610	00	V	100	30	2.9	-0.1	0.5
06610	12	V	100	31	3.8	-0.2	-1.3
07110	00	V	100	29	3.0	0.9	0.1
07110	12	V	100	29	2.8	-0.2	0.3
07510	12	V	100	30	2.9	-0.6	0.1
07510	00	V	100	29	3.2	0.7	0.2
07645	00	V	100	25	4.0	0.7	-1.2
07645	12	V	100	31	3.5	0.1	-0.3
07761	12	V	100	26	5.3	-0.8	0.4
07761	00	V	100	28	4.8	0.3	-0.9
08001	00	V	100	28	3.5	1.1	0.2
08001	12	V	100	31	2.9	-0.2	0.0
08221	00	V	100	28	3.9	-0.9	0.1
08221	12	V	100	31	3.1	0.2	-0.2
08302	00	V	100	26	3.4	0.2	0.1
08302	12	V	100	28	3.5	0.1	0.0
08508	12	V	100	2	3.1	2.0	0.8
08522	12	V	100	31	3.4	0.5	0.3
10035	00	V	100	30	2.7	0.2	-0.7
10035	12	V	100	31	2.0	0.2	0.3
10393	12	V	100	31	2.5	0.2	-0.5
10393	00	V	100	30	2.8	0.0	0.2
10410	00	V	100	28	3.3	-0.4	0.0
10410	12	V	100	30	2.8	-0.1	-0.3
10739	12	V	100	31	3.2	-0.8	0.2
10739	00	V	100	30	3.2	0.2	0.3
11035	00	V	100	29	3.0	0.0	-0.1
11035	12	V	100	31	3.2	0.5	0.5
12982	12	V	100	30	2.8	0.6	0.3
12982	00	V	100	29	3.5	0.3	0.9
16245	00	V	100	29	3.8	-0.5	-0.7
16245	12	V	100	30	3.8	1.4	0.5
16429	12	V	100	30	3.5	0.1	0.3
16429	00	V	100	30	3.3	-0.1	-0.1
16622	00	V	100	17	5.2	0.4	-1.3
16754	00	V	100	28	3.7	1.4	0.8
17607	12	V	100	22	3.0	0.2	-0.1
26435	12	V	100	9	2.8	-0.7	-0.5
2TDJJ8	12	V	100	27	1.8	-0.1	0.0
2TDJJ8	00	V	100	27	2.1	0.1	0.6
60018	12	V	100	29	3.3	-0.6	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	100	22	3.6	-0.8	1.0
7JUNA4	00	V	100	9	2.8	0.9	0.1
7JUNA4	12	V	100	9	2.7	0.7	-0.3
9ZT9MR	12	V	100	7	2.3	-0.2	0.0
9ZT9MR	00	V	100	8	2.4	0.7	0.9
ASDE09	12	V	100	1	1.0	0.3	1.0
ATGU3F	00	V	100	5	2.4	-0.9	-0.7
ATGU3F	12	V	100	0	0.0	0.0	0.0
FPUW5G	12	V	100	12	2.1	0.3	0.9
JNKN7J	12	V	100	10	2.8	-1.5	-0.3
JNKN7J	00	V	100	8	3.4	-0.2	-1.2
KJJF9X	12	V	100	1	1.0	0.2	-1.0
KJJF9X	00	V	100	0	0.0	0.0	0.0
KMPLHP	12	V	100	9	3.1	-0.1	-0.9
KMPLHP	00	V	100	7	2.7	0.4	-0.2
LAGY8	12	V	100	1	1.7	-0.3	1.7
LAGY8	00	V	100	3	2.5	-1.2	1.1
LAGZ8	00	V	100	3	3.5	0.2	1.2
LRYQE3	00	V	100	11	2.3	0.3	0.6
LRYQE3	12	V	100	12	2.9	-0.8	1.0
USCLL	12	V	100	0	0.0	0.0	0.0
UXK5JT	00	V	100	0	0.0	0.0	0.0
UXK5JT	12	V	100	0	0.0	0.0	0.0
WDK38H	12	V	100	4	3.8	0.4	0.6
XKQLWQ	12	V	100	21	3.0	0.6	0.6
YLV96W	12	V	100	10	2.8	-0.9	0.4
YLV96W	00	V	100	9	4.3	1.2	0.1
ZVQEQC	12	V	100	24	5.2	-1.0	0.7

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	500	31	7.6	7.1
01001	12	Z	500	31	3.2	-1.7
01028	12	Z	500	30	2.9	-1.7
01028	00	Z	500	31	2.5	-0.8
01400	00	Z	500	31	82.2	82.0
01400	12	Z	500	31	81.5	81.3
01415	12	Z	500	31	5.1	3.1
01415	00	Z	500	31	4.9	3.5
02365	00	Z	500	27	3.8	2.9
02365	12	Z	500	29	2.6	1.3
02591	00	Z	500	26	10.1	9.7
02591	12	Z	500	26	9.3	9.1
02836	00	Z	500	26	2.8	0.6
02836	12	Z	500	27	5.7	-1.2
02963	12	Z	500	31	4.0	3.3
02963	00	Z	500	31	5.4	4.9
03005	12	Z	500	31	2.5	-0.2
03005	00	Z	500	29	2.3	-0.7
03238	12	Z	500	6	3.9	-1.3
03238	00	Z	500	29	4.1	2.7
03808	12	Z	500	29	3.9	3.4
03808	00	Z	500	29	4.3	3.5
03918	12	Z	500	1	2.4	-2.4
03918	00	Z	500	31	3.3	0.6
03953	00	Z	500	31	2.9	-1.2
03953	12	Z	500	32	4.1	-1.5
04018	12	Z	500	30	2.9	0.2
04018	00	Z	500	29	2.6	0.2
04220	12	Z	500	31	5.1	-1.5
04220	00	Z	500	31	5.8	-3.3
04270	12	Z	500	31	11.3	-9.9
04270	00	Z	500	31	14.4	-13.2
04320	00	Z	500	28	8.7	-0.8
04320	12	Z	500	27	5.6	2.0
04339	00	Z	500	29	12.2	-7.0
04339	12	Z	500	31	14.7	-3.2
04360	00	Z	500	13	15.6	-14.3
04360	12	Z	500	15	12.0	-10.7
06011	12	Z	500	31	11.7	-9.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	500	9	2.4	1.4
06260	00	Z	500	31	9.9	1.8
06610	00	Z	500	33	3.5	1.7
06610	12	Z	500	32	3.0	-1.0
07110	00	Z	500	30	5.8	-2.8
07110	12	Z	500	29	5.1	-1.0
07510	12	Z	500	32	9.1	7.8
07510	00	Z	500	32	6.9	6.4
07645	00	Z	500	30	9.5	-3.3
07645	12	Z	500	32	9.7	-2.4
07761	12	Z	500	32	13.6	-13.3
07761	00	Z	500	29	14.3	-13.8
08001	00	Z	500	31	4.3	3.7
08001	12	Z	500	31	4.1	3.3
08221	00	Z	500	32	3.9	2.8
08221	12	Z	500	31	4.0	3.7
08302	00	Z	500	27	6.7	-6.2
08302	12	Z	500	28	7.0	-6.7
08508	12	Z	500	2	4.7	4.5
08522	12	Z	500	31	5.6	4.7
10035	00	Z	500	31	2.3	0.5
10035	12	Z	500	31	2.3	0.1
10393	12	Z	500	31	3.9	-0.3
10393	00	Z	500	31	3.2	0.7
10410	00	Z	500	31	2.8	1.7
10410	12	Z	500	30	2.9	0.1
10739	12	Z	500	31	4.2	2.9
10739	00	Z	500	31	5.4	4.9
11035	00	Z	500	32	19.1	6.1
11035	12	Z	500	31	5.3	3.5
12982	12	Z	500	30	2.1	0.5
12982	00	Z	500	30	2.9	1.6
16245	00	Z	500	31	5.1	4.2
16245	12	Z	500	31	2.3	1.6
16429	12	Z	500	30	4.2	3.8
16429	00	Z	500	31	5.6	5.1
16622	00	Z	500	30	5.6	4.9
16754	00	Z	500	31	3.6	-2.9
17607	12	Z	500	27	4.7	4.4
26435	12	Z	500	15	3.2	-0.5
2TDJJ8	12	Z	500	28	14.9	14.8
2TDJJ8	00	Z	500	27	12.6	12.0
60018	12	Z	500	29	5.0	4.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	500	27	5.4	4.4
7JUNA4	00	Z	500	9	4.7	1.1
7JUNA4	12	Z	500	10	5.5	3.5
9ZT9MR	12	Z	500	8	16.9	-16.6
9ZT9MR	00	Z	500	8	34.8	-26.4
ASDE09	12	Z	500	1	13.7	13.7
ATGU3F	00	Z	500	0	0.0	0.0
ATGU3F	12	Z	500	0	0.0	0.0
FPUW5G	12	Z	500	18	3.7	-1.7
JNKN7J	12	Z	500	10	40.7	40.1
JNKN7J	00	Z	500	8	39.8	39.6
KJJF9X	12	Z	500	0	0.0	0.0
KJJF9X	00	Z	500	0	0.0	0.0
KMPLHP	12	Z	500	9	27.4	9.6
KMPLHP	00	Z	500	9	21.2	12.6
LAGY8	12	Z	500	1	62.6	-62.6
LAGY8	00	Z	500	3	64.9	-64.9
LAGZ8	00	Z	500	3	66.6	66.6
LRYQE3	00	Z	500	12	6.5	-2.9
LRYQE3	12	Z	500	12	42.8	-6.4
USCLL	12	Z	500	1	2.2	-2.2
UXK5JT	00	Z	500	0	0.0	0.0
UXK5JT	12	Z	500	0	0.0	0.0
WDK38H	12	Z	500	4	16.2	-15.7
XKQLWQ	12	Z	500	21	7.0	6.4
YLV96W	12	Z	500	10	5.8	-0.2
YLV96W	00	Z	500	9	7.0	-5.1
ZVQEQC	12	Z	500	27	6.6	5.5

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	500	30	1.8	0.2	0.3
01001	12	V	500	31	1.9	0.3	0.2
01028	12	V	500	30	1.5	0.3	0.1
01028	00	V	500	30	1.8	0.3	0.0
01400	00	V	500	30	1.9	-0.2	0.2
01400	12	V	500	31	2.1	0.2	0.0
01415	12	V	500	31	2.5	0.1	-0.3
01415	00	V	500	30	2.1	-0.2	-0.3
02365	00	V	500	27	2.6	-0.1	-0.4
02365	12	V	500	29	2.2	0.2	0.0
02591	00	V	500	26	2.2	-0.4	-0.3
02591	12	V	500	26	2.3	0.5	0.1
02836	00	V	500	25	2.2	0.9	0.2
02836	12	V	500	24	2.0	0.0	0.3
02963	12	V	500	31	2.5	0.6	0.1
02963	00	V	500	30	2.0	-0.1	0.0
03005	12	V	500	31	2.4	0.0	0.0
03005	00	V	500	28	2.1	0.1	-0.1
03238	12	V	500	5	1.8	-0.3	0.3
03238	00	V	500	29	2.7	-0.3	-0.5
03808	12	V	500	29	2.1	0.2	0.0
03808	00	V	500	28	2.2	0.1	-0.3
03918	12	V	500	1	2.9	-2.7	1.0
03918	00	V	500	30	2.2	-0.3	0.0
03953	00	V	500	30	2.9	-0.3	0.1
03953	12	V	500	31	3.1	-0.1	-0.2
04018	12	V	500	30	1.9	0.5	0.1
04018	00	V	500	28	2.1	0.4	0.0
04220	12	V	500	31	2.5	0.1	0.1
04220	00	V	500	30	2.3	0.2	-0.5
04270	12	V	500	31	2.8	0.0	-0.9
04270	00	V	500	30	2.6	0.7	0.2
04320	00	V	500	27	2.1	0.1	0.4
04320	12	V	500	27	1.6	0.4	0.0
04339	00	V	500	29	2.5	0.3	-0.2
04339	12	V	500	31	2.2	0.5	0.1
04360	00	V	500	13	2.3	-0.1	-0.5
04360	12	V	500	15	2.1	-0.1	0.3
06011	12	V	500	31	2.0	0.5	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	500	9	2.2	1.3	0.2
06260	00	V	500	30	2.1	0.2	-0.1
06610	00	V	500	30	2.1	-0.3	-0.3
06610	12	V	500	31	2.3	0.1	-0.5
07110	00	V	500	29	2.2	-0.1	-0.2
07110	12	V	500	28	2.1	0.4	0.0
07510	12	V	500	31	1.8	0.1	-0.2
07510	00	V	500	30	2.3	0.0	-0.3
07645	00	V	500	28	3.3	0.0	0.0
07645	12	V	500	31	2.2	0.3	0.3
07761	12	V	500	30	2.5	0.4	0.2
07761	00	V	500	28	2.1	-0.1	0.0
08001	00	V	500	30	2.1	0.6	0.0
08001	12	V	500	31	1.8	0.1	0.4
08221	00	V	500	30	2.5	0.3	-0.1
08221	12	V	500	31	1.8	0.0	0.0
08302	00	V	500	26	2.3	0.8	0.3
08302	12	V	500	28	2.8	0.3	0.1
08508	12	V	500	2	1.5	0.3	-1.2
08522	12	V	500	31	1.8	0.3	0.2
10035	00	V	500	30	2.5	0.7	-0.1
10035	12	V	500	31	3.0	-0.3	-0.1
10393	12	V	500	31	2.3	0.4	0.3
10393	00	V	500	30	2.5	-0.3	-0.1
10410	00	V	500	28	2.2	0.0	0.0
10410	12	V	500	30	2.0	0.1	-0.1
10739	12	V	500	31	2.5	-0.2	-0.5
10739	00	V	500	30	2.9	-0.4	-0.7
11035	00	V	500	30	3.3	-0.5	1.1
11035	12	V	500	30	2.1	0.1	0.0
12982	12	V	500	30	3.5	-0.3	0.1
12982	00	V	500	29	2.5	0.4	0.1
16245	00	V	500	30	1.8	-0.2	0.1
16245	12	V	500	31	2.1	0.6	-0.1
16429	12	V	500	30	1.8	0.2	-0.2
16429	00	V	500	30	2.2	0.2	-0.6
16622	00	V	500	27	1.9	0.5	0.0
16754	00	V	500	30	1.8	0.6	0.0
17607	12	V	500	27	1.9	0.5	0.6
26435	12	V	500	15	2.0	-0.2	0.0
2TDJJ8	12	V	500	27	2.2	-0.4	0.4
2TDJJ8	00	V	500	27	2.3	-0.1	0.0
60018	12	V	500	29	1.8	-0.1	0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	500	25	2.5	-0.4	0.0
7JUNA4	00	V	500	9	3.1	1.0	-0.9
7JUNA4	12	V	500	10	2.2	0.1	0.7
9ZT9MR	12	V	500	8	2.6	-0.4	-0.5
9ZT9MR	00	V	500	8	2.6	0.4	0.3
ASDE09	12	V	500	1	2.5	-2.0	1.5
ATGU3F	00	V	500	0	0.0	0.0	0.0
ATGU3F	12	V	500	0	0.0	0.0	0.0
FPUW5G	12	V	500	17	1.8	0.2	0.2
JNKN7J	12	V	500	10	2.8	0.1	0.3
JNKN7J	00	V	500	8	3.8	-0.7	1.2
KJJF9X	12	V	500	0	0.0	0.0	0.0
KJJF9X	00	V	500	0	0.0	0.0	0.0
KMPLHP	12	V	500	9	2.9	0.6	-0.5
KMPLHP	00	V	500	9	1.5	0.4	0.2
LAGY8	12	V	500	1	1.5	-1.3	-0.7
LAGY8	00	V	500	3	2.1	1.2	-0.5
LAGZ8	00	V	500	3	2.7	0.8	-0.9
LRYQE3	00	V	500	12	2.0	0.4	1.3
LRYQE3	12	V	500	12	2.2	0.7	-0.2
USCLL	12	V	500	1	2.8	2.6	1.0
UXK5JT	00	V	500	0	0.0	0.0	0.0
UXK5JT	12	V	500	0	0.0	0.0	0.0
WDK38H	12	V	500	4	1.9	0.0	-1.1
XKQLWQ	12	V	500	21	1.6	-0.2	0.2
YLV96W	12	V	500	10	2.9	0.5	0.5
YLV96W	00	V	500	9	2.5	1.3	-0.5
ZVQEQC	12	V	500	25	2.6	0.1	-0.6

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	850	31	8.6	8.2
01001	12	Z	850	31	2.6	-0.7
01028	12	Z	850	30	2.8	-0.4
01028	00	Z	850	31	3.2	1.2
01400	00	Z	850	31	82.0	81.9
01400	12	Z	850	31	81.6	81.5
01415	12	Z	850	31	4.9	4.6
01415	00	Z	850	31	4.0	3.6
02365	00	Z	850	27	2.9	2.1
02365	12	Z	850	29	3.5	2.5
02591	00	Z	850	26	8.2	7.9
02591	12	Z	850	26	10.2	9.9
02836	00	Z	850	29	1.9	0.8
02836	12	Z	850	29	2.4	1.6
02963	12	Z	850	31	6.0	5.7
02963	00	Z	850	31	5.2	4.8
03005	12	Z	850	31	2.6	-0.5
03005	00	Z	850	29	2.3	-1.1
03238	12	Z	850	6	3.7	3.0
03238	00	Z	850	29	3.5	3.2
03808	12	Z	850	29	2.9	2.4
03808	00	Z	850	29	2.8	2.3
03918	12	Z	850	1	0.7	-0.7
03918	00	Z	850	32	2.5	0.5
03953	00	Z	850	31	1.7	0.2
03953	12	Z	850	32	2.6	-0.4
04018	12	Z	850	31	2.1	0.6
04018	00	Z	850	30	2.5	1.9
04220	12	Z	850	31	3.3	-1.9
04220	00	Z	850	31	3.0	-1.9
04270	12	Z	850	31	9.9	-9.7
04270	00	Z	850	31	10.2	-9.8
04320	00	Z	850	28	8.8	2.5
04320	12	Z	850	27	5.2	2.4
04339	00	Z	850	29	12.6	-7.6
04339	12	Z	850	31	15.2	-4.3
04360	00	Z	850	13	7.6	-7.1
04360	12	Z	850	17	6.1	-5.6
06011	12	Z	850	31	3.6	-1.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	850	9	2.4	1.4
06260	00	Z	850	31	9.9	-0.2
06610	00	Z	850	33	2.5	1.7
06610	12	Z	850	32	3.0	2.6
07110	00	Z	850	30	2.2	-0.3
07110	12	Z	850	30	1.9	0.8
07510	12	Z	850	32	6.3	6.0
07510	00	Z	850	32	6.4	6.1
07645	00	Z	850	30	6.4	-3.9
07645	12	Z	850	32	6.2	-4.1
07761	12	Z	850	32	12.0	-11.8
07761	00	Z	850	29	11.6	-11.4
08001	00	Z	850	31	2.8	1.3
08001	12	Z	850	31	2.1	1.4
08221	00	Z	850	32	2.9	1.5
08221	12	Z	850	31	2.2	1.7
08302	00	Z	850	27	7.8	-7.7
08302	12	Z	850	28	8.5	-8.2
08508	12	Z	850	4	3.6	-0.2
08522	12	Z	850	31	2.6	1.7
10035	00	Z	850	31	2.7	1.1
10035	12	Z	850	31	1.9	-0.4
10393	12	Z	850	31	3.5	0.5
10393	00	Z	850	31	2.9	0.4
10410	00	Z	850	31	2.1	1.0
10410	12	Z	850	30	2.0	1.2
10739	12	Z	850	31	6.3	6.1
10739	00	Z	850	31	5.2	4.9
11035	00	Z	850	32	18.7	4.2
11035	12	Z	850	32	4.8	3.8
12982	12	Z	850	30	3.0	2.5
12982	00	Z	850	30	3.6	2.4
16245	00	Z	850	31	3.6	3.1
16245	12	Z	850	31	3.2	2.7
16429	12	Z	850	30	2.5	2.2
16429	00	Z	850	31	3.0	2.6
16622	00	Z	850	33	4.1	3.9
16754	00	Z	850	31	6.9	-6.6
17607	12	Z	850	29	2.0	1.3
26435	12	Z	850	15	2.9	2.0
2TDJJ8	12	Z	850	27	14.7	14.4
2TDJJ8	00	Z	850	27	13.6	13.2
60018	12	Z	850	29	2.1	-0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
60018	00	Z	850	27	2.4	0.7
7JUNA4	00	Z	850	9	4.8	2.0
7JUNA4	12	Z	850	10	6.0	3.1
9ZT9MR	12	Z	850	8	13.1	-12.7
9ZT9MR	00	Z	850	8	13.4	-13.0
ASDE09	12	Z	850	1	18.4	18.4
ATGU3F	00	Z	850	1	24.6	-24.6
ATGU3F	12	Z	850	1	28.1	-28.1
FPUW5G	12	Z	850	18	3.4	-2.4
JNKN7J	12	Z	850	10	42.3	42.0
JNKN7J	00	Z	850	9	43.3	42.9
KJJF9X	12	Z	850	0	0.0	0.0
KJJF9X	00	Z	850	0	0.0	0.0
KMPLHP	12	Z	850	9	32.8	14.3
KMPLHP	00	Z	850	9	25.4	14.8
LAGY8	12	Z	850	1	64.9	-64.9
LAGY8	00	Z	850	3	64.1	-64.1
LAGZ8	00	Z	850	3	76.8	76.6
LRYQE3	00	Z	850	12	2.5	-1.1
LRYQE3	12	Z	850	11	4.0	-0.8
USCLL	12	Z	850	1	3.2	-3.2
UXK5JT	00	Z	850	0	0.0	0.0
UXK5JT	12	Z	850	0	0.0	0.0
WDK38H	12	Z	850	4	12.0	-11.3
XKQLWQ	12	Z	850	21	3.2	2.5
YLV96W	12	Z	850	11	7.2	-5.9
YLV96W	00	Z	850	9	6.4	-4.9
ZVQEQC	12	Z	850	32	2.9	0.4

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	850	30	3.4	0.0	-0.9
01001	12	V	850	31	2.5	0.5	-1.0
01028	12	V	850	30	2.1	0.3	-0.1
01028	00	V	850	30	2.5	-0.2	-0.4
01400	00	V	850	30	2.3	0.0	0.0
01400	12	V	850	31	2.5	0.1	-0.2
01415	12	V	850	31	2.4	-0.4	0.0
01415	00	V	850	30	2.1	0.6	0.4
02365	00	V	850	27	2.6	-0.5	-0.2
02365	12	V	850	29	2.7	0.2	-0.4
02591	00	V	850	26	3.8	0.7	-0.1
02591	12	V	850	26	2.2	-0.3	-0.3
02836	00	V	850	28	2.6	0.0	-0.4
02836	12	V	850	29	2.5	0.1	0.5
02963	12	V	850	31	2.8	0.0	0.2
02963	00	V	850	30	2.5	0.2	0.1
03005	12	V	850	31	2.5	0.0	-0.7
03005	00	V	850	28	2.1	0.0	0.0
03238	12	V	850	5	3.5	0.8	-1.4
03238	00	V	850	29	2.3	0.1	-0.1
03808	12	V	850	29	2.8	0.3	0.1
03808	00	V	850	28	1.8	0.0	-0.4
03918	12	V	850	1	2.3	-1.7	-1.6
03918	00	V	850	30	2.1	-0.1	-0.1
03953	00	V	850	30	2.4	0.3	-0.3
03953	12	V	850	31	2.5	0.2	-0.1
04018	12	V	850	30	2.2	-0.2	0.2
04018	00	V	850	28	2.1	0.2	0.4
04220	12	V	850	31	3.7	-0.5	-0.1
04220	00	V	850	30	3.0	0.0	-0.2
04270	12	V	850	31	3.4	0.2	-0.3
04270	00	V	850	30	3.8	0.2	0.3
04320	00	V	850	27	2.5	0.2	0.9
04320	12	V	850	27	3.1	-0.1	-0.4
04339	00	V	850	29	2.7	-0.6	-0.9
04339	12	V	850	31	2.8	-0.2	-0.3
04360	00	V	850	13	3.6	-0.2	1.5
04360	12	V	850	17	2.8	-0.5	0.3
06011	12	V	850	31	2.2	-0.3	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	850	9	3.3	-0.9	-0.4
06260	00	V	850	30	2.2	-0.6	-0.1
06610	00	V	850	30	2.8	-0.5	-0.2
06610	12	V	850	31	2.5	-0.1	0.6
07110	00	V	850	29	2.1	-0.1	-0.5
07110	12	V	850	29	5.1	-0.5	-0.5
07510	12	V	850	31	1.8	-0.4	0.2
07510	00	V	850	30	2.3	-0.2	-0.1
07645	00	V	850	28	3.3	-0.2	0.0
07645	12	V	850	31	2.6	-0.6	0.1
07761	12	V	850	30	2.7	-0.9	-0.7
07761	00	V	850	28	2.2	0.0	-0.3
08001	00	V	850	30	1.9	0.1	-0.3
08001	12	V	850	31	2.3	0.0	-0.4
08221	00	V	850	30	3.8	0.1	-0.5
08221	12	V	850	31	2.0	0.3	0.6
08302	00	V	850	26	2.6	-0.5	-0.1
08302	12	V	850	28	2.6	1.0	-0.6
08508	12	V	850	4	1.2	-0.6	0.3
08522	12	V	850	31	3.7	-0.9	-0.8
10035	00	V	850	30	2.5	0.3	0.5
10035	12	V	850	31	2.5	0.3	0.1
10393	12	V	850	31	2.4	0.4	0.2
10393	00	V	850	30	2.1	0.3	-0.4
10410	00	V	850	28	1.9	-0.2	0.3
10410	12	V	850	30	2.7	0.1	-0.2
10739	12	V	850	31	2.1	0.2	0.2
10739	00	V	850	30	2.8	0.6	-0.1
11035	00	V	850	30	3.3	-0.8	0.0
11035	12	V	850	31	3.4	0.9	0.3
12982	12	V	850	30	3.0	0.4	-0.8
12982	00	V	850	29	4.0	1.5	0.1
16245	00	V	850	30	2.5	-0.3	-0.2
16245	12	V	850	31	2.2	-0.5	-0.1
16429	12	V	850	30	2.1	0.1	0.1
16429	00	V	850	30	2.3	0.0	0.3
16622	00	V	850	30	2.6	0.4	-1.0
16754	00	V	850	30	2.0	0.3	0.1
17607	12	V	850	29	3.0	0.9	-0.4
26435	12	V	850	15	2.5	0.1	0.3
2TDJJ8	12	V	850	27	2.4	0.0	0.1
2TDJJ8	00	V	850	27	2.6	-0.3	0.2
60018	12	V	850	29	3.2	0.4	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
60018	00	V	850	25	3.5	1.2	0.4
7JUNA4	00	V	850	9	2.3	-0.4	1.5
7JUNA4	12	V	850	10	2.2	0.6	0.4
9ZT9MR	12	V	850	8	2.7	0.2	0.1
9ZT9MR	00	V	850	8	7.8	-1.3	3.0
ASDE09	12	V	850	1	2.6	-2.6	0.0
ATGU3F	00	V	850	1	3.6	-3.3	1.4
ATGU3F	12	V	850	1	3.8	2.5	2.9
FPUW5G	12	V	850	18	2.5	0.4	0.1
JNKN7J	12	V	850	10	2.3	-0.1	0.2
JNKN7J	00	V	850	9	2.3	0.0	0.4
KJJF9X	12	V	850	0	0.0	0.0	0.0
KJJF9X	00	V	850	0	0.0	0.0	0.0
KMPLHP	12	V	850	9	2.6	-0.3	-0.1
KMPLHP	00	V	850	9	2.3	0.2	-0.5
LAGY8	12	V	850	1	0.7	0.6	0.4
LAGY8	00	V	850	3	2.1	-0.1	-0.5
LAGZ8	00	V	850	3	4.0	-0.8	-2.9
LRYQE3	00	V	850	12	2.0	-0.5	0.3
LRYQE3	12	V	850	11	2.0	-0.2	0.2
USCLL	12	V	850	1	2.5	0.6	2.4
UXK5JT	00	V	850	0	0.0	0.0	0.0
UXK5JT	12	V	850	0	0.0	0.0	0.0
WDK38H	12	V	850	4	2.0	0.8	0.2
XKQLWQ	12	V	850	21	2.2	0.0	-0.1
YLV96W	12	V	850	11	2.8	-1.3	-0.3
YLV96W	00	V	850	9	1.8	0.6	-0.2
ZVQEQC	12	V	850	26	2.8	-0.1	0.6

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1000044	99	P	SUR	55	10	208	0	0.4	-3.1	3.1
1300001	99	P	SUR	11	-23	738	0	0.4	0.1	0.4
1300008	99	P	SUR	15	-38	616	0	0.2	0.0	0.2
1300130	99	P	SUR	28	-16	738	0	0.3	0.2	0.4
1300131	99	P	SUR	28	-17	738	0	0.4	0.1	0.4
1301622	99	P	SUR	35	-54	744	3	1.3	0.0	1.3
1301714	99	P	SUR	28	-68	11	0	0.2	0.1	0.2
1301718	99	P	SUR	29	-46	689	0	0.3	0.1	0.3
1301725	99	P	SUR	38	-32	728	0	0.2	0.0	0.2
1301726	99	P	SUR	26	-53	730	0	0.3	0.1	0.3
1301767	99	P	SUR	19	-41	13	0	1.0	5.2	5.3
1301769	99	P	SUR	25	-42	728	0	0.2	-0.9	0.9
1301773	99	P	SUR	24	-36	728	0	0.2	0.1	0.2
1301778	99	P	SUR	23	-51	729	0	0.2	0.1	0.2
1301782	99	P	SUR	54	-52	730	0	0.4	0.0	0.4
1301784	99	P	SUR	36	-18	730	0	0.2	0.2	0.3
1301785	99	P	SUR	35	-22	650	0	0.2	0.2	0.3
1301798	99	P	SUR	26	-49	725	0	0.2	0.5	0.5
1301799	99	P	SUR	31	-31	705	0	0.2	0.3	0.4
1301800	99	P	SUR	71	26	726	0	0.4	-1.0	1.0
1301802	99	P	SUR	67	12	585	0	0.2	-0.4	0.5
1301804	99	P	SUR	63	-15	730	0	0.3	-0.8	0.9
1301810	99	P	SUR	27	-35	729	0	0.2	-0.1	0.2
1301814	99	P	SUR	35	-21	730	0	0.2	0.2	0.3
1301816	99	P	SUR	48	-29	323	0	0.2	0.3	0.4
1301819	99	P	SUR	22	-35	730	0	0.2	-0.3	0.4
1301820	99	P	SUR	30	-33	729	0	0.2	-0.2	0.3
1301822	99	P	SUR	19	-39	730	0	0.2	0.1	0.2
1301823	99	P	SUR	23	-38	730	0	0.2	0.1	0.2
1801670	99	P	SUR	50	-24	723	0	0.3	0.2	0.4
1801671	99	P	SUR	45	-12	413	0	0.3	0.1	0.3
1801673	99	P	SUR	54	-29	189	0	2.3	1.6	2.8
1801675	99	P	SUR	52	-29	722	0	0.3	0.2	0.4
1801676	99	P	SUR	53	-19	674	0	1.0	-0.4	1.1
1801678	99	P	SUR	12	-43	723	0	0.3	0.3	0.4
1801716	99	P	SUR	23	-40	728	0	0.2	0.4	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1801732	99	P	SUR	42	-46	729	0	0.5	0.0	0.5
1801777	99	P	SUR	37	-30	743	0	0.2	0.2	0.3
1801778	99	P	SUR	53	-43	743	0	0.4	-0.3	0.5
1801927	99	P	SUR	56	-60	521	0	0.4	0.2	0.5
2801968	99	P	SUR	48	-17	651	0	0.4	-0.1	0.4
2802007	99	P	SUR	19	-42	727	0	0.2	0.0	0.2
2802008	99	P	SUR	65	-40	720	0	0.3	-0.2	0.4
2802010	99	P	SUR	17	-41	729	0	0.3	0.5	0.6
2802011	99	P	SUR	39	-34	312	0	0.2	0.2	0.3
2802022	99	P	SUR	34	-44	730	0	0.2	0.0	0.2
2802100	99	P	SUR	66	-4	716	0	0.3	0.2	0.4
2802124	99	P	SUR	25	-39	715	0	0.3	0.1	0.3
3801571	99	P	SUR	43	-33	725	0	0.3	0.3	0.4
3801575	99	P	SUR	51	-32	723	0	0.3	0.0	0.3
3801596	99	P	SUR	31	-34	729	0	0.2	-0.2	0.3
3801598	99	P	SUR	34	-46	728	0	0.3	0.0	0.3
3801612	99	P	SUR	21	-40	728	0	0.2	0.2	0.3
3801625	99	P	SUR	21	-42	729	0	0.2	0.5	0.6
3801676	99	P	SUR	80	9	743	0	0.3	0.1	0.3
3801703	99	P	SUR	66	-35	727	0	0.4	0.0	0.4
3801825	99	P	SUR	54	-56	687	0	0.4	0.4	0.5
4100040	99	P	SUR	15	-53	4463	0	0.3	-0.2	0.3
4100043	99	P	SUR	21	-65	4463	0	0.3	-0.2	0.3
4100044	99	P	SUR	22	-59	4464	0	0.3	-0.2	0.3
4100046	99	P	SUR	24	-68	4464	0	0.3	0.0	0.3
4100049	99	P	SUR	28	-62	4463	0	0.3	-0.5	0.6
4100052	99	P	SUR	18	-65	4383	0	0.3	-1.0	1.1
4100053	99	P	SUR	18	-66	4405	0	0.3	-0.8	0.8
4100056	99	P	SUR	18	-65	4389	0	0.3	-0.9	0.9
4101665	99	P	SUR	71	24	727	0	0.4	-0.3	0.5
4101725	99	P	SUR	18	-63	739	0	0.3	-0.1	0.3
4101728	99	P	SUR	33	-38	743	0	0.2	0.4	0.4
4101729	99	P	SUR	30	-58	392	0	0.3	0.0	0.3
4101755	99	P	SUR	37	-58	744	0	0.4	0.2	0.4
4101851	99	P	SUR	26	-67	730	0	0.4	-1.2	1.3
4101861	99	P	SUR	33	-57	730	0	0.3	0.4	0.5
4101863	99	P	SUR	21	-57	730	0	0.3	0.2	0.3
4101870	99	P	SUR	22	-52	729	0	0.2	0.0	0.2
4101873	99	P	SUR	27	-32	730	0	0.2	0.0	0.2
4101875	99	P	SUR	25	-25	544	0	0.4	0.8	0.9
41040	99	P	SUR	15	-53	744	0	0.3	-0.2	0.3
41043	99	P	SUR	21	-65	744	0	0.3	-0.2	0.3
41044	99	P	SUR	22	-59	744	0	0.3	-0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41046	99	P	SUR	24	-68	744	0	0.3	0.1	0.3
41049	99	P	SUR	28	-62	744	0	0.3	-0.5	0.6
41052	99	P	SUR	18	-65	741	0	0.3	-1.0	1.0
41053	99	P	SUR	19	-66	741	0	0.3	-0.8	0.8
41056	99	P	SUR	18	-66	742	0	0.3	-0.9	0.9
4200060	99	P	SUR	16	-63	4464	0	0.3	-0.3	0.5
4200085	99	P	SUR	18	-67	4330	0	0.3	-0.8	0.8
42060	99	P	SUR	16	-63	744	0	0.3	-0.3	0.4
42085	99	P	SUR	18	-67	732	0	0.3	-0.8	0.9
4400008	99	P	SUR	40	-69	4462	0	0.3	-0.2	0.4
4400011	99	P	SUR	41	-67	4463	0	0.3	0.2	0.4
4400027	99	P	SUR	44	-67	4462	0	0.4	-0.8	0.9
4400488	99	P	SUR	45	-61	744	0	0.4	0.1	0.4
44008	99	P	SUR	41	-69	744	0	0.3	-0.2	0.4
44011	99	P	SUR	41	-67	744	0	0.4	0.2	0.4
4401582	99	P	SUR	32	-56	744	0	0.3	0.4	0.5
4401584	99	P	SUR	26	-64	743	0	0.3	0.2	0.4
4401588	99	P	SUR	69	15	469	0	0.3	0.0	0.3
4402676	99	P	SUR	28	-48	730	0	0.3	0.2	0.3
44027	99	P	SUR	44	-67	744	0	0.4	-0.8	0.9
4402730	99	P	SUR	30	-36	669	0	0.3	0.0	0.3
4402733	99	P	SUR	62	-7	591	0	0.3	0.1	0.3
4402736	99	P	SUR	21	-55	730	0	0.3	0.1	0.3
4402737	99	P	SUR	65	-32	725	0	0.3	-0.2	0.4
4402739	99	P	SUR	37	-9	549	0	0.4	-6.2	6.2
4402743	99	P	SUR	35	-55	728	0	0.3	-1.1	1.2
4402744	99	P	SUR	35	-45	729	0	0.3	0.0	0.3
4402747	99	P	SUR	25	-20	729	0	0.3	0.1	0.3
4402749	99	P	SUR	63	4	728	0	0.2	0.0	0.2
4402750	99	P	SUR	56	-32	730	0	0.3	-0.5	0.6
4403568	99	P	SUR	32	-39	743	0	0.2	0.2	0.3
44078	99	P	SUR	60	-40	549	0	0.4	-0.5	0.6
44137	99	P	SUR	42	-62	744	0	0.4	0.3	0.5
44139	99	P	SUR	44	-57	742	0	0.4	-0.1	0.4
44150	99	P	SUR	43	-64	740	0	0.4	0.0	0.4
44258	99	P	SUR	45	-63	743	0	0.4	0.0	0.4
44488	99	P	SUR	45	-61	744	0	0.4	0.0	0.4
4601782	99	P	SUR	34	-47	730	0	0.3	0.5	0.6
4701527	99	P	SUR	82	7	98	0	0.3	0.1	0.3
4701546	99	P	SUR	87	-43	723	0	0.4	-0.4	0.6
4701547	99	P	SUR	86	-25	744	0	0.3	0.1	0.4
4701548	99	P	SUR	87	-68	706	0	0.4	0.0	0.4
4701555	99	P	SUR	64	-22	1	0	0.0	-5.7	5.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4701558	99	P	SUR	79	-18	62	0	0.3	-4.5	4.5
4701561	99	P	SUR	66	-21	744	0	0.3	-0.1	0.3
4801763	99	P	SUR	53	-42	744	6	1.3	-9.7	9.8
4802582	99	P	SUR	64	-18	743	242	4.7	-8.1	9.4
4802594	99	P	SUR	82	-8	744	0	0.3	-0.5	0.6
4802608	99	P	SUR	76	-17	743	0	0.3	-0.3	0.4
4802664	99	P	SUR	83	-50	744	0	0.4	-0.4	0.5
4803997	99	P	SUR	50	-35	722	0	0.4	-0.1	0.4
4804003	99	P	SUR	55	-50	721	0	0.4	-0.2	0.4
4804016	99	P	SUR	22	-59	672	0	0.3	0.1	0.3
4804120	99	P	SUR	71	38	617	0	0.4	0.2	0.5
4804127	99	P	SUR	26	-32	713	0	0.2	0.2	0.3
4804128	99	P	SUR	38	16	652	0	0.3	-0.5	0.6
4804130	99	P	SUR	13	-30	719	0	0.4	-0.6	0.7
5801972	99	P	SUR	40	-23	727	0	0.2	0.0	0.2
5801976	99	P	SUR	55	-9	210	0	0.3	0.1	0.3
5801978	99	P	SUR	59	-37	723	0	0.9	-0.7	1.1
5802011	99	P	SUR	20	-37	727	0	0.2	0.3	0.4
5802019	99	P	SUR	48	-4	420	0	2.1	-6.0	6.4
5802026	99	P	SUR	46	-15	702	0	0.3	0.0	0.3
5802033	99	P	SUR	23	-41	727	0	0.3	0.4	0.5
5802070	99	P	SUR	75	29	743	0	0.3	0.0	0.3
5802095	99	P	SUR	62	-40	717	0	0.4	-0.2	0.5
5802096	99	P	SUR	65	-21	691	0	0.3	-0.7	0.8
5802112	99	P	SUR	21	-37	712	0	0.2	0.3	0.3
5802115	99	P	SUR	36	19	558	0	0.3	0.0	0.3
5802118	99	P	SUR	18	-31	714	0	0.3	0.2	0.3
5802227	99	P	SUR	54	-56	689	0	0.4	0.2	0.4
5802228	99	P	SUR	56	-60	524	0	0.4	0.4	0.6
6100002	99	P	SUR	42	5	1200	0	0.4	-0.1	0.4
6100196	99	P	SUR	42	4	737	0	0.5	0.4	0.6
6100197	99	P	SUR	40	4	736	0	0.4	0.5	0.6
6100198	99	P	SUR	37	-2	395	0	0.4	0.3	0.5
6100280	99	P	SUR	41	1	736	0	0.4	0.4	0.6
6100281	99	P	SUR	40	0	733	0	0.4	0.5	0.7
6100417	99	P	SUR	38	0	722	0	0.4	0.4	0.5
6100430	99	P	SUR	40	2	736	0	0.4	0.5	0.6
6101031	99	P	SUR	42	8	1201	0	0.4	0.2	0.4
6101032	99	P	SUR	42	10	1199	0	0.4	0.3	0.5
6101033	99	P	SUR	43	8	1201	0	0.4	0.4	0.6
6101034	99	P	SUR	42	5	1202	0	0.4	0.0	0.4
6101035	99	P	SUR	41	7	1204	0	0.4	0.2	0.4
6200001	99	P	SUR	45	-5	723	0	0.3	0.1	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6200024	99	P	SUR	44	-3	734	0	0.3	0.3	0.5
6200025	99	P	SUR	44	-6	736	0	0.3	0.4	0.5
6200029	99	P	SUR	49	-12	743	0	0.3	-0.2	0.3
6200050	99	P	SUR	50	-4	246	0	0.3	0.1	0.3
6200081	99	P	SUR	51	-13	743	0	0.3	-0.1	0.3
6200082	99	P	SUR	44	-8	737	0	0.3	0.3	0.4
6200083	99	P	SUR	43	-9	737	0	0.4	0.2	0.4
6200084	99	P	SUR	42	-9	737	0	0.4	0.2	0.4
6200085	99	P	SUR	36	-7	712	0	0.3	0.5	0.5
6200086	99	P	SUR	55	7	122	0	0.3	-0.1	0.3
6200087	99	P	SUR	55	7	194	0	0.3	-0.1	0.3
6200091	99	P	SUR	53	-5	744	0	0.3	0.0	0.3
6200092	99	P	SUR	51	-11	744	0	0.3	-0.1	0.3
6200093	99	P	SUR	55	-10	744	0	0.3	0.0	0.3
6200094	99	P	SUR	52	-7	744	0	0.3	-0.1	0.3
6200095	99	P	SUR	53	-16	744	0	0.3	-0.1	0.3
6200103	99	P	SUR	50	-3	742	0	0.3	0.1	0.3
6200163	99	P	SUR	47	-8	744	0	0.3	0.0	0.3
6200192	99	P	SUR	40	-10	741	0	0.3	-0.8	0.9
6200200	99	P	SUR	36	-8	742	0	0.3	0.9	0.9
6200442	99	P	SUR	49	-16	744	0	0.3	-0.2	0.3
6201065	99	P	SUR	54	7	677	0	0.3	1.3	1.3
6201066	99	P	SUR	55	7	731	0	0.3	0.3	0.5
6201081	99	P	SUR	38	-9	741	0	0.3	0.7	0.7
6202113	99	P	SUR	54	7	190	0	0.4	0.1	0.4
6202114	99	P	SUR	54	6	40	0	0.3	0.0	0.3
6202598	99	P	SUR	26	-44	743	0	0.2	0.1	0.2
62029	99	P	SUR	49	-13	1487	0	0.3	-0.2	0.3
6203612	99	P	SUR	53	-9	16	0	1.5	-8.6	8.7
6203615	99	P	SUR	33	-40	744	0	0.2	-0.1	0.2
6203625	99	P	SUR	30	-47	744	0	0.3	-0.2	0.4
6203632	99	P	SUR	34	-41	744	0	0.2	0.3	0.3
6203634	99	P	SUR	34	-45	744	0	0.2	0.3	0.4
6203639	99	P	SUR	32	-45	744	0	0.2	0.0	0.2
6203662	99	P	SUR	77	-6	743	0	0.3	-0.1	0.3
6203666	99	P	SUR	73	-18	744	0	0.5	-0.2	0.6
6203668	99	P	SUR	80	14	744	0	0.9	-0.5	1.0
6203669	99	P	SUR	80	16	520	1	2.1	0.1	2.1
6203672	99	P	SUR	19	-35	744	0	0.3	0.2	0.3
6203674	99	P	SUR	53	-31	744	0	0.3	0.0	0.3
6203675	99	P	SUR	55	-35	744	0	0.3	0.2	0.4
6203676	99	P	SUR	56	-36	744	0	0.3	0.3	0.5
6203677	99	P	SUR	43	-23	744	0	0.3	0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203679	99	P	SUR	27	-23	744	0	0.3	0.2	0.3
6203684	99	P	SUR	48	-28	743	0	0.3	0.2	0.4
6203686	99	P	SUR	21	-42	744	0	0.2	0.2	0.3
6203687	99	P	SUR	19	-44	744	0	0.2	0.0	0.2
6203688	99	P	SUR	14	-61	346	23	2.2	-0.4	2.2
6203753	99	P	SUR	59	-13	646	0	0.3	-0.3	0.4
6203772	99	P	SUR	40	-52	653	0	0.3	0.1	0.3
6203773	99	P	SUR	36	-24	629	0	0.2	-0.5	0.6
6203823	99	P	SUR	66	12	682	0	0.2	0.0	0.2
6203830	99	P	SUR	66	12	688	0	0.2	-0.4	0.5
6203831	99	P	SUR	68	0	730	0	0.3	0.3	0.4
6203832	99	P	SUR	63	0	730	0	0.2	0.1	0.3
6203834	99	P	SUR	60	-9	729	0	0.3	0.2	0.3
6203835	99	P	SUR	61	-5	730	0	0.2	0.1	0.3
6203836	99	P	SUR	63	-15	729	0	0.3	0.1	0.3
6203837	99	P	SUR	63	1	729	0	0.2	0.1	0.3
6203846	99	P	SUR	34	-44	730	0	0.2	-0.2	0.3
6203849	99	P	SUR	36	-47	729	0	0.3	0.0	0.3
6203854	99	P	SUR	69	8	729	0	0.3	0.2	0.4
6203894	99	P	SUR	16	-47	727	0	0.2	-0.1	0.2
6204604	99	P	SUR	37	11	594	0	0.4	-2.0	2.0
6204613	99	P	SUR	39	8	642	0	0.4	-1.5	1.6
62050	99	P	SUR	50	-4	1484	0	0.3	0.0	0.3
62081	99	P	SUR	51	-13	1487	0	0.3	-0.2	0.4
62091	99	P	SUR	53	-5	742	0	0.3	0.0	0.3
62092	99	P	SUR	51	-11	742	0	0.3	-0.1	0.3
62093	99	P	SUR	55	-10	742	0	0.3	0.0	0.3
62094	99	P	SUR	52	-7	742	0	0.3	-0.1	0.3
62095	99	P	SUR	53	-16	742	0	0.3	-0.1	0.3
62102	99	P	SUR	58	2	1487	0	0.3	0.3	0.4
62103	99	P	SUR	50	-3	1484	0	0.3	0.1	0.3
62104	99	P	SUR	57	1	1487	0	0.2	0.1	0.3
62105	99	P	SUR	55	-13	1481	0	0.4	-0.2	0.5
62107	99	P	SUR	50	-6	1487	0	0.3	-0.4	0.5
62112	99	P	SUR	58	0	1487	0	0.2	0.5	0.5
62113	99	P	SUR	58	0	1487	0	0.3	0.1	0.3
62114	99	P	SUR	58	0	1487	0	0.3	0.6	0.6
62116	99	P	SUR	58	1	1487	0	0.2	0.1	0.3
62118	99	P	SUR	58	1	1473	0	0.2	0.5	0.6
62120	99	P	SUR	56	2	1487	0	0.3	0.0	0.3
62121	99	P	SUR	54	3	1487	0	0.3	0.3	0.4
62122	99	P	SUR	57	2	1481	0	0.3	0.3	0.4
62124	99	P	SUR	54	-4	1487	0	0.2	0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62127	99	P	SUR	54	1	1459	0	0.3	0.4	0.5
62129	99	P	SUR	58	0	843	0	0.3	0.3	0.4
62130	99	P	SUR	59	1	1487	0	0.2	0.0	0.2
62131	99	P	SUR	54	1	1487	0	0.3	0.6	0.7
62132	99	P	SUR	56	2	1487	0	0.4	0.7	0.8
62133	99	P	SUR	57	1	1485	0	0.3	0.2	0.4
62134	99	P	SUR	58	1	1487	0	0.2	0.4	0.5
62138	99	P	SUR	54	0	1417	0	0.3	0.5	0.6
62140	99	P	SUR	57	1	1487	0	0.2	0.3	0.4
62143	99	P	SUR	58	2	1487	0	0.3	0.9	1.0
62144	99	P	SUR	53	2	1201	0	0.3	0.3	0.4
62145	99	P	SUR	53	3	1487	0	0.2	0.3	0.4
62146	99	P	SUR	57	2	1485	0	0.3	0.4	0.4
62148	99	P	SUR	54	2	1080	0	0.4	0.5	0.6
62149	99	P	SUR	54	1	1481	0	0.3	0.5	0.6
62151	99	P	SUR	57	2	1487	0	0.2	0.4	0.4
62152	99	P	SUR	57	2	1487	0	0.2	0.5	0.6
62153	99	P	SUR	57	2	1487	0	0.3	0.5	0.6
62154	99	P	SUR	56	2	1487	0	0.2	0.2	0.3
62155	99	P	SUR	58	1	1481	0	0.2	0.5	0.5
62157	99	P	SUR	58	0	1459	0	0.2	0.0	0.2
62160	99	P	SUR	57	2	1485	0	0.3	0.5	0.5
62161	99	P	SUR	58	1	1441	0	0.3	-0.2	0.3
62162	99	P	SUR	57	1	1487	0	0.2	0.3	0.4
62163	99	P	SUR	48	-9	1487	0	0.3	0.0	0.3
62164	99	P	SUR	57	1	1479	0	0.3	0.6	0.7
62165	99	P	SUR	54	1	1483	0	0.3	0.5	0.6
62168	99	P	SUR	58	1	1487	0	0.2	0.3	0.4
62170	99	P	SUR	51	2	1487	0	0.3	-0.2	0.4
62297	99	P	SUR	59	2	1419	0	0.2	0.1	0.2
62302	99	P	SUR	61	-2	1487	0	0.3	0.3	0.4
62304	99	P	SUR	51	2	1337	0	0.4	0.0	0.4
62305	99	P	SUR	50	0	1487	0	0.3	-0.1	0.3
62442	99	P	SUR	49	-16	1487	0	0.3	-0.2	0.4
6301003	99	P	SUR	74	24	742	0	0.2	-0.1	0.3
6301004	99	P	SUR	72	20	742	0	0.3	-0.1	0.3
6301537	99	P	SUR	73	30	1	0	0.0	2.4	2.4
6301581	99	P	SUR	80	10	500	99	3.0	-0.7	3.1
6301582	99	P	SUR	71	30	732	0	0.4	-0.4	0.6
6301583	99	P	SUR	80	-2	744	0	0.3	-0.1	0.3
6301584	99	P	SUR	84	-8	744	0	0.3	0.0	0.3
6301588	99	P	SUR	83	20	565	0	0.3	0.0	0.3
6301635	99	P	SUR	82	20	587	0	0.3	0.0	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6301636	99	P	SUR	83	26	14	0	0.2	-0.5	0.5
6301637	99	P	SUR	84	27	396	0	0.3	0.2	0.4
63055	99	P	SUR	61	2	1453	0	0.3	0.1	0.3
63056	99	P	SUR	60	2	1487	0	0.2	0.5	0.5
63057	99	P	SUR	59	2	1487	0	0.2	-0.2	0.3
63058	99	P	SUR	53	2	818	0	0.3	0.2	0.3
63059	99	P	SUR	58	-1	1483	0	0.2	0.7	0.7
63102	99	P	SUR	61	1	1487	0	0.3	0.1	0.3
63108	99	P	SUR	61	2	1487	0	0.3	0.1	0.3
63109	99	P	SUR	60	2	1487	0	0.2	0.0	0.2
63110	99	P	SUR	60	2	1487	0	0.2	0.0	0.2
63111	99	P	SUR	61	2	1487	0	0.2	0.0	0.2
63112	99	P	SUR	61	1	1487	0	0.2	-0.1	0.2
63115	99	P	SUR	62	1	1481	0	0.3	0.3	0.4
63118	99	P	SUR	58	1	1485	0	0.6	-0.2	0.7
6400045	99	P	SUR	59	-12	744	0	0.5	0.2	0.5
6400046	99	P	SUR	61	-4	247	0	0.3	0.1	0.3
6401601	99	P	SUR	85	-65	743	0	0.4	0.1	0.5
6401602	99	P	SUR	85	-66	744	0	0.4	0.1	0.4
6401763	99	P	SUR	66	12	744	0	0.3	-0.5	0.6
6402594	99	P	SUR	51	-33	1	0	0.0	-7.0	7.0
6402615	99	P	SUR	28	-69	730	0	0.3	0.2	0.4
6402616	99	P	SUR	29	-56	730	0	0.3	0.2	0.3
6402617	99	P	SUR	32	-49	728	0	0.3	0.2	0.4
6402619	99	P	SUR	19	-69	80	0	0.2	-0.3	0.4
6402621	99	P	SUR	24	-41	680	0	0.2	0.5	0.5
6402622	99	P	SUR	24	-53	5	0	0.2	0.6	0.6
6402628	99	P	SUR	37	12	729	0	0.3	0.1	0.3
6402629	99	P	SUR	39	3	262	0	0.4	0.1	0.4
6402635	99	P	SUR	33	13	719	0	0.3	-0.3	0.4
6402637	99	P	SUR	41	8	728	0	0.4	0.0	0.4
64041	99	P	SUR	61	-3	1487	0	0.3	0.3	0.4
64045	99	P	SUR	59	-12	1481	0	0.5	0.2	0.5
64046	99	P	SUR	61	-4	693	0	0.3	0.0	0.3
6600021	99	P	SUR	55	14	97	0	0.3	-0.9	0.9
6600022	99	P	SUR	54	14	237	0	0.4	-0.1	0.4
6600024	99	P	SUR	55	13	5	0	0.2	-1.2	1.2
6801771	99	P	SUR	46	-23	485	0	0.4	0.0	0.4
6801791	99	P	SUR	27	-44	730	0	0.2	0.5	0.5
6801811	99	P	SUR	41	-24	729	0	0.2	0.3	0.4
6801879	99	P	SUR	18	-43	744	0	0.2	0.1	0.2
6801907	99	P	SUR	65	-2	726	0	0.3	0.1	0.3
6801928	99	P	SUR	39	6	700	0	0.4	0.0	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6801929	99	P	SUR	18	-36	707	0	0.3	0.1	0.3
6801993	99	P	SUR	84	14	222	0	0.2	0.2	0.3
7801571	99	P	SUR	44	-35	613	1	2.0	-0.9	2.2
7801572	99	P	SUR	22	-65	716	0	0.3	0.1	0.3
7801616	99	P	SUR	21	-30	729	0	0.3	0.2	0.3
7801627	99	P	SUR	15	-42	728	0	0.3	0.5	0.5
7801647	99	P	SUR	23	-41	725	0	0.2	0.0	0.2
7801697	99	P	SUR	31	-29	743	0	0.3	-0.1	0.3
7801699	99	P	SUR	32	-52	744	0	0.4	0.3	0.5
7801722	99	P	SUR	84	-24	735	0	0.3	-0.8	0.9
7801723	99	P	SUR	85	-37	737	0	0.3	0.0	0.3
7801742	99	P	SUR	25	-28	702	0	0.3	0.2	0.3
7801755	99	P	SUR	21	-26	721	0	0.3	0.0	0.3
7810095	99	P	SUR	50	-48	291	0	0.4	0.0	0.4
7810097	99	P	SUR	56	-56	67	0	0.3	-0.1	0.3
7810098	99	P	SUR	55	-51	191	1	0.3	-0.3	0.4
7810099	99	P	SUR	47	-45	425	0	0.4	-0.5	0.6
7810290	99	P	SUR	31	-59	726	0	0.3	0.0	0.3
7810310	99	P	SUR	38	-35	557	1	0.8	-0.3	0.8
7810312	99	P	SUR	43	-45	727	0	0.4	-0.1	0.4
7810323	99	P	SUR	29	-63	726	0	0.3	0.2	0.4
7810324	99	P	SUR	33	-66	706	0	0.9	4.3	4.4
7811008	99	P	SUR	83	28	223	0	0.4	-0.5	0.6
7811073	99	P	SUR	54	-56	690	0	0.4	0.3	0.5
9193264	99	P	SUR	36	-9	5	0	0.4	-0.2	0.5

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1000044	99	SPEED	SUR	55	10	208	0	0	1.8	1.2	2.2
1300001	99	SPEED	SUR	11	-23	738	0	0	1.7	0.4	1.8
1300008	99	SPEED	SUR	15	-38	616	0	0	0.8	0.1	0.8
1300130	99	SPEED	SUR	28	-16	737	0	0	0.8	0.4	0.9
1300131	99	SPEED	SUR	28	-17	720	0	0	2.5	2.1	3.3
4100040	99	SPEED	SUR	15	-53	4463	0	0	0.9	0.0	0.9
4100043	99	SPEED	SUR	21	-65	4460	0	0	0.7	-0.2	0.7
4100044	99	SPEED	SUR	22	-59	4464	0	0	0.8	-0.1	0.8
4100046	99	SPEED	SUR	24	-68	4462	0	0	1.1	-0.1	1.2
4100049	99	SPEED	SUR	28	-62	4462	0	0	1.3	0.0	1.3
4100052	99	SPEED	SUR	18	-65	4386	0	0	0.8	0.2	0.8
4100053	99	SPEED	SUR	18	-66	4408	0	0	1.3	0.9	1.6
4100056	99	SPEED	SUR	18	-65	4389	0	0	1.1	-0.6	1.3
4100300	99	SPEED	SUR	16	-57	744	0	0	0.8	-0.3	0.8
41040	99	SPEED	SUR	15	-53	744	0	0	0.9	-0.5	1.1
41043	99	SPEED	SUR	21	-65	744	0	0	0.8	-0.6	1.0
41044	99	SPEED	SUR	22	-59	744	0	0	0.9	-0.6	1.0
41046	99	SPEED	SUR	24	-68	744	0	0	1.2	-0.5	1.3
41049	99	SPEED	SUR	28	-62	744	0	0	1.4	-0.2	1.5
41052	99	SPEED	SUR	18	-65	741	0	0	0.8	-0.2	0.9
41053	99	SPEED	SUR	19	-66	742	0	0	1.4	-0.3	1.4
41056	99	SPEED	SUR	18	-66	742	0	0	1.2	-1.0	1.6
4200060	99	SPEED	SUR	16	-63	4462	0	0	0.9	0.1	0.9
4200085	99	SPEED	SUR	18	-67	4333	0	0	1.1	-0.1	1.2
42060	99	SPEED	SUR	16	-63	743	0	0	1.1	-0.4	1.1
42085	99	SPEED	SUR	18	-67	733	0	0	1.2	-0.1	1.2
4400008	99	SPEED	SUR	40	-69	4411	0	0	1.3	-0.7	1.4
4400011	99	SPEED	SUR	41	-67	4463	0	0	1.2	-0.5	1.3
4400027	99	SPEED	SUR	44	-67	4462	0	0	1.3	-0.9	1.6
4400032	99	SPEED	SUR	44	-69	3899	0	0	1.3	-1.0	1.6
4400033	99	SPEED	SUR	44	-69	3973	0	0	1.4	-0.8	1.7
4400034	99	SPEED	SUR	44	-68	3616	0	0	1.5	-1.4	2.0
4400488	99	SPEED	SUR	45	-61	744	0	0	1.5	0.2	1.5
44008	99	SPEED	SUR	41	-69	743	0	0	1.5	-1.3	2.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44011	99	SPEED	SUR	41	-67	744	0	0	1.4	-1.1	1.8
44027	99	SPEED	SUR	44	-67	744	0	0	1.5	-1.5	2.1
44032	99	SPEED	SUR	44	-69	313	0	0	1.4	-1.7	2.2
44033	99	SPEED	SUR	44	-69	323	0	0	1.4	-1.7	2.2
44034	99	SPEED	SUR	44	-68	366	0	0	1.7	-2.3	2.9
44078	99	SPEED	SUR	60	-40	737	0	0	3.3	-6.3	7.1
44137	99	SPEED	SUR	42	-62	744	0	0	1.3	-0.3	1.3
44139	99	SPEED	SUR	44	-57	742	0	0	1.2	-0.9	1.5
44150	99	SPEED	SUR	43	-64	740	0	0	1.4	-0.4	1.4
44258	99	SPEED	SUR	45	-63	743	0	0	1.5	-1.2	2.0
44488	99	SPEED	SUR	45	-61	744	0	0	1.5	-0.1	1.5
6100001	99	SPEED	SUR	43	8	353	0	0	1.7	-0.1	1.7
6100002	99	SPEED	SUR	42	5	1200	0	0	1.7	0.9	2.0
6100196	99	SPEED	SUR	42	4	731	0	0	1.7	-0.4	1.8
6100197	99	SPEED	SUR	40	4	664	0	0	1.2	-1.2	1.7
6100198	99	SPEED	SUR	37	-2	382	0	0	1.3	-1.0	1.6
6100280	99	SPEED	SUR	41	1	711	0	0	1.5	-0.5	1.6
6100281	99	SPEED	SUR	40	0	720	0	0	1.8	0.4	1.8
6100417	99	SPEED	SUR	38	0	718	0	0	1.1	-0.3	1.2
6100430	99	SPEED	SUR	40	2	703	0	0	1.3	-0.1	1.3
6101031	99	SPEED	SUR	42	8	1201	0	0	1.2	0.5	1.3
6101032	99	SPEED	SUR	42	10	1199	0	0	1.5	0.0	1.5
6101033	99	SPEED	SUR	43	8	1201	0	0	1.8	0.3	1.8
6101034	99	SPEED	SUR	42	5	1202	0	0	1.6	0.9	1.8
6101035	99	SPEED	SUR	41	7	1204	0	0	1.3	0.8	1.6
6200001	99	SPEED	SUR	45	-5	721	0	0	0.9	-0.2	1.0
6200024	99	SPEED	SUR	44	-3	729	0	0	1.1	-0.2	1.2
6200025	99	SPEED	SUR	44	-6	717	0	0	1.3	-0.5	1.4
6200029	99	SPEED	SUR	49	-12	743	0	0	1.0	0.2	1.0
6200050	99	SPEED	SUR	50	-4	246	0	0	1.1	0.1	1.1
6200081	99	SPEED	SUR	51	-13	743	0	0	1.1	0.0	1.1
6200082	99	SPEED	SUR	44	-8	731	0	0	1.0	-0.7	1.2
6200083	99	SPEED	SUR	43	-9	711	0	0	1.0	-1.1	1.5
6200084	99	SPEED	SUR	42	-9	734	0	0	1.0	-1.2	1.5
6200085	99	SPEED	SUR	36	-7	704	0	0	1.5	-0.5	1.6
6200086	99	SPEED	SUR	55	7	122	0	0	1.3	1.1	1.8
6200087	99	SPEED	SUR	55	7	194	0	0	1.2	0.6	1.3
6200091	99	SPEED	SUR	53	-5	744	0	0	1.4	0.1	1.4
6200092	99	SPEED	SUR	51	-11	744	0	0	1.1	-0.2	1.2
6200093	99	SPEED	SUR	55	-10	744	0	0	1.0	-0.2	1.0
6200094	99	SPEED	SUR	52	-7	744	0	0	1.3	0.5	1.5

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200095	99	SPEED	SUR	53	-16	744	0	0	1.0	0.1	1.0
6200103	99	SPEED	SUR	50	-3	742	0	0	1.2	-0.4	1.2
6200163	99	SPEED	SUR	47	-8	744	0	0	1.1	0.0	1.2
6200200	99	SPEED	SUR	36	-8	742	0	0	1.2	0.3	1.2
6200442	99	SPEED	SUR	49	-16	744	0	0	1.0	0.3	1.1
6201065	99	SPEED	SUR	54	7	677	0	0	1.5	-1.2	2.0
6201066	99	SPEED	SUR	55	7	731	0	0	1.3	0.4	1.3
6202113	99	SPEED	SUR	54	7	190	0	0	1.5	-0.2	1.5
6202114	99	SPEED	SUR	54	6	40	0	0	1.2	-0.4	1.3
62029	99	SPEED	SUR	49	-13	1487	0	0	1.1	-0.2	1.1
62050	99	SPEED	SUR	50	-4	1484	0	0	1.2	0.0	1.2
62081	99	SPEED	SUR	51	-13	1487	0	0	1.1	0.0	1.1
62091	99	SPEED	SUR	53	-5	742	0	0	1.4	0.3	1.4
62092	99	SPEED	SUR	51	-11	742	0	0	1.1	-0.1	1.2
62093	99	SPEED	SUR	55	-10	742	0	0	1.0	-0.1	1.0
62094	99	SPEED	SUR	52	-7	742	0	0	1.4	0.6	1.5
62095	99	SPEED	SUR	53	-16	742	0	0	1.0	0.2	1.1
62102	99	SPEED	SUR	58	2	1487	0	0	0.9	0.2	1.0
62103	99	SPEED	SUR	50	-3	1484	0	0	1.3	-0.5	1.4
62104	99	SPEED	SUR	57	1	1487	0	0	1.0	-0.2	1.0
62105	99	SPEED	SUR	55	-13	1481	0	0	1.1	0.2	1.2
62107	99	SPEED	SUR	50	-6	1487	0	0	1.4	0.1	1.4
62112	99	SPEED	SUR	58	0	1487	0	0	1.3	-0.5	1.4
62113	99	SPEED	SUR	58	0	1487	0	0	1.2	-0.2	1.2
62114	99	SPEED	SUR	58	0	1485	0	0	1.1	0.4	1.2
62118	99	SPEED	SUR	58	1	1473	0	0	1.1	0.2	1.1
62120	99	SPEED	SUR	56	2	1487	0	0	1.0	-0.3	1.0
62121	99	SPEED	SUR	54	3	1330	0	0	1.2	-0.3	1.2
62122	99	SPEED	SUR	57	2	1481	0	0	1.1	-0.3	1.1
62129	99	SPEED	SUR	58	0	843	0	0	1.2	-0.1	1.2
62134	99	SPEED	SUR	58	1	1487	0	0	0.9	-0.7	1.2
62140	99	SPEED	SUR	57	1	640	0	0	1.0	0.0	1.0
62143	99	SPEED	SUR	58	2	1487	0	0	1.2	-0.5	1.3
62144	99	SPEED	SUR	53	2	1195	0	0	1.5	-0.4	1.6
62145	99	SPEED	SUR	53	3	1477	0	0	1.5	0.4	1.5
62146	99	SPEED	SUR	57	2	1485	0	0	1.1	0.2	1.1
62148	99	SPEED	SUR	54	2	1080	0	0	1.6	0.1	1.6
62149	99	SPEED	SUR	54	1	1481	0	0	1.3	0.3	1.3
62152	99	SPEED	SUR	57	2	1487	0	0	1.4	-0.8	1.6
62154	99	SPEED	SUR	56	2	1487	0	0	1.1	0.0	1.2
62155	99	SPEED	SUR	58	1	1481	0	0	1.0	0.1	1.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62163	99	SPEED	SUR	48	-9	1487	0	0	1.2	0.0	1.2
62164	99	SPEED	SUR	57	1	1479	0	0	1.2	-0.7	1.4
62165	99	SPEED	SUR	54	1	1483	0	0	1.3	-0.1	1.3
62170	99	SPEED	SUR	51	2	1487	0	0	1.4	0.5	1.5
62304	99	SPEED	SUR	51	2	1337	0	0	1.6	0.7	1.8
62305	99	SPEED	SUR	50	0	1487	0	0	1.2	0.2	1.2
62442	99	SPEED	SUR	49	-16	1487	0	0	1.0	0.4	1.1
63055	99	SPEED	SUR	61	2	1453	0	0	1.2	-0.4	1.3
63056	99	SPEED	SUR	60	2	1477	0	0	1.4	0.4	1.4
63057	99	SPEED	SUR	59	2	1483	0	0	1.7	-0.7	1.8
63058	99	SPEED	SUR	53	2	818	0	0	1.3	-0.1	1.3
63108	99	SPEED	SUR	61	2	1487	0	0	1.2	0.0	1.2
63109	99	SPEED	SUR	60	2	1487	0	0	1.2	0.2	1.2
63110	99	SPEED	SUR	60	2	1487	0	0	1.2	-0.2	1.2
63112	99	SPEED	SUR	61	1	1487	0	0	1.2	-0.2	1.2
63115	99	SPEED	SUR	62	1	1243	0	0	1.1	-0.3	1.1
6400046	99	SPEED	SUR	61	-4	247	0	0	1.0	0.5	1.2
64041	99	SPEED	SUR	61	-3	1487	0	0	1.3	0.1	1.3
64046	99	SPEED	SUR	61	-4	693	0	0	1.1	0.4	1.2
6600021	99	SPEED	SUR	55	14	97	0	0	1.7	0.3	1.8
6600022	99	SPEED	SUR	54	14	237	0	0	1.4	0.0	1.4
6600024	99	SPEED	SUR	55	13	5	0	0	1.1	0.8	1.3
9193264	99	SPEED	SUR	36	-9	5	0	0	1.7	0.4	1.8

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUL 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	DIRN	SUR	11	-23	405	0	0	27.7	-8.3	28.9
1300008	99	DIRN	SUR	15	-38	584	0	0	9.4	3.7	10.1
1300130	99	DIRN	SUR	28	-16	708	0	0	8.1	-0.9	8.2
1300131	99	DIRN	SUR	28	-17	261	0	0	15.9	4.5	16.5
4100001	99	DIRN	SUR	35	-72	3449	0	0	16.1	6.0	17.2
4100002	99	DIRN	SUR	32	-75	4133	0	0	17.3	14.0	22.2
4100004	99	DIRN	SUR	33	-79	3773	0	0	18.0	6.2	19.0
4100008	99	DIRN	SUR	31	-81	3515	0	0	19.5	4.8	20.1
4100009	99	DIRN	SUR	29	-80	2749	0	0	20.0	3.9	20.4
4100010	99	DIRN	SUR	29	-78	749	0	0	18.9	5.9	19.8
4100013	99	DIRN	SUR	33	-78	3487	0	0	17.9	6.4	19.0
4100024	99	DIRN	SUR	34	-78	538	0	0	15.7	3.7	16.1
4100025	99	DIRN	SUR	35	-75	3271	0	0	17.1	5.5	18.0
4100029	99	DIRN	SUR	33	-80	570	0	0	22.5	-4.0	22.9
4100033	99	DIRN	SUR	32	-80	597	0	0	20.2	3.6	20.5
4100037	99	DIRN	SUR	34	-77	545	0	0	18.3	4.8	18.9
4100038	99	DIRN	SUR	34	-78	473	0	0	17.2	4.9	17.9
4100040	99	DIRN	SUR	15	-53	4437	0	0	9.2	7.2	11.7
4100043	99	DIRN	SUR	21	-65	4357	0	0	15.3	14.2	20.9
4100044	99	DIRN	SUR	22	-59	4441	0	0	8.2	10.3	13.2
4100046	99	DIRN	SUR	24	-68	3636	0	0	13.8	6.4	15.2
4100047	99	DIRN	SUR	28	-71	2680	0	0	14.2	5.3	15.2
4100049	99	DIRN	SUR	28	-62	3229	0	0	18.4	9.6	20.8
4100052	99	DIRN	SUR	18	-65	4385	0	0	9.0	6.4	11.0
4100053	99	DIRN	SUR	18	-66	3897	0	0	13.5	0.2	13.5
4100056	99	DIRN	SUR	18	-65	4358	0	0	12.5	5.1	13.5
4100064	99	DIRN	SUR	34	-77	547	0	0	18.8	-13.3	23.0
4100066	99	DIRN	SUR	33	-80	608	0	0	18.8	-1.9	18.9
4100068	99	DIRN	SUR	28	-80	375	0	0	25.9	-5.2	26.4
4100069	99	DIRN	SUR	29	-81	457	0	0	26.9	6.0	27.6
4100082	99	DIRN	SUR	36	-75	2846	0	0	19.4	-6.8	20.5
4100083	99	DIRN	SUR	36	-75	2965	0	0	17.9	-13.0	22.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
41001	99	DIRN	SUR	35	-72	569	0	0	15.6	5.7	16.6
41002	99	DIRN	SUR	32	-75	690	0	0	18.6	12.9	22.7
4100300	99	DIRN	SUR	16	-57	740	0	0	9.8	3.1	10.3
41004	99	DIRN	SUR	33	-79	625	0	0	18.7	5.6	19.5
41008	99	DIRN	SUR	31	-81	599	0	0	21.1	4.7	21.6
41009	99	DIRN	SUR	29	-80	455	0	0	20.8	4.0	21.2
41010	99	DIRN	SUR	29	-79	124	0	0	18.8	5.0	19.5
41013	99	DIRN	SUR	33	-78	576	0	0	17.3	6.2	18.4
41024	99	DIRN	SUR	34	-79	580	0	0	17.1	3.6	17.5
41025	99	DIRN	SUR	35	-75	557	0	0	16.8	5.7	17.7
41029	99	DIRN	SUR	33	-80	571	0	0	21.9	-3.7	22.2
41033	99	DIRN	SUR	32	-80	608	0	0	20.6	2.8	20.8
41037	99	DIRN	SUR	34	-77	555	0	0	17.5	4.3	18.0
41038	99	DIRN	SUR	34	-78	483	0	0	18.2	5.6	19.0
41040	99	DIRN	SUR	15	-53	738	0	0	9.6	7.2	12.0
41043	99	DIRN	SUR	21	-65	724	0	0	15.6	13.8	20.8
41044	99	DIRN	SUR	22	-59	739	0	0	8.6	9.7	13.0
41046	99	DIRN	SUR	24	-68	608	0	0	14.5	6.3	15.8
41047	99	DIRN	SUR	28	-72	418	0	0	14.6	5.6	15.6
41049	99	DIRN	SUR	28	-62	504	0	0	18.6	9.7	21.0
41052	99	DIRN	SUR	18	-65	741	0	0	9.0	5.7	10.7
41053	99	DIRN	SUR	19	-66	666	0	0	12.9	0.5	12.9
41056	99	DIRN	SUR	18	-66	734	0	0	12.9	5.4	14.0
41064	99	DIRN	SUR	34	-77	550	0	0	18.7	-13.1	22.8
41066	99	DIRN	SUR	33	-80	611	0	0	19.9	-2.6	20.1
41068	99	DIRN	SUR	28	-80	370	0	0	27.2	-5.8	27.8
41069	99	DIRN	SUR	29	-81	462	0	0	25.8	3.8	26.1
41082	99	DIRN	SUR	36	-75	460	0	0	18.6	-7.4	20.0
41083	99	DIRN	SUR	36	-75	488	0	0	17.3	-14.2	22.3
4200013	99	DIRN	SUR	27	-83	761	0	0	23.0	-3.1	23.2
4200022	99	DIRN	SUR	28	-84	38	0	0	45.6	-18.8	49.3
4200023	99	DIRN	SUR	26	-83	769	0	0	51.8	-26.1	58.0
4200026	99	DIRN	SUR	25	-83	855	0	0	20.1	-4.0	20.5
4200036	99	DIRN	SUR	29	-85	2625	0	0	23.4	7.4	24.6
4200056	99	DIRN	SUR	20	-85	3694	0	0	15.4	5.3	16.3
4200057	99	DIRN	SUR	17	-82	4456	0	0	10.7	0.6	10.7
4200058	99	DIRN	SUR	15	-75	4463	0	0	4.7	4.5	6.5
4200060	99	DIRN	SUR	16	-63	4381	0	0	9.7	7.2	12.1
4200085	99	DIRN	SUR	18	-67	4286	0	0	14.0	4.8	14.8
42013	99	DIRN	SUR	27	-83	391	0	0	23.0	-2.2	23.1
42022	99	DIRN	SUR	28	-84	69	0	0	35.2	-7.2	35.9

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42023	99	DIRN	SUR	26	-83	373	0	0	53.9	-25.1	59.5
42026	99	DIRN	SUR	25	-84	433	0	0	20.5	-2.8	20.7
42036	99	DIRN	SUR	29	-85	415	0	0	24.6	8.8	26.1
42056	99	DIRN	SUR	20	-85	604	0	0	17.0	4.8	17.7
42057	99	DIRN	SUR	17	-82	741	0	0	11.0	0.0	11.0
42058	99	DIRN	SUR	15	-75	744	0	0	5.8	3.8	6.9
42060	99	DIRN	SUR	16	-63	728	0	0	10.3	6.6	12.3
42085	99	DIRN	SUR	18	-67	716	0	0	13.3	4.4	14.0
4400007	99	DIRN	SUR	44	-70	2618	0	0	20.8	4.3	21.3
4400008	99	DIRN	SUR	40	-69	2487	0	0	15.8	17.2	23.4
4400009	99	DIRN	SUR	38	-75	2967	0	0	20.9	3.7	21.3
4400011	99	DIRN	SUR	41	-67	2754	0	0	15.6	17.2	23.2
4400013	99	DIRN	SUR	42	-71	2699	0	0	19.9	9.8	22.2
4400014	99	DIRN	SUR	37	-75	3013	0	0	15.2	6.7	16.6
4400020	99	DIRN	SUR	41	-70	3574	0	0	19.9	4.4	20.3
4400025	99	DIRN	SUR	40	-73	3356	0	0	22.2	8.0	23.7
4400027	99	DIRN	SUR	44	-67	2980	0	0	15.8	12.9	20.4
4400029	99	DIRN	SUR	43	-71	2731	0	0	18.3	11.1	21.4
4400030	99	DIRN	SUR	43	-70	2696	0	0	20.2	9.2	22.2
4400032	99	DIRN	SUR	44	-69	2494	0	0	15.5	9.6	18.2
4400033	99	DIRN	SUR	44	-69	1942	0	0	22.0	11.5	24.8
4400034	99	DIRN	SUR	44	-68	1785	0	0	15.8	9.0	18.1
4400042	99	DIRN	SUR	38	-76	3197	0	0	24.5	3.2	24.7
4400058	99	DIRN	SUR	38	-76	3697	0	0	20.0	1.2	20.0
4400062	99	DIRN	SUR	39	-76	3089	0	0	25.3	3.6	25.6
4400063	99	DIRN	SUR	39	-76	2126	0	0	26.3	2.3	26.4
4400065	99	DIRN	SUR	40	-74	3224	0	0	21.4	12.5	24.8
4400072	99	DIRN	SUR	37	-76	3994	0	0	22.1	-0.8	22.1
4400073	99	DIRN	SUR	43	-71	886	0	0	24.6	8.6	26.1
4400079	99	DIRN	SUR	36	-75	2918	0	0	18.7	-13.3	22.9
4400080	99	DIRN	SUR	39	-77	262	0	0	24.7	13.7	28.2
4400488	99	DIRN	SUR	45	-61	526	0	0	17.0	10.7	20.1
44007	99	DIRN	SUR	44	-70	416	0	0	20.8	5.5	21.5
44008	99	DIRN	SUR	41	-69	402	0	0	15.6	17.9	23.7
44009	99	DIRN	SUR	39	-75	482	0	0	19.8	4.6	20.3
44011	99	DIRN	SUR	41	-67	442	0	0	15.3	15.9	22.1
44013	99	DIRN	SUR	42	-71	422	0	0	22.9	9.8	24.9
44014	99	DIRN	SUR	37	-75	508	0	0	16.0	6.8	17.4
44020	99	DIRN	SUR	42	-70	591	0	0	21.3	4.4	21.8
44025	99	DIRN	SUR	40	-73	541	0	0	23.6	7.9	24.9
44027	99	DIRN	SUR	44	-67	476	0	0	17.0	12.5	21.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44029	99	DIRN	SUR	43	-71	254	0	0	21.0	10.9	23.7
44030	99	DIRN	SUR	43	-70	267	0	0	18.8	7.8	20.3
44032	99	DIRN	SUR	44	-69	189	0	0	14.0	10.6	17.5
44033	99	DIRN	SUR	44	-69	148	0	0	22.4	9.9	24.5
44034	99	DIRN	SUR	44	-68	171	0	0	16.5	9.1	18.8
44042	99	DIRN	SUR	38	-76	416	0	0	24.9	3.8	25.2
44058	99	DIRN	SUR	38	-76	455	0	0	20.8	3.4	21.0
44062	99	DIRN	SUR	39	-76	407	0	0	25.2	3.6	25.5
44063	99	DIRN	SUR	39	-76	276	0	0	24.4	4.5	24.8
44065	99	DIRN	SUR	40	-74	517	0	0	22.0	13.8	26.0
44072	99	DIRN	SUR	37	-76	511	0	0	23.7	1.2	23.8
44073	99	DIRN	SUR	43	-71	147	0	0	27.2	6.9	28.1
44078	99	DIRN	SUR	60	-40	31	0	0	13.8	-15.1	20.5
44079	99	DIRN	SUR	36	-75	484	0	0	19.0	-13.8	23.5
44080	99	DIRN	SUR	39	-77	100	0	0	25.2	16.4	30.1
44137	99	DIRN	SUR	42	-62	531	0	0	16.4	4.6	17.0
44139	99	DIRN	SUR	44	-57	611	0	0	14.6	6.1	15.8
44150	99	DIRN	SUR	43	-64	520	0	0	18.4	-0.2	18.5
44258	99	DIRN	SUR	45	-63	479	0	0	15.5	-6.6	16.8
44488	99	DIRN	SUR	45	-61	528	0	0	18.7	9.8	21.1
4500003	99	DIRN	SUR	45	-83	2395	0	0	18.0	11.7	21.5
4500005	99	DIRN	SUR	42	-82	2350	0	0	25.8	6.6	26.6
4500008	99	DIRN	SUR	44	-82	2479	0	0	22.0	10.4	24.3
4500012	99	DIRN	SUR	44	-77	2099	0	0	22.1	10.2	24.4
4500132	99	DIRN	SUR	42	-81	447	0	0	30.8	1.4	30.8
4500135	99	DIRN	SUR	44	-77	430	1	0	26.0	2.2	26.1
4500137	99	DIRN	SUR	46	-81	478	0	0	18.9	3.8	19.2
4500139	99	DIRN	SUR	43	-80	326	0	0	27.0	-2.3	27.1
4500142	99	DIRN	SUR	43	-79	463	0	0	23.3	3.0	23.5
4500143	99	DIRN	SUR	45	-81	451	0	0	24.0	0.3	24.0
4500159	99	DIRN	SUR	44	-79	312	0	0	23.8	-1.4	23.9
4500162	99	DIRN	SUR	45	-83	837	0	0	22.3	1.8	22.3
4500163	99	DIRN	SUR	44	-84	887	0	0	22.8	6.9	23.8
4500175	99	DIRN	SUR	46	-85	823	0	0	33.9	-19.2	39.0
4500176	99	DIRN	SUR	42	-82	2074	0	0	22.2	-23.0	32.0
4500178	99	DIRN	SUR	45	-73	644	0	0	23.3	4.2	23.7
4500197	99	DIRN	SUR	42	-82	1863	0	0	33.4	11.9	35.4
4500200	99	DIRN	SUR	42	-83	1735	0	0	23.0	11.7	25.8
4500202	99	DIRN	SUR	42	-83	1816	0	0	27.4	14.4	31.0
4500203	99	DIRN	SUR	41	-83	1509	0	0	28.6	27.6	39.8
4500204	99	DIRN	SUR	42	-82	1891	0	0	27.3	10.5	29.2

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4500205	99	DIRN	SUR	42	-82	1491	0	0	22.0	-5.3	22.6
4500206	99	DIRN	SUR	42	-82	859	0	0	26.3	-18.0	31.9
4500207	99	DIRN	SUR	42	-81	1495	0	0	22.5	-24.3	33.1
4500208	99	DIRN	SUR	42	-81	1651	0	0	30.8	-7.5	31.7
4500209	99	DIRN	SUR	43	-82	1922	0	0	38.5	-18.9	42.9
45003	99	DIRN	SUR	45	-83	387	0	0	18.1	11.2	21.2
45005	99	DIRN	SUR	42	-82	405	0	0	27.3	7.2	28.2
45008	99	DIRN	SUR	44	-82	404	0	0	22.5	8.9	24.2
45012	99	DIRN	SUR	44	-77	334	0	0	22.9	11.4	25.5
45132	99	DIRN	SUR	43	-81	431	0	0	30.3	-1.7	30.4
45135	99	DIRN	SUR	44	-77	387	1	0	26.5	0.8	26.5
45137	99	DIRN	SUR	46	-81	450	0	0	18.9	2.6	19.0
45139	99	DIRN	SUR	43	-80	336	0	0	28.5	-3.2	28.7
45142	99	DIRN	SUR	43	-79	441	0	0	22.8	2.0	22.9
45143	99	DIRN	SUR	45	-81	430	0	0	23.1	-1.4	23.1
45147	99	DIRN	SUR	42	-83	377	0	0	29.6	-2.5	29.7
45149	99	DIRN	SUR	44	-82	406	0	0	23.1	-1.4	23.2
45151	99	DIRN	SUR	45	-79	372	0	0	24.6	-3.4	24.8
45152	99	DIRN	SUR	46	-80	407	0	0	19.6	-1.3	19.7
45154	99	DIRN	SUR	46	-83	461	1	0	25.5	4.5	25.9
45159	99	DIRN	SUR	44	-79	296	0	0	27.7	-0.8	27.8
45162	99	DIRN	SUR	45	-83	277	0	0	24.8	3.7	25.1
45163	99	DIRN	SUR	44	-84	302	0	0	25.6	7.7	26.7
45175	99	DIRN	SUR	46	-85	305	0	0	37.0	-18.2	41.3
45176	99	DIRN	SUR	42	-82	385	0	0	23.4	-20.4	31.1
45178	99	DIRN	SUR	45	-73	273	0	0	25.4	4.1	25.7
45197	99	DIRN	SUR	42	-82	308	0	0	33.0	11.1	34.8
45200	99	DIRN	SUR	42	-83	274	0	0	24.3	11.2	26.7
45202	99	DIRN	SUR	42	-83	321	0	0	28.5	13.1	31.4
45203	99	DIRN	SUR	41	-83	276	0	0	34.5	26.8	43.6
45204	99	DIRN	SUR	42	-82	321	0	0	26.2	11.0	28.4
45205	99	DIRN	SUR	42	-82	254	0	0	24.7	-7.8	25.9
45206	99	DIRN	SUR	42	-82	171	0	0	31.0	-14.9	34.4
45207	99	DIRN	SUR	42	-81	234	0	0	24.6	-25.3	35.3
45208	99	DIRN	SUR	42	-81	288	0	0	32.4	-5.8	32.9
45209	99	DIRN	SUR	43	-82	301	0	0	40.6	-19.6	45.1
6100198	99	DIRN	SUR	37	-2	273	0	0	10.0	-1.7	10.2
6100281	99	DIRN	SUR	40	0	342	0	0	43.6	-9.3	44.6
6100417	99	DIRN	SUR	38	0	435	0	0	17.0	3.1	17.2
6200001	99	DIRN	SUR	45	-5	603	0	0	11.0	-1.2	11.0
6200024	99	DIRN	SUR	44	-3	496	0	0	16.8	0.9	16.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200025	99	DIRN	SUR	44	-6	460	0	0	15.3	7.4	17.0
6200029	99	DIRN	SUR	49	-12	644	0	0	12.3	2.3	12.5
6200050	99	DIRN	SUR	50	-4	239	0	0	14.9	5.8	16.0
6200081	99	DIRN	SUR	51	-13	707	0	0	15.4	-6.0	16.5
6200082	99	DIRN	SUR	44	-8	594	0	0	18.1	5.4	18.9
6200083	99	DIRN	SUR	43	-9	541	0	0	10.4	-0.6	10.4
6200084	99	DIRN	SUR	42	-9	528	0	0	12.0	3.9	12.6
6200085	99	DIRN	SUR	36	-7	480	0	0	16.3	6.9	17.7
6200091	99	DIRN	SUR	53	-5	547	0	0	18.8	7.0	20.1
6200092	99	DIRN	SUR	51	-11	657	0	0	13.2	-1.3	13.3
6200093	99	DIRN	SUR	55	-10	676	0	0	13.9	3.0	14.2
6200094	99	DIRN	SUR	52	-7	573	0	0	15.0	0.4	15.0
6200095	99	DIRN	SUR	53	-16	689	0	0	12.9	7.3	14.8
6200103	99	DIRN	SUR	50	-3	592	0	0	16.8	15.8	23.1
6200163	99	DIRN	SUR	47	-8	657	0	0	20.7	-3.5	21.0
6200200	99	DIRN	SUR	36	-8	593	0	0	15.3	4.7	16.0
6200442	99	DIRN	SUR	49	-16	677	0	0	12.0	-1.5	12.1
62029	99	DIRN	SUR	49	-13	1309	0	0	12.7	2.2	12.9
62050	99	DIRN	SUR	50	-4	1284	0	0	14.1	6.0	15.3
62081	99	DIRN	SUR	51	-13	1415	0	0	16.0	-5.9	17.1
62091	99	DIRN	SUR	53	-5	535	0	0	20.9	7.2	22.1
62092	99	DIRN	SUR	51	-11	655	0	0	13.3	-1.7	13.4
62093	99	DIRN	SUR	55	-10	667	0	0	14.3	2.9	14.6
62094	99	DIRN	SUR	52	-7	564	0	0	15.4	0.3	15.4
62095	99	DIRN	SUR	53	-16	688	0	0	13.4	6.4	14.9
62103	99	DIRN	SUR	50	-3	1186	0	0	17.3	16.0	23.5
62105	99	DIRN	SUR	55	-13	1376	0	0	13.6	-13.6	19.3
62107	99	DIRN	SUR	50	-6	1282	0	0	14.1	3.7	14.6
62112	99	DIRN	SUR	58	0	1229	0	0	13.2	2.1	13.3
62114	99	DIRN	SUR	58	0	1292	0	0	11.8	-1.3	11.9
62163	99	DIRN	SUR	48	-9	1319	0	0	21.5	-3.6	21.8
62305	99	DIRN	SUR	50	0	1287	0	0	23.0	6.3	23.9
62442	99	DIRN	SUR	49	-16	1352	0	0	12.4	-1.7	12.5
6400046	99	DIRN	SUR	61	-4	202	0	0	13.6	1.8	13.7
64041	99	DIRN	SUR	61	-3	1264	0	0	11.3	3.8	11.9
64046	99	DIRN	SUR	61	-4	565	0	0	12.8	2.4	13.0
9193264	99	DIRN	SUR	36	-9	4	0	0	11.3	6.9	13.2

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ASDE09	ATGU3FT	DSQL7	FPUW5GN	JNKN7JF	JNSR	JPBN	KJJF9XN	KMPLHPW
LAGY8	LAGZ8	LRVQE3U	USCLL	USSIO	UXK5JTU	WDK38HS	XKQLWQB	YLV96WM
ZVQEQCM	2TDJJ8J	7JUNA4N	7KPB	9ZT9MRK	01001	01004	01010	01028
01241	01400	01415	01492	02185	02365	02591	02836	02963
03005	03023	03238	03354	03502	03743	03808	03918	03953
04018	04220	04270	04320	04339	04360	06011	06260	06458
06610	07110	07145	07510	07645	07761	08001	08023	08190
08221	08302	08383	08430	08508	08522	08536	10035	10113
10184	10238	10304	10393	10410	10548	10618	10739	10771
10868	10954	10962	11010	11035	11120	11240	11520	11747
11952	12120	12374	12425	12575	12843	12982	13275	13388
14015	14240	14430	15420	15614	16045	16064	16113	16144
16224	16245	16332	16429	16546	16622	16716	16754	17030
17064	17095	17196	17220	17240	17351	17516	17607	20292
20674	21824	22008	22522	22820	22845	23205	23330	23472
23884	23921	23955	24266	24641	24688	24908	24947	26038
26435	26477	26629	26708	27459	27707	27713	27962	28225
28445	28661	28695	29572	29612	29698	30557	30673	30935
31004	31770	31873	31977	32540	34122	34172	34731	35121
40179	40186	42056	42079	42101	42111	42123	42182	42314
42339	42348	42361	42399	42410	42622	42623	42647	42867
42874	42886	42971	43014	43041	43049	43063	43128	43150
43185	43243	43279	43295	43346	43353	45004	47102	47104
47138	47155	47169	47186	47230	47269	47401	47412	47418
47582	47646	47678	47741	47778	47807	47827	47909	47918
47945	47971	47991	48601	48615	48650	48657	48698	50527
50557	50774	50953	51076	51243	51431	51463	51644	51656
51709	51777	51828	51839	52203	52267	52323	52418	52533
52652	52681	52818	52836	52866	52983	53068	53463	53513
53543	53614	53772	53845	53915	54102	54135	54161	54218
54292	54340	54374	54511	54662	54727	54857	55299	55591
56029	56046	56080	56137	56146	56187	56492	56571	56651
56691	56739	56778	56964	56985	57083	57127	57131	57178
57245	57461	57494	57516	57541	57687	57749	57816	57957
57972	57993	58027	58150	58203	58238	58362	58424	58457
58606	58633	58665	58725	58847	59023	59134	59211	59265
59280	59293	59316	59431	59758	59981	60018	60155	60253
61901	61980	61998	65344	66160	67083	70026	70200	70219
70231	70261	70273	70308	70316	70326	70350	70361	70398
71043	71081	71082	71109	71119	71603	71722	71802	71811
71815	71816	71823	71843	71845	71867	71906	71907	71908
71909	71917	71924	71925	71926	71934	71945	71957	71964
72201	72202	72206	72208	72210	72215	72230	72233	72235
72240	72248	72249	72250	72251	72261	72265	72274	72293
72305	72317	72318	72327	72340	72357	72363	72364	72365
72376	72388	72402	72403	72413	72426	72440	72451	72456
72476	72489	72493	72501	72518	72520	72528	72558	72562
72572	72582	72597	72632	72634	72645	72649	72659	72662
72672	72681	72694	72712	72747	72764	72768	72776	72786
72797	73033	73111	74389	74455	74560	76256	76405	76458
76526	76595	76644	76654	76679	76692	76743	76805	76903
78384	78397	78486	78583	78897	78954	78988	80001	81405
82965	83768	84372	84516	84622	84754	85442	85586	85799
85934	87155	87344	87418	87585	87623	87715	87860	88889
89002	89055	89062	89504	89514	89564	89571	89592	89611
89625	89642	89859	91165	91212	91285	91334	91348	91376
91408	91413	91592	91765	91925	91938	91948	91958	93112
93417	93844	94001	94005	94120	94155	94170	94203	94299
94302	94312	94326	94332	94403	94430	94461	94510	94578

94610	94637	94653	94659	94672	94711	94767	94775	94802
94821	94866	94910	94995	94996	94998	95282	95527	95954
96413	96441	96471	96481	96996				

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ASDE09	ATGU3FT	DSQL7	FPUW5GN	JNKN7JF	KJJF9XN	KMPLHPW	LAGY8	LAGZ8
LRYQE3U	UXK5JTU	WDK38HS	XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J	7JUNA4N	7KPB
9ZT9MRK	01001	01004	01010	01028	01241	01400	01415	01492
02836	02963	06610	07110	07145	07510	07645	07761	08001
08023	08190	08221	08302	08383	08430	08508	08522	08536
11010	11035	11120	11240	12575	17607	40186	42622	47269
48698	50527	50557	50774	50953	51076	51243	51431	51463
51644	51656	51709	51777	51828	51839	52203	52267	52323
52418	52533	52652	52681	52818	52836	52866	52983	53068
53463	53513	53543	53614	53772	53845	53915	54102	54135
54161	54218	54292	54340	54374	54511	54662	54727	54857
55299	55591	56029	56046	56080	56137	56146	56187	56492
56571	56651	56691	56739	56778	56964	56985	57083	57127
57131	57178	57245	57461	57494	57516	57541	57687	57749
57816	57957	57972	57993	58027	58150	58203	58238	58362
58424	58457	58606	58633	58665	58725	58847	59023	59134
59211	59265	59280	59293	59316	59431	59758	59981	60253
66160	67083	72413	76743	76903	83554	87585	89002	89504
89642	89859	91925	91938	91948	91958	94001	94005	94653
94767	99999							

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERS, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.