



ECMWF

Global Data Monitoring Report

October 2014

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme

Contents

1	Introduction	3
2	Data summary - History of events	4
2.1	Radiosondes	4
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	16
3.2.9	Figure 9 - Availability - NOAA16 ATOVS : AMSU-A	17
3.2.10	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	18
3.2.11	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	19
3.2.12	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	20
3.2.13	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	21
3.2.14	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	22
3.2.15	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	23
3.2.16	Table 4 - Suspect drifters: Surface pressure (HPA)	24
3.2.17	Table 5 - Suspect drifters: Wind speed (m/s)	25
3.2.18	Table 6 - Suspect drifters: Wind direction (degrees)	26
3.2.19	Table 7 - Suspect radiosondes: Geopotential height (metres)	27
3.2.20	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.21	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.22	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.23	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.24	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.25	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.26	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.27	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	35
3.2.28	Figure 14 - SATOB Winds: 700-1000hPa	36
3.2.29	Figure 15 - SATOB Winds: 150- 400hPa	37
3.2.30	Figure 16 - SATOB Winds: 700-1000hPa	38
3.2.31	Figure 17 - SATOB Winds: 150- 400hPa	39
3.2.32	Figure 18 - AIRCRAFT Winds: 150- 300hPa	40
3.2.33	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	41
4	EUCOS Area Monitoring Statistics	44
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	45
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	48
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	51
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	54
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	57
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	60
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	63
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	66
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	69
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	77
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	81

5 Annex - Explanations of figures and tables	85
5.1 General	85
5.2 Data Availability	85
5.3 Data Quality	85

Summary of Revisions (in reverse order)

- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23). Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A)TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head, Operations Department
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Sep	Oct	Ident	Time	Sep	Oct
02185	(00)	19	1	24266	(00)	14	31
25428	(12)	30	0	24266	(12)	14	31
43150	(00)	21	1	27612	(12)	17	28
48327	(00)	30	2	27707	(00)	19	31
48855	(00)	19	0	31538	(00)	0	18
48900	(00)	14	0	31538	(12)	0	20
74626	(00)	22	0	38507	(12)	0	11
74626	(12)	20	0	40766	(12)	0	30
82281	(00)	14	3	40800	(00)	0	20
83208	(00)	25	0	41170	(00)	2	28
-	-	-	-	41640	(00)	0	15
-	-	-	-	41640	(12)	0	15
-	-	-	-	42027	(00)	10	24
-	-	-	-	42328	(00)	0	11
-	-	-	-	43185	(00)	0	14
-	-	-	-	43369	(00)	14	25
-	-	-	-	53336	(00)	0	21
-	-	-	-	53336	(12)	0	21
-	-	-	-	53798	(00)	0	21
-	-	-	-	53798	(12)	0	21
-	-	-	-	54401	(00)	0	21
-	-	-	-	54401	(12)	0	21
-	-	-	-	59644	(00)	0	21
-	-	-	-	59644	(12)	0	21
-	-	-	-	59663	(00)	0	21
-	-	-	-	59663	(12)	0	21
-	-	-	-	59948	(00)	0	21
-	-	-	-	59948	(12)	0	21
-	-	-	-	61291	(00)	4	25
-	-	-	-	61291	(12)	6	27
-	-	-	-	64458	(00)	0	26
-	-	-	-	64458	(12)	0	26
-	-	-	-	64500	(00)	0	23
-	-	-	-	64500	(12)	0	26
-	-	-	-	65344	(12)	0	19
-	-	-	-	71082	(00)	0	21
-	-	-	-	71082	(12)	2	23
-	-	-	-	71203	(00)	0	21
-	-	-	-	71203	(12)	0	21
-	-	-	-	71603	(00)	1	21
-	-	-	-	71603	(12)	3	19
-	-	-	-	71722	(00)	0	19
-	-	-	-	71722	(12)	0	21
-	-	-	-	71802	(00)	0	21
-	-	-	-	71802	(12)	4	21
-	-	-	-	71811	(00)	0	21
-	-	-	-	71811	(12)	0	20
-	-	-	-	71815	(00)	0	21
-	-	-	-	71815	(12)	1	21
-	-	-	-	71845	(00)	2	21
-	-	-	-	71845	(12)	2	20
-	-	-	-	71867	(00)	0	21
-	-	-	-	71867	(12)	1	20
-	-	-	-	71908	(00)	0	21
-	-	-	-	71908	(12)	1	20
-	-	-	-	71917	(00)	1	21
-	-	-	-	71917	(12)	1	20
-	-	-	-	71924	(00)	0	21
-	-	-	-	71924	(12)	1	19
-	-	-	-	74004	(12)	35	47

-	-	-	-	-	76405	(00)	7	27
-	-	-	-	-	78384	(00)	20	31
-	-	-	-	-	81729	(00)	0	19
-	-	-	-	-	81729	(12)	0	27
-	-	-	-	-	82107	(12)	0	24
-	-	-	-	-	82193	(00)	4	29
-	-	-	-	-	82193	(12)	5	30
-	-	-	-	-	82400	(00)	7	29
-	-	-	-	-	82400	(12)	7	31
-	-	-	-	-	82599	(12)	0	14
-	-	-	-	-	83554	(00)	0	14
-	-	-	-	-	83554	(12)	0	16
-	-	-	-	-	85934	(12)	4	29
-	-	-	-	-	89009	(12)	4	30
-	-	-	-	-	89022	(12)	0	22
-	-	-	-	-	89512	(12)	0	14
-	-	-	-	-	89592	(12)	0	13
-	-	-	-	-	91212	(00)	13	30
-	-	-	-	-	91212	(12)	12	31
-	-	-	-	-	91413	(00)	19	30
-	-	-	-	-	91557	(00)	3	27
-	-	-	-	-	96996	(00)	13	31

2.2 Drifting Buoys

Surface pressure observations from **1503** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMP SHIPS and PILOT SHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa


Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP/PSHIP (manual, auto) pressure

Figure 1


ECMWF Monitoring Statistics - OCT 2014
Availability - SYNOP/SHIP (manual, auto) pressure
Average number of observations in 24 hours - 95574
LAND - WMO Region I: 3681 II: 17100 III: 2536 IV: 4829
Region V: 8288 VI: 45086 Antarctic: 861

Oceans - N. Atlantic 8645 S. Atlantic 143 Indian 388 Pacific 4016



3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2




Magics 2.22.7 (64 bit)



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential

Figure 3


ECMWF Monitoring Statistics - OCT 2014
Availability - TEMP 500 hPa Geopotential
Average number of observations in 24 hours - 1249
LAND - WMO Region I: 25 II: 231 III: 40 IV: 127
Region V: 61 VI: 128 Antarctic: 8
Oceans - N. Atlantic 168 S. Atlantic 52 Indian 37 Pacific 371



Magics 2.22.7 (64 bit)




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5

ECMWF Monitoring Statistics - OCT 2014
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 203328



Magics 2.22.7 (64 bit)


3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6

ECMWF Monitoring Statistics - OCT 2014

Availability - AMV winds 400-150 hPa

Average number of observations in 24 hours - 802309




Magics 2.22.7 (64 bit)

3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7

ECMWF Monitoring Statistics - OCT 2014
Availability - AMV winds 1000-700 hPa

Average number of observations in 24 hours - 889731




Magics 2.22.7 (64 bit)

3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8

ECMWF Monitoring Statistics - OCT 2014
Availability - NOAA15 ATOVS : AMSU-A


Average number of observations in 24 hours - 335676



Magics 2.22.7 (64 bit)



3.2.9 Figure 9 - Availability - NOAA16 ATOVS : AMSU-A



Magics 2.22.7 (64 bit)


Figure 9

3.2.10 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1

ECMWF Monitoring Statistics - OCT 2014 Availability - NOAA18 ATOVS : AMSU-A

Average number of observations in 24 hours - 595964




3.2.11 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2

ECMWF Monitoring Statistics - OCT 2014
Availability - AQUA ATOVS : AMSU-A

Average number of observations in 24 hours - 261422




3.2.12 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - OCT 2014 Availability - METOP ATOVS : AMSU-A

Average number of observations in 24 hours - 450509



Magics 2.22.7 (64 bit)



3.2.13 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 4 HPA, OR,
 STANDARD DEVIATION ≥ 6 HPA, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
62147	99	P	SUR	23	5	6.4	4.1	7.6

3.2.14 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 5 M/S, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
-----------	----------	-----	-------	---------	-----------	---------	----	------	-----

3.2.15 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 (WIND SPEEDS $> 3\text{m/s}$), AND ,
 ABSOLUTE BIAS ≥ 30 DEGREES, OR,
 STANDARD DEVIATION ≥ 80 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
-----------	----------	-----	-------	---------	-----------	---------	----	------	-----

3.2.16 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
25524	99	P	SUR	79	105	216	177	3.4	-1.1	3.6
26535	99	P	SUR	77	31	215	19	6.5	-0.5	6.5
47579	99	P	SUR	73	-16	216	137	4.8	-1.4	5.0
48519	99	P	SUR	73	169	28	28	0.0	0.0	0.0
48593	99	P	SUR	71	179	216	1	4.9	4.2	6.4
62147	99	P	SUR	58	-4	159	39	6.3	4.0	7.4

3.2.17 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
31053	99	SPEED	SUR	-32	-50	183	0	0	2.7	-7.6	8.1
53057	99	SPEED	SUR	-4	93	150	0	0	1.5	-5.8	6.0

3.2.18 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
23092	99	DIRN	SUR	18	90	29	0	0	14.1	22.9	26.9
23097	99	DIRN	SUR	15	69	50	0	2	22.6	21.5	31.2
31051	99	DIRN	SUR	-25	-45	31	0	26	56.5	-37.0	67.5
32303	99	DIRN	SUR	5	-95	199	0	0	24.6	36.0	43.6
42365	99	DIRN	SUR	28	-89	108	0	0	19.0	-33.4	38.4
44059	99	DIRN	SUR	37	-76	61	0	0	9.8	-23.9	25.8
45161	99	DIRN	SUR	43	-86	113	0	0	19.3	42.8	46.9
45162	99	DIRN	SUR	45	-83	53	0	0	18.3	56.1	59.0
45168	99	DIRN	SUR	42	-86	63	0	0	15.8	33.5	37.0
48213	99	DIRN	SUR	72	-164	109	0	0	15.6	21.3	26.5
51310	99	DIRN	SUR	-8	-170	53	0	0	19.7	20.4	28.4
51544	99	DIRN	SUR	-10	-161	133	0	2	16.5	23.9	29.0
62087	99	DIRN	SUR	55	7	36	0	0	31.7	22.7	39.0
62140	99	DIRN	SUR	57	1	341	0	0	12.3	-20.1	23.6

3.2.19 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
04417	00	Z	925	73	-38	29	8	13.4	-73.7	74.9
04417	12	Z	925	73	-38	30	7	12.3	-83.1	84.0
14240	12	Z	500	46	16	31	0	5.1	129.3	129.4
14240	00	Z	500	46	16	31	0	5.1	129.8	129.9
33393	00	Z	200	50	24	14	0	42.0	94.8	103.7
33837	00	Z	1000	46	31	11	0	33.9	19.5	39.1
35229	12	Z	200	50	57	15	0	91.6	17.0	93.2
35229	00	Z	400	50	57	29	5	52.6	-28.3	59.7
38064	12	Z	200	45	66	30	0	55.2	73.1	91.6
38064	00	Z	200	45	66	31	0	68.9	58.2	90.2
42027	00	Z	500	34	75	24	4	60.9	-70.3	93.0
42165	00	Z	1000	28	73	10	0	8.2	33.5	34.5
42182	00	Z	400	29	77	24	2	74.7	-36.7	83.2
42339	00	Z	1000	26	73	31	0	9.7	32.8	34.2
42369	00	Z	150	27	81	12	0	125.9	60.5	139.7
42379	00	Z	250	27	83	11	1	97.8	20.2	99.9
42410	00	Z	200	26	92	13	2	104.6	98.1	143.4
43003	00	Z	100	19	73	10	3	85.3	167.1	187.6
43185	00	Z	400	16	81	14	0	72.2	-56.5	91.7
43279	00	Z	30	13	80	14	0	17.1	181.5	182.3
60760	12	Z	1000	34	8	20	0	34.7	20.9	40.5
76394	12	Z	1000	26	-100	30	0	19.9	-27.3	33.8
76405	00	Z	700	24	-110	28	4	36.8	26.6	45.4
76654	00	Z	150	19	-104	25	2	84.3	65.6	106.8
83566	12	Z	1000	-20	-44	30	1	5.1	-42.5	42.8
83566	00	Z	1000	-20	-44	29	0	11.6	-47.0	48.4
91680	00	Z	1000	-18	177	31	0	2.5	30.3	30.4
91680	12	Z	925	-18	177	30	0	2.5	30.2	30.3
ASDE01	12	Z	1000	56	-17	14	0	5.9	35.1	35.6
ASDE01	00	Z	1000	56	-11	11	0	7.9	38.2	39.0
ASDK2	00	Z	1000	62	-18	10	0	22.1	21.5	30.8

3.2.20 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN


WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
80001	12	V	250	13	-82	15	0	3.0	9.2	16.3

3.2.21 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)


WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
-----------	----------	-----	-----	------	---------	------	------------	----

3.2.22 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

3.2.23 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC


Figure 11
ECMWF Monitoring Statistics - OCT 2014 12 UTC
Suspect TEMP Observations - GEOPOTENTIAL



3.2.24 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

3.2.25 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

**Figure 13 ECMWF Monitoring Statistics - OCT 2014 12 UTC
Suspect TEMP/PILOT observations - WIND**



3.2.26 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	100 HPA
AREA	:	GLOBAL
PERIOD	:	OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
ASDE01	12	Z	100	13	48.7	47.7
ASDE01	00	Z	100	10	49.1	47.4
ASDE02	12	Z	100	13	21.6	19.6
ASDE03	12	Z	100	9	31.5	24.6
ASDE03	00	Z	100	8	32.5	24.3
ASDE04	00	Z	100	4	13.1	-3.1
ASDE04	12	Z	100	3	11.6	4.1
ASDE09	12	Z	100	1	2.0	2.0
ASDK1	12	Z	100	6	51.1	40.1
ASDK1	00	Z	100	3	29.9	29.2
ASDK2	12	Z	100	11	40.8	32.2
ASDK2	00	Z	100	8	48.8	40.4
ASDK3	00	Z	100	11	26.9	24.1
ASDK3	12	Z	100	2	24.6	18.4
ASES1	12	Z	100	2	29.2	29.0
ASEU02	12	Z	100	2	60.3	60.2
ASEU02	00	Z	100	2	49.6	49.5
ASEU03	12	Z	100	10	33.9	31.1
ASEU03	00	Z	100	10	38.6	36.0
ASEU04	12	Z	100	5	21.5	14.3
ASEU04	00	Z	100	4	15.8	10.2
ASEU05	12	Z	100	4	20.8	19.6
ASEU05	00	Z	100	3	13.4	13.1
ASEU06	12	Z	100	8	35.4	25.7
ASEU06	00	Z	100	2	48.2	48.2
ASFR1	12	Z	100	6	22.9	17.9
ASFR1	00	Z	100	7	15.4	10.3
ASFR3	12	Z	100	10	18.1	15.2
ASFR3	00	Z	100	9	21.5	16.0
ASFR4	12	Z	100	10	19.3	17.8
ASFR4	00	Z	100	12	21.1	18.7
ASUK02	12	Z	100	0	0.0	0.0
ASUK02	00	Z	100	1	4.2	-4.2
DBLK	12	Z	100	6	13.9	12.5
JNSR	00	Z	100	9	12.2	-2.2
JNSR	12	Z	100	7	9.3	-1.4


3.2.27 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
ASDE01	12	V	100	12	5.0	0.8	-0.1
ASDE01	00	V	100	9	6.6	0.4	-0.5
ASDE02	12	V	100	13	4.7	0.9	1.9
ASDE03	12	V	100	9	3.7	0.3	1.7
ASDE03	00	V	100	8	5.0	1.5	0.7
ASDE04	00	V	100	3	2.5	-0.9	1.1
ASDE04	12	V	100	3	3.7	-0.5	1.4
ASDE09	12	V	100	1	5.2	-5.2	-0.2
ASDK1	12	V	100	5	2.9	1.8	-0.3
ASDK1	00	V	100	2	1.4	0.5	-0.8
ASDK2	12	V	100	11	3.0	0.0	-0.4
ASDK2	00	V	100	8	4.1	1.6	-1.0
ASDK3	00	V	100	11	3.8	0.4	-1.3
ASDK3	12	V	100	2	4.0	2.2	-2.1
ASES1	12	V	100	2	2.0	0.7	-1.7
ASEU02	12	V	100	2	3.6	-1.1	3.2
ASEU02	00	V	100	2	5.9	-2.9	2.7
ASEU03	12	V	100	6	4.1	-0.6	1.4
ASEU03	00	V	100	9	2.7	-0.1	-0.5
ASEU04	12	V	100	4	4.9	0.9	1.8
ASEU04	00	V	100	4	7.0	1.7	-0.3
ASEU05	12	V	100	3	4.5	1.3	2.8
ASEU05	00	V	100	3	4.3	-2.2	1.8
ASEU06	12	V	100	7	4.2	-0.4	-0.5
ASEU06	00	V	100	1	5.6	-1.3	-5.4
ASFR1	12	V	100	5	3.9	-0.1	0.0
ASFR1	00	V	100	7	3.0	-0.5	1.1
ASFR3	12	V	100	10	4.4	0.0	1.7
ASFR3	00	V	100	9	2.8	-0.7	-0.1
ASFR4	12	V	100	10	3.0	-0.4	-0.6
ASFR4	00	V	100	12	3.0	-0.5	0.4
ASUK02	12	V	100	0	0.0	0.0	0.0
ASUK02	00	V	100	1	4.7	-4.7	-0.1
DBLK	12	V	100	6	3.4	0.0	0.0
JNSR	00	V	100	7	7.3	-2.5	-1.6
JNSR	12	V	100	7	4.9	-1.1	0.1


3.2.28 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14
ECMWF Monitoring Statistics: Oct 2014
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.29 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15
ECMWF Monitoring Statistics: Oct 2014
AMV Winds: 150- 400hPa
Wind bias: Observation - FG




3.2.30 Figure 16 - SATOB Winds: 700-1000hPa

Figure 16
ECMWF Monitoring Statistics: Oct 2014
AMV Winds: 700-1000hPa
Wind bias: Observation - FG




3.2.31 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17
ECMWF Monitoring Statistics: Oct 2014
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.32 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18
ECMWF Monitoring Statistics: Oct 2014
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.33 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
AAL	99	V	300-150	4142	0	0	4.5	-0.8
AAY	99	V	300-150	189	1	0	4.7	0.3
ABW	99	V	300-150	36	0	0	4.4	0.1
ACA	99	V	300-150	2547	1	0	4.3	-0.1
ACI	99	V	300-150	778	0	0	4.2	0.2
AFL	99	V	300-150	581	0	0	3.3	0.1
AFR	99	V	300-150	2735	0	0	4.0	0.1
AIC	99	V	300-150	568	0	0	3.5	-0.1
AMX	99	V	300-150	267	13	0	8.5	0.2
ANZ	99	V	300-150	3365	0	0	4.5	0.3
ASA	99	V	300-150	2467	0	0	4.9	0.5
ASY	99	V	300-150	61	0	0	3.7	0.4
AUA	99	V	300-150	1126	0	0	4.1	-0.7
AVN	99	V	300-150	73	0	0	4.3	1.2
AWE	99	V	300-150	2381	0	0	4.0	0.6
AZA	99	V	300-150	579	0	0	3.9	0.8
BAW	99	V	300-150	4032	0	0	4.2	-0.1
BEL	99	V	300-150	217	0	0	4.0	0.0
BER	99	V	300-150	1356	0	0	3.8	1.0
BOX	99	V	300-150	52	0	0	3.1	0.1
CAL	99	V	300-150	66	0	0	5.0	0.2
CFC	99	V	300-150	65	0	0	5.3	1.3
CFG	99	V	300-150	280	0	0	4.4	-0.3
CKS	99	V	300-150	302	0	0	4.2	0.5
CLX	99	V	300-150	317	0	0	4.1	-0.1
CNV	99	V	300-150	30	7	0	4.6	1.6
CPA	99	V	300-150	21	0	0	3.3	-0.4
CRL	99	V	300-150	26	0	0	4.7	0.6
CSN	99	V	300-150	188	4	0	7.6	-0.4
DAH	99	V	300-150	121	0	0	3.9	0.7
DAL	99	V	300-150	9784	0	0	4.2	-0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
DHK	99	V	300-150	218	0	0	4.4	0.3
DLH	99	V	300-150	4917	0	0	3.9	-0.1
EIN	99	V	300-150	1455	0	0	3.8	-0.3
EJM	99	V	300-150	61	31	0	8.3	-0.5
ELY	99	V	300-150	414	0	0	3.8	-0.4
ETD	99	V	300-150	106	0	0	3.8	1.0
ETH	99	V	300-150	30	3	0	4.2	-0.3
FDX	99	V	300-150	1401	0	0	3.8	0.3
FIN	99	V	300-150	144	0	0	3.5	0.2
FJI	99	V	300-150	1442	0	0	4.3	0.1
FWI	99	V	300-150	82	0	0	4.3	1.4
GAF	99	V	300-150	20	0	0	8.8	1.0
GEC	99	V	300-150	360	0	0	4.0	0.0
GTI	99	V	300-150	302	0	0	3.6	-0.2
HAL	99	V	300-150	1096	0	0	4.6	0.5
IBE	99	V	300-150	416	0	0	3.8	0.3
ICE	99	V	300-150	21	0	0	6.8	-1.1
JAF	99	V	300-150	68	0	0	5.3	-1.2
JAI	99	V	300-150	420	0	0	3.9	0.9
JAS	99	V	300-150	20	40	0	3.6	1.1
JST	99	V	300-150	1076	0	0	4.2	0.3
KAC	99	V	300-150	20	0	0	4.6	0.5
KAL	99	V	300-150	703	0	0	4.1	0.7
KLM	99	V	300-150	1973	0	0	3.9	-0.3
LAE	99	V	300-150	22	0	0	5.7	0.8
LAN	99	V	300-150	102	0	0	4.1	0.3
LOT	99	V	300-150	56	2	0	6.6	0.3
MAS	99	V	300-150	92	0	0	4.8	0.4
MLM	99	V	300-150	21	52	0	27.0	0.2
MMN	99	V	300-150	26	0	0	4.3	-1.4
MON	99	V	300-150	36	0	0	4.0	1.2
MSR	99	V	300-150	194	0	0	3.6	0.0
NAX	99	V	300-150	53	8	0	8.4	0.1
NJE	99	V	300-150	53	32	0	14.9	0.1
NWS	99	V	300-150	41	0	0	3.6	0.9
OAE	99	V	300-150	76	0	1	4.3	-0.3
PAC	99	V	300-150	30	0	0	4.9	-0.8
PAL	99	V	300-150	24	0	0	8.8	0.7
PIA	99	V	300-150	23	0	0	3.3	0.2
QFA	99	V	300-150	2048	0	0	4.2	-0.4
QTR	99	V	300-150	141	0	0	4.7	-0.2
RCH	99	V	300-150	587	0	0	4.9	-0.3
RJA	99	V	300-150	84	0	0	3.6	-0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
ROU	99	V	300-150	157	0	0	4.0	-1.2
SAM	99	V	300-150	41	15	0	7.1	-0.5
SAS	99	V	300-150	976	0	0	3.3	0.1
SHE	99	V	300-150	34	0	0	2.6	0.1
SIA	99	V	300-150	295	0	0	3.8	0.5
SLM	99	V	300-150	25	0	0	4.4	0.4
SQC	99	V	300-150	34	0	0	4.1	-0.3
SVA	99	V	300-150	384	0	0	4.2	0.3
SWR	99	V	300-150	968	0	0	3.9	0.6
TAM	99	V	300-150	34	0	0	3.6	0.0
TAP	99	V	300-150	63	0	0	3.6	0.7
TCI	99	V	300-150	22	36	0	21.5	-0.8
TCV	99	V	300-150	44	0	0	4.8	0.0
TCX	99	V	300-150	200	1	0	3.8	1.3
TFL	99	V	300-150	66	0	0	3.8	-1.3
THA	99	V	300-150	119	0	0	3.5	0.2
THT	99	V	300-150	158	0	0	4.6	0.9
THY	99	V	300-150	467	0	0	4.0	0.3
TOM	99	V	300-150	1021	3	0	5.3	-0.2
TSC	99	V	300-150	173	0	0	3.5	1.0
TSO	99	V	300-150	223	0	0	3.7	0.1
UAE	99	V	300-150	775	0	0	3.8	-0.4
UAL	99	V	300-150	11547	0	0	4.6	-0.4
UPS	99	V	300-150	1079	0	0	4.0	0.3
VIR	99	V	300-150	1742	0	0	4.0	0.0
VOZ	99	V	300-150	616	0	0	4.3	-0.2
VPB	99	V	300-150	20	45	0	16.2	-2.0
VQB	99	V	300-150	20	65	0	3.1	0.8
WJA	99	V	300-150	291	1	0	4.8	0.1

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	50 HPA
AREA	:	0 - 90N, 100W - 40E
PERIOD	:	OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	50	28	11.7	5.8
01001	12	Z	50	30	17.4	11.5
01028	00	Z	50	30	11.8	4.9
01028	12	Z	50	30	13.0	10.9
01152	12	Z	50	30	14.9	9.4
01152	00	Z	50	31	14.4	9.5
01400	12	Z	50	26	38.7	36.5
01400	00	Z	50	29	39.9	38.7
01415	12	Z	50	29	16.7	14.0
01415	00	Z	50	28	7.8	2.4
02365	00	Z	50	29	9.3	3.1
02365	12	Z	50	30	11.7	6.9
02591	12	Z	50	30	24.2	22.6
02591	00	Z	50	31	18.4	16.2
02836	12	Z	50	30	13.7	11.4
02836	00	Z	50	31	11.0	7.4
02963	00	Z	50	31	10.9	8.2
02963	12	Z	50	30	17.3	15.4
03005	12	Z	50	30	11.3	4.1
03005	00	Z	50	31	9.9	4.1
03238	00	Z	50	31	14.8	10.6
03238	12	Z	50	3	16.2	15.8
03808	12	Z	50	31	12.1	9.2
03808	00	Z	50	29	9.1	3.7
03918	00	Z	50	29	9.9	6.7
03918	12	Z	50	15	19.0	18.2
03953	00	Z	50	31	17.7	13.6
03953	12	Z	50	31	17.7	5.2
04018	12	Z	50	13	29.7	19.5
04018	00	Z	50	14	10.0	8.3
04220	12	Z	50	28	18.5	1.2
04220	00	Z	50	27	20.7	-3.8
04270	00	Z	50	25	27.8	-2.0
04270	12	Z	50	25	20.7	-3.4
04320	00	Z	50	29	20.5	-13.4
04320	12	Z	50	29	20.2	-14.5
04339	12	Z	50	28	25.7	16.2
04339	00	Z	50	30	20.2	0.6
04360	00	Z	50	12	22.1	18.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	50	11	13.4	7.7
06011	00	Z	50	25	17.1	-9.8
06011	12	Z	50	28	15.9	-3.8
06260	00	Z	50	31	12.2	7.4
06260	12	Z	50	5	18.8	15.6
06610	12	Z	50	31	22.7	12.2
06610	00	Z	50	31	18.0	1.2
07110	12	Z	50	26	25.8	21.1
07110	00	Z	50	27	21.3	18.4
07510	00	Z	50	24	12.7	5.3
07510	12	Z	50	25	16.2	4.7
07645	00	Z	50	16	19.6	12.6
07645	12	Z	50	14	20.5	18.4
07761	00	Z	50	19	16.4	12.0
07761	12	Z	50	21	18.6	15.2
08001	12	Z	50	27	20.5	16.5
08001	00	Z	50	29	18.7	5.3
08221	00	Z	50	31	11.8	8.0
08221	12	Z	50	30	16.5	13.9
08302	00	Z	50	31	7.0	3.2
08302	12	Z	50	31	10.4	6.9
08508	12	Z	50	31	53.9	43.1
08522	12	Z	50	28	17.5	15.4
08579	12	Z	50	31	24.5	22.6
10035	12	Z	50	31	13.6	10.1
10035	00	Z	50	31	9.7	2.3
10393	12	Z	50	31	7.5	3.7
10393	00	Z	50	28	7.0	1.3
10410	12	Z	50	31	11.9	6.7
10410	00	Z	50	30	11.9	-0.1
10739	00	Z	50	30	17.2	15.4
10739	12	Z	50	30	23.1	20.0
11035	00	Z	50	31	12.9	8.9
11035	12	Z	50	31	14.7	10.1
12982	00	Z	50	29	10.7	7.0
16044	12	Z	50	31	16.1	14.0
16044	00	Z	50	30	14.1	12.4
16080	12	Z	50	31	27.9	13.0
16080	00	Z	50	31	9.7	5.7
16245	12	Z	50	31	10.6	-2.4
16245	00	Z	50	31	7.5	0.2
16320	00	Z	50	31	12.0	8.3
16320	12	Z	50	31	10.4	3.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16429	12	Z	50	31	13.5	7.1
16429	00	Z	50	31	11.0	7.3
16622	00	Z	50	22	48.8	37.7
16754	00	Z	50	28	23.2	17.9
17607	12	Z	50	18	23.4	-20.6
26435	00	Z	50	14	8.3	5.6
60018	12	Z	50	27	12.1	6.1
60018	00	Z	50	31	13.2	10.8
ASDE01	12	Z	50	12	60.6	59.7
ASDE01	00	Z	50	9	54.4	52.1
ASDE02	12	Z	50	12	35.9	33.7
ASDE03	12	Z	50	9	42.3	36.8
ASDE03	00	Z	50	8	36.3	29.4
ASDE04	00	Z	50	3	7.9	6.6
ASDE04	12	Z	50	3	17.3	15.6
ASDE09	12	Z	50	3	138.5	89.7
ASDK1	12	Z	50	5	77.1	61.0
ASDK1	00	Z	50	2	30.6	30.1
ASDK2	12	Z	50	9	50.9	42.6
ASDK2	00	Z	50	9	53.7	44.6
ASDK3	00	Z	50	10	33.2	30.0
ASDK3	12	Z	50	13	44.0	40.4
ASES1	12	Z	50	3	42.6	41.3
ASEU02	12	Z	50	2	65.2	64.9
ASEU02	00	Z	50	2	56.5	56.4
ASEU03	12	Z	50	7	45.3	44.3
ASEU03	00	Z	50	9	43.2	41.2
ASEU04	12	Z	50	5	31.8	25.6
ASEU04	00	Z	50	4	21.1	19.0
ASEU05	12	Z	50	3	30.4	26.8
ASEU05	00	Z	50	3	14.7	14.1
ASEU06	12	Z	50	7	49.2	44.2
ASEU06	00	Z	50	2	41.2	41.0
ASFR1	12	Z	50	3	24.2	23.4
ASFR1	00	Z	50	7	21.6	16.8
ASFR3	12	Z	50	9	23.2	19.0
ASFR3	00	Z	50	7	21.7	18.9
ASFR4	12	Z	50	10	23.9	23.1
ASFR4	00	Z	50	11	27.7	25.6
ASUK02	12	Z	50	0	0.0	0.0
DBLK	12	Z	50	6	20.5	18.0

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	50	28	3.0	0.5	-0.5
01001	12	V	50	30	3.4	-0.2	-0.4
01028	00	V	50	30	3.3	-0.3	0.1
01028	12	V	50	30	3.5	0.3	-0.9
01152	12	V	50	30	4.3	0.0	-0.7
01152	00	V	50	31	3.6	-1.1	-0.8
01400	12	V	50	22	4.6	0.7	-1.0
01400	00	V	50	22	4.2	0.7	-0.7
01415	12	V	50	29	4.5	1.2	-1.1
01415	00	V	50	26	4.2	1.2	-0.2
02365	00	V	50	29	3.7	-0.2	0.0
02365	12	V	50	30	3.4	0.8	-0.8
02591	12	V	50	30	4.0	0.1	-1.0
02591	00	V	50	29	3.7	-0.1	-0.4
02836	12	V	50	30	4.0	-1.5	-0.5
02836	00	V	50	28	4.1	-0.6	-1.0
02963	00	V	50	29	3.6	0.2	0.1
02963	12	V	50	27	3.4	-0.1	-0.5
03005	12	V	50	30	4.5	0.6	-0.6
03005	00	V	50	28	4.5	0.2	0.3
03238	00	V	50	31	4.3	-1.0	-0.2
03238	12	V	50	3	5.2	2.6	2.0
03808	12	V	50	31	4.0	0.8	-0.5
03808	00	V	50	27	3.5	0.6	0.1
03918	00	V	50	26	4.4	-0.8	-0.3
03918	12	V	50	15	4.7	0.6	1.2
03953	00	V	50	30	3.5	-0.1	-0.3
03953	12	V	50	31	4.2	0.1	-0.8
04018	12	V	50	13	3.1	0.2	0.4
04018	00	V	50	11	3.0	1.0	0.2
04220	12	V	50	28	2.8	-0.2	0.0
04220	00	V	50	26	3.3	0.3	-0.4
04270	00	V	50	24	3.8	-0.3	0.3
04270	12	V	50	25	5.2	-1.3	-0.6
04320	00	V	50	28	3.0	0.4	0.1
04320	12	V	50	29	2.9	0.1	0.2
04339	12	V	50	9	4.6	-0.2	-1.1
04339	00	V	50	11	14.7	6.5	-1.5
04360	00	V	50	12	4.2	-1.0	0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	50	11	4.3	-1.2	-0.9
06011	00	V	50	25	3.3	0.9	-0.5
06011	12	V	50	28	3.8	-0.9	-0.5
06260	00	V	50	31	4.3	-0.4	-0.3
06260	12	V	50	5	3.5	-0.4	-0.7
06610	12	V	50	31	3.8	0.6	0.7
06610	00	V	50	30	3.8	0.2	-0.3
07110	12	V	50	25	3.6	0.3	-1.0
07110	00	V	50	25	4.8	0.4	0.9
07510	00	V	50	23	3.0	0.6	0.1
07510	12	V	50	25	3.5	0.4	0.2
07645	00	V	50	15	4.9	1.5	-0.7
07645	12	V	50	13	3.7	0.4	-0.9
07761	00	V	50	18	3.5	0.7	0.7
07761	12	V	50	21	4.4	1.5	0.1
08001	12	V	50	26	3.9	-0.1	-0.1
08001	00	V	50	24	3.1	-0.4	0.0
08221	00	V	50	31	3.8	0.1	-0.1
08221	12	V	50	30	3.9	0.8	0.1
08302	00	V	50	31	3.8	1.5	-0.5
08302	12	V	50	31	3.7	-0.2	0.2
08508	12	V	50	30	3.2	-0.2	0.4
08522	12	V	50	28	3.5	0.1	-0.9
08579	12	V	50	31	2.9	-0.1	0.8
10035	12	V	50	31	3.3	0.1	-0.4
10035	00	V	50	28	4.0	0.3	-0.6
10393	12	V	50	31	3.5	0.4	-0.1
10393	00	V	50	26	3.7	0.0	-0.7
10410	12	V	50	31	3.6	0.3	-0.3
10410	00	V	50	28	4.0	0.1	-0.4
10739	00	V	50	28	3.7	0.6	-0.9
10739	12	V	50	30	3.4	0.2	0.4
11035	00	V	50	31	2.9	0.4	-0.1
11035	12	V	50	31	3.3	0.0	-0.4
12982	00	V	50	29	3.0	-0.2	0.0
16044	12	V	50	31	3.4	1.4	0.5
16044	00	V	50	29	3.0	0.0	0.1
16080	12	V	50	31	3.8	0.8	0.1
16080	00	V	50	30	3.7	0.6	-0.1
16245	12	V	50	30	3.1	0.1	0.3
16245	00	V	50	30	4.1	-0.2	0.1
16320	00	V	50	30	4.0	0.3	1.2
16320	12	V	50	31	3.7	1.0	-1.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16429	12	V	50	31	4.5	1.5	0.9
16429	00	V	50	29	4.1	0.6	0.1
16622	00	V	50	12	3.0	0.5	1.4
16754	00	V	50	27	4.3	1.2	0.7
17607	12	V	50	17	4.2	0.5	0.2
26435	00	V	50	13	2.8	-1.3	0.3
60018	12	V	50	27	3.7	0.8	0.6
60018	00	V	50	31	3.9	0.4	2.1
ASDE01	12	V	50	10	3.9	-1.8	0.1
ASDE01	00	V	50	8	7.3	1.7	1.2
ASDE02	12	V	50	11	4.0	-0.1	1.2
ASDE03	12	V	50	9	4.0	-0.6	0.4
ASDE03	00	V	50	8	3.7	0.5	0.7
ASDE04	00	V	50	3	3.6	-2.7	-1.4
ASDE04	12	V	50	3	2.4	-1.0	0.1
ASDE09	12	V	50	3	5.1	-0.6	2.5
ASDK1	12	V	50	5	3.9	1.1	0.6
ASDK1	00	V	50	2	2.9	-0.1	0.1
ASDK2	12	V	50	9	3.4	-1.2	-0.1
ASDK2	00	V	50	9	4.6	1.3	2.0
ASDK3	00	V	50	10	4.7	0.1	1.6
ASDK3	12	V	50	13	3.0	-0.2	-0.3
ASES1	12	V	50	3	3.3	-2.8	1.0
ASEU02	12	V	50	2	5.7	-4.5	-2.5
ASEU02	00	V	50	2	3.6	0.0	0.6
ASEU03	12	V	50	7	4.8	2.3	-0.9
ASEU03	00	V	50	7	2.5	-0.3	0.0
ASEU04	12	V	50	5	3.0	0.1	0.8
ASEU04	00	V	50	1	3.0	0.0	3.0
ASEU05	12	V	50	2	3.7	0.7	-3.1
ASEU05	00	V	50	2	3.7	2.8	-1.9
ASEU06	12	V	50	7	3.2	0.1	-1.1
ASEU06	00	V	50	1	7.3	-6.8	2.7
ASFR1	12	V	50	3	2.8	1.5	0.9
ASFR1	00	V	50	7	4.2	-0.4	0.3
ASFR3	12	V	50	9	4.4	-0.1	1.0
ASFR3	00	V	50	7	5.0	0.8	-0.6
ASFR4	12	V	50	10	4.5	-0.7	0.9
ASFR4	00	V	50	11	3.2	0.6	-1.3
ASUK02	12	V	50	0	0.0	0.0	0.0
DBLK	12	V	50	6	3.7	0.6	-0.6

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	100	28	6.4	1.1
01001	12	Z	100	30	14.0	5.1
01028	00	Z	100	28	7.7	2.9
01028	12	Z	100	31	9.0	5.7
01152	12	Z	100	30	11.1	6.4
01152	00	Z	100	31	9.6	5.3
01400	12	Z	100	27	32.0	30.1
01400	00	Z	100	30	35.0	33.8
01415	12	Z	100	29	11.1	7.7
01415	00	Z	100	29	10.3	1.7
02365	00	Z	100	31	7.4	0.7
02365	12	Z	100	31	9.1	1.6
02591	12	Z	100	31	18.1	17.1
02591	00	Z	100	31	13.9	12.1
02836	12	Z	100	31	7.9	5.6
02836	00	Z	100	31	9.4	4.5
02963	00	Z	100	30	8.8	6.7
02963	12	Z	100	31	9.8	8.0
03005	12	Z	100	31	9.9	0.0
03005	00	Z	100	31	8.6	1.7
03238	00	Z	100	31	12.0	8.5
03238	12	Z	100	3	22.6	19.5
03808	12	Z	100	31	7.4	3.7
03808	00	Z	100	31	7.3	2.0
03918	00	Z	100	31	8.6	5.6
03918	12	Z	100	16	15.7	14.1
03953	00	Z	100	30	14.6	10.7
03953	12	Z	100	31	14.3	2.0
04018	12	Z	100	19	20.0	11.9
04018	00	Z	100	14	8.2	5.1
04220	12	Z	100	28	15.4	-2.5
04220	00	Z	100	29	18.5	-6.1
04270	00	Z	100	25	17.6	-7.0
04270	12	Z	100	26	18.2	-4.8
04320	00	Z	100	30	16.3	-11.1
04320	12	Z	100	29	18.8	-14.6
04339	12	Z	100	28	16.8	5.3
04339	00	Z	100	31	14.2	-2.7
04360	00	Z	100	20	18.2	9.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	100	19	11.7	8.2
06011	00	Z	100	30	15.3	-8.9
06011	12	Z	100	29	14.5	-7.8
06260	00	Z	100	31	10.3	4.5
06260	12	Z	100	5	11.5	8.2
06610	12	Z	100	31	16.7	9.2
06610	00	Z	100	31	14.8	1.9
07110	12	Z	100	31	16.5	13.6
07110	00	Z	100	30	14.4	12.5
07510	00	Z	100	27	10.6	-3.3
07510	12	Z	100	31	9.8	2.0
07645	00	Z	100	26	17.0	8.0
07645	12	Z	100	24	17.9	14.4
07761	00	Z	100	27	8.9	5.0
07761	12	Z	100	26	10.6	7.0
08001	12	Z	100	30	13.9	10.9
08001	00	Z	100	31	17.2	6.6
08221	00	Z	100	31	10.0	7.1
08221	12	Z	100	31	16.5	12.8
08302	00	Z	100	31	5.6	0.7
08302	12	Z	100	31	6.4	1.8
08508	12	Z	100	31	43.1	33.6
08522	12	Z	100	28	14.3	12.2
08579	12	Z	100	31	16.1	13.8
10035	12	Z	100	31	7.2	5.1
10035	00	Z	100	31	8.0	0.4
10393	12	Z	100	31	5.5	-1.1
10393	00	Z	100	32	7.1	1.1
10410	12	Z	100	31	9.5	0.8
10410	00	Z	100	31	8.5	-1.9
10739	00	Z	100	31	14.6	12.9
10739	12	Z	100	31	15.8	12.9
11035	00	Z	100	31	9.9	5.7
11035	12	Z	100	31	11.8	4.9
12982	00	Z	100	30	8.8	3.3
16044	12	Z	100	31	11.6	8.7
16044	00	Z	100	31	11.9	9.8
16080	12	Z	100	31	20.7	8.0
16080	00	Z	100	31	10.0	4.2
16245	12	Z	100	31	11.4	-6.4
16245	00	Z	100	31	8.4	-2.5
16320	00	Z	100	31	7.5	4.1
16320	12	Z	100	31	6.7	-0.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16429	12	Z	100	29	9.1	0.8
16429	00	Z	100	31	8.5	2.3
16622	00	Z	100	25	40.2	30.2
16754	00	Z	100	29	16.6	10.2
17607	12	Z	100	33	15.5	-13.0
26435	00	Z	100	15	7.0	2.9
60018	12	Z	100	28	8.5	4.4
60018	00	Z	100	31	12.2	9.6
ASDE01	12	Z	100	13	48.7	47.7
ASDE01	00	Z	100	10	49.1	47.4
ASDE02	12	Z	100	13	21.6	19.6
ASDE03	12	Z	100	9	31.5	24.6
ASDE03	00	Z	100	8	32.5	24.3
ASDE04	00	Z	100	4	13.1	-3.1
ASDE04	12	Z	100	3	11.6	4.1
ASDE09	12	Z	100	1	2.0	2.0
ASDK1	12	Z	100	6	51.1	40.1
ASDK1	00	Z	100	3	29.9	29.2
ASDK2	12	Z	100	11	40.8	32.2
ASDK2	00	Z	100	8	48.8	40.4
ASDK3	00	Z	100	11	26.9	24.1
ASDK3	12	Z	100	2	24.6	18.4
ASES1	12	Z	100	2	29.2	29.0
ASEU02	12	Z	100	2	60.3	60.2
ASEU02	00	Z	100	2	49.6	49.5
ASEU03	12	Z	100	10	33.9	31.1
ASEU03	00	Z	100	10	38.6	36.0
ASEU04	12	Z	100	5	21.5	14.3
ASEU04	00	Z	100	4	15.8	10.2
ASEU05	12	Z	100	4	20.8	19.6
ASEU05	00	Z	100	3	13.4	13.1
ASEU06	12	Z	100	8	35.4	25.7
ASEU06	00	Z	100	2	48.2	48.2
ASFR1	12	Z	100	6	22.9	17.9
ASFR1	00	Z	100	7	15.4	10.3
ASFR3	12	Z	100	10	18.1	15.2
ASFR3	00	Z	100	9	21.5	16.0
ASFR4	12	Z	100	10	19.3	17.8
ASFR4	00	Z	100	12	21.1	18.7
ASUK02	12	Z	100	0	0.0	0.0
DBLK	12	Z	100	6	13.9	12.5

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	100	28	2.7	0.3	-0.2
01001	12	V	100	30	2.9	0.3	0.2
01028	00	V	100	28	2.7	-0.6	-0.9
01028	12	V	100	31	3.0	-0.2	0.0
01152	12	V	100	30	3.9	-0.8	-1.0
01152	00	V	100	31	3.5	0.7	-1.1
01400	12	V	100	27	4.5	0.6	0.4
01400	00	V	100	27	4.3	0.4	-0.9
01415	12	V	100	29	4.7	0.9	-0.5
01415	00	V	100	27	4.4	1.1	-0.5
02365	00	V	100	31	3.7	1.0	-0.9
02365	12	V	100	30	3.4	-0.1	-0.9
02591	12	V	100	30	3.5	-0.3	-0.5
02591	00	V	100	31	3.2	0.0	-0.3
02836	12	V	100	31	3.4	0.2	-0.5
02836	00	V	100	31	2.8	0.2	-0.8
02963	00	V	100	30	3.5	-0.5	0.1
02963	12	V	100	29	3.9	0.4	0.9
03005	12	V	100	31	4.0	0.4	-0.7
03005	00	V	100	28	4.4	0.1	1.0
03238	00	V	100	31	4.7	0.8	0.3
03238	12	V	100	3	6.4	-2.5	-1.0
03808	12	V	100	31	3.8	0.9	0.4
03808	00	V	100	28	3.5	0.5	0.4
03918	00	V	100	28	4.1	1.6	0.8
03918	12	V	100	16	4.1	0.4	1.4
03953	00	V	100	30	4.0	-0.2	-0.3
03953	12	V	100	31	3.8	0.6	0.3
04018	12	V	100	19	3.5	0.2	0.1
04018	00	V	100	13	3.0	0.5	0.6
04220	12	V	100	28	2.4	0.5	-0.6
04220	00	V	100	28	2.8	0.3	0.3
04270	00	V	100	24	3.9	-1.1	0.8
04270	12	V	100	26	3.7	-0.6	0.9
04320	00	V	100	29	2.5	-0.2	0.3
04320	12	V	100	29	2.5	-0.8	0.3
04339	12	V	100	10	5.0	0.0	-0.1
04339	00	V	100	9	8.4	-0.8	0.1
04360	00	V	100	20	5.9	-0.1	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	100	19	3.7	0.8	0.3
06011	00	V	100	30	3.1	-0.2	-0.1
06011	12	V	100	29	3.4	0.2	-0.4
06260	00	V	100	31	3.3	-1.0	0.1
06260	12	V	100	5	4.1	0.2	-1.6
06610	12	V	100	31	4.5	0.1	-0.6
06610	00	V	100	30	6.7	2.0	-0.8
07110	12	V	100	31	3.7	0.8	0.3
07110	00	V	100	27	3.9	-0.1	-0.6
07510	00	V	100	23	2.4	0.3	0.6
07510	12	V	100	27	3.8	1.3	-0.5
07645	00	V	100	22	5.2	0.4	-1.7
07645	12	V	100	24	3.3	1.0	-0.2
07761	00	V	100	22	3.5	0.7	-1.4
07761	12	V	100	22	4.4	0.7	-0.5
08001	12	V	100	30	4.0	0.5	-0.9
08001	00	V	100	31	3.4	0.1	0.2
08221	00	V	100	31	3.3	-0.1	0.2
08221	12	V	100	31	4.0	0.0	0.5
08302	00	V	100	31	4.0	0.6	0.4
08302	12	V	100	31	3.0	-0.2	0.6
08508	12	V	100	30	3.9	-0.6	0.8
08522	12	V	100	28	4.2	0.8	0.7
08579	12	V	100	31	4.0	0.2	-0.3
10035	12	V	100	31	3.7	0.0	-0.6
10035	00	V	100	30	3.9	-0.2	-0.7
10393	12	V	100	31	3.6	0.3	-1.2
10393	00	V	100	29	3.1	0.7	-1.1
10410	12	V	100	31	3.7	0.6	-0.4
10410	00	V	100	30	4.0	0.1	-0.9
10739	00	V	100	30	4.4	0.5	-0.6
10739	12	V	100	31	3.9	0.1	-1.3
11035	00	V	100	31	3.3	0.4	0.7
11035	12	V	100	31	4.1	0.0	-0.6
12982	00	V	100	30	3.6	0.8	0.1
16044	12	V	100	31	3.3	0.6	-0.3
16044	00	V	100	30	3.6	-0.2	-0.1
16080	12	V	100	31	3.3	0.2	-0.3
16080	00	V	100	29	4.9	1.1	-1.2
16245	12	V	100	31	4.0	-0.3	0.2
16245	00	V	100	30	3.5	0.9	0.1
16320	00	V	100	30	3.4	0.3	0.3
16320	12	V	100	31	3.3	0.6	-0.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16429	12	V	100	29	3.5	0.6	-0.5
16429	00	V	100	29	4.5	0.7	0.8
16622	00	V	100	12	3.9	-0.9	-1.1
16754	00	V	100	28	4.0	1.4	0.2
17607	12	V	100	19	3.5	1.0	-0.3
26435	00	V	100	15	2.5	0.7	-0.4
60018	12	V	100	28	3.8	1.0	0.5
60018	00	V	100	31	4.1	-0.5	-0.2
ASDE01	12	V	100	12	5.0	0.8	-0.1
ASDE01	00	V	100	9	6.6	0.4	-0.5
ASDE02	12	V	100	13	4.7	0.9	1.9
ASDE03	12	V	100	9	3.7	0.3	1.7
ASDE03	00	V	100	8	5.0	1.5	0.7
ASDE04	00	V	100	3	2.5	-0.9	1.1
ASDE04	12	V	100	3	3.7	-0.5	1.4
ASDE09	12	V	100	1	5.2	-5.2	-0.2
ASDK1	12	V	100	5	2.9	1.8	-0.3
ASDK1	00	V	100	2	1.4	0.5	-0.8
ASDK2	12	V	100	11	3.0	0.0	-0.4
ASDK2	00	V	100	8	4.1	1.6	-1.0
ASDK3	00	V	100	11	3.8	0.4	-1.3
ASDK3	12	V	100	2	4.0	2.2	-2.1
ASES1	12	V	100	2	2.0	0.7	-1.7
ASEU02	12	V	100	2	3.6	-1.1	3.2
ASEU02	00	V	100	2	5.9	-2.9	2.7
ASEU03	12	V	100	6	4.1	-0.6	1.4
ASEU03	00	V	100	9	2.7	-0.1	-0.5
ASEU04	12	V	100	4	4.9	0.9	1.8
ASEU04	00	V	100	4	7.0	1.7	-0.3
ASEU05	12	V	100	3	4.5	1.3	2.8
ASEU05	00	V	100	3	4.3	-2.2	1.8
ASEU06	12	V	100	7	4.2	-0.4	-0.5
ASEU06	00	V	100	1	5.6	-1.3	-5.4
ASFR1	12	V	100	5	3.9	-0.1	0.0
ASFR1	00	V	100	7	3.0	-0.5	1.1
ASFR3	12	V	100	10	4.4	0.0	1.7
ASFR3	00	V	100	9	2.8	-0.7	-0.1
ASFR4	12	V	100	10	3.0	-0.4	-0.6
ASFR4	00	V	100	12	3.0	-0.5	0.4
ASUK02	12	V	100	0	0.0	0.0	0.0
DBLK	12	V	100	6	3.4	0.0	0.0

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	500	29	6.7	3.7
01001	12	Z	500	30	12.2	4.0
01028	00	Z	500	29	5.8	3.8
01028	12	Z	500	31	4.9	1.5
01152	12	Z	500	30	6.6	3.9
01152	00	Z	500	31	7.8	5.7
01400	12	Z	500	27	28.7	27.8
01400	00	Z	500	30	32.1	31.4
01415	12	Z	500	29	8.9	6.2
01415	00	Z	500	29	7.5	4.0
02365	00	Z	500	31	5.4	1.5
02365	12	Z	500	31	4.8	2.9
02591	12	Z	500	31	14.3	13.8
02591	00	Z	500	31	12.5	11.9
02836	12	Z	500	31	4.7	2.5
02836	00	Z	500	31	4.7	3.5
02963	00	Z	500	30	5.3	4.0
02963	12	Z	500	31	5.6	4.3
03005	12	Z	500	31	5.4	-0.1
03005	00	Z	500	31	5.9	0.6
03238	00	Z	500	31	10.5	9.3
03238	12	Z	500	3	10.7	10.5
03808	12	Z	500	31	22.2	7.1
03808	00	Z	500	31	5.0	2.0
03918	00	Z	500	31	10.3	8.9
03918	12	Z	500	16	11.6	10.7
03953	00	Z	500	31	10.8	8.6
03953	12	Z	500	31	8.6	3.3
04018	12	Z	500	22	9.4	7.1
04018	00	Z	500	19	6.5	2.5
04220	12	Z	500	31	16.7	5.9
04220	00	Z	500	31	14.7	3.9
04270	00	Z	500	31	7.1	-3.4
04270	12	Z	500	31	6.5	-2.1
04320	00	Z	500	30	7.7	2.2
04320	12	Z	500	30	6.9	0.8
04339	12	Z	500	29	9.8	1.1
04339	00	Z	500	31	8.7	-2.2
04360	00	Z	500	23	5.6	1.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	500	21	6.0	3.9
06011	00	Z	500	31	7.9	-2.1
06011	12	Z	500	30	21.8	2.0
06260	00	Z	500	31	7.0	3.9
06260	12	Z	500	5	10.3	9.1
06610	12	Z	500	31	8.7	7.4
06610	00	Z	500	31	8.0	5.9
07110	12	Z	500	31	8.1	5.8
07110	00	Z	500	31	7.8	5.4
07510	00	Z	500	29	6.9	-1.7
07510	12	Z	500	31	7.2	1.5
07645	00	Z	500	28	10.4	0.3
07645	12	Z	500	30	9.8	8.1
07761	00	Z	500	33	5.1	2.4
07761	12	Z	500	32	7.7	5.4
08001	12	Z	500	31	10.4	7.9
08001	00	Z	500	31	14.5	2.9
08221	00	Z	500	31	9.0	7.8
08221	12	Z	500	31	12.3	10.7
08302	00	Z	500	31	4.9	2.3
08302	12	Z	500	31	4.2	2.4
08508	12	Z	500	31	28.5	26.2
08522	12	Z	500	30	10.5	9.1
08579	12	Z	500	31	8.9	7.9
10035	12	Z	500	31	5.3	3.2
10035	00	Z	500	31	5.9	3.1
10393	12	Z	500	31	3.8	-0.1
10393	00	Z	500	32	3.7	-0.4
10410	12	Z	500	31	5.1	1.7
10410	00	Z	500	31	3.9	1.5
10739	00	Z	500	31	12.3	11.5
10739	12	Z	500	31	13.8	13.0
11035	00	Z	500	31	6.7	2.5
11035	12	Z	500	31	5.6	2.0
12982	00	Z	500	31	8.1	5.5
16044	12	Z	500	31	6.8	5.5
16044	00	Z	500	31	7.0	3.8
16080	12	Z	500	31	7.7	3.3
16080	00	Z	500	31	4.8	2.7
16245	12	Z	500	31	9.8	-6.8
16245	00	Z	500	31	7.1	-4.0
16320	00	Z	500	31	6.6	3.2
16320	12	Z	500	31	6.7	0.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16429	12	Z	500	31	7.3	-3.4
16429	00	Z	500	31	4.8	1.4
16622	00	Z	500	28	20.9	17.8
16754	00	Z	500	31	11.9	7.1
17607	12	Z	500	34	6.1	3.9
26435	00	Z	500	15	5.5	4.1
60018	12	Z	500	28	6.8	5.4
60018	00	Z	500	31	8.3	6.8
ASDE01	12	Z	500	14	37.7	36.9
ASDE01	00	Z	500	11	44.8	43.4
ASDE02	12	Z	500	13	14.3	13.5
ASDE03	12	Z	500	10	21.7	12.4
ASDE03	00	Z	500	10	21.4	13.5
ASDE04	00	Z	500	5	8.7	-5.9
ASDE04	12	Z	500	3	5.3	-2.6
ASDE09	12	Z	500	1	16.1	-16.1
ASDK1	12	Z	500	8	30.4	6.9
ASDK1	00	Z	500	5	15.0	13.8
ASDK2	12	Z	500	12	28.3	23.0
ASDK2	00	Z	500	9	41.0	33.5
ASDK3	00	Z	500	12	24.6	20.0
ASDK3	12	Z	500	2	17.0	13.5
ASES1	12	Z	500	2	18.2	17.7
ASEU02	12	Z	500	2	45.3	45.2
ASEU02	00	Z	500	2	39.2	38.9
ASEU03	12	Z	500	12	29.0	25.1
ASEU03	00	Z	500	12	32.9	29.9
ASEU04	12	Z	500	9	7.6	2.2
ASEU04	00	Z	500	8	7.2	2.0
ASEU05	12	Z	500	4	23.2	19.7
ASEU05	00	Z	500	3	14.3	14.2
ASEU06	12	Z	500	8	29.7	18.7
ASEU06	00	Z	500	7	29.8	25.5
ASFR1	12	Z	500	7	15.2	7.3
ASFR1	00	Z	500	7	3.8	0.4
ASFR3	12	Z	500	12	6.9	3.5
ASFR3	00	Z	500	10	6.1	1.1
ASFR4	12	Z	500	10	5.6	3.1
ASFR4	00	Z	500	13	8.7	3.6
ASUK02	12	Z	500	0	0.0	0.0
DBLK	12	Z	500	6	15.3	11.5

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	500	28	3.6	-0.1	-0.6
01001	12	V	500	30	3.5	-0.1	-0.5
01028	00	V	500	29	2.9	0.0	-0.9
01028	12	V	500	31	3.0	-0.3	-0.2
01152	12	V	500	30	3.2	-0.8	-0.5
01152	00	V	500	31	2.9	0.0	-0.4
01400	12	V	500	27	2.8	0.0	-0.6
01400	00	V	500	30	3.3	-0.4	-0.2
01415	12	V	500	29	3.3	0.1	0.8
01415	00	V	500	27	3.0	0.3	0.0
02365	00	V	500	31	3.4	0.3	0.3
02365	12	V	500	31	3.1	0.8	-0.1
02591	12	V	500	30	2.3	0.6	0.0
02591	00	V	500	31	2.5	-0.1	-0.2
02836	12	V	500	31	2.6	0.1	-0.1
02836	00	V	500	31	2.5	0.6	-0.3
02963	00	V	500	30	2.5	0.1	-0.1
02963	12	V	500	29	1.7	0.4	-0.3
03005	12	V	500	31	3.9	-0.2	0.8
03005	00	V	500	28	2.8	0.0	-0.6
03238	00	V	500	31	3.1	-0.3	0.8
03238	12	V	500	3	4.2	-2.0	-2.5
03808	12	V	500	31	4.0	-0.6	0.0
03808	00	V	500	29	3.5	0.7	0.3
03918	00	V	500	28	2.7	-0.2	-0.3
03918	12	V	500	16	4.0	0.2	0.3
03953	00	V	500	31	4.3	0.7	0.8
03953	12	V	500	30	3.3	0.0	-0.1
04018	12	V	500	22	2.8	0.7	0.7
04018	00	V	500	18	2.4	0.9	0.2
04220	12	V	500	31	2.3	0.3	-0.3
04220	00	V	500	30	2.5	-0.2	0.2
04270	00	V	500	30	3.0	0.0	-0.8
04270	12	V	500	31	2.9	0.0	-0.6
04320	00	V	500	29	3.5	0.1	0.2
04320	12	V	500	30	2.9	0.1	0.0
04339	12	V	500	10	5.9	0.9	-0.6
04339	00	V	500	11	4.8	2.4	-2.1
04360	00	V	500	23	3.9	0.9	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	500	21	3.3	-0.1	-0.7
06011	00	V	500	30	3.4	-0.5	0.0
06011	12	V	500	30	3.8	0.6	0.1
06260	00	V	500	31	3.3	0.3	0.3
06260	12	V	500	5	3.3	1.0	0.2
06610	12	V	500	31	3.1	0.5	0.9
06610	00	V	500	30	2.7	0.3	0.1
07110	12	V	500	31	3.0	0.5	-0.5
07110	00	V	500	28	3.3	-0.3	0.2
07510	00	V	500	27	3.5	-0.2	0.0
07510	12	V	500	31	3.7	-0.1	0.3
07645	00	V	500	26	2.7	0.7	-0.1
07645	12	V	500	28	3.1	0.2	0.0
07761	00	V	500	29	3.4	0.2	0.1
07761	12	V	500	31	3.3	-0.7	-0.1
08001	12	V	500	31	3.0	0.0	0.0
08001	00	V	500	31	2.9	0.0	0.3
08221	00	V	500	31	2.3	0.1	-0.9
08221	12	V	500	31	3.3	0.6	-0.3
08302	00	V	500	31	2.8	-0.5	0.6
08302	12	V	500	31	3.2	-0.2	-0.7
08508	12	V	500	31	3.4	0.1	-0.5
08522	12	V	500	30	3.0	0.0	-0.8
08579	12	V	500	31	3.2	0.2	-0.1
10035	12	V	500	31	2.8	0.0	0.3
10035	00	V	500	30	2.1	-0.1	0.2
10393	12	V	500	31	2.8	0.7	-0.3
10393	00	V	500	30	2.3	0.0	0.0
10410	12	V	500	31	2.5	0.3	-0.4
10410	00	V	500	30	2.6	1.0	-0.3
10739	00	V	500	30	2.9	0.6	0.1
10739	12	V	500	31	2.9	0.7	0.3
11035	00	V	500	31	3.1	0.3	0.5
11035	12	V	500	31	2.9	0.1	-0.5
12982	00	V	500	31	2.9	-0.2	-0.5
16044	12	V	500	31	3.1	-0.2	-0.7
16044	00	V	500	30	3.2	-0.2	-1.4
16080	12	V	500	31	2.8	0.6	-0.3
16080	00	V	500	30	2.6	0.7	-0.4
16245	12	V	500	31	2.3	0.3	-0.2
16245	00	V	500	30	2.6	0.4	0.0
16320	00	V	500	30	2.8	0.5	-0.2
16320	12	V	500	31	2.5	0.3	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16429	12	V	500	31	2.4	0.3	-0.1
16429	00	V	500	29	2.2	-0.3	0.0
16622	00	V	500	14	2.9	0.1	1.0
16754	00	V	500	30	3.2	0.2	0.4
17607	12	V	500	20	3.0	1.1	0.3
26435	00	V	500	15	2.6	-0.1	-0.4
60018	12	V	500	28	2.2	0.5	-0.2
60018	00	V	500	31	2.3	0.6	0.3
ASDE01	12	V	500	13	2.5	0.2	0.6
ASDE01	00	V	500	11	3.6	0.1	1.0
ASDE02	12	V	500	13	3.3	1.3	-0.3
ASDE03	12	V	500	10	2.8	0.9	0.8
ASDE03	00	V	500	10	2.8	-0.3	-0.8
ASDE04	00	V	500	5	3.5	0.3	0.7
ASDE04	12	V	500	3	4.9	1.9	-1.9
ASDE09	12	V	500	1	2.4	1.7	-1.7
ASDK1	12	V	500	6	2.5	-0.4	0.5
ASDK1	00	V	500	4	3.8	-0.3	0.8
ASDK2	12	V	500	12	3.1	1.1	0.2
ASDK2	00	V	500	9	3.8	-0.6	1.1
ASDK3	00	V	500	12	4.4	2.3	0.0
ASDK3	12	V	500	2	2.2	0.6	-1.0
ASES1	12	V	500	2	0.8	0.5	-0.4
ASEU02	12	V	500	1	3.3	3.1	1.1
ASEU02	00	V	500	1	1.3	-0.6	1.2
ASEU03	12	V	500	12	3.0	0.1	-0.1
ASEU03	00	V	500	12	2.7	-0.1	0.2
ASEU04	12	V	500	9	4.3	0.0	-0.6
ASEU04	00	V	500	7	2.7	0.1	-0.6
ASEU05	12	V	500	4	1.8	-0.7	1.0
ASEU05	00	V	500	3	2.4	-0.4	1.0
ASEU06	12	V	500	7	2.4	0.8	-0.3
ASEU06	00	V	500	5	2.8	1.8	-0.8
ASFR1	12	V	500	6	5.0	2.6	-1.4
ASFR1	00	V	500	7	6.0	-1.5	0.7
ASFR3	12	V	500	12	4.5	1.2	1.0
ASFR3	00	V	500	10	3.2	-1.7	0.1
ASFR4	12	V	500	10	3.4	1.1	-1.0
ASFR4	00	V	500	13	2.8	1.3	-0.4
ASUK02	12	V	500	0	0.0	0.0	0.0
DBLK	12	V	500	6	2.3	0.1	-0.8

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	850	29	4.0	1.5
01001	12	Z	850	30	11.0	0.8
01028	00	Z	850	31	3.0	0.8
01028	12	Z	850	31	3.0	0.5
01152	12	Z	850	30	4.0	1.1
01152	00	Z	850	31	3.9	2.5
01400	12	Z	850	27	24.2	23.3
01400	00	Z	850	30	26.7	26.3
01415	12	Z	850	30	3.7	2.8
01415	00	Z	850	29	3.6	1.7
02365	00	Z	850	31	2.5	0.5
02365	12	Z	850	31	2.9	-0.8
02591	12	Z	850	31	10.9	10.7
02591	00	Z	850	31	10.5	10.0
02836	12	Z	850	31	2.4	1.4
02836	00	Z	850	31	3.1	1.9
02963	00	Z	850	30	3.1	2.0
02963	12	Z	850	31	2.2	0.9
03005	12	Z	850	31	4.5	-1.7
03005	00	Z	850	31	2.6	-0.1
03238	00	Z	850	31	6.5	5.8
03238	12	Z	850	3	7.1	7.1
03808	12	Z	850	31	6.2	1.4
03808	00	Z	850	31	2.2	-0.5
03918	00	Z	850	31	7.7	7.3
03918	12	Z	850	16	9.9	9.6
03953	00	Z	850	31	6.3	5.1
03953	12	Z	850	31	5.9	4.5
04018	12	Z	850	22	4.1	3.1
04018	00	Z	850	20	4.1	1.5
04220	12	Z	850	31	14.4	5.9
04220	00	Z	850	31	16.8	7.1
04270	00	Z	850	31	3.5	-2.1
04270	12	Z	850	31	3.3	0.2
04320	00	Z	850	31	7.6	5.3
04320	12	Z	850	31	7.5	5.7
04339	12	Z	850	29	6.0	-1.7
04339	00	Z	850	31	6.7	-2.1
04360	00	Z	850	23	5.7	-2.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	850	23	4.4	-1.2
06011	00	Z	850	31	4.9	3.0
06011	12	Z	850	30	5.7	4.2
06260	00	Z	850	31	3.2	0.2
06260	12	Z	850	5	2.2	0.0
06610	12	Z	850	31	3.5	1.9
06610	00	Z	850	31	3.4	2.4
07110	12	Z	850	31	3.8	2.8
07110	00	Z	850	31	3.2	0.7
07510	00	Z	850	29	3.1	-1.4
07510	12	Z	850	31	2.4	-0.2
07645	00	Z	850	28	3.4	-1.7
07645	12	Z	850	31	3.2	1.3
07761	00	Z	850	33	4.1	-0.5
07761	12	Z	850	32	4.1	2.5
08001	12	Z	850	31	5.8	2.9
08001	00	Z	850	31	15.4	-2.2
08221	00	Z	850	31	5.1	4.4
08221	12	Z	850	31	7.2	6.8
08302	00	Z	850	31	2.5	-0.9
08302	12	Z	850	31	2.3	0.9
08508	12	Z	850	31	21.5	20.8
08522	12	Z	850	31	4.7	3.9
08579	12	Z	850	31	4.5	4.1
10035	12	Z	850	31	3.7	1.7
10035	00	Z	850	31	4.1	0.6
10393	12	Z	850	31	3.6	-3.2
10393	00	Z	850	32	2.8	-2.2
10410	12	Z	850	31	2.7	-1.5
10410	00	Z	850	31	2.5	-1.5
10739	00	Z	850	31	8.4	8.0
10739	12	Z	850	31	9.1	8.5
11035	00	Z	850	31	4.5	-3.0
11035	12	Z	850	31	3.6	-1.9
12982	00	Z	850	31	4.9	2.1
16044	12	Z	850	31	3.3	0.5
16044	00	Z	850	31	2.8	0.2
16080	12	Z	850	31	5.0	-2.2
16080	00	Z	850	31	4.1	-1.2
16245	12	Z	850	31	10.0	-8.6
16245	00	Z	850	31	7.3	-6.5
16320	00	Z	850	31	6.2	1.2
16320	12	Z	850	31	5.3	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16429	12	Z	850	31	7.9	-4.9
16429	00	Z	850	31	5.0	-0.9
16622	00	Z	850	28	11.5	9.8
16754	00	Z	850	31	8.0	2.4
17607	12	Z	850	35	3.9	2.2
26435	00	Z	850	15	3.3	1.8
60018	12	Z	850	28	3.1	1.0
60018	00	Z	850	31	3.6	0.3
ASDE01	12	Z	850	14	35.3	35.0
ASDE01	00	Z	850	11	40.6	39.9
ASDE02	12	Z	850	13	8.6	8.2
ASDE03	12	Z	850	11	18.0	7.2
ASDE03	00	Z	850	11	20.4	11.5
ASDE04	00	Z	850	5	12.7	-10.4
ASDE04	12	Z	850	3	12.1	-11.8
ASDE09	12	Z	850	1	23.9	-23.9
ASDK1	12	Z	850	8	27.9	-2.1
ASDK1	00	Z	850	5	14.5	11.4
ASDK2	12	Z	850	13	22.2	14.2
ASDK2	00	Z	850	10	33.1	24.0
ASDK3	00	Z	850	12	26.6	22.8
ASDK3	12	Z	850	2	14.5	14.2
ASES1	12	Z	850	2	8.8	8.6
ASEU02	12	Z	850	2	39.4	39.0
ASEU02	00	Z	850	2	38.2	38.2
ASEU03	12	Z	850	12	25.8	21.7
ASEU03	00	Z	850	12	29.1	26.4
ASEU04	12	Z	850	9	8.4	-0.4
ASEU04	00	Z	850	9	5.9	-3.2
ASEU05	12	Z	850	4	19.7	16.3
ASEU05	00	Z	850	3	11.4	10.9
ASEU06	12	Z	850	9	32.0	20.7
ASEU06	00	Z	850	8	30.5	26.8
ASFR1	12	Z	850	7	13.8	1.6
ASFR1	00	Z	850	7	5.0	-3.9
ASFR3	12	Z	850	13	4.1	-0.8
ASFR3	00	Z	850	10	5.6	-2.7
ASFR4	12	Z	850	10	6.0	-2.3
ASFR4	00	Z	850	13	5.6	-1.5
ASUK02	12	Z	850	1	4.7	4.7
DBLK	12	Z	850	6	11.9	9.3

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	850	29	3.3	-0.7	0.2
01001	12	V	850	30	3.7	-0.1	0.8
01028	00	V	850	30	2.7	-0.1	-0.4
01028	12	V	850	31	2.6	0.4	-0.6
01152	12	V	850	30	4.4	-1.3	0.4
01152	00	V	850	31	4.8	-0.9	1.4
01400	12	V	850	27	3.0	-0.2	0.6
01400	00	V	850	30	2.7	0.1	-0.2
01415	12	V	850	30	3.0	-0.7	0.6
01415	00	V	850	27	3.5	-0.2	-0.1
02365	00	V	850	31	2.9	-0.4	0.4
02365	12	V	850	31	2.1	0.3	-0.2
02591	12	V	850	30	2.4	0.2	0.2
02591	00	V	850	31	2.6	-0.2	-0.2
02836	12	V	850	31	2.6	-0.3	-0.6
02836	00	V	850	31	2.4	0.1	-0.2
02963	00	V	850	30	2.0	0.4	0.1
02963	12	V	850	29	2.4	0.5	-0.1
03005	12	V	850	31	4.8	0.0	0.4
03005	00	V	850	28	3.1	0.5	0.0
03238	00	V	850	31	2.5	0.0	-0.6
03238	12	V	850	3	2.5	0.0	1.1
03808	12	V	850	31	2.7	-0.5	-0.2
03808	00	V	850	29	2.6	0.3	0.0
03918	00	V	850	28	2.4	0.1	0.2
03918	12	V	850	16	2.6	0.8	-0.5
03953	00	V	850	31	3.2	0.3	0.6
03953	12	V	850	31	3.0	-0.4	-0.1
04018	12	V	850	22	4.0	0.3	-0.8
04018	00	V	850	19	3.6	-0.3	0.7
04220	12	V	850	31	3.3	-0.4	0.6
04220	00	V	850	30	2.7	0.4	0.1
04270	00	V	850	30	2.9	-0.3	0.0
04270	12	V	850	31	4.3	1.4	-0.1
04320	00	V	850	30	3.3	0.3	0.7
04320	12	V	850	31	3.5	0.4	0.4
04339	12	V	850	9	5.6	2.6	1.4
04339	00	V	850	10	6.7	-0.5	0.9
04360	00	V	850	23	4.7	-0.3	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	850	23	4.3	-0.1	0.2
06011	00	V	850	30	3.0	0.1	0.0
06011	12	V	850	30	2.9	-0.2	-0.7
06260	00	V	850	31	2.3	-0.1	-0.5
06260	12	V	850	5	2.2	0.0	-0.4
06610	12	V	850	31	3.5	1.1	0.6
06610	00	V	850	30	3.8	1.7	0.2
07110	12	V	850	31	3.1	-0.6	0.1
07110	00	V	850	28	2.9	-0.4	0.1
07510	00	V	850	27	3.6	-0.7	0.2
07510	12	V	850	31	3.8	0.4	0.0
07645	00	V	850	26	3.6	0.1	0.5
07645	12	V	850	29	3.3	-0.5	0.7
07761	00	V	850	29	4.1	-0.4	-0.5
07761	12	V	850	31	3.9	-0.3	0.2
08001	12	V	850	31	3.5	0.6	0.4
08001	00	V	850	31	3.1	0.7	-0.3
08221	00	V	850	31	2.5	0.2	0.0
08221	12	V	850	31	2.9	-0.2	-0.3
08302	00	V	850	31	2.2	0.2	0.1
08302	12	V	850	31	2.3	-0.2	-0.1
08508	12	V	850	31	3.4	0.1	-0.2
08522	12	V	850	31	3.8	0.8	-1.5
08579	12	V	850	31	3.2	0.4	-0.4
10035	12	V	850	31	2.3	0.3	0.1
10035	00	V	850	30	2.5	-0.2	-0.2
10393	12	V	850	31	2.2	-0.1	0.3
10393	00	V	850	30	2.4	0.0	-0.7
10410	12	V	850	31	2.3	0.1	0.1
10410	00	V	850	30	3.0	0.5	-0.6
10739	00	V	850	30	2.7	0.4	-0.7
10739	12	V	850	31	3.9	0.6	-0.1
11035	00	V	850	31	3.0	-0.6	-0.1
11035	12	V	850	31	3.3	-0.4	0.3
12982	00	V	850	31	3.3	1.3	-0.6
16044	12	V	850	31	3.0	0.6	0.8
16044	00	V	850	30	3.0	-0.1	0.3
16080	12	V	850	31	3.9	0.9	0.7
16080	00	V	850	30	3.7	-0.3	0.3
16245	12	V	850	31	3.8	0.3	-1.2
16245	00	V	850	30	3.3	0.6	-0.2
16320	00	V	850	30	3.0	0.2	-1.3
16320	12	V	850	31	3.0	0.6	-0.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16429	12	V	850	31	3.1	-0.7	0.8
16429	00	V	850	29	3.1	0.3	0.1
16622	00	V	850	14	2.7	-0.6	-0.6
16754	00	V	850	30	3.5	0.6	-0.9
17607	12	V	850	21	2.9	0.4	-0.5
26435	00	V	850	15	2.4	0.6	0.0
60018	12	V	850	28	2.6	0.3	0.6
60018	00	V	850	31	3.0	-0.2	0.5
ASDE01	12	V	850	13	3.7	-0.1	-0.7
ASDE01	00	V	850	11	2.9	-0.5	-0.2
ASDE02	12	V	850	13	3.4	-1.1	-0.8
ASDE03	12	V	850	11	2.7	0.6	0.0
ASDE03	00	V	850	10	2.5	0.6	0.8
ASDE04	00	V	850	5	2.9	-0.3	-1.3
ASDE04	12	V	850	3	2.5	-0.3	0.7
ASDE09	12	V	850	1	0.3	-0.1	0.3
ASDK1	12	V	850	8	3.1	0.2	2.0
ASDK1	00	V	850	5	2.7	0.6	1.4
ASDK2	12	V	850	13	3.6	0.2	-0.2
ASDK2	00	V	850	10	3.9	-0.1	1.3
ASDK3	00	V	850	12	4.6	-0.2	0.3
ASDK3	12	V	850	2	2.8	1.1	1.6
ASES1	12	V	850	2	2.3	1.2	1.6
ASEU02	12	V	850	1	1.0	0.3	-1.0
ASEU02	00	V	850	1	1.1	0.1	-1.1
ASEU03	12	V	850	12	2.5	0.4	0.4
ASEU03	00	V	850	12	2.5	-0.4	-1.2
ASEU04	12	V	850	9	1.7	-0.5	0.6
ASEU04	00	V	850	8	1.9	0.0	0.0
ASEU05	12	V	850	4	2.8	0.0	-1.0
ASEU05	00	V	850	3	5.7	3.5	0.8
ASEU06	12	V	850	8	4.6	0.2	1.2
ASEU06	00	V	850	7	2.6	-0.9	-0.2
ASFR1	12	V	850	6	2.1	-0.6	0.2
ASFR1	00	V	850	7	2.2	-0.3	-1.0
ASFR3	12	V	850	13	3.2	0.4	-0.9
ASFR3	00	V	850	10	2.2	-0.5	0.3
ASFR4	12	V	850	10	3.3	-0.8	-0.8
ASFR4	00	V	850	13	2.2	-0.4	0.4
ASUK02	12	V	850	1	1.6	1.2	-1.0
DBLK	12	V	850	6	4.2	0.4	-0.8

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
03380	99	P	SUR	54	0	213	0	0.3	-0.2	0.3
08559	99	P	SUR	38	-9	1	0	0.0	-0.2	0.2
1234	99	P	SUR	39	-13	2	0	0.9	-1.1	1.4
13001	99	P	SUR	11	-23	126	0	0.4	-0.2	0.5
13008	99	P	SUR	15	-38	82	0	0.5	-0.1	0.5
13569	99	P	SUR	35	-30	190	0	0.3	0.1	0.3
13570	99	P	SUR	35	-30	213	0	0.4	0.6	0.7
13572	99	P	SUR	35	-30	210	0	0.3	0.1	0.3
13590	99	P	SUR	34	-29	27	0	0.3	0.5	0.6
13633	99	P	SUR	36	-36	202	0	0.7	-0.2	0.7
13659	99	P	SUR	25	-44	217	0	0.3	-0.1	0.4
13660	99	P	SUR	28	-57	217	0	2.8	0.0	2.8
13662	99	P	SUR	23	-35	217	0	0.3	-0.1	0.3
13664	99	P	SUR	23	-42	217	0	0.3	0.2	0.4
13667	99	P	SUR	15	-18	177	0	0.5	-0.4	0.6
21942	99	P	SUR	35	-29	142	0	0.4	0.3	0.5
25624	99	P	SUR	84	13	217	0	0.4	-0.1	0.4
25648	99	P	SUR	84	34	217	0	0.4	-0.2	0.5
26535	99	P	SUR	77	31	215	19	6.5	-0.5	6.5
26556	99	P	SUR	79	-14	6	0	0.2	0.3	0.4
31717	99	P	SUR	13	-47	140	0	0.4	-0.2	0.4
31863	99	P	SUR	17	-43	140	0	0.4	0.6	0.7
41040	99	P	SUR	15	-53	217	0	0.4	0.1	0.4
41041	99	P	SUR	14	-46	209	0	0.4	0.1	0.4
41043	99	P	SUR	21	-65	215	0	0.5	0.4	0.7
41044	99	P	SUR	22	-59	217	0	0.4	-0.1	0.4
41046	99	P	SUR	24	-68	218	1	2.0	-0.2	2.0
41048	99	P	SUR	32	-70	215	0	0.4	-0.6	0.7
41049	99	P	SUR	28	-63	217	0	0.6	-0.5	0.8
41051	99	P	SUR	18	-65	299	0	0.3	-0.3	0.4
41052	99	P	SUR	18	-65	577	0	0.6	-0.2	0.6
41053	99	P	SUR	19	-66	561	0	0.3	-0.3	0.4
41056	99	P	SUR	18	-66	498	0	0.4	-0.5	0.7
41139	99	P	SUR	20	-38	125	0	0.2	-0.1	0.3
41560	99	P	SUR	38	-21	213	0	0.4	0.5	0.6
41564	99	P	SUR	34	-42	204	0	0.4	0.3	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41596	99	P	SUR	19	-55	217	0	0.4	0.0	0.4
41597	99	P	SUR	21	-47	217	0	0.4	0.3	0.4
41598	99	P	SUR	21	-42	203	0	0.5	-0.1	0.5
41599	99	P	SUR	16	-54	217	0	0.4	0.3	0.5
41600	99	P	SUR	14	-52	217	0	0.4	0.4	0.6
41612	99	P	SUR	35	-68	217	0	0.3	0.0	0.3
41632	99	P	SUR	24	-58	217	0	0.4	-0.1	0.4
41705	99	P	SUR	29	-48	217	0	0.3	-0.1	0.3
41706	99	P	SUR	28	-69	217	0	0.7	-0.1	0.7
41707	99	P	SUR	19	-64	76	0	0.9	0.1	0.9
41708	99	P	SUR	23	-69	217	0	0.4	0.4	0.5
41709	99	P	SUR	28	-65	217	0	0.4	0.2	0.5
41711	99	P	SUR	28	-56	217	0	0.3	0.0	0.3
41737	99	P	SUR	27	-50	182	0	0.3	0.3	0.5
41800	99	P	SUR	24	-43	217	0	0.4	0.4	0.5
41936	99	P	SUR	29	-64	172	0	0.5	-0.4	0.6
41969	99	P	SUR	28	-25	189	0	0.3	-0.4	0.5
41970	99	P	SUR	30	-60	217	0	0.4	0.2	0.4
41971	99	P	SUR	34	-37	216	0	0.3	0.1	0.3
41972	99	P	SUR	28	-33	206	0	0.3	0.1	0.3
41975	99	P	SUR	36	-60	195	0	0.7	-0.3	0.7
41999	99	P	SUR	28	-53	86	0	0.3	0.3	0.5
42059	99	P	SUR	15	-68	216	0	0.4	0.1	0.4
42060	99	P	SUR	16	-63	212	0	0.5	-0.2	0.5
42085	99	P	SUR	18	-67	409	0	0.3	-0.5	0.6
44005	99	P	SUR	43	-69	244	0	0.4	-0.6	0.7
44024	99	P	SUR	42	-66	288	0	0.5	-0.7	0.9
44027	99	P	SUR	44	-67	220	0	0.4	-0.6	0.7
44032	99	P	SUR	44	-69	215	0	0.4	-0.6	0.7
44033	99	P	SUR	44	-69	215	0	0.6	-0.7	0.9
44034	99	P	SUR	44	-68	213	0	0.5	-0.6	0.8
44037	99	P	SUR	44	-68	161	0	0.4	-0.3	0.5
44137	99	P	SUR	42	-62	213	0	0.5	0.1	0.5
44139	99	P	SUR	44	-57	214	0	0.4	0.0	0.4
44141	99	P	SUR	43	-58	204	0	0.7	0.0	0.7
44150	99	P	SUR	43	-64	207	0	0.4	-0.2	0.5
44175	99	P	SUR	47	-62	124	0	0.3	0.0	0.3
44176	99	P	SUR	48	-65	207	0	0.5	0.0	0.5
44251	99	P	SUR	46	-53	212	0	0.4	0.3	0.4
44255	99	P	SUR	47	-57	328	0	0.5	0.1	0.5
44258	99	P	SUR	45	-63	206	0	0.4	-0.1	0.4
44505	99	P	SUR	43	-48	414	0	1.0	0.6	1.2
44514	99	P	SUR	43	-40	207	0	0.5	0.5	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44516	99	P	SUR	27	-55	155	0	0.3	0.3	0.4
44546	99	P	SUR	34	-27	217	0	0.3	-0.1	0.4
44547	99	P	SUR	51	-46	217	0	0.6	0.3	0.7
44548	99	P	SUR	54	-49	217	0	0.4	0.2	0.4
44549	99	P	SUR	54	-43	217	0	0.4	0.0	0.4
44550	99	P	SUR	54	-40	217	0	0.4	-0.2	0.4
44551	99	P	SUR	53	-46	217	0	0.4	0.3	0.5
44554	99	P	SUR	32	-40	209	0	0.5	0.3	0.6
44558	99	P	SUR	37	-63	214	0	0.4	0.4	0.6
44560	99	P	SUR	45	-55	214	0	0.6	0.2	0.6
44562	99	P	SUR	31	-59	206	0	0.6	0.5	0.8
44601	99	P	SUR	51	-51	217	0	0.4	-0.4	0.6
44602	99	P	SUR	55	-37	217	0	0.4	-0.2	0.4
44603	99	P	SUR	45	-58	159	0	0.5	0.1	0.5
44604	99	P	SUR	46	-50	155	0	0.4	0.1	0.4
44605	99	P	SUR	46	-9	217	0	0.3	-0.4	0.5
44606	99	P	SUR	48	-40	148	0	0.5	-0.1	0.5
44608	99	P	SUR	50	-36	148	0	0.6	0.0	0.6
44610	99	P	SUR	54	-21	217	0	0.5	-0.1	0.5
44612	99	P	SUR	51	-43	217	0	0.4	-0.1	0.4
44613	99	P	SUR	38	-19	217	0	0.4	-0.4	0.6
44614	99	P	SUR	53	-31	194	0	0.5	-0.2	0.6
44615	99	P	SUR	64	-32	217	0	0.9	-0.3	0.9
44620	99	P	SUR	56	-38	217	0	0.4	0.2	0.5
44621	99	P	SUR	55	-39	209	0	0.4	0.3	0.5
44622	99	P	SUR	53	-17	217	0	0.5	0.1	0.5
44624	99	P	SUR	32	-15	214	0	0.3	-0.1	0.3
44625	99	P	SUR	56	-26	213	0	0.4	0.1	0.4
44690	99	P	SUR	50	-16	216	0	0.5	-0.2	0.5
44725	99	P	SUR	25	-62	217	0	0.9	0.0	0.9
44739	99	P	SUR	44	-52	217	0	0.5	0.4	0.7
44740	99	P	SUR	27	-41	199	0	0.3	-0.2	0.4
44747	99	P	SUR	63	-28	215	0	0.7	0.0	0.7
44765	99	P	SUR	44	-18	212	0	0.4	0.1	0.4
44767	99	P	SUR	29	-54	217	0	1.4	-0.7	1.5
44771	99	P	SUR	59	-4	188	0	1.0	-0.2	1.1
44773	99	P	SUR	24	-30	186	0	0.3	0.1	0.3
44835	99	P	SUR	40	-37	217	0	0.4	-0.3	0.5
44836	99	P	SUR	51	-34	217	0	0.4	-0.2	0.4
44837	99	P	SUR	48	-31	217	0	0.5	-0.3	0.6
44839	99	P	SUR	41	-35	217	0	0.4	-0.3	0.5
44840	99	P	SUR	50	-19	217	0	0.3	0.0	0.3
44846	99	P	SUR	34	-34	217	0	0.4	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44847	99	P	SUR	42	-47	217	0	0.5	0.2	0.5
44848	99	P	SUR	39	-41	217	0	0.3	0.1	0.3
44850	99	P	SUR	39	-28	170	0	1.1	0.6	1.3
44863	99	P	SUR	32	-30	217	0	0.3	0.1	0.3
44866	99	P	SUR	57	-46	218	0	0.4	-0.3	0.5
44867	99	P	SUR	55	-52	217	0	0.4	-0.3	0.5
44868	99	P	SUR	28	-43	217	0	0.4	-0.2	0.5
44871	99	P	SUR	50	-48	217	0	0.4	-0.1	0.4
44872	99	P	SUR	44	-49	217	0	0.5	-0.3	0.6
44874	99	P	SUR	38	-10	217	0	0.3	0.2	0.3
44876	99	P	SUR	35	-50	217	0	0.7	0.3	0.7
44877	99	P	SUR	42	-27	217	0	0.4	-0.1	0.4
44878	99	P	SUR	45	-39	217	0	0.4	-0.2	0.5
44879	99	P	SUR	45	-4	217	0	0.4	-0.2	0.4
44880	99	P	SUR	45	-53	217	0	0.4	-0.2	0.4
44885	99	P	SUR	47	-40	217	0	0.5	-0.4	0.6
44887	99	P	SUR	36	-59	217	0	0.4	-0.3	0.5
44888	99	P	SUR	39	-34	216	0	0.3	-0.1	0.3
44889	99	P	SUR	36	-43	216	0	0.3	0.0	0.3
44890	99	P	SUR	38	-56	216	0	0.3	-0.3	0.4
44891	99	P	SUR	34	-35	198	0	0.4	0.1	0.4
44892	99	P	SUR	44	-59	205	0	0.6	-0.2	0.6
44896	99	P	SUR	36	-46	209	0	0.4	-0.4	0.5
45138	99	P	SUR	50	-66	214	0	0.5	0.0	0.5
47502	99	P	SUR	79	-2	167	0	0.4	-0.2	0.4
47503	99	P	SUR	89	-63	216	0	0.4	-0.1	0.4
47577	99	P	SUR	84	-46	217	0	0.4	-0.3	0.5
47578	99	P	SUR	84	-32	216	0	0.4	-0.1	0.4
47579	99	P	SUR	73	-16	216	137	4.8	-1.4	5.0
47585	99	P	SUR	70	-69	216	0	2.4	-0.2	2.4
48568	99	P	SUR	85	-16	216	0	0.4	0.0	0.4
48597	99	P	SUR	87	-69	214	0	0.4	0.1	0.4
48779	99	P	SUR	88	-35	216	0	0.4	-0.3	0.5
61001	99	P	SUR	43	8	217	1	0.4	-0.4	0.6
61002	99	P	SUR	42	5	215	0	0.4	0.0	0.4
62001	99	P	SUR	45	-5	290	0	0.3	0.1	0.4
62023	99	P	SUR	51	-8	211	0	0.4	0.3	0.5
62027	99	P	SUR	49	-2	51	0	1.4	0.3	1.4
62029	99	P	SUR	49	-12	290	0	0.4	-0.1	0.4
62030	99	P	SUR	50	-4	267	0	0.4	0.1	0.4
62081	99	P	SUR	51	-13	218	0	0.4	0.0	0.4
62086	99	P	SUR	55	6	42	0	0.4	-0.4	0.5
62087	99	P	SUR	55	7	42	0	0.4	-0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62091	99	P	SUR	53	-5	216	0	0.5	-0.2	0.5
62092	99	P	SUR	51	-11	216	0	0.4	-0.1	0.4
62093	99	P	SUR	55	-10	216	0	0.5	-0.2	0.6
62095	99	P	SUR	53	-16	229	6	1.0	-0.1	1.0
62102	99	P	SUR	58	2	211	0	0.6	0.1	0.6
62103	99	P	SUR	50	-3	215	0	0.4	0.4	0.6
62104	99	P	SUR	57	1	207	0	0.4	0.1	0.4
62105	99	P	SUR	55	-13	290	0	0.5	0.0	0.5
62107	99	P	SUR	50	-6	287	0	0.5	0.4	0.6
62111	99	P	SUR	58	0	216	0	0.5	0.4	0.6
62112	99	P	SUR	58	0	216	0	0.4	0.3	0.5
62113	99	P	SUR	58	0	215	0	0.6	0.3	0.7
62114	99	P	SUR	58	0	397	0	0.4	0.0	0.4
62115	99	P	SUR	58	-3	207	0	0.6	0.1	0.6
62116	99	P	SUR	58	1	217	0	0.6	0.2	0.6
62117	99	P	SUR	58	0	187	0	0.4	0.2	0.4
62118	99	P	SUR	58	1	217	0	0.4	-0.5	0.6
62119	99	P	SUR	57	2	217	0	0.4	0.3	0.5
62120	99	P	SUR	56	2	208	0	0.5	0.0	0.5
62121	99	P	SUR	54	3	217	0	0.4	0.7	0.8
62122	99	P	SUR	57	2	399	0	0.4	0.2	0.5
62123	99	P	SUR	56	2	397	0	0.4	0.1	0.4
62124	99	P	SUR	54	-4	217	0	0.5	-0.1	0.5
62127	99	P	SUR	54	1	212	0	0.3	0.5	0.6
62128	99	P	SUR	59	1	217	0	0.5	0.0	0.5
62129	99	P	SUR	58	0	215	0	0.6	0.2	0.6
62130	99	P	SUR	59	1	217	0	0.5	-0.2	0.5
62131	99	P	SUR	54	1	209	0	0.4	0.4	0.6
62132	99	P	SUR	56	2	203	0	0.4	0.3	0.5
62133	99	P	SUR	57	1	217	0	0.6	0.2	0.6
62134	99	P	SUR	58	1	215	0	0.4	0.3	0.5
62135	99	P	SUR	54	2	217	0	0.5	0.3	0.6
62137	99	P	SUR	57	2	217	0	0.4	-0.2	0.5
62139	99	P	SUR	53	2	391	0	0.3	0.3	0.5
62140	99	P	SUR	57	1	377	0	0.4	0.3	0.5
62143	99	P	SUR	58	2	215	0	0.6	0.3	0.7
62144	99	P	SUR	53	2	216	0	0.4	0.6	0.7
62145	99	P	SUR	53	3	399	0	0.4	0.5	0.6
62146	99	P	SUR	57	2	214	0	0.5	0.0	0.5
62147	99	P	SUR	58	-4	159	39	6.3	4.0	7.4
62148	99	P	SUR	54	2	217	0	0.6	0.9	1.1
62149	99	P	SUR	54	1	212	0	0.3	0.6	0.7
62150	99	P	SUR	54	1	212	0	0.8	0.5	0.9

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62151	99	P	SUR	57	2	399	0	0.4	0.2	0.4
62152	99	P	SUR	57	2	217	0	0.4	0.5	0.7
62153	99	P	SUR	57	2	377	0	0.4	0.2	0.4
62154	99	P	SUR	56	2	208	0	0.4	0.1	0.4
62155	99	P	SUR	58	1	193	0	0.4	0.4	0.5
62156	99	P	SUR	57	2	204	0	0.5	0.0	0.5
62157	99	P	SUR	58	0	217	0	0.4	0.1	0.4
62159	99	P	SUR	57	1	194	0	0.5	-0.1	0.5
62160	99	P	SUR	57	2	397	0	0.6	-0.4	0.7
62161	99	P	SUR	58	1	217	0	0.5	0.0	0.5
62162	99	P	SUR	57	1	209	0	0.4	0.2	0.4
62163	99	P	SUR	48	-8	217	0	0.4	0.0	0.4
62164	99	P	SUR	57	1	217	0	0.5	0.2	0.5
62165	99	P	SUR	54	1	212	0	0.5	0.4	0.7
62167	99	P	SUR	53	2	399	0	0.4	0.2	0.4
62168	99	P	SUR	58	1	217	0	0.4	0.1	0.4
62170	99	P	SUR	51	2	203	0	0.7	-0.3	0.7
62296	99	P	SUR	53	2	217	0	0.3	0.1	0.4
62297	99	P	SUR	59	2	399	0	0.4	0.1	0.4
62298	99	P	SUR	49	-9	216	0	0.4	0.3	0.5
62301	99	P	SUR	52	-5	218	0	0.5	0.0	0.5
62304	99	P	SUR	51	2	309	0	0.4	0.3	0.5
62305	99	P	SUR	50	0	266	3	0.5	0.3	0.6
62442	99	P	SUR	49	-16	217	0	0.4	-0.1	0.4
62514	99	P	SUR	66	-9	217	0	0.5	0.1	0.5
62516	99	P	SUR	37	-18	217	0	0.4	0.1	0.4
62535	99	P	SUR	53	-10	21	0	0.8	-2.9	3.0
62536	99	P	SUR	55	-29	217	0	0.4	0.0	0.4
62537	99	P	SUR	55	-31	217	0	0.4	-0.1	0.4
62538	99	P	SUR	64	-32	217	0	0.6	-0.2	0.6
62539	99	P	SUR	55	-25	217	0	0.4	0.1	0.4
62551	99	P	SUR	56	-26	217	0	0.4	-0.1	0.4
62552	99	P	SUR	50	-30	147	0	0.5	0.1	0.5
62553	99	P	SUR	67	2	217	0	0.4	0.1	0.4
62680	99	P	SUR	66	-4	160	0	0.3	-0.2	0.4
62681	99	P	SUR	48	-29	217	0	0.5	-0.3	0.6
62687	99	P	SUR	76	9	216	0	0.5	0.1	0.5
62695	99	P	SUR	29	-21	217	0	0.3	0.2	0.4
62713	99	P	SUR	25	-42	212	0	0.3	-0.2	0.3
62714	99	P	SUR	23	-39	200	0	0.3	-0.2	0.4
62729	99	P	SUR	50	-15	209	0	0.3	-0.2	0.4
62940	99	P	SUR	36	-30	210	0	0.3	0.1	0.4
62941	99	P	SUR	37	-36	216	0	0.3	0.0	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
63055	99	P	SUR	61	2	217	0	0.5	-0.1	0.5
63056	99	P	SUR	60	2	217	0	0.6	0.5	0.8
63057	99	P	SUR	59	2	217	0	0.4	-0.2	0.4
63058	99	P	SUR	53	2	599	0	0.3	0.4	0.5
63059	99	P	SUR	58	-1	217	0	0.4	0.3	0.5
63101	99	P	SUR	61	1	217	0	0.5	0.3	0.6
63102	99	P	SUR	61	1	217	0	0.4	0.0	0.4
63103	99	P	SUR	61	1	217	0	0.4	0.2	0.5
63104	99	P	SUR	61	2	217	0	0.4	0.0	0.4
63105	99	P	SUR	61	2	217	0	0.5	-0.1	0.5
63107	99	P	SUR	61	2	217	0	0.5	-0.2	0.5
63108	99	P	SUR	61	2	210	0	0.5	-0.1	0.5
63109	99	P	SUR	60	2	217	0	0.4	-0.2	0.4
63110	99	P	SUR	60	2	217	0	0.6	-0.1	0.6
63111	99	P	SUR	61	2	392	0	0.4	-0.2	0.5
63112	99	P	SUR	61	1	217	0	0.4	-0.3	0.5
63114	99	P	SUR	61	2	399	0	0.4	-0.1	0.4
63115	99	P	SUR	62	1	217	0	0.5	-0.1	0.5
63116	99	P	SUR	61	1	217	0	0.5	-0.1	0.5
63117	99	P	SUR	61	1	399	0	0.6	0.5	0.8
63118	99	P	SUR	61	-3	216	0	0.6	-0.3	0.6
63119	99	P	SUR	58	-1	21	0	0.7	0.2	0.8
63120	99	P	SUR	54	2	217	0	0.3	0.4	0.5
63545	99	P	SUR	83	7	187	0	0.4	-0.2	0.5
63546	99	P	SUR	83	15	216	0	0.5	-0.1	0.5
63640	99	P	SUR	75	33	217	0	0.5	0.1	0.5
63641	99	P	SUR	76	38	183	0	3.4	-1.6	3.7
63644	99	P	SUR	73	27	141	0	1.0	-0.5	1.1
64041	99	P	SUR	61	-3	217	0	0.4	0.0	0.4
64045	99	P	SUR	59	-12	291	0	0.5	0.0	0.5
64046	99	P	SUR	61	-4	215	0	0.7	0.2	0.8
64049	99	P	SUR	57	2	217	0	0.4	-0.1	0.4
64516	99	P	SUR	75	6	217	0	0.5	-0.2	0.5
64520	99	P	SUR	69	-3	217	0	0.4	-0.2	0.5
64521	99	P	SUR	74	-3	217	0	0.6	-0.1	0.6
64522	99	P	SUR	63	-11	189	0	0.3	0.0	0.3
64525	99	P	SUR	68	-3	217	0	0.4	0.0	0.4
64532	99	P	SUR	83	0	216	0	0.4	-0.3	0.5
64533	99	P	SUR	86	-29	216	0	0.4	0.2	0.4
64534	99	P	SUR	84	-19	216	1	0.4	0.1	0.4
64535	99	P	SUR	87	-40	216	0	0.6	0.6	0.8
64607	99	P	SUR	73	13	217	0	0.4	0.0	0.4
64613	99	P	SUR	69	7	217	0	0.4	0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
64614	99	P	SUR	60	-48	217	0	0.4	-0.2	0.5
64615	99	P	SUR	73	6	217	0	0.4	0.4	0.6
64616	99	P	SUR	65	-22	20	2	4.9	-1.5	5.1
64622	99	P	SUR	64	-7	217	0	0.3	0.1	0.3
64623	99	P	SUR	75	15	217	0	0.7	0.2	0.7
64664	99	P	SUR	68	-11	217	0	0.5	0.1	0.5
64665	99	P	SUR	69	-2	217	0	0.4	0.2	0.5
64666	99	P	SUR	70	0	217	0	0.3	0.3	0.4
64667	99	P	SUR	62	-27	211	0	0.6	-0.1	0.6
64668	99	P	SUR	74	11	216	0	0.4	0.3	0.5
64669	99	P	SUR	65	-23	217	0	0.6	0.1	0.6
64670	99	P	SUR	62	-62	217	0	0.4	0.2	0.5
64691	99	P	SUR	63	-57	217	0	0.3	0.4	0.5
64692	99	P	SUR	64	-1	217	0	0.5	0.2	0.5
64693	99	P	SUR	65	-23	202	9	2.9	-0.8	3.0
65595	99	P	SUR	63	-57	217	0	0.4	-0.5	0.6
65596	99	P	SUR	60	-58	217	0	0.4	0.3	0.6
65597	99	P	SUR	60	-36	217	0	0.4	-0.2	0.4
65598	99	P	SUR	49	-44	215	0	0.7	-0.1	0.7

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : OCT 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
08559	99	SPEED	SUR	38	-9	1	0	0	0.0	-0.3	0.3
1234	99	SPEED	SUR	39	-13	2	0	0	4.2	0.2	4.2
13001	99	SPEED	SUR	11	-23	126	0	0	1.3	0.6	1.4
13002	99	SPEED	SUR	20	-23	138	0	0	0.7	-0.1	0.7
13008	99	SPEED	SUR	15	-38	82	0	0	1.2	0.5	1.3
41026	99	SPEED	SUR	11	-38	66	0	0	1.4	0.5	1.5
41040	99	SPEED	SUR	15	-53	217	0	0	1.6	0.4	1.6
41041	99	SPEED	SUR	14	-46	209	0	0	1.1	0.4	1.2
41043	99	SPEED	SUR	21	-65	215	0	0	1.1	-0.2	1.1
41044	99	SPEED	SUR	22	-59	217	0	0	1.1	-0.1	1.1
41046	99	SPEED	SUR	24	-68	218	3	0	1.9	0.5	1.9
41048	99	SPEED	SUR	32	-70	215	0	0	1.2	-0.2	1.3
41049	99	SPEED	SUR	28	-63	217	0	0	1.5	0.4	1.6
41051	99	SPEED	SUR	18	-65	299	0	0	1.5	-0.1	1.5
41052	99	SPEED	SUR	18	-65	577	0	0	1.1	0.0	1.1
41053	99	SPEED	SUR	19	-66	561	0	0	1.4	0.5	1.5
41056	99	SPEED	SUR	18	-66	500	0	0	1.1	0.4	1.2
41139	99	SPEED	SUR	20	-38	125	0	0	0.9	0.2	0.9
42059	99	SPEED	SUR	15	-68	216	0	0	1.1	0.1	1.1
42060	99	SPEED	SUR	16	-63	212	0	0	1.5	0.0	1.5
42085	99	SPEED	SUR	18	-67	416	0	0	1.2	1.1	1.6
44005	99	SPEED	SUR	43	-69	102	0	0	1.5	0.4	1.5
44024	99	SPEED	SUR	42	-66	288	0	0	1.3	0.1	1.3
44027	99	SPEED	SUR	44	-67	220	0	0	1.4	-0.1	1.4
44032	99	SPEED	SUR	44	-69	215	0	0	1.3	-0.6	1.4
44033	99	SPEED	SUR	44	-69	215	0	0	1.5	0.7	1.7
44034	99	SPEED	SUR	44	-68	214	0	0	1.2	-0.4	1.3
44037	99	SPEED	SUR	44	-68	161	0	0	1.3	0.3	1.4
44137	99	SPEED	SUR	42	-62	215	0	0	1.8	0.2	1.8
44139	99	SPEED	SUR	44	-57	215	0	0	1.4	-0.1	1.4
44141	99	SPEED	SUR	43	-58	209	0	0	1.5	0.1	1.5
44150	99	SPEED	SUR	43	-64	212	0	0	1.5	0.5	1.6
44175	99	SPEED	SUR	47	-62	124	0	0	1.5	-0.7	1.6
44251	99	SPEED	SUR	46	-53	212	0	0	1.3	-0.6	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44255	99	SPEED	SUR	47	-57	328	0	0	1.4	0.3	1.4
44258	99	SPEED	SUR	45	-63	207	0	0	1.3	0.1	1.3
45138	99	SPEED	SUR	50	-66	214	0	0	1.5	-0.3	1.6
61001	99	SPEED	SUR	43	8	216	0	0	1.9	-0.3	1.9
61002	99	SPEED	SUR	42	5	215	0	0	1.7	-0.2	1.7
62001	99	SPEED	SUR	45	-5	290	0	0	1.1	0.1	1.1
62023	99	SPEED	SUR	51	-8	207	0	0	1.7	-0.1	1.7
62027	99	SPEED	SUR	49	-2	43	0	0	1.0	0.0	1.0
62029	99	SPEED	SUR	49	-12	290	0	0	1.0	0.5	1.1
62030	99	SPEED	SUR	50	-4	184	0	0	1.5	1.7	2.3
62081	99	SPEED	SUR	51	-13	218	0	0	1.2	0.4	1.3
62086	99	SPEED	SUR	55	6	42	0	0	1.6	1.0	1.9
62087	99	SPEED	SUR	55	7	42	0	0	1.6	0.2	1.6
62091	99	SPEED	SUR	53	-5	216	0	0	1.3	-0.4	1.3
62092	99	SPEED	SUR	51	-11	216	0	0	1.3	-0.7	1.5
62093	99	SPEED	SUR	55	-10	216	0	0	1.4	-0.4	1.4
62095	99	SPEED	SUR	53	-16	19	0	0	1.3	0.4	1.3
62102	99	SPEED	SUR	58	2	211	0	0	1.8	-0.3	1.8
62103	99	SPEED	SUR	50	-3	215	0	0	1.5	1.0	1.8
62104	99	SPEED	SUR	57	1	207	0	0	1.5	-0.4	1.6
62105	99	SPEED	SUR	55	-13	290	0	0	1.3	-0.1	1.3
62107	99	SPEED	SUR	50	-6	287	2	0	1.8	0.3	1.8
62111	99	SPEED	SUR	58	0	216	0	0	1.4	-0.2	1.4
62112	99	SPEED	SUR	58	0	216	0	0	2.1	-0.9	2.3
62113	99	SPEED	SUR	58	0	215	0	0	2.1	0.7	2.2
62114	99	SPEED	SUR	58	0	340	0	0	1.5	0.8	1.7
62117	99	SPEED	SUR	58	0	187	0	0	1.2	0.1	1.3
62118	99	SPEED	SUR	58	1	217	0	0	2.1	-0.1	2.1
62119	99	SPEED	SUR	57	2	217	0	0	1.6	-0.5	1.7
62120	99	SPEED	SUR	56	2	208	0	0	1.2	0.2	1.2
62121	99	SPEED	SUR	54	3	120	0	0	1.4	-0.6	1.5
62122	99	SPEED	SUR	57	2	399	0	0	1.6	-0.7	1.7
62123	99	SPEED	SUR	56	2	397	0	0	1.7	-0.5	1.8
62127	99	SPEED	SUR	54	1	212	0	0	1.4	0.6	1.6
62128	99	SPEED	SUR	59	1	217	0	0	1.9	0.8	2.1
62129	99	SPEED	SUR	58	0	215	0	0	1.7	0.0	1.7
62131	99	SPEED	SUR	54	1	209	0	0	1.9	-1.9	2.7
62132	99	SPEED	SUR	56	2	203	0	0	1.8	-1.5	2.3
62133	99	SPEED	SUR	57	1	217	0	0	1.6	0.0	1.6
62134	99	SPEED	SUR	58	1	215	0	0	1.7	0.0	1.7
62140	99	SPEED	SUR	57	1	366	0	0	1.8	-1.2	2.1

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62143	99	SPEED	SUR	58	2	215	0	0	2.4	-1.5	2.8
62144	99	SPEED	SUR	53	2	216	0	0	2.0	-0.6	2.1
62145	99	SPEED	SUR	53	3	399	0	0	1.5	-0.8	1.7
62146	99	SPEED	SUR	57	2	214	0	0	2.8	-2.9	4.0
62148	99	SPEED	SUR	54	2	217	0	0	1.2	-0.1	1.2
62149	99	SPEED	SUR	54	1	212	0	0	1.2	0.2	1.2
62150	99	SPEED	SUR	54	1	212	0	0	1.6	-0.6	1.7
62152	99	SPEED	SUR	57	2	217	0	0	1.8	-1.4	2.2
62153	99	SPEED	SUR	57	2	377	0	0	1.7	-0.5	1.7
62154	99	SPEED	SUR	56	2	208	0	0	1.3	-0.4	1.4
62155	99	SPEED	SUR	58	1	193	0	0	1.2	0.1	1.2
62163	99	SPEED	SUR	48	-8	217	0	0	1.1	0.1	1.1
62164	99	SPEED	SUR	57	1	217	0	0	1.7	-1.3	2.2
62165	99	SPEED	SUR	54	1	212	0	0	1.5	-1.2	1.9
62170	99	SPEED	SUR	51	2	202	0	0	1.8	1.4	2.2
62298	99	SPEED	SUR	49	-9	218	0	0	1.3	-1.0	1.6
62301	99	SPEED	SUR	52	-5	217	0	0	1.3	0.8	1.5
62304	99	SPEED	SUR	51	2	310	0	0	2.0	1.6	2.5
62305	99	SPEED	SUR	50	0	265	0	0	1.7	1.2	2.1
62442	99	SPEED	SUR	49	-16	217	0	0	1.2	0.1	1.2
63055	99	SPEED	SUR	61	2	217	0	0	1.4	-0.6	1.5
63056	99	SPEED	SUR	60	2	217	0	0	1.5	-0.2	1.5
63057	99	SPEED	SUR	59	2	217	0	0	2.1	0.5	2.2
63058	99	SPEED	SUR	53	2	217	0	0	1.2	-0.2	1.2
63101	99	SPEED	SUR	61	1	217	0	0	1.6	-0.7	1.7
63103	99	SPEED	SUR	61	1	217	0	0	1.8	-0.5	1.8
63104	99	SPEED	SUR	61	2	217	0	0	1.8	-0.3	1.8
63105	99	SPEED	SUR	61	2	217	0	0	1.6	-0.2	1.6
63106	99	SPEED	SUR	61	2	217	0	0	1.5	-0.6	1.6
63108	99	SPEED	SUR	61	2	217	0	0	1.8	0.3	1.8
63109	99	SPEED	SUR	60	2	217	0	0	1.7	0.0	1.7
63110	99	SPEED	SUR	60	2	217	0	0	1.8	-0.7	1.9
63112	99	SPEED	SUR	61	1	217	0	0	1.5	-0.7	1.6
63113	99	SPEED	SUR	61	2	217	0	0	1.6	-0.2	1.6
63114	99	SPEED	SUR	61	2	399	0	0	1.6	-0.1	1.6
63115	99	SPEED	SUR	62	1	217	0	0	1.4	-0.7	1.6
63117	99	SPEED	SUR	61	1	399	0	0	1.5	-0.3	1.6
63119	99	SPEED	SUR	58	-1	21	0	0	2.3	0.9	2.5
64041	99	SPEED	SUR	61	-3	217	0	0	1.7	-0.2	1.7
64045	99	SPEED	SUR	59	-12	291	0	0	1.3	0.5	1.4
64046	99	SPEED	SUR	61	-4	215	0	0	1.5	0.9	1.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
66021	99	SPEED	SUR	55	14	238	0	0	1.2	0.6	1.3
66022	99	SPEED	SUR	54	14	359	0	0	1.3	0.4	1.3
66024	99	SPEED	SUR	55	13	242	0	0	1.3	0.2	1.3

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND DIRECTION (DEGREES)
AREA : 10N - 90N, 70W - 40E
PERIOD : OCT 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
08559	99	DIRN	SUR	38	-9	1	0	100	0.0	0.0	0.0
1234	99	DIRN	SUR	39	-13	2	0	0	7.9	-5.8	9.8
13001	99	DIRN	SUR	11	-23	75	0	0	14.2	11.2	18.1
13002	99	DIRN	SUR	20	-23	122	0	0	12.4	3.5	12.9
13008	99	DIRN	SUR	15	-38	79	0	0	14.5	2.7	14.8
41002	99	DIRN	SUR	32	-75	176	0	0	16.4	0.3	16.4
41004	99	DIRN	SUR	33	-79	172	0	0	13.6	9.1	16.4
41008	99	DIRN	SUR	31	-81	167	0	1	16.3	3.0	16.6
41009	99	DIRN	SUR	29	-80	157	0	0	17.5	4.0	18.0
41010	99	DIRN	SUR	29	-79	178	0	0	15.2	3.4	15.6
41013	99	DIRN	SUR	33	-78	140	0	0	18.5	11.2	21.6
41024	99	DIRN	SUR	34	-79	154	0	0	17.8	-3.1	18.1
41025	99	DIRN	SUR	35	-75	192	0	1	12.4	14.3	19.0
41026	99	DIRN	SUR	11	-38	58	0	0	19.7	11.0	22.6
41029	99	DIRN	SUR	33	-80	119	0	0	13.0	-7.0	14.8
41036	99	DIRN	SUR	34	-77	211	0	0	14.8	-0.2	14.8
41037	99	DIRN	SUR	34	-77	164	0	0	19.6	-5.5	20.4
41038	99	DIRN	SUR	34	-78	171	0	0	18.0	-5.3	18.8
41040	99	DIRN	SUR	15	-53	169	0	0	17.2	-6.9	18.5
41041	99	DIRN	SUR	14	-46	193	0	0	12.0	3.2	12.4
41043	99	DIRN	SUR	21	-65	142	0	1	19.9	-2.4	20.0
41044	99	DIRN	SUR	22	-59	171	0	0	18.7	-1.7	18.8
41046	99	DIRN	SUR	24	-68	139	3	1	20.9	2.4	21.0
41047	99	DIRN	SUR	28	-72	157	0	0	17.2	0.1	17.2
41048	99	DIRN	SUR	32	-70	159	0	0	16.4	7.1	17.8
41049	99	DIRN	SUR	28	-63	185	0	0	19.4	9.3	21.5
41051	99	DIRN	SUR	18	-65	259	0	0	13.8	-15.6	20.9
41052	99	DIRN	SUR	18	-65	439	0	0	12.9	-1.7	13.0
41053	99	DIRN	SUR	19	-66	299	0	1	15.1	-8.8	17.5
41056	99	DIRN	SUR	18	-66	378	0	0	18.4	-3.5	18.7
41139	99	DIRN	SUR	20	-38	111	0	1	15.9	0.0	15.9
42036	99	DIRN	SUR	29	-85	131	0	0	15.6	1.6	15.6

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42056	99	DIRN	SUR	20	-85	180	0	0	13.1	0.0	13.1
42057	99	DIRN	SUR	17	-82	193	0	0	17.5	-5.8	18.4
42058	99	DIRN	SUR	15	-75	201	0	0	10.8	-0.3	10.8
42059	99	DIRN	SUR	15	-68	194	0	0	12.7	-2.7	13.0
42060	99	DIRN	SUR	16	-63	166	0	0	15.7	-1.5	15.8
42085	99	DIRN	SUR	18	-67	207	0	0	22.2	6.4	23.1
42089	99	DIRN	SUR	20	-80	217	0	0	14.3	-6.7	15.8
44005	99	DIRN	SUR	43	-69	95	0	0	14.8	5.9	15.9
44007	99	DIRN	SUR	44	-70	185	0	0	17.3	5.8	18.3
44009	99	DIRN	SUR	39	-75	137	0	0	12.2	8.6	14.9
44013	99	DIRN	SUR	42	-71	195	0	0	18.0	2.9	18.2
44014	99	DIRN	SUR	37	-75	194	0	1	14.0	5.5	15.0
44020	99	DIRN	SUR	41	-70	217	0	0	15.6	7.4	17.3
44022	99	DIRN	SUR	41	-74	51	0	0	13.3	-3.1	13.7
44024	99	DIRN	SUR	42	-66	259	0	0	14.7	5.1	15.6
44025	99	DIRN	SUR	40	-73	196	0	0	11.8	1.9	12.0
44027	99	DIRN	SUR	44	-67	195	0	0	14.5	9.3	17.2
44029	99	DIRN	SUR	43	-71	327	0	1	15.0	5.9	16.2
44030	99	DIRN	SUR	43	-70	194	0	1	18.7	3.4	19.0
44032	99	DIRN	SUR	44	-69	191	0	0	14.5	6.3	15.8
44033	99	DIRN	SUR	44	-69	161	0	0	16.2	6.8	17.6
44034	99	DIRN	SUR	44	-68	196	0	0	11.9	4.9	12.9
44037	99	DIRN	SUR	44	-68	159	0	0	12.2	3.9	12.8
44039	99	DIRN	SUR	41	-73	238	0	0	16.8	-1.8	16.9
44040	99	DIRN	SUR	41	-74	140	0	0	16.4	-1.1	16.5
44042	99	DIRN	SUR	38	-76	335	0	1	17.4	-12.7	21.5
44043	99	DIRN	SUR	39	-76	258	0	0	15.9	-17.2	23.4
44057	99	DIRN	SUR	40	-76	124	0	0	15.9	-11.1	19.4
44058	99	DIRN	SUR	38	-76	352	0	0	17.0	-6.8	18.3
44059	99	DIRN	SUR	37	-76	61	0	0	9.8	-23.9	25.8
44060	99	DIRN	SUR	41	-72	225	0	0	16.6	-2.6	16.8
44062	99	DIRN	SUR	39	-76	326	0	1	18.6	-17.2	25.4
44063	99	DIRN	SUR	39	-76	261	0	1	16.4	-10.2	19.3
44064	99	DIRN	SUR	37	-76	374	0	1	17.1	-1.0	17.2
44065	99	DIRN	SUR	40	-74	47	0	0	9.6	6.5	11.6
44066	99	DIRN	SUR	40	-73	225	0	0	12.0	1.4	12.1
44068	99	DIRN	SUR	37	-77	92	0	0	11.5	-10.6	15.6
44137	99	DIRN	SUR	42	-62	194	0	1	20.3	10.2	22.7
44139	99	DIRN	SUR	44	-57	187	0	0	13.9	14.2	19.9
44141	99	DIRN	SUR	43	-58	185	0	0	16.7	11.7	20.4
44150	99	DIRN	SUR	43	-64	189	0	1	15.9	1.1	15.9

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44175	99	DIRN	SUR	47	-62	100	0	0	13.4	-15.5	20.5
44251	99	DIRN	SUR	46	-53	181	0	0	15.1	13.0	19.9
44255	99	DIRN	SUR	47	-57	285	0	0	13.5	10.3	17.0
44258	99	DIRN	SUR	45	-63	173	0	1	15.7	1.9	15.8
45003	99	DIRN	SUR	45	-83	182	0	0	19.5	1.6	19.5
45005	99	DIRN	SUR	42	-82	187	0	0	13.1	8.3	15.5
45008	99	DIRN	SUR	44	-82	230	0	0	22.1	11.3	24.8
45012	99	DIRN	SUR	44	-77	194	0	1	16.1	2.7	16.3
45132	99	DIRN	SUR	43	-81	190	0	1	22.0	2.2	22.1
45135	99	DIRN	SUR	44	-77	243	0	0	15.6	3.4	15.9
45137	99	DIRN	SUR	46	-81	182	0	0	15.9	10.1	18.8
45138	99	DIRN	SUR	50	-66	146	0	1	20.9	3.1	21.1
45139	99	DIRN	SUR	43	-80	169	0	1	21.5	7.5	22.8
45142	99	DIRN	SUR	43	-79	182	0	0	17.9	-7.5	19.4
45143	99	DIRN	SUR	45	-81	306	0	0	16.7	1.9	16.8
45147	99	DIRN	SUR	42	-83	119	0	0	18.3	4.1	18.8
45149	99	DIRN	SUR	44	-82	195	0	0	23.8	-8.6	25.3
45151	99	DIRN	SUR	45	-79	129	0	0	13.8	7.4	15.6
45152	99	DIRN	SUR	46	-80	66	0	0	17.5	0.1	17.5
45154	99	DIRN	SUR	46	-83	11	0	0	21.1	20.5	29.5
45159	99	DIRN	SUR	44	-79	154	0	3	24.3	18.2	30.4
45162	99	DIRN	SUR	45	-83	53	0	0	18.3	56.1	59.0
45163	99	DIRN	SUR	44	-84	79	0	3	23.3	17.5	29.1
45164	99	DIRN	SUR	42	-82	29	0	3	54.9	-6.1	55.3
45167	99	DIRN	SUR	42	-80	172	0	1	22.7	-9.1	24.5
62001	99	DIRN	SUR	45	-5	226	0	0	14.8	8.7	17.2
62023	99	DIRN	SUR	51	-8	191	0	0	10.5	-5.5	11.8
62027	99	DIRN	SUR	49	-2	41	0	2	34.2	3.8	34.5
62029	99	DIRN	SUR	49	-12	256	0	0	10.0	2.3	10.3
62030	99	DIRN	SUR	50	-4	150	0	0	15.6	-14.0	21.0
62081	99	DIRN	SUR	51	-13	206	0	0	10.0	6.7	12.0
62091	99	DIRN	SUR	53	-5	195	0	0	12.9	-0.7	12.9
62092	99	DIRN	SUR	51	-11	195	0	0	11.7	-0.4	11.7
62093	99	DIRN	SUR	55	-10	197	0	0	11.4	-3.6	12.0
62095	99	DIRN	SUR	53	-16	19	0	0	4.6	8.5	9.6
62103	99	DIRN	SUR	50	-3	194	0	0	14.7	2.8	14.9
62105	99	DIRN	SUR	55	-13	274	0	0	13.0	4.7	13.8
62107	99	DIRN	SUR	50	-6	275	2	1	16.1	-0.3	16.1
62111	99	DIRN	SUR	58	0	199	0	0	16.0	-6.4	17.2
62112	99	DIRN	SUR	58	0	197	0	0	13.6	3.3	14.0
62114	99	DIRN	SUR	58	0	331	0	0	14.9	8.2	17.1

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62117	99	DIRN	SUR	58	0	178	0	1	10.3	4.2	11.1
62163	99	DIRN	SUR	48	-8	176	0	0	11.4	3.5	11.9
62298	99	DIRN	SUR	49	-9	203	0	0	11.2	4.0	11.9
62301	99	DIRN	SUR	52	-5	203	0	0	11.1	3.7	11.7
62305	99	DIRN	SUR	50	0	243	0	0	15.2	0.6	15.2
62442	99	DIRN	SUR	49	-16	215	0	0	9.9	1.2	10.0
63119	99	DIRN	SUR	58	-1	20	0	0	18.6	5.7	19.4
64041	99	DIRN	SUR	61	-3	207	0	0	11.3	16.5	20.0
64045	99	DIRN	SUR	59	-12	279	0	0	11.8	11.1	16.2
64046	99	DIRN	SUR	61	-4	209	0	0	11.0	-1.1	11.0

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPs and PILOTSHIPs this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PI-LOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.