



ECMWF Global Data Monitoring Report

November 2025

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	16
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	17
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	18
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	19
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	20
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	22
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	23
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	24
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	26
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	27
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	29
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	30
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	31
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	32
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	33
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	34
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	35
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)	36
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)	37
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	38
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	39
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	40
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	41
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	42
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	43
4	EUCOS Area Monitoring Statistics	51
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	52
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)	55
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	58
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	61
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	64
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	67
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	70
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	73
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	76
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	86
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	90
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	96
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	98

5 Annex - Explanations of figures and tables	99
5.1 General	99
5.2 Data Availability	99
5.3 Data Quality	99

Summary of Revisions (in reverse order)

- Revision 30 (Nov 23) - Coverage charts for AIREP/AMDARs updated:
Added MODE-S and ADS-C to Figure 5 and Figure 18
- Revision 29 (Dec 22) - Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOBS figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) - Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPS are modified as per
SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for NOAA_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPS now includes BUFR encoded
observations for those which were assimilated as well as
for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of
these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by
EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for NOAA_14 MSU replaced by
ATOVS AMSU-A for NOAA_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100
hPa replaced by (A) TOVS AMSU-A and MSU
(NOAA_15 and NOAA_14).
- Revision 21 (May 99) - Monitoring statistics ceased for NOAA_11 as
satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all
mention about data usage. Two more levels
(50 and 850 hPa) added to the COSNA statistics
for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates
temperature data instead of geopotential from
radiosondes. As a consequence the number of
used geopotential data drops to zero in tables
7, 10, 13 and 15.

Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Oct	Nov	Ident	Time	Oct	Nov
02365	(00)	18	0	03743	(12)	2	15
02365	(12)	17	0	26075	(00)	4	28
14430	(00)	14	0	26075	(12)	4	29
14430	(12)	14	0	26629	(00)	14	29
20046	(12)	22	11	28225	(00)	7	28
24266	(00)	30	11	28225	(12)	6	26
24266	(12)	30	7	29839	(00)	7	29
24641	(00)	29	5	29839	(12)	8	30
24641	(12)	29	5	30230	(00)	16	29
24688	(00)	29	4	30230	(12)	16	30
24688	(12)	27	4	31369	(12)	3	14
33008	(12)	28	0	33008	(00)	0	14
34009	(00)	21	10	37055	(00)	6	25
42027	(00)	25	1	37055	(12)	9	25
42027	(12)	31	0	43049	(00)	1	20
42369	(12)	31	20	43371	(00)	1	30
42867	(00)	29	1	47102	(00)	17	28
42867	(12)	29	0	47102	(12)	14	30
60571	(00)	15	0	47418	(12)	0	11
60630	(00)	15	0	48568	(00)	0	21
60656	(00)	15	0	60390	(12)	0	29
63741	(00)	13	0	60680	(00)	16	30
65503	(00)	26	14	61980	(12)	0	27
65548	(12)	21	0	68263	(00)	1	28
71823	(00)	30	0	68263	(12)	3	28
71823	(12)	29	0	68592	(00)	7	28
71906	(00)	31	17	68592	(12)	7	30
71906	(12)	30	15	76526	(00)	12	27
72645	(00)	31	16	78807	(00)	4	29
72645	(12)	29	15	82107	(00)	5	20
74455	(12)	30	1	82599	(12)	10	21
80028	(12)	23	0	89662	(00)	0	14
82026	(12)	31	17	89662	(12)	0	16
82411	(12)	24	12	91610	(00)	3	14
86218	(12)	24	0	91948	(00)	6	27
87623	(12)	30	13	94113	(12)	0	12
94866	(00)	26	0	-	-	-	-
94866	(12)	26	0	-	-	-	-
95954	(00)	21	0	-	-	-	-
95954	(12)	18	0	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1194** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.


Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.


3.2.1 Figure 1 - Availability - SYNOP PRESSURE




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2


ECMWF Monitoring Statistics - NOV 2025
 Availability - DRIFTER PRESSURE
 Average number of observations in 24 hours - 14982
 Oceans - N. Atlantic 3668 S. Atlantic 1813 Indian 1939 Pacific 7562



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5


ECMWF Monitoring Statistics - NOV 2025
 Availability - Aircraft winds 300-150 hPa
 Average number of observations in 24 hours - 240798



3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6


ECMWF Monitoring Statistics - NOV 2025
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 537884



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa


Figure 7

ECMWF Monitoring Statistics - NOV 2025
Availability - AMV winds 1000-700 hPa
Average number of observations in 24 hours - 505749




3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8



3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A


Figure 9.1



3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2


ECMWF Monitoring Statistics - NOV 2025
 Availability - METOP-C ATOVS : AMSU-A
 Average number of observations in 24 hours - 87671



3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - NOV 2025
 Availability - METOP-B ATOVS : AMSU-A
 Average number of observations in 24 hours - 87928



3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
3E2032	99	P	SUR	15	0	0.4	-3.3	3.3
3E2429	99	P	SUR	43	43	0.0	0.0	0.0
3E3566	99	P	SUR	38	0	1.0	6.0	6.0
3E5193	99	P	SUR	95	0	0.5	3.4	3.4
3EBY2	99	P	SUR	25	17	0.9	13.8	13.9
3ERG5	99	P	SUR	23	0	1.0	5.5	5.6
3ETR7	99	P	SUR	44	0	3.2	3.5	4.7
3FAE4	99	P	SUR	20	0	1.2	11.1	11.1
3FOS8	99	P	SUR	29	0	1.1	-4.1	4.3
7JJC	99	P	SUR	19	0	1.0	3.1	3.2
7JUN	99	P	SUR	15	0	0.7	-3.5	3.6
7KKG	99	P	SUR	22	0	0.8	-4.7	4.8
9HA4777	99	P	SUR	59	0	1.6	5.2	5.4
9HA5682	99	P	SUR	33	0	4.1	-6.6	7.8
9HA5823	99	P	SUR	71	0	4.9	4.7	6.8
9HJB9	99	P	SUR	37	0	2.0	4.4	4.8
9HJD9	99	P	SUR	60	0	0.7	-3.5	3.6
9M3466	99	P	SUR	19	0	1.3	-3.1	3.3
9V3532	99	P	SUR	15	0	3.8	5.1	6.4
9V5456	99	P	SUR	97	0	1.1	8.9	8.9
9V7659	99	P	SUR	24	0	1.7	6.3	6.5
9V7711	99	P	SUR	20	2	2.8	7.7	8.2
9V8372	99	P	SUR	24	0	0.5	6.4	6.4
9VMY3	99	P	SUR	60	2	3.0	10.3	10.7
AURC	99	P	SUR	15	0	0.9	-10.8	10.8
BKIE	99	P	SUR	20	0	2.0	6.4	6.7
C6CA7	99	P	SUR	22	0	0.8	6.3	6.3
C6CX3	99	P	SUR	49	0	0.6	3.8	3.8
C6DL4	99	P	SUR	62	0	1.2	-4.2	4.4
C6HZ5	99	P	SUR	25	0	1.3	4.4	4.6
C6TE5	99	P	SUR	23	23	0.0	0.0	0.0
D5HF3	99	P	SUR	22	1	3.1	6.4	7.1

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
D5HF5	99	P	SUR	18	0	1.8	3.0	3.5
D5LW3	99	P	SUR	23	0	0.6	4.2	4.2
D5UC5	99	P	SUR	22	0	0.5	-4.7	4.8
DUUFU3N	99	P	SUR	19	0	1.3	-4.7	4.9
KPSJ	99	P	SUR	33	0	0.5	6.2	6.2
LAOE5	99	P	SUR	21	0	0.4	6.3	6.3
LAPE7	99	P	SUR	17	0	1.0	4.6	4.7
MFL	99	P	SUR	20	9	5.1	-8.7	10.1
UBAU	99	P	SUR	15	2	7.2	-3.0	7.8
V7A6082	99	P	SUR	86	0	1.7	7.2	7.4
V7BZ9	99	P	SUR	18	0	1.4	3.8	4.0
V7UU4	99	P	SUR	21	0	5.1	-2.0	5.4
V7XP2	99	P	SUR	33	0	1.6	4.7	4.9
VRDB3	99	P	SUR	21	0	0.7	-3.1	3.2
VRGO2	99	P	SUR	23	0	2.7	7.9	8.4
VRLQ4	99	P	SUR	16	0	0.5	-3.5	3.6
VRSQ9	99	P	SUR	17	0	0.8	7.3	7.4
WGEB	99	P	SUR	116	0	0.5	5.8	5.9
WMKQ	99	P	SUR	84	0	0.5	-5.3	5.3
WSAF	99	P	SUR	107	0	0.6	-7.9	7.9
WTDF	99	P	SUR	122	35	4.9	1.8	5.2
ZCBD4	99	P	SUR	19	0	1.7	4.0	4.3
ZGFY4	99	P	SUR	46	0	1.0	-9.0	9.0

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
--------------	-------------	-----	-------	------------	--------------	------------	----	------	-----

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45026	99	DIRN	SUR	74	0	0	14.3	35.8	38.6
45165	99	DIRN	SUR	16	0	0	50.9	70.3	86.8
45186	99	DIRN	SUR	29	0	0	27.8	34.1	44.0
45187	99	DIRN	SUR	31	0	0	20.9	47.4	51.8
45205	99	DIRN	SUR	54	0	0	19.8	115.5	117.2
46092	99	DIRN	SUR	51	0	0	23.1	42.0	48.0
46120	99	DIRN	SUR	57	0	0	16.5	39.1	42.4
46204	99	DIRN	SUR	105	0	0	19.2	39.9	44.3

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
2302627	99	P	SUR	11	73	604	534	2.6	-11.0	11.3
2501557	99	P	SUR	74	168	664	595	2.8	-11.1	11.4
2501559	99	P	SUR	79	-169	709	206	2.3	-0.4	2.3
2501586	99	P	SUR	77	-144	715	715	0.0	0.0	0.0
2501587	99	P	SUR	75	-143	714	714	0.0	0.0	0.0
2501590	99	P	SUR	70	170	717	279	5.2	-5.6	7.6
2501591	99	P	SUR	71	180	717	717	0.0	0.0	0.0
2501592	99	P	SUR	53	159	714	585	7.9	-4.1	8.9
2601524	99	P	SUR	72	-148	647	213	6.5	-0.2	6.5
2601526	99	P	SUR	73	-161	28	24	3.1	-9.8	10.3
2802016	99	P	SUR	61	-178	705	6	1.0	12.5	12.6
3401636	99	P	SUR	-30	-98	656	0	0.0	-6.8	6.8
3801567	99	P	SUR	-3	119	265	265	0.0	0.0	0.0
4101867	99	P	SUR	6	81	707	353	3.2	-4.9	5.9
4601554	99	P	SUR	72	159	692	215	4.9	7.8	9.2
4601855	99	P	SUR	47	-138	703	216	4.4	-1.1	4.5
4602563	99	P	SUR	36	-157	697	392	7.9	1.6	8.1
4701558	99	P	SUR	79	-18	59	0	0.4	-4.7	4.7
4701599	99	P	SUR	73	-152	429	329	7.3	3.6	8.2
4801763	99	P	SUR	58	-13	718	0	0.7	-12.4	12.4
4802582	99	P	SUR	64	-18	637	0	0.6	-10.2	10.2
5103554	99	P	SUR	19	-156	129	129	0.0	0.0	0.0
5501735	99	P	SUR	-38	-109	718	718	0.0	0.0	0.0
5801971	99	P	SUR	-4	116	222	222	0.0	0.0	0.0
5802091	99	P	SUR	-25	64	300	300	0.0	0.0	0.0
5802228	99	P	SUR	50	-59	716	716	0.0	0.0	0.0
6203818	99	P	SUR	-30	-50	697	531	4.9	-8.9	10.2
62093	99	P	SUR	55	-10	81	30	0.4	-0.3	0.5
6301517	99	P	SUR	84	-164	704	704	0.0	0.0	0.0
6301637	99	P	SUR	81	25	85	13	8.3	0.3	8.3
7801693	99	P	SUR	22	171	706	0	0.0	-12.9	12.9
7801770	99	P	SUR	58	-153	690	576	2.1	12.7	12.9

LIST OF SUSPECT STATIONS : DRIFTER
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : SURFACE PRESSURE (HPA)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	ME LEVEL	LAT	N LONG	N OBS	GROSS	SD	BIAS	RMS
7810493	99	P	SUR	-45	-48	59	24	3.8	9.0	9.7

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
--------------	-------------	-----	-------	-------------	--------------	------------	--------------	------------	----	------	-----

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300131	99	DIRN	SUR	28	-17	438	0	0	13.8	102.3	103.2
2000979	99	DIRN	SUR	30	-88	35	0	0	52.8	-52.8	74.7
2200193	99	DIRN	SUR	38	124	569	0	0	15.8	37.6	40.8
2300452	99	DIRN	SUR	12	68	104	0	0	23.0	28.6	36.7
2300456	99	DIRN	SUR	18	67	134	0	0	30.1	44.6	53.8
23456	99	DIRN	SUR	18	67	59	0	0	28.0	43.1	51.3
23491	99	DIRN	SUR	12	93	105	0	0	37.0	77.7	86.0
4500026	99	DIRN	SUR	42	-87	2553	0	0	15.8	34.8	38.3
4500165	99	DIRN	SUR	45	-83	585	0	0	59.1	69.2	91.1
4500168	99	DIRN	SUR	42	-86	924	0	0	18.1	22.5	28.9
4500174	99	DIRN	SUR	42	-88	433	0	0	16.9	-35.7	39.5
4500176	99	DIRN	SUR	42	-82	2192	0	0	18.5	-21.9	28.7
4500186	99	DIRN	SUR	42	-88	921	0	0	29.8	41.5	51.1
4500187	99	DIRN	SUR	42	-88	1112	0	0	21.5	48.7	53.2
4500205	99	DIRN	SUR	42	-82	1882	0	0	30.6	110.9	115.0
4500206	99	DIRN	SUR	42	-82	1832	0	0	54.2	-30.8	62.3
4500207	99	DIRN	SUR	42	-81	1031	0	0	20.0	-26.8	33.4
4500208	99	DIRN	SUR	42	-81	1076	0	0	17.2	-21.9	27.8
45026	99	DIRN	SUR	42	-87	494	0	0	15.8	35.3	38.7
45165	99	DIRN	SUR	45	-83	92	0	0	59.5	62.9	86.6
45168	99	DIRN	SUR	42	-86	149	0	0	17.4	22.1	28.1
45174	99	DIRN	SUR	42	-88	72	0	0	14.8	-37.1	40.0
45186	99	DIRN	SUR	42	-88	179	0	0	29.7	38.2	48.4
45187	99	DIRN	SUR	43	-88	210	0	0	22.0	48.1	52.9
45205	99	DIRN	SUR	42	-82	322	0	0	32.3	110.0	114.6
45206	99	DIRN	SUR	42	-82	342	0	0	53.8	-28.2	60.7
45207	99	DIRN	SUR	42	-81	194	0	0	19.1	-25.6	31.9
45208	99	DIRN	SUR	42	-81	203	0	0	16.7	-21.0	26.8
4600015	99	DIRN	SUR	43	-125	3406	10	0	63.6	-2.7	63.6
4600029	99	DIRN	SUR	46	-125	3478	8	0	57.3	27.8	63.7
4600092	99	DIRN	SUR	37	-122	322	0	0	22.6	42.1	47.8

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4600120	99	DIRN	SUR	48	-122	1207	0	0	26.4	37.2	45.6
4600204	99	DIRN	SUR	51	-129	644	0	0	19.5	40.1	44.6
4600304	99	DIRN	SUR	49	-123	359	0	0	33.0	28.3	43.4
46015	99	DIRN	SUR	43	-125	572	2	0	63.4	-6.6	63.7
46029	99	DIRN	SUR	46	-125	576	2	0	58.7	26.6	64.5
46092	99	DIRN	SUR	37	-122	299	0	0	24.4	40.7	47.5
46120	99	DIRN	SUR	48	-122	321	0	0	25.8	36.4	44.7
46204	99	DIRN	SUR	51	-129	649	0	0	20.6	40.2	45.2
46304	99	DIRN	SUR	49	-123	388	0	0	35.2	28.8	45.5
6200086	99	DIRN	SUR	55	7	115	0	0	13.8	23.2	27.0
62093	99	DIRN	SUR	55	-10	81	6	0	75.7	-6.3	76.0
6600022	99	DIRN	SUR	54	14	194	0	0	61.7	51.7	80.5
6600024	99	DIRN	SUR	55	13	201	0	0	12.5	22.0	25.3

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	00	Z	1000	57	3	24	0	3.9	77.0	77.1
01400	12	Z	1000	57	3	24	0	3.9	77.6	77.7
23933	00	Z	300	61	69	20	0	28.6	-81.1	86.0
23933	12	Z	50	61	69	14	0	77.1	-172.9	189.3
24122	12	Z	50	69	112	19	0	100.4	-180.9	206.9
24122	00	Z	50	69	112	22	0	106.8	-187.2	215.5
25913	00	Z	50	60	151	30	0	83.6	156.0	177.0
25913	12	Z	50	60	151	26	0	66.3	140.1	155.0
31770	00	Z	250	49	140	28	1	65.9	55.6	86.2
36003	12	Z	150	52	77	25	1	95.1	37.2	102.1
40811	12	Z	70	31	49	21	13	114.2	104.4	154.7
65344	12	Z	850	6	2	29	0	4.3	30.2	30.5
76644	00	Z	850	21	-90	27	0	6.7	37.1	37.7
76644	12	Z	1000	21	-90	22	0	18.0	27.9	33.2
91680	00	Z	850	-18	177	29	0	2.6	33.2	33.3
91680	12	Z	925	-18	177	30	0	2.6	32.6	32.7
KMPLHP	12	Z	925	50	-12	13	0	29.3	19.1	35.0
XKQLWQ	12	Z	1000	52	-13	14	0	17.1	-30.3	34.8
YLV96W	12	Z	1000	47	-52	10	0	36.0	48.6	60.5

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
27459	12	V	850	56	44	10	1	-10.4	4.6	19.4
32540	00	V	250	53	159	28	0	2.1	-1.5	15.3
36003	12	V	150	52	77	25	0	-2.5	0.4	15.8
36003	00	V	250	52	77	27	0	-2.8	-0.8	16.8
44373	12	V	250	44	104	18	0	-6.6	0.4	18.4

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS ≥ 5 M/S
 NO. OF OBSERVATIONS ≥ 5 , AND,
 ABSOLUTE BIAS ≥ 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
--------------	-------------	-----	-----	------	------------	------	---------------	----


3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

Figure 10

ECMWF Monitoring Statistics - NOV 2025 00 UTC
Suspect TEMP observations - GEOPOTENTIAL




3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC




3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12
ECMWF Monitoring Statistics - NOV 2025 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13
ECMWF Monitoring Statistics - NOV 2025 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
2TDJJ8	12	Z	100	13	23.2	22.4
7JUNA4	00	Z	100	10	8.8	-5.3
7JUNA4	12	Z	100	8	25.7	5.9
9ZT9MR	00	Z	100	4	23.0	-22.1
9ZT9MR	12	Z	100	6	30.2	-25.5
ATGU3F	00	Z	100	3	12.1	-11.7
ATGU3F	12	Z	100	3	17.0	-5.3
FPUW5G	12	Z	100	1	4.7	4.7
GQBZLZ	12	Z	100	3	22.0	-21.6
GQBZLZ	00	Z	100	1	5.8	5.8
JNKN7J	12	Z	100	8	27.8	23.8
JNKN7J	00	Z	100	6	27.0	22.9
JNSR	12	Z	100	3	9.6	7.5
JNSR	00	Z	100	4	4.5	0.2
JPBN	00	Z	100	3	9.9	1.1
JPBN	12	Z	100	1	26.0	26.0
KJJF9X	00	Z	100	0	0.0	0.0
KJJF9X	12	Z	100	2	18.4	-18.1
KMPLHP	00	Z	100	10	16.0	0.3
KMPLHP	12	Z	100	11	31.3	14.5
LAGZ8	12	Z	100	2	53.6	52.1
LRYPE3	00	Z	100	8	14.6	-7.8
LRYPE3	12	Z	100	9	60.8	54.6
USBOD	00	Z	100	3	17.6	-12.7
USBOD	12	Z	100	1	15.0	-15.0
USSIO	00	Z	100	5	11.0	-9.1
USSIO	12	Z	100	5	7.0	-0.5
USYUB	00	Z	100	2	26.0	-25.5
USYUB	12	Z	100	4	14.2	-10.6
WDK38H	12	Z	100	7	15.7	-15.4
XKQLWQ	12	Z	100	13	7.5	2.0
YLV96W	12	Z	100	9	78.0	60.8
YLV96W	00	Z	100	9	30.5	16.8
ZVQEQC	12	Z	100	4	5.2	3.9

3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)


MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OB TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
2TDJJ8	12	V	100	13	4.4	-0.6	-0.6
7JUNA4	00	V	100	10	4.2	0.3	0.4
7JUNA4	12	V	100	8	3.8	0.7	1.5
9ZT9MR	00	V	100	4	1.6	-0.3	0.2
9ZT9MR	12	V	100	6	0.9	-0.4	0.1
ATGU3F	00	V	100	3	1.9	-0.6	-1.4
ATGU3F	12	V	100	3	3.2	-1.2	-0.8
FPUW5G	12	V	100	1	2.8	1.6	-2.3
GQBZLZ	12	V	100	3	2.6	0.3	-0.5
GQBZLZ	00	V	100	1	1.6	1.0	1.2
JNKN7J	12	V	100	8	3.5	-0.8	1.2
JNKN7J	00	V	100	6	4.2	0.6	1.5
JNSR	12	V	100	3	2.8	1.3	-1.0
JNSR	00	V	100	4	3.0	0.9	-1.7
JPBN	00	V	100	3	2.6	1.7	-1.5
JPBN	12	V	100	1	0.8	0.6	0.6
KJJF9X	00	V	100	0	0.0	0.0	0.0
KJJF9X	12	V	100	2	1.9	-0.6	0.3
KMPLHP	00	V	100	10	3.1	0.6	0.4
KMPLHP	12	V	100	11	4.0	-1.0	1.1
LAGZ8	12	V	100	2	3.1	-2.0	1.2
LRYPE3	00	V	100	8	3.8	0.3	0.9
LRYPE3	12	V	100	9	4.0	-0.3	-0.8
USBOD	00	V	100	2	5.3	3.5	2.7
USBOD	12	V	100	1	0.9	-0.7	-0.5
USSIO	00	V	100	4	1.6	0.8	0.5
USSIO	12	V	100	2	3.1	-1.8	-1.0
USYUB	00	V	100	1	5.2	5.1	-1.0
USYUB	12	V	100	2	7.2	1.4	-5.8
WDK38H	12	V	100	7	2.0	0.6	-0.3
XKQLWQ	12	V	100	13	4.0	0.1	0.9
YLV96W	12	V	100	9	3.2	-0.1	1.4
YLV96W	00	V	100	9	3.0	-0.8	0.5
ZVQEQC	12	V	100	4	4.0	-2.2	-0.5


3.2.27 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14


ECMWF Monitoring Statistics: Nov 2025
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.28 Figure 15 - SATOB Winds: 150- 400hPa




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa



3.2.30 Figure 17 - SATOB Winds: 150- 400hPa



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAB	99	V	300-150	133	0	0	4.2	-0.5
AAL	99	V	300-150	33310	5	0	5.7	0.1
ABD	99	V	300-150	602	0	0	4.0	-0.6
ABP	99	V	300-150	52	0	0	3.2	0.4
ACA	99	V	300-150	25636	4	0	5.2	0.1
ACI	99	V	300-150	257	0	0	4.3	0.0
ADS	99	V	300-150	31	0	0	3.0	0.4
ADY	99	V	300-150	36	0	0	2.3	0.4
AEA	99	V	300-150	616	6	0	5.8	0.0
AEW	99	V	300-150	24	0	0	2.8	0.4
AFR	99	V	300-150	30186	1	0	4.0	0.1
AIC	99	V	300-150	3671	0	0	4.0	0.0
AIH	99	V	300-150	177	0	0	3.8	-0.9
AIZ	99	V	300-150	595	0	0	3.5	0.3
AJT	99	V	300-150	150	0	0	3.9	0.5
AKK	99	V	300-150	33	0	0	3.3	-0.5
ALK	99	V	300-150	685	0	0	3.5	0.3
AMX	99	V	300-150	4144	10	0	7.5	0.0
ANZ	99	V	300-150	14025	0	0	4.4	0.3
AOJ	99	V	300-150	83	0	0	3.3	-0.2
ASA	99	V	300-150	638	0	0	4.5	0.2
ASL	99	V	300-150	416	0	0	3.5	0.1
ASP	99	V	300-150	82	0	0	3.4	0.0
ASV	99	V	300-150	32	0	3	10.1	1.4
ASY	99	V	300-150	38	0	0	6.0	0.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ATC	99	V	300-150	30	7	0	4.6	-0.4
ATN	99	V	300-150	410	0	1	4.6	0.1
AUA	99	V	300-150	3387	2	0	4.8	-0.2
AUH	99	V	300-150	45	0	0	3.3	0.6
AVA	99	V	300-150	871	6	0	5.9	0.3
AWC	99	V	300-150	183	0	0	3.7	0.3
AXB	99	V	300-150	20	0	0	2.2	0.4
AXM	99	V	300-150	20	0	5	3.1	0.6
AXY	99	V	300-150	82	0	0	3.9	-0.2
AZG	99	V	300-150	664	2	0	7.4	0.7
BAW	99	V	300-150	44039	2	0	5.1	0.0
BBA	99	V	300-150	34	0	0	3.1	0.3
BBC	99	V	300-150	361	6	0	7.6	-0.3
BCS	99	V	300-150	1385	0	0	3.9	0.2
BEL	99	V	300-150	596	0	0	3.6	0.2
BFF	99	V	300-150	77	0	0	6.7	-0.2
BLU	99	V	300-150	24	0	0	2.5	0.5
BLX	99	V	300-150	137	7	0	9.5	0.4
BOX	99	V	300-150	4598	0	0	3.6	0.2
BOX	99	V	300-150	72	0	0	3.6	0.7
BQB	99	V	300-150	77	0	0	3.7	-0.3
BRK	99	V	300-150	24	0	0	4.4	-0.7
BTX	99	V	300-150	86	0	0	4.5	-0.6
BVR	99	V	300-150	20	0	0	3.6	1.8
CAL	99	V	300-150	346	0	1	3.9	0.3
CBJ	99	V	300-150	48	0	0	3.7	0.9
CCA	99	V	300-150	115	0	0	4.2	0.5
CEB	99	V	300-150	59	0	0	2.2	-0.2
CEF	99	V	300-150	26	0	0	3.5	0.3
CES	99	V	300-150	789	0	0	4.0	0.3
CFC	99	V	300-150	231	0	0	4.5	-0.5
CFG	99	V	300-150	3877	0	0	3.7	0.3
CHG	99	V	300-150	671	0	0	4.1	-0.4
CHH	99	V	300-150	224	12	0	4.9	0.3
CJT	99	V	300-150	481	0	0	4.2	-0.1
CKS	99	V	300-150	30	0	0	4.2	-1.7
CLX	99	V	300-150	3890	0	0	3.8	-0.4
CLY	99	V	300-150	120	0	0	4.3	0.7
CMB	99	V	300-150	828	0	0	3.7	0.0
CND	99	V	300-150	303	0	0	4.1	0.0
CNV	99	V	300-150	141	0	0	3.8	0.5
COB	99	V	300-150	20	0	0	2.2	-0.3
COL	99	V	300-150	40	0	0	3.5	1.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
CPA	99	V	300-150	1621	0	0	4.2	0.3
CPI	99	V	300-150	35	0	0	3.0	0.3
CRL	99	V	300-150	718	0	0	3.6	0.2
CRV	99	V	300-150	25	0	0	3.4	0.3
CSC	99	V	300-150	70	0	0	2.9	0.8
CSG	99	V	300-150	49	0	0	3.7	0.3
CSN	99	V	300-150	77	0	0	4.7	0.9
CTM	99	V	300-150	61	0	0	3.2	0.1
DAH	99	V	300-150	780	0	0	3.5	0.3
DAL	99	V	300-150	47912	0	0	3.6	0.2
DCM	99	V	300-150	53	0	0	3.0	-0.1
DCS	99	V	300-150	49	35	0	20.0	0.6
DCW	99	V	300-150	25	0	0	3.2	0.3
DGX	99	V	300-150	43	0	0	4.1	-1.3
DHK	99	V	300-150	3164	0	0	3.7	-0.2
DHX	99	V	300-150	62	0	0	2.9	0.6
DJT	99	V	300-150	1398	0	0	4.0	0.5
DLH	99	V	300-150	23864	1	0	3.9	0.0
DSO	99	V	300-150	62	0	0	3.6	0.8
DUB	99	V	300-150	28	0	0	3.9	-0.4
DWC	99	V	300-150	23	0	0	12.8	0.8
EAU	99	V	300-150	30	0	0	3.7	-0.3
EDW	99	V	300-150	1180	0	0	3.8	0.2
EIN	99	V	300-150	19239	0	0	3.5	0.3
EJM	99	V	300-150	504	4	0	4.3	-0.1
EJO	99	V	300-150	28	0	0	3.5	0.4
ELG	99	V	300-150	31	0	0	4.0	0.1
ELY	99	V	300-150	5311	8	0	7.0	0.1
ETD	99	V	300-150	8010	3	0	6.5	0.3
ETH	99	V	300-150	3139	2	0	5.5	0.1
EUK	99	V	300-150	1058	0	0	3.6	0.3
EUW	99	V	300-150	33	0	0	3.2	0.6
EVA	99	V	300-150	176	15	0	25.7	20.5
EVE	99	V	300-150	90	0	0	3.5	-0.6
EXS	99	V	300-150	5487	0	0	3.6	0.2
EZY	99	V	300-150	155	0	0	4.9	-0.8
FAD	99	V	300-150	21	0	0	2.9	0.7
FBU	99	V	300-150	2042	0	0	3.8	-0.2
FDX	99	V	300-150	7567	0	0	3.8	0.1
FIN	99	V	300-150	1136	0	0	3.7	0.1
FJI	99	V	300-150	2448	0	0	4.8	0.6
FJO	99	V	300-150	136	0	1	3.4	0.2
FLW	99	V	300-150	24	0	0	4.8	0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
FWI	99	V	300-150	1383	0	0	3.6	0.2
FYG	99	V	300-150	169	0	0	3.6	0.2
FYL	99	V	300-150	22	0	0	4.1	-0.6
GAF	99	V	300-150	213	0	0	3.9	0.2
GCK	99	V	300-150	122	0	0	4.1	0.5
GEC	99	V	300-150	906	0	0	3.5	0.0
GES	99	V	300-150	132	0	0	4.3	0.8
GFA	99	V	300-150	702	7	0	7.9	0.3
GIA	99	V	300-150	781	0	0	3.7	0.9
GJE	99	V	300-150	30	0	0	3.6	1.9
GLJ	99	V	300-150	54	0	0	3.9	0.5
GNJ	99	V	300-150	55	0	0	3.7	0.1
GRB	99	V	300-150	20	0	0	9.7	4.3
GTI	99	V	300-150	2245	0	0	4.1	-0.1
GTR	99	V	300-150	180	0	0	3.5	0.2
HFM	99	V	300-150	117	0	0	3.4	0.0
HRT	99	V	300-150	73	0	0	3.3	-0.2
HTT	99	V	300-150	85	0	0	11.5	2.9
HVN	99	V	300-150	141	4	1	8.6	1.1
HYS	99	V	300-150	193	0	0	3.1	0.2
HZA	99	V	300-150	35	0	0	3.2	1.0
HZM	99	V	300-150	47	0	0	3.6	-0.5
HZS	99	V	300-150	87	0	0	3.9	-0.7
IAM	99	V	300-150	34	0	0	3.6	0.1
IBE	99	V	300-150	5689	0	0	3.9	0.2
ICE	99	V	300-150	9575	0	0	3.3	0.2
ICL	99	V	300-150	181	0	0	3.6	-0.6
ICV	99	V	300-150	176	0	0	4.1	-0.9
IFA	99	V	300-150	555	0	0	3.7	0.0
IGA	99	V	300-150	83	0	0	3.7	-0.3
IJM	99	V	300-150	208	0	0	3.9	0.5
ITY	99	V	300-150	3561	0	0	3.6	0.3
JAF	99	V	300-150	33	3	0	4.7	-1.8
JAL	99	V	300-150	199	4	0	7.6	0.2
JAS	99	V	300-150	169	8	0	4.7	-0.3
JBD	99	V	300-150	56	0	0	3.8	-0.4
JBU	99	V	300-150	5926	0	0	3.8	0.3
JCO	99	V	300-150	89	0	0	3.5	0.8
JDI	99	V	300-150	42	0	0	3.9	0.6
JET	99	V	300-150	38	0	0	4.8	1.1
JML	99	V	300-150	35	0	0	4.3	1.0
JNY	99	V	300-150	44	0	0	5.0	-1.3
JST	99	V	300-150	1728	0	0	4.7	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
KAC	99	V	300-150	1229	0	0	4.7	0.5
KAI	99	V	300-150	127	1	1	4.0	0.0
KAL	99	V	300-150	115	3	0	3.3	0.1
KAY	99	V	300-150	55	0	0	3.3	-0.1
KCE	99	V	300-150	78	0	0	3.8	-0.9
KCN	99	V	300-150	41	0	0	5.2	1.1
KFE	99	V	300-150	67	0	0	3.5	-0.3
KIW	99	V	300-150	35	0	0	6.5	-0.9
KLM	99	V	300-150	17582	5	0	5.8	0.1
KOC	99	V	300-150	38	0	0	4.0	-1.5
KPO	99	V	300-150	74	0	0	3.4	-0.4
KQA	99	V	300-150	166	10	0	7.5	0.1
LCO	99	V	300-150	606	0	0	3.8	-1.1
LDX	99	V	300-150	74	0	0	3.6	0.6
LEA	99	V	300-150	46	0	0	4.2	1.0
LMJ	99	V	300-150	20	0	0	3.3	-0.2
LNI	99	V	300-150	331	0	0	3.5	0.6
LNK	99	V	300-150	80	0	0	5.0	1.3
LOT	99	V	300-150	3001	9	0	8.3	0.0
LRT	99	V	300-150	35	0	0	4.1	2.2
LVA	99	V	300-150	36	0	0	4.6	2.4
LXJ	99	V	300-150	728	0	0	3.6	0.0
MAS	99	V	300-150	4300	0	0	3.9	0.8
MED	99	V	300-150	78	0	0	4.7	1.7
MJF	99	V	300-150	49	0	0	2.8	0.0
MLM	99	V	300-150	90	0	1	3.7	0.6
MMD	99	V	300-150	294	0	0	3.7	0.0
MMF	99	V	300-150	189	0	1	3.3	0.2
MMF	99	V	300-150	62	0	0	3.0	0.0
MMZ	99	V	300-150	67	0	0	3.1	-0.1
MNB	99	V	300-150	808	0	0	3.4	0.1
MPH	99	V	300-150	337	0	0	3.9	0.0
MSR	99	V	300-150	1898	5	0	5.6	0.0
MVJ	99	V	300-150	102	0	0	4.1	-0.2
MXD	99	V	300-150	215	0	0	4.9	1.0
NBT	99	V	300-150	908	9	0	6.8	0.0
NCR	99	V	300-150	756	0	0	3.8	0.0
NEW	99	V	300-150	29	0	0	4.5	0.7
NJE	99	V	300-150	655	0	0	3.8	0.4
NOJ	99	V	300-150	69	0	0	5.2	0.2
NOS	99	V	300-150	942	4	0	4.9	0.1
OAE	99	V	300-150	255	0	0	3.8	0.0
OCN	99	V	300-150	4134	0	0	3.7	0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
OMA	99	V	300-150	418	0	0	9.6	1.0
PAL	99	V	300-150	155	0	1	2.7	0.3
PEX	99	V	300-150	50	0	0	3.4	-0.5
PIA	99	V	300-150	84	0	0	2.8	0.2
PJZ	99	V	300-150	43	0	0	3.0	0.4
PVA	99	V	300-150	191	0	0	4.1	-0.6
PVG	99	V	300-150	32	0	0	3.7	-0.9
QAF	99	V	300-150	33	0	0	3.7	0.2
QFA	99	V	300-150	3985	2	0	5.6	0.3
QFX	99	V	300-150	94	0	0	3.8	0.5
QQE	99	V	300-150	517	0	0	3.5	0.0
QTR	99	V	300-150	16235	0	0	4.5	0.3
RAM	99	V	300-150	912	11	0	6.5	0.6
RBA	99	V	300-150	266	6	0	6.7	0.9
RCH	99	V	300-150	2127	0	0	5.2	0.2
RDN	99	V	300-150	108	0	0	3.2	0.2
RHH	99	V	300-150	69	0	0	5.3	1.2
RJA	99	V	300-150	1724	10	0	8.0	0.0
RKK	99	V	300-150	49	0	0	3.3	1.2
ROJ	99	V	300-150	73	0	0	3.4	0.2
RRR	99	V	300-150	339	0	0	4.1	0.3
RSF	99	V	300-150	39	0	0	3.5	0.3
RYR	99	V	300-150	768	0	0	4.0	0.1
RZO	99	V	300-150	347	0	0	4.4	0.5
SAM	99	V	300-150	334	0	0	3.8	0.1
SAS	99	V	300-150	5559	0	0	3.4	0.3
SAZ	99	V	300-150	49	0	0	3.5	-0.1
SCX	99	V	300-150	95	0	0	5.2	0.9
SIA	99	V	300-150	9334	0	0	4.3	0.3
SIO	99	V	300-150	86	0	0	3.9	-0.5
SJE	99	V	300-150	43	0	0	2.9	0.2
SKV	99	V	300-150	124	0	1	3.8	0.5
SLM	99	V	300-150	122	5	0	4.2	0.1
SON	99	V	300-150	91	0	0	3.4	0.4
SPA	99	V	300-150	38	0	0	3.5	-0.5
SRA	99	V	300-150	194	3	0	4.6	0.4
SUI	99	V	300-150	51	0	0	3.2	0.6
SVA	99	V	300-150	4064	1	0	5.0	0.3
SVF	99	V	300-150	60	0	0	6.7	1.8
SVW	99	V	300-150	255	0	0	3.8	-0.1
SWR	99	V	300-150	10398	0	0	4.1	0.4
SWW	99	V	300-150	104	0	0	3.7	0.2
SYB	99	V	300-150	120	0	0	4.2	0.6

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
TAM	99	V	300-150	56	0	0	3.5	0.5
TAP	99	V	300-150	3897	0	0	3.8	0.2
TAR	99	V	300-150	298	0	0	3.1	0.0
TAX	99	V	300-150	48	0	0	2.2	0.4
TAY	99	V	300-150	100	0	0	4.2	-1.2
TBJ	99	V	300-150	23	0	0	2.7	0.8
TEU	99	V	300-150	21	0	0	3.0	-0.2
TFJ	99	V	300-150	33	0	0	4.2	0.2
TFL	99	V	300-150	1426	6	0	6.5	-0.1
TGW	99	V	300-150	934	1	0	8.0	0.5
THA	99	V	300-150	873	1	0	3.9	0.6
THT	99	V	300-150	2163	4	0	8.0	0.0
THY	99	V	300-150	16533	4	0	5.5	0.1
TMN	99	V	300-150	440	0	0	4.9	1.0
TOM	99	V	300-150	3583	8	0	6.4	0.2
TOR	99	V	300-150	71	0	0	3.8	-0.3
TPA	99	V	300-150	167	0	0	3.6	1.0
TRE	99	V	300-150	21	0	5	6.3	2.0
TRK	99	V	300-150	33	0	0	3.7	0.1
TSC	99	V	300-150	4860	0	0	3.7	0.4
TUG	99	V	300-150	26	0	0	3.3	0.0
TVR	99	V	300-150	23	0	0	3.4	-1.2
TVS	99	V	300-150	20	0	0	3.9	1.2
TWY	99	V	300-150	695	0	0	3.9	0.1
UAE	99	V	300-150	16110	0	0	3.7	0.2
UAF	99	V	300-150	34	0	0	4.5	2.3
UAL	99	V	300-150	73061	2	1	5.1	0.0
UBT	99	V	300-150	1229	10	0	6.1	0.3
ULC	99	V	300-150	122	0	0	3.2	0.3
UPS	99	V	300-150	4564	0	0	3.7	-0.2
UZB	99	V	300-150	172	8	1	10.0	0.0
VCG	99	V	300-150	38	0	0	4.3	0.6
VIR	99	V	300-150	19093	3	0	4.8	0.1
VJA	99	V	300-150	59	0	0	3.9	-0.5
VJC	99	V	300-150	39	0	0	3.9	0.7
VJH	99	V	300-150	436	0	0	4.8	0.3
VJT	99	V	300-150	1914	0	0	3.8	0.4
VKG	99	V	300-150	202	0	0	3.2	0.2
VOZ	99	V	300-150	787	0	0	3.7	0.3
WFL	99	V	300-150	313	0	0	3.9	0.1
WJA	99	V	300-150	1069	6	0	7.7	-0.1
WWI	99	V	300-150	150	0	0	4.5	-0.2
XAX	99	V	300-150	733	0	0	3.8	0.8

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
XFL	99	V	300-150	51	0	0	4.5	-0.2
XGN	99	V	300-150	32	0	0	3.7	1.5
XRO	99	V	300-150	39	0	0	4.2	-0.4

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10 °N - 90 °N, 70 °W - 40 °E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10 °N - 90 °N, 70 °W - 40 °E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 – 90N, 100W – 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	50	28	11.2	7.4
01001	12	Z	50	28	6.6	-1.2
01028	00	Z	50	30	7.5	-1.3
01028	12	Z	50	30	6.8	-2.1
01400	12	Z	50	23	74.6	74.0
01400	00	Z	50	24	82.5	82.0
01415	00	Z	50	28	10.0	4.5
01415	12	Z	50	30	12.3	7.8
02591	12	Z	50	30	11.6	6.4
02591	00	Z	50	17	9.3	7.2
02836	12	Z	50	32	9.8	-5.2
02836	00	Z	50	29	5.6	-1.8
02963	12	Z	50	29	7.6	-3.4
02963	00	Z	50	30	7.6	-2.8
03005	12	Z	50	29	7.6	-2.8
03005	00	Z	50	27	7.2	-1.6
03238	00	Z	50	28	8.1	3.3
03238	12	Z	50	2	12.1	-0.6
03808	00	Z	50	30	8.2	2.6
03808	12	Z	50	30	8.2	-0.2
03918	12	Z	50	2	10.3	10.3
03918	00	Z	50	29	9.4	1.0
03953	12	Z	50	30	9.8	-2.9
03953	00	Z	50	29	8.7	-3.2
04018	12	Z	50	25	6.2	2.4
04018	00	Z	50	26	9.2	6.0
04220	00	Z	50	29	12.6	-9.1
04220	12	Z	50	30	25.0	-12.2
04270	12	Z	50	30	18.4	-16.5
04270	00	Z	50	29	20.3	-16.3
04320	00	Z	50	27	10.2	-0.1
04320	12	Z	50	29	5.9	-0.7
04339	12	Z	50	27	15.6	-11.2
04339	00	Z	50	21	15.9	-12.8
04360	00	Z	50	26	33.2	-31.5
04360	12	Z	50	26	33.9	-30.6
06011	00	Z	50	1	13.6	-13.6
06011	12	Z	50	29	28.1	-26.6
06260	00	Z	50	30	12.9	1.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	50	7	8.6	3.3
06610	00	Z	50	28	6.5	0.7
06610	12	Z	50	29	6.9	1.9
07110	00	Z	50	27	22.1	-20.0
07110	12	Z	50	26	18.7	-17.2
07510	12	Z	50	29	13.0	-4.6
07510	00	Z	50	25	14.4	-5.9
07645	00	Z	50	24	14.7	-9.9
07645	12	Z	50	24	10.0	-2.8
07761	00	Z	50	25	29.4	-22.6
07761	12	Z	50	28	26.2	-18.5
08001	12	Z	50	29	8.0	2.8
08001	00	Z	50	27	12.0	2.6
08221	00	Z	50	30	8.6	6.4
08221	12	Z	50	30	8.2	3.7
08302	12	Z	50	27	10.7	-5.9
08302	00	Z	50	24	14.8	1.9
08508	12	Z	50	28	8.5	-3.9
08522	12	Z	50	30	20.2	3.5
10035	00	Z	50	29	8.2	4.7
10035	12	Z	50	30	6.4	1.8
10393	00	Z	50	30	5.9	2.6
10393	12	Z	50	30	6.4	0.5
10410	00	Z	50	29	8.1	4.9
10410	12	Z	50	30	6.0	0.9
10739	12	Z	50	30	12.6	-8.8
10739	00	Z	50	27	9.1	-5.2
11035	00	Z	50	30	6.8	0.6
11035	12	Z	50	30	10.6	2.9
12982	12	Z	50	30	8.4	5.4
12982	00	Z	50	29	9.7	4.5
16245	00	Z	50	30	10.2	3.7
16245	12	Z	50	30	4.8	1.0
16429	00	Z	50	25	7.2	4.6
16429	12	Z	50	29	6.6	-0.5
16622	00	Z	50	9	9.1	-0.1
16754	00	Z	50	22	16.1	-13.3
17607	12	Z	50	24	8.0	-3.9
26435	12	Z	50	2	3.0	-1.8
2TDJJ8	12	Z	50	13	20.3	19.1
60018	12	Z	50	26	6.5	1.9
60018	00	Z	50	27	9.1	6.1
7JUNA4	00	Z	50	10	10.6	-2.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	50	8	57.2	28.1
9ZT9MR	00	Z	50	4	24.9	-20.5
9ZT9MR	12	Z	50	6	29.1	-23.8
ATGU3F	00	Z	50	3	9.7	-6.5
ATGU3F	12	Z	50	3	19.4	-0.6
GQBZLZ	12	Z	50	3	15.4	-13.9
GQBZLZ	00	Z	50	1	9.5	9.5
JNKN7J	12	Z	50	8	43.4	36.3
JNKN7J	00	Z	50	6	28.6	25.0
KJJF9X	00	Z	50	0	0.0	0.0
KJJF9X	12	Z	50	2	13.0	-10.5
KMPLHP	00	Z	50	9	16.2	1.6
KMPLHP	12	Z	50	11	52.7	23.2
LRYQE3	00	Z	50	7	24.6	-5.7
LRYQE3	12	Z	50	7	138.5	136.9
WDK38H	12	Z	50	4	12.6	-12.5
XKQLWQ	12	Z	50	12	23.6	20.4
YLV96W	12	Z	50	6	136.1	113.7
YLV96W	00	Z	50	5	28.2	11.1
ZVQEQC	12	Z	50	4	3.4	-0.5

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	50	24	3.5	1.0	0.6
01001	12	V	50	28	2.1	0.1	-0.3
01028	00	V	50	24	2.5	-0.1	-0.2
01028	12	V	50	30	3.1	-0.3	-1.0
01400	12	V	50	22	3.2	-0.6	-1.4
01400	00	V	50	22	2.6	0.1	-0.6
01415	00	V	50	25	3.8	0.3	-0.4
01415	12	V	50	30	3.3	-0.2	0.0
02591	12	V	50	28	3.5	0.8	0.4
02591	00	V	50	14	4.0	-0.4	-0.3
02836	12	V	50	0	0.0	0.0	0.0
02836	00	V	50	0	0.0	0.0	0.0
02963	12	V	50	17	2.8	-0.2	0.1
02963	00	V	50	0	0.0	0.0	0.0
03005	12	V	50	29	3.2	0.0	0.1
03005	00	V	50	26	3.7	0.0	0.0
03238	00	V	50	26	3.3	0.6	-0.1
03238	12	V	50	2	10.8	3.2	6.7
03808	00	V	50	26	4.3	-0.8	0.7
03808	12	V	50	30	3.7	0.2	-0.5
03918	12	V	50	2	7.2	-4.0	3.4
03918	00	V	50	26	3.5	-0.3	-0.2
03953	12	V	50	30	3.2	0.0	0.2
03953	00	V	50	27	3.3	0.3	-0.7
04018	12	V	50	25	2.7	0.0	0.6
04018	00	V	50	23	2.5	-0.2	0.0
04220	00	V	50	29	3.2	1.0	0.0
04220	12	V	50	30	2.9	0.6	-0.2
04270	12	V	50	30	3.2	-0.8	0.0
04270	00	V	50	29	3.0	0.3	-0.6
04320	00	V	50	25	3.8	-0.5	-0.6
04320	12	V	50	29	3.3	-0.2	0.2
04339	12	V	50	27	2.6	0.3	0.2
04339	00	V	50	21	2.5	0.2	-0.3
04360	00	V	50	24	2.6	0.1	0.4
04360	12	V	50	26	2.7	-0.2	0.1
06011	00	V	50	1	2.6	2.6	0.2
06011	12	V	50	29	3.1	0.2	-0.1
06260	00	V	50	28	3.2	0.4	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	50	7	3.0	-0.3	0.3
06610	00	V	50	27	3.5	-0.1	-0.4
06610	12	V	50	29	3.4	0.9	-0.4
07110	00	V	50	25	3.5	-0.3	0.1
07110	12	V	50	26	3.1	-0.1	-0.3
07510	12	V	50	29	4.0	-0.2	-0.8
07510	00	V	50	22	3.3	0.3	-1.0
07645	00	V	50	23	3.1	0.9	-0.3
07645	12	V	50	24	3.9	-0.1	0.2
07761	00	V	50	25	3.3	0.6	-0.8
07761	12	V	50	28	4.0	-0.8	-0.8
08001	12	V	50	29	3.7	-0.6	0.1
08001	00	V	50	21	3.7	0.2	0.0
08221	00	V	50	25	3.5	0.2	-0.8
08221	12	V	50	30	3.9	-0.1	0.5
08302	12	V	50	27	4.1	0.0	-0.9
08302	00	V	50	21	3.9	0.6	-1.1
08508	12	V	50	28	4.1	-0.2	0.7
08522	12	V	50	30	3.3	-0.2	0.3
10035	00	V	50	29	3.8	-0.2	-0.9
10035	12	V	50	30	3.4	0.1	0.2
10393	00	V	50	25	3.8	-0.3	-0.5
10393	12	V	50	30	3.2	0.6	0.2
10410	00	V	50	29	2.9	-0.5	-0.7
10410	12	V	50	30	3.3	0.1	-0.2
10739	12	V	50	30	3.2	-0.6	-0.1
10739	00	V	50	27	3.6	0.2	-1.7
11035	00	V	50	29	3.4	0.2	-0.1
11035	12	V	50	30	3.3	0.1	-0.2
12982	12	V	50	30	2.8	0.2	-0.8
12982	00	V	50	25	3.6	-0.6	-0.9
16245	00	V	50	30	3.9	-0.2	-0.5
16245	12	V	50	30	4.2	-0.5	-0.1
16429	00	V	50	22	4.5	0.7	-1.4
16429	12	V	50	29	4.4	0.4	0.6
16622	00	V	50	8	3.6	-0.8	0.3
16754	00	V	50	20	3.3	1.0	0.3
17607	12	V	50	23	3.4	0.6	0.8
26435	12	V	50	1	2.3	0.5	-2.2
2TDJJ8	12	V	50	13	4.2	-0.5	1.1
60018	12	V	50	26	3.8	-0.1	1.1
60018	00	V	50	26	3.6	-0.5	0.5
7JUNA4	00	V	50	10	3.3	1.0	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	50	8	2.8	-0.9	0.7
9ZT9MR	00	V	50	4	3.1	0.7	-0.2
9ZT9MR	12	V	50	6	2.8	0.4	0.8
ATGU3F	00	V	50	3	2.8	0.0	-1.6
ATGU3F	12	V	50	3	5.6	2.3	0.7
GQBZLZ	12	V	50	3	4.1	0.3	-0.6
GQBZLZ	00	V	50	1	1.9	-1.9	-0.3
JNKN7J	12	V	50	8	3.8	0.1	0.8
JNKN7J	00	V	50	6	4.0	2.3	0.5
KJJF9X	00	V	50	0	0.0	0.0	0.0
KJJF9X	12	V	50	2	2.8	-2.0	-1.3
KMPLHP	00	V	50	9	3.3	-0.7	0.3
KMPLHP	12	V	50	11	3.7	1.0	2.0
LRYPE3	00	V	50	7	3.0	0.1	-1.6
LRYPE3	12	V	50	7	3.3	-0.9	-1.6
WDK38H	12	V	50	3	5.0	1.1	-1.6
XKQLWQ	12	V	50	10	3.5	-0.1	0.3
YLV96W	12	V	50	6	3.8	-1.5	0.3
YLV96W	00	V	50	5	3.2	-0.4	-0.5
ZVQEQC	12	V	50	4	3.2	0.0	0.8

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	100	30	9.4	5.1
01001	12	Z	100	29	6.5	-3.8
01028	00	Z	100	30	6.6	-2.9
01028	12	Z	100	30	6.7	-4.5
01400	12	Z	100	23	74.4	73.8
01400	00	Z	100	24	79.5	79.2
01415	00	Z	100	30	8.4	2.1
01415	12	Z	100	30	9.1	4.7
02591	12	Z	100	30	8.8	6.6
02591	00	Z	100	21	7.4	5.1
02836	12	Z	100	32	6.9	-4.8
02836	00	Z	100	30	5.4	-3.1
02963	12	Z	100	30	5.5	-2.0
02963	00	Z	100	30	6.3	-2.3
03005	12	Z	100	29	5.9	-2.4
03005	00	Z	100	28	5.7	-3.5
03238	00	Z	100	28	4.8	0.7
03238	12	Z	100	2	10.3	-4.2
03808	00	Z	100	30	6.2	-1.1
03808	12	Z	100	30	7.3	-1.1
03918	12	Z	100	2	7.4	6.6
03918	00	Z	100	30	7.6	-1.6
03953	12	Z	100	30	8.7	-5.3
03953	00	Z	100	29	9.9	-6.2
04018	12	Z	100	27	5.2	-0.6
04018	00	Z	100	27	6.3	3.1
04220	00	Z	100	29	11.2	-9.3
04220	12	Z	100	30	24.9	-13.0
04270	12	Z	100	30	18.8	-17.5
04270	00	Z	100	29	19.4	-16.0
04320	00	Z	100	28	8.5	-1.7
04320	12	Z	100	29	5.8	-1.3
04339	12	Z	100	29	15.0	-11.4
04339	00	Z	100	25	15.1	-11.2
04360	00	Z	100	29	29.7	-28.8
04360	12	Z	100	29	32.1	-30.5
06011	00	Z	100	1	7.5	-7.5
06011	12	Z	100	29	24.0	-22.8
06260	00	Z	100	30	13.0	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	100	7	8.2	2.9
06610	00	Z	100	29	4.4	-0.3
06610	12	Z	100	31	6.4	1.9
07110	00	Z	100	27	19.7	-18.7
07110	12	Z	100	26	18.2	-17.0
07510	12	Z	100	30	10.4	-5.6
07510	00	Z	100	27	10.2	-4.7
07645	00	Z	100	30	14.2	-11.3
07645	12	Z	100	29	11.1	-7.3
07761	00	Z	100	26	27.4	-23.0
07761	12	Z	100	29	24.9	-20.8
08001	12	Z	100	29	6.3	-1.6
08001	00	Z	100	29	10.0	-0.6
08221	00	Z	100	30	7.0	3.5
08221	12	Z	100	30	7.8	3.1
08302	12	Z	100	27	9.6	-6.3
08302	00	Z	100	24	11.4	-0.1
08508	12	Z	100	30	10.2	0.4
08522	12	Z	100	30	15.5	6.0
10035	00	Z	100	30	5.9	2.0
10035	12	Z	100	30	5.9	0.5
10393	00	Z	100	30	4.2	0.7
10393	12	Z	100	30	4.2	-0.1
10410	00	Z	100	30	5.2	0.5
10410	12	Z	100	31	5.1	-0.6
10739	12	Z	100	33	13.6	-10.8
10739	00	Z	100	27	9.5	-7.8
11035	00	Z	100	30	7.0	0.4
11035	12	Z	100	30	7.5	1.0
12982	12	Z	100	30	5.4	2.6
12982	00	Z	100	30	5.6	2.0
16245	00	Z	100	30	7.3	1.9
16245	12	Z	100	30	4.7	1.5
16429	00	Z	100	26	5.1	2.3
16429	12	Z	100	30	4.8	0.9
16622	00	Z	100	15	9.7	-5.0
16754	00	Z	100	24	14.1	-11.6
17607	12	Z	100	28	6.6	-3.4
26435	12	Z	100	9	5.6	-1.7
2TDJJ8	12	Z	100	13	23.2	22.4
60018	12	Z	100	26	6.4	3.1
60018	00	Z	100	27	8.2	6.6
7JUNA4	00	Z	100	10	8.8	-5.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	100	8	25.7	5.9
9ZT9MR	00	Z	100	4	23.0	-22.1
9ZT9MR	12	Z	100	6	30.2	-25.5
ATGU3F	00	Z	100	3	12.1	-11.7
ATGU3F	12	Z	100	3	17.0	-5.3
GQBZLZ	12	Z	100	3	22.0	-21.6
GQBZLZ	00	Z	100	1	5.8	5.8
JNKN7J	12	Z	100	8	27.8	23.8
JNKN7J	00	Z	100	6	27.0	22.9
KJJF9X	00	Z	100	0	0.0	0.0
KJJF9X	12	Z	100	2	18.4	-18.1
KMPLHP	00	Z	100	10	16.0	0.3
KMPLHP	12	Z	100	11	31.3	14.5
LRYQE3	00	Z	100	8	14.6	-7.8
LRYQE3	12	Z	100	9	60.8	54.6
WDK38H	12	Z	100	7	15.7	-15.4
XKQLWQ	12	Z	100	13	7.5	2.0
YLV96W	12	Z	100	9	78.0	60.8
YLV96W	00	Z	100	9	30.5	16.8
ZVQEQC	12	Z	100	4	5.2	3.9

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	100	30	2.8	0.0	-0.5
01001	12	V	100	29	2.9	0.3	0.3
01028	00	V	100	28	2.1	0.4	0.2
01028	12	V	100	30	2.3	0.6	0.4
01400	12	V	100	23	2.4	-0.3	0.8
01400	00	V	100	24	2.8	0.1	0.1
01415	00	V	100	27	3.3	0.5	0.3
01415	12	V	100	30	2.8	-0.2	0.0
02591	12	V	100	30	3.5	0.3	0.1
02591	00	V	100	18	3.8	0.6	-1.2
02836	12	V	100	3	5.8	-3.1	0.6
02836	00	V	100	3	1.6	-0.6	1.2
02963	12	V	100	28	2.3	-0.1	0.8
02963	00	V	100	0	0.0	0.0	0.0
03005	12	V	100	29	2.9	-0.6	0.0
03005	00	V	100	27	2.7	0.4	-0.6
03238	00	V	100	28	3.3	-0.3	-0.2
03238	12	V	100	2	4.9	-0.3	1.7
03808	00	V	100	29	2.6	0.7	0.4
03808	12	V	100	30	3.1	0.3	0.2
03918	12	V	100	2	2.3	-0.3	-0.3
03918	00	V	100	30	3.6	-0.1	-0.2
03953	12	V	100	30	3.6	-0.1	0.4
03953	00	V	100	29	3.4	0.3	-0.3
04018	12	V	100	27	2.4	-0.6	-0.2
04018	00	V	100	26	2.9	-0.8	0.2
04220	00	V	100	29	2.8	0.3	0.2
04220	12	V	100	30	2.3	0.4	-0.1
04270	12	V	100	30	3.9	-0.2	1.4
04270	00	V	100	29	2.9	0.2	-0.2
04320	00	V	100	28	2.4	0.0	-0.2
04320	12	V	100	29	2.4	0.6	-0.5
04339	12	V	100	29	2.8	0.3	0.1
04339	00	V	100	25	3.0	-0.2	-0.3
04360	00	V	100	28	2.6	0.3	0.1
04360	12	V	100	29	2.2	0.2	0.2
06011	00	V	100	1	3.8	3.8	-0.4
06011	12	V	100	29	2.9	0.2	-0.2
06260	00	V	100	29	3.2	-0.1	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	100	7	3.7	0.6	-0.6
06610	00	V	100	29	3.3	-0.1	-0.8
06610	12	V	100	30	4.2	0.0	-0.5
07110	00	V	100	27	3.3	0.4	0.6
07110	12	V	100	26	3.3	-0.3	0.2
07510	12	V	100	30	2.9	0.5	0.0
07510	00	V	100	25	4.0	0.1	-0.4
07645	00	V	100	29	4.0	0.2	-0.7
07645	12	V	100	29	4.2	1.0	0.0
07761	00	V	100	26	4.2	1.1	0.5
07761	12	V	100	29	4.6	1.3	0.2
08001	12	V	100	29	3.3	-0.1	0.0
08001	00	V	100	26	3.7	-0.1	-0.2
08221	00	V	100	26	3.6	-0.5	0.4
08221	12	V	100	30	4.0	-0.9	-1.1
08302	12	V	100	27	4.0	0.6	0.1
08302	00	V	100	23	3.5	0.1	-0.3
08508	12	V	100	30	3.9	0.2	0.3
08522	12	V	100	30	3.9	-0.4	0.6
10035	00	V	100	30	2.9	1.2	-0.2
10035	12	V	100	30	2.3	-0.4	-0.2
10393	00	V	100	28	3.6	0.6	0.1
10393	12	V	100	30	3.1	0.4	0.1
10410	00	V	100	30	3.0	1.2	-0.2
10410	12	V	100	30	3.0	0.6	-0.2
10739	12	V	100	30	3.0	0.2	0.5
10739	00	V	100	27	3.3	0.5	0.5
11035	00	V	100	29	3.2	-0.9	0.0
11035	12	V	100	30	2.8	-0.2	-0.1
12982	12	V	100	30	3.3	0.2	-0.5
12982	00	V	100	29	3.4	-0.3	0.7
16245	00	V	100	30	3.8	0.8	0.4
16245	12	V	100	30	2.8	0.0	0.6
16429	00	V	100	25	4.7	0.6	-0.8
16429	12	V	100	30	4.4	0.7	-0.2
16622	00	V	100	15	3.9	-0.8	-0.7
16754	00	V	100	22	3.6	-0.4	-0.5
17607	12	V	100	27	4.4	0.2	0.3
26435	12	V	100	9	4.3	-0.3	0.8
2TDJJ8	12	V	100	13	4.4	-0.6	-0.6
60018	12	V	100	26	3.6	0.3	-0.8
60018	00	V	100	27	3.5	0.2	0.6
7JUNA4	00	V	100	10	4.2	0.3	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	100	8	3.8	0.7	1.5
9ZT9MR	00	V	100	4	1.6	-0.3	0.2
9ZT9MR	12	V	100	6	0.9	-0.4	0.1
ATGU3F	00	V	100	3	1.9	-0.6	-1.4
ATGU3F	12	V	100	3	3.2	-1.2	-0.8
GQBZLZ	12	V	100	3	2.6	0.3	-0.5
GQBZLZ	00	V	100	1	1.6	1.0	1.2
JNKN7J	12	V	100	8	3.5	-0.8	1.2
JNKN7J	00	V	100	6	4.2	0.6	1.5
KJJF9X	00	V	100	0	0.0	0.0	0.0
KJJF9X	12	V	100	2	1.9	-0.6	0.3
KMPLHP	00	V	100	10	3.1	0.6	0.4
KMPLHP	12	V	100	11	4.0	-1.0	1.1
LRYQE3	00	V	100	8	3.8	0.3	0.9
LRYQE3	12	V	100	9	4.0	-0.3	-0.8
WDK38H	12	V	100	7	2.0	0.6	-0.3
XKQLWQ	12	V	100	13	4.0	0.1	0.9
YLV96W	12	V	100	9	3.2	-0.1	1.4
YLV96W	00	V	100	9	3.0	-0.8	0.5
ZVQEQC	12	V	100	4	4.0	-2.2	-0.5

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 – 90N, 100W – 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	500	30	7.2	6.4
01001	12	Z	500	29	5.2	-1.2
01028	00	Z	500	30	3.5	-0.7
01028	12	Z	500	30	4.8	-1.9
01400	12	Z	500	24	77.7	77.5
01400	00	Z	500	24	80.1	80.0
01415	00	Z	500	30	5.6	4.9
01415	12	Z	500	30	5.4	4.0
02591	12	Z	500	30	8.9	8.7
02591	00	Z	500	29	8.3	8.1
02836	12	Z	500	32	3.5	1.9
02836	00	Z	500	30	3.3	0.4
02963	12	Z	500	30	2.9	2.2
02963	00	Z	500	30	3.1	1.7
03005	12	Z	500	29	3.6	0.3
03005	00	Z	500	28	3.4	0.3
03238	00	Z	500	28	4.6	3.6
03238	12	Z	500	2	1.4	-0.9
03808	00	Z	500	30	4.4	3.6
03808	12	Z	500	30	5.2	2.4
03918	12	Z	500	2	4.5	4.5
03918	00	Z	500	30	5.5	0.9
03953	12	Z	500	30	3.5	0.0
03953	00	Z	500	29	3.8	-0.2
04018	12	Z	500	27	4.7	2.6
04018	00	Z	500	27	5.0	4.4
04220	00	Z	500	30	3.4	-0.3
04220	12	Z	500	30	5.1	0.1
04270	12	Z	500	30	13.5	-9.7
04270	00	Z	500	30	15.3	-9.9
04320	00	Z	500	30	5.0	3.4
04320	12	Z	500	29	5.2	2.8
04339	12	Z	500	30	10.3	-5.2
04339	00	Z	500	28	10.4	-9.1
04360	00	Z	500	30	13.0	-12.3
04360	12	Z	500	28	14.1	-13.0
06011	00	Z	500	1	4.5	4.5
06011	12	Z	500	29	8.0	-5.0
06260	00	Z	500	30	9.2	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	500	7	3.1	2.4
06610	00	Z	500	29	3.1	2.2
06610	12	Z	500	33	3.1	2.0
07110	00	Z	500	27	6.3	-4.2
07110	12	Z	500	27	5.3	-2.7
07510	12	Z	500	31	6.6	5.1
07510	00	Z	500	32	6.6	4.6
07645	00	Z	500	32	5.1	-2.1
07645	12	Z	500	32	3.8	0.8
07761	00	Z	500	30	13.1	-11.8
07761	12	Z	500	30	11.8	-10.6
08001	12	Z	500	30	4.5	2.5
08001	00	Z	500	29	6.2	4.9
08221	00	Z	500	30	5.5	4.5
08221	12	Z	500	30	6.0	4.2
08302	12	Z	500	27	7.5	-5.9
08302	00	Z	500	24	6.4	-4.5
08508	12	Z	500	30	9.2	4.9
08522	12	Z	500	30	6.4	5.0
10035	00	Z	500	30	3.4	2.8
10035	12	Z	500	30	2.5	1.5
10393	00	Z	500	30	3.0	2.1
10393	12	Z	500	30	2.7	1.1
10410	00	Z	500	30	2.2	1.3
10410	12	Z	500	31	2.7	0.4
10739	12	Z	500	34	12.3	-10.0
10739	00	Z	500	27	8.2	-6.7
11035	00	Z	500	30	4.0	1.3
11035	12	Z	500	30	5.0	2.7
12982	12	Z	500	30	3.9	2.3
12982	00	Z	500	30	4.9	3.1
16245	00	Z	500	30	4.6	4.1
16245	12	Z	500	30	4.6	3.8
16429	00	Z	500	27	4.7	3.7
16429	12	Z	500	30	5.5	4.7
16622	00	Z	500	26	6.9	5.7
16754	00	Z	500	26	5.7	-3.7
17607	12	Z	500	28	4.9	4.5
26435	12	Z	500	15	3.1	0.8
2TDJJ8	12	Z	500	13	19.8	19.7
60018	12	Z	500	26	5.7	4.6
60018	00	Z	500	27	4.8	4.2
7JUNA4	00	Z	500	11	7.4	4.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	500	9	7.5	1.0
9ZT9MR	00	Z	500	4	11.0	-10.7
9ZT9MR	12	Z	500	6	19.5	-14.3
ATGU3F	00	Z	500	5	6.5	-5.1
ATGU3F	12	Z	500	5	9.5	-7.4
GQBZLZ	12	Z	500	2	13.1	-13.0
GQBZLZ	00	Z	500	4	31.2	-19.9
JNKN7J	12	Z	500	8	35.1	34.3
JNKN7J	00	Z	500	6	34.7	34.5
KJJF9X	00	Z	500	0	0.0	0.0
KJJF9X	12	Z	500	0	0.0	0.0
KMPLHP	00	Z	500	11	26.7	7.7
KMPLHP	12	Z	500	12	31.5	16.4
LRYQE3	00	Z	500	9	5.6	-4.6
LRYQE3	12	Z	500	8	5.8	-2.5
WDK38H	12	Z	500	15	12.5	-12.0
XKQLWQ	12	Z	500	14	22.2	-16.6
YLV96W	12	Z	500	11	49.2	38.3
YLV96W	00	Z	500	9	36.4	23.5
ZVQEQC	12	Z	500	4	3.3	3.2

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	500	30	2.0	0.0	0.4
01001	12	V	500	29	2.8	0.8	0.2
01028	00	V	500	30	2.7	-0.4	0.2
01028	12	V	500	30	2.5	-0.4	0.1
01400	12	V	500	24	3.6	0.2	-0.7
01400	00	V	500	24	2.3	0.1	0.0
01415	00	V	500	29	2.6	-0.1	0.0
01415	12	V	500	30	2.8	0.4	-0.8
02591	12	V	500	30	2.2	-0.1	0.3
02591	00	V	500	29	1.7	0.2	-0.2
02836	12	V	500	30	2.1	0.1	0.0
02836	00	V	500	29	2.5	0.4	0.2
02963	12	V	500	30	2.6	0.5	0.2
02963	00	V	500	30	2.3	-0.1	-0.1
03005	12	V	500	29	2.5	0.5	0.0
03005	00	V	500	28	2.8	0.5	-0.1
03238	00	V	500	28	2.9	-0.5	0.3
03238	12	V	500	2	2.0	1.5	-1.1
03808	00	V	500	30	2.7	0.0	0.3
03808	12	V	500	30	3.5	0.9	-0.2
03918	12	V	500	2	3.5	-2.6	-0.4
03918	00	V	500	30	2.9	0.0	-0.2
03953	12	V	500	30	3.3	-0.3	0.1
03953	00	V	500	29	2.8	0.2	0.5
04018	12	V	500	27	2.3	0.2	0.3
04018	00	V	500	27	2.1	0.5	-0.3
04220	00	V	500	30	2.3	0.3	0.1
04220	12	V	500	30	2.5	0.1	-0.3
04270	12	V	500	30	4.0	-0.1	0.3
04270	00	V	500	30	3.9	-0.9	-0.1
04320	00	V	500	30	2.3	-0.1	-0.2
04320	12	V	500	29	2.0	-0.3	0.3
04339	12	V	500	30	2.5	0.4	0.1
04339	00	V	500	28	4.6	0.8	-0.7
04360	00	V	500	29	2.3	0.0	0.0
04360	12	V	500	28	3.3	0.8	0.3
06011	00	V	500	1	1.7	0.5	-1.6
06011	12	V	500	29	2.5	0.8	-0.3
06260	00	V	500	30	2.1	0.4	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	500	7	2.5	0.5	-0.6
06610	00	V	500	29	2.2	-0.2	-0.2
06610	12	V	500	30	3.1	-0.4	-0.3
07110	00	V	500	27	3.0	-0.1	-0.7
07110	12	V	500	27	2.8	0.4	-0.2
07510	12	V	500	30	2.1	0.2	-0.3
07510	00	V	500	30	2.7	0.2	-0.2
07645	00	V	500	30	2.4	-0.5	-0.1
07645	12	V	500	30	3.9	0.4	-0.8
07761	00	V	500	30	2.6	-0.3	0.5
07761	12	V	500	30	3.4	0.8	0.4
08001	12	V	500	30	3.6	0.7	1.1
08001	00	V	500	29	3.8	0.1	-0.4
08221	00	V	500	30	2.7	0.0	0.5
08221	12	V	500	30	2.1	-0.1	-0.1
08302	12	V	500	27	1.9	-0.2	-0.2
08302	00	V	500	24	2.3	0.1	0.4
08508	12	V	500	30	2.4	0.2	-0.2
08522	12	V	500	30	2.3	0.1	-0.3
10035	00	V	500	30	2.1	-0.2	0.3
10035	12	V	500	30	2.2	0.1	-0.2
10393	00	V	500	30	2.4	0.1	-0.1
10393	12	V	500	30	2.5	-0.3	0.7
10410	00	V	500	30	1.8	0.1	-0.6
10410	12	V	500	30	2.3	0.4	0.2
10739	12	V	500	30	2.1	0.2	0.3
10739	00	V	500	27	2.0	-0.3	-0.1
11035	00	V	500	30	2.3	0.0	0.0
11035	12	V	500	30	2.7	0.5	0.2
12982	12	V	500	30	2.1	0.0	0.3
12982	00	V	500	30	2.7	-0.2	-0.2
16245	00	V	500	30	2.9	0.0	-0.3
16245	12	V	500	30	2.8	0.4	0.3
16429	00	V	500	27	2.3	-0.1	-0.4
16429	12	V	500	30	2.4	-0.5	-0.2
16622	00	V	500	26	2.4	0.1	0.4
16754	00	V	500	26	2.1	0.6	0.1
17607	12	V	500	28	2.3	0.5	0.1
26435	12	V	500	15	2.6	0.2	-0.1
2TDJJ8	12	V	500	13	3.3	0.2	-0.1
60018	12	V	500	26	1.9	0.5	0.3
60018	00	V	500	27	1.8	0.1	0.0
7JUNA4	00	V	500	11	2.9	-0.2	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	500	9	3.9	-0.8	-0.8
9ZT9MR	00	V	500	4	1.8	-0.6	-0.6
9ZT9MR	12	V	500	6	0.8	0.0	0.1
ATGU3F	00	V	500	5	2.4	0.9	0.5
ATGU3F	12	V	500	5	2.5	0.3	0.2
GQBZLZ	12	V	500	2	3.1	2.0	0.9
GQBZLZ	00	V	500	4	3.3	-0.5	-2.1
JNKN7J	12	V	500	8	2.3	-0.2	0.1
JNKN7J	00	V	500	6	1.7	0.7	0.0
KJJF9X	00	V	500	0	0.0	0.0	0.0
KJJF9X	12	V	500	0	0.0	0.0	0.0
KMPLHP	00	V	500	11	5.4	1.5	-0.8
KMPLHP	12	V	500	12	4.3	1.1	1.1
LRYQE3	00	V	500	9	2.8	0.0	1.3
LRYQE3	12	V	500	8	3.0	1.2	0.7
WDK38H	12	V	500	15	2.8	-0.1	-0.7
XKQLWQ	12	V	500	13	1.7	0.1	-0.1
YLV96W	12	V	500	11	2.6	-0.3	0.3
YLV96W	00	V	500	9	1.9	0.5	-0.6
ZVQEQC	12	V	500	4	1.3	0.2	0.0

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 – 90N, 100W – 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	850	30	6.0	5.2
01001	12	Z	850	29	3.4	-1.0
01028	00	Z	850	30	2.9	-0.3
01028	12	Z	850	30	3.6	-0.5
01400	12	Z	850	24	77.9	77.7
01400	00	Z	850	24	78.2	78.0
01415	00	Z	850	30	4.7	4.3
01415	12	Z	850	30	4.7	4.1
02591	12	Z	850	30	8.3	8.0
02591	00	Z	850	29	7.2	6.8
02836	12	Z	850	32	3.5	1.6
02836	00	Z	850	30	3.0	1.2
02963	12	Z	850	30	2.6	2.0
02963	00	Z	850	30	2.5	1.9
03005	12	Z	850	30	2.4	0.9
03005	00	Z	850	28	2.3	0.3
03238	00	Z	850	28	2.9	2.4
03238	12	Z	850	2	1.4	1.2
03808	00	Z	850	30	3.3	2.6
03808	12	Z	850	31	4.2	2.3
03918	12	Z	850	2	1.9	1.7
03918	00	Z	850	30	4.3	0.7
03953	12	Z	850	30	2.4	0.3
03953	00	Z	850	29	2.5	-0.3
04018	12	Z	850	27	3.8	1.1
04018	00	Z	850	27	2.3	1.1
04220	00	Z	850	29	4.9	-2.8
04220	12	Z	850	30	4.4	-2.8
04270	12	Z	850	30	9.3	-6.7
04270	00	Z	850	30	8.8	-7.2
04320	00	Z	850	30	4.9	1.0
04320	12	Z	850	29	5.4	-0.4
04339	12	Z	850	30	10.5	-8.7
04339	00	Z	850	28	12.6	-11.8
04360	00	Z	850	30	9.0	-8.4
04360	12	Z	850	30	9.4	-8.2
06011	00	Z	850	1	2.5	-2.5
06011	12	Z	850	29	3.8	-1.3
06260	00	Z	850	30	8.0	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	12	Z	850	7	1.9	-0.2
06610	00	Z	850	30	2.0	0.9
06610	12	Z	850	33	2.2	0.1
07110	00	Z	850	27	2.5	-1.5
07110	12	Z	850	27	2.5	-0.9
07510	12	Z	850	31	6.0	5.8
07510	00	Z	850	32	5.0	4.5
07645	00	Z	850	32	2.8	-0.2
07645	12	Z	850	32	1.9	-0.2
07761	00	Z	850	30	11.9	-11.6
07761	12	Z	850	30	11.0	-10.6
08001	12	Z	850	30	3.5	2.4
08001	00	Z	850	29	3.3	1.8
08221	00	Z	850	30	2.6	1.7
08221	12	Z	850	30	2.9	1.9
08302	12	Z	850	27	9.6	-8.8
08302	00	Z	850	24	7.1	-6.6
08508	12	Z	850	30	8.4	3.4
08522	12	Z	850	30	2.8	2.3
10035	00	Z	850	30	2.1	0.8
10035	12	Z	850	30	1.7	0.4
10393	00	Z	850	30	2.4	0.3
10393	12	Z	850	30	2.1	-0.1
10410	00	Z	850	30	1.6	0.9
10410	12	Z	850	31	2.0	0.1
10739	12	Z	850	34	12.6	-10.3
10739	00	Z	850	27	9.8	-8.2
11035	00	Z	850	30	4.7	-1.3
11035	12	Z	850	30	3.7	-0.3
12982	12	Z	850	30	2.3	1.4
12982	00	Z	850	30	2.7	1.7
16245	00	Z	850	30	3.1	2.5
16245	12	Z	850	30	2.7	1.7
16429	00	Z	850	27	3.1	2.0
16429	12	Z	850	30	3.3	2.4
16622	00	Z	850	27	9.5	4.3
16754	00	Z	850	26	5.6	-5.3
17607	12	Z	850	28	1.8	0.3
26435	12	Z	850	15	2.1	-1.2
2TDJJ8	12	Z	850	13	17.9	17.6
60018	12	Z	850	26	1.8	0.6
60018	00	Z	850	27	2.3	1.2
7JUNA4	00	Z	850	11	6.2	4.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	850	9	7.1	2.3
9ZT9MR	00	Z	850	4	12.9	-12.9
9ZT9MR	12	Z	850	6	16.7	-13.6
ATGU3F	00	Z	850	5	12.8	-12.0
ATGU3F	12	Z	850	7	14.3	-12.2
GQBZLZ	12	Z	850	3	13.5	-13.4
GQBZLZ	00	Z	850	4	15.8	-10.2
JNKN7J	12	Z	850	8	41.2	40.9
JNKN7J	00	Z	850	7	42.1	41.9
KJJF9X	00	Z	850	0	0.0	0.0
KJJF9X	12	Z	850	0	0.0	0.0
KMPLHP	00	Z	850	13	27.7	9.6
KMPLHP	12	Z	850	13	34.5	19.4
LRYQE3	00	Z	850	9	6.7	-5.7
LRYQE3	12	Z	850	8	5.5	-4.6
WDK38H	12	Z	850	15	13.9	-13.6
XKQLWQ	12	Z	850	14	31.3	-26.7
YLV96W	12	Z	850	11	55.9	42.9
YLV96W	00	Z	850	9	42.7	28.2
ZVQEQC	12	Z	850	4	2.8	-1.5

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	850	30	2.9	-0.5	0.5
01001	12	V	850	29	2.8	-0.1	-0.2
01028	00	V	850	30	2.8	-0.2	0.0
01028	12	V	850	30	2.8	-0.3	0.0
01400	12	V	850	24	2.2	0.5	-0.2
01400	00	V	850	24	2.5	-0.2	-0.6
01415	00	V	850	29	2.4	-0.2	0.6
01415	12	V	850	30	2.3	-0.2	0.2
02591	12	V	850	30	2.2	0.2	0.2
02591	00	V	850	29	2.8	-0.3	-0.2
02836	12	V	850	30	2.3	0.2	0.2
02836	00	V	850	30	2.5	0.0	-0.2
02963	12	V	850	30	1.8	-0.3	-0.4
02963	00	V	850	30	2.1	-0.4	-0.1
03005	12	V	850	29	2.8	-0.1	0.0
03005	00	V	850	28	2.5	-0.2	0.3
03238	00	V	850	28	2.3	-0.2	0.0
03238	12	V	850	2	2.0	-0.3	0.8
03808	00	V	850	30	2.8	0.1	0.0
03808	12	V	850	30	2.8	0.2	-0.2
03918	12	V	850	2	0.9	0.8	-0.3
03918	00	V	850	30	3.2	0.4	-0.2
03953	12	V	850	30	3.0	0.3	0.4
03953	00	V	850	29	2.9	-0.5	0.0
04018	12	V	850	27	2.9	0.7	0.5
04018	00	V	850	27	3.0	-0.4	0.1
04220	00	V	850	29	3.5	0.3	-0.4
04220	12	V	850	30	3.2	0.9	-0.5
04270	12	V	850	30	7.6	1.1	0.6
04270	00	V	850	30	5.8	2.3	0.7
04320	00	V	850	30	3.4	0.1	0.7
04320	12	V	850	29	2.8	-0.4	0.4
04339	12	V	850	30	4.6	1.8	1.0
04339	00	V	850	28	5.9	1.5	-0.7
04360	00	V	850	29	5.1	0.5	0.2
04360	12	V	850	29	6.7	2.5	0.9
06011	00	V	850	1	4.0	-2.7	3.0
06011	12	V	850	29	2.6	-0.6	0.6
06260	00	V	850	30	1.9	0.0	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	12	V	850	7	2.8	0.3	0.0
06610	00	V	850	30	2.3	0.3	-0.1
06610	12	V	850	30	3.0	0.9	-0.9
07110	00	V	850	27	2.2	0.5	-0.4
07110	12	V	850	27	2.5	0.3	-0.5
07510	12	V	850	30	2.8	-0.1	0.1
07510	00	V	850	30	3.0	0.1	-0.1
07645	00	V	850	30	3.4	-0.8	0.0
07645	12	V	850	30	3.6	0.0	0.4
07761	00	V	850	30	2.3	0.2	-0.2
07761	12	V	850	30	2.1	-0.1	0.1
08001	12	V	850	30	3.1	0.6	-1.1
08001	00	V	850	29	3.6	0.0	-0.5
08221	00	V	850	30	3.4	0.3	-0.1
08221	12	V	850	30	3.6	0.5	-0.7
08302	12	V	850	27	2.9	0.7	0.7
08302	00	V	850	24	2.3	-0.5	0.0
08508	12	V	850	30	2.7	0.4	-0.2
08522	12	V	850	30	3.3	-0.3	0.3
10035	00	V	850	30	1.9	0.3	-0.3
10035	12	V	850	30	1.8	0.1	-0.3
10393	00	V	850	30	2.4	-0.1	-0.4
10393	12	V	850	30	1.9	0.2	0.1
10410	00	V	850	30	1.6	0.2	0.0
10410	12	V	850	30	2.6	0.4	0.2
10739	12	V	850	30	3.2	0.2	0.0
10739	00	V	850	27	2.8	-0.4	-0.4
11035	00	V	850	30	2.4	0.1	0.0
11035	12	V	850	30	2.2	0.4	-0.1
12982	12	V	850	30	2.8	0.4	0.0
12982	00	V	850	30	2.1	0.1	0.4
16245	00	V	850	30	2.4	-0.1	-0.5
16245	12	V	850	30	2.4	0.4	-0.2
16429	00	V	850	27	2.8	0.1	0.0
16429	12	V	850	30	2.9	0.0	-0.7
16622	00	V	850	27	2.9	0.2	-0.1
16754	00	V	850	26	3.1	-0.7	-0.5
17607	12	V	850	28	2.7	0.4	0.4
26435	12	V	850	15	1.8	-0.4	0.3
2TDJJ8	12	V	850	13	3.9	-0.9	0.4
60018	12	V	850	26	3.6	-0.8	0.5
60018	00	V	850	27	2.6	0.4	-0.1
7JUNA4	00	V	850	11	2.1	0.2	-0.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	850	9	2.8	-0.3	0.2
9ZT9MR	00	V	850	4	2.4	-0.6	-0.1
9ZT9MR	12	V	850	6	2.6	0.0	0.6
ATGU3F	00	V	850	5	2.9	1.9	0.1
ATGU3F	12	V	850	7	1.6	-0.2	-0.1
GQBZLZ	12	V	850	3	2.9	-0.1	-0.3
GQBZLZ	00	V	850	4	1.9	-0.4	1.4
JNKN7J	12	V	850	8	4.7	-0.9	0.5
JNKN7J	00	V	850	7	2.1	0.2	1.1
KJJF9X	00	V	850	0	0.0	0.0	0.0
KJJF9X	12	V	850	0	0.0	0.0	0.0
KMPLHP	00	V	850	13	2.7	-0.6	-1.0
KMPLHP	12	V	850	13	3.0	0.8	-1.4
LRYQE3	00	V	850	9	3.3	1.1	0.7
LRYQE3	12	V	850	8	1.9	-0.6	0.5
WDK38H	12	V	850	15	2.8	1.0	0.1
XKQLWQ	12	V	850	14	2.6	0.2	-0.4
YLV96W	12	V	850	11	3.1	0.1	1.7
YLV96W	00	V	850	9	1.9	0.1	-0.1
ZVQEQC	12	V	850	4	2.5	1.0	0.0

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1300008	99	P	SUR	15	-38	594	0	0.3	0.2	0.3
1300130	99	P	SUR	28	-16	720	0	0.3	0.3	0.4
1300131	99	P	SUR	28	-17	718	0	0.4	-0.1	0.4
1301622	99	P	SUR	33	-45	720	0	2.0	-0.3	2.0
1301718	99	P	SUR	31	-49	612	0	0.3	0.1	0.3
1301726	99	P	SUR	29	-54	707	0	0.3	0.0	0.3
1301769	99	P	SUR	25	-46	626	1	0.8	-1.7	1.9
1301773	99	P	SUR	27	-46	707	0	0.3	0.0	0.3
1301778	99	P	SUR	24	-55	707	0	0.3	0.0	0.3
1301782	99	P	SUR	50	-35	706	0	0.4	0.0	0.4
1301784	99	P	SUR	34	-15	707	0	0.3	0.0	0.3
1301785	99	P	SUR	32	-25	699	0	0.3	0.0	0.3
1301805	99	P	SUR	62	-17	679	0	0.5	0.2	0.5
1301808	99	P	SUR	61	-12	690	0	0.4	0.2	0.5
1301810	99	P	SUR	27	-35	706	0	0.2	-0.2	0.3
1301814	99	P	SUR	29	-27	705	0	0.3	0.1	0.3
1301819	99	P	SUR	23	-46	707	0	0.4	-0.4	0.5
1301822	99	P	SUR	23	-44	704	0	0.4	0.1	0.4
1301823	99	P	SUR	26	-51	707	0	0.3	0.1	0.3
1801670	99	P	SUR	53	-15	685	0	0.4	0.2	0.4
1801671	99	P	SUR	44	-9	657	0	0.4	-0.1	0.4
1801672	99	P	SUR	32	-17	696	0	0.3	-0.4	0.5
1801675	99	P	SUR	54	-18	643	0	0.5	0.2	0.5
1801711	99	P	SUR	36	16	705	0	0.3	0.0	0.3
1801716	99	P	SUR	26	-44	703	0	0.5	0.5	0.7
1801732	99	P	SUR	45	-32	706	0	0.4	-0.1	0.5
1801777	99	P	SUR	35	-35	720	0	0.2	0.2	0.3
1801778	99	P	SUR	50	-38	718	0	0.5	-0.1	0.5
2801968	99	P	SUR	49	-13	644	0	0.4	-0.1	0.4
2801970	99	P	SUR	33	-12	700	0	0.3	-0.3	0.4
2802007	99	P	SUR	21	-48	705	0	0.3	0.1	0.4
2802008	99	P	SUR	65	-40	682	0	0.6	-0.3	0.7
2802010	99	P	SUR	21	-52	702	0	0.6	0.7	0.9
2802011	99	P	SUR	43	-39	706	0	0.4	-0.2	0.4
2802021	99	P	SUR	36	17	706	0	0.3	-0.2	0.4
2802022	99	P	SUR	34	-37	705	0	0.3	-0.1	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
2802100	99	P	SUR	70	0	670	0	0.5	0.2	0.6
2802124	99	P	SUR	27	-35	666	0	0.3	0.1	0.3
2802242	99	P	SUR	45	-53	270	0	0.4	0.1	0.4
2802244	99	P	SUR	45	-45	297	0	0.7	0.2	0.7
2802245	99	P	SUR	45	-51	276	0	1.9	0.5	2.0
3801571	99	P	SUR	43	-26	676	0	0.5	0.3	0.5
3801574	99	P	SUR	33	-15	698	0	0.2	0.0	0.2
3801575	99	P	SUR	55	-16	685	0	0.4	0.0	0.4
3801596	99	P	SUR	32	-44	705	0	0.3	-0.3	0.4
3801598	99	P	SUR	39	-42	697	0	0.4	0.1	0.4
3801612	99	P	SUR	24	-47	707	0	0.3	0.0	0.3
3801620	99	P	SUR	37	18	507	0	0.6	0.1	0.6
3801625	99	P	SUR	21	-50	703	0	0.3	0.6	0.7
3801676	99	P	SUR	79	16	713	0	1.3	-0.1	1.3
3801703	99	P	SUR	63	-59	649	0	0.5	0.1	0.5
3801825	99	P	SUR	50	-54	714	0	0.5	-0.3	0.6
3801834	99	P	SUR	44	-41	292	0	0.4	0.2	0.5
3801835	99	P	SUR	44	-41	302	0	0.4	0.2	0.5
4000008	99	P	SUR	27	-68	1283	0	0.4	-0.1	0.4
4100040	99	P	SUR	15	-53	2341	0	0.3	0.0	0.3
4100043	99	P	SUR	21	-65	4319	0	0.3	-0.3	0.5
4100044	99	P	SUR	22	-59	4319	0	0.3	-0.3	0.4
4100046	99	P	SUR	24	-68	4319	0	0.3	-0.2	0.3
4100049	99	P	SUR	28	-62	4320	0	0.3	-0.6	0.6
4100052	99	P	SUR	18	-65	3536	0	0.3	-0.8	0.9
4100053	99	P	SUR	18	-66	3585	0	0.3	-0.7	0.7
4100056	99	P	SUR	18	-65	9	0	0.3	-0.8	0.9
4101665	99	P	SUR	71	24	33	0	0.3	-0.7	0.8
4101725	99	P	SUR	18	-63	713	0	0.2	-0.1	0.3
4101727	99	P	SUR	37	-69	720	0	1.2	0.2	1.3
4101728	99	P	SUR	36	-30	720	0	0.7	0.4	0.8
4101729	99	P	SUR	31	-61	720	0	0.3	0.1	0.3
4101755	99	P	SUR	38	-63	646	5	1.2	0.2	1.2
4101851	99	P	SUR	34	-68	575	0	0.5	-1.4	1.5
4101861	99	P	SUR	38	-50	705	0	0.4	0.3	0.5
4101863	99	P	SUR	22	-69	706	0	0.3	-0.1	0.3
4101870	99	P	SUR	23	-59	707	0	0.3	-0.1	0.3
4101873	99	P	SUR	26	-34	707	0	0.2	-0.1	0.2
4101875	99	P	SUR	23	-28	706	0	0.3	0.1	0.3
4101877	99	P	SUR	30	-17	706	0	0.2	0.0	0.2
4101878	99	P	SUR	31	-16	706	0	0.2	0.0	0.2
41040	99	P	SUR	15	-53	390	0	0.3	0.0	0.3
41043	99	P	SUR	21	-65	786	0	0.3	-0.3	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41044	99	P	SUR	22	-59	787	0	0.3	-0.3	0.4
41046	99	P	SUR	24	-68	786	0	0.3	-0.1	0.3
41049	99	P	SUR	28	-62	787	0	0.3	-0.6	0.6
41052	99	P	SUR	18	-65	537	0	0.3	-0.8	0.8
41053	99	P	SUR	19	-66	500	0	0.3	-0.7	0.7
41056	99	P	SUR	18	-66	16	0	0.3	-0.7	0.7
4200060	99	P	SUR	16	-63	4320	0	0.3	-0.3	0.4
4200085	99	P	SUR	18	-67	3575	0	0.3	-0.5	0.6
42060	99	P	SUR	16	-63	720	0	0.3	-0.3	0.4
42085	99	P	SUR	18	-67	475	0	0.3	-0.5	0.6
4400008	99	P	SUR	40	-69	4320	0	0.4	-0.5	0.7
4400011	99	P	SUR	41	-67	4319	0	0.5	0.1	0.5
4400027	99	P	SUR	44	-67	4319	0	0.5	-0.9	1.1
4400137	99	P	SUR	42	-62	719	0	0.5	0.1	0.5
4400139	99	P	SUR	44	-57	712	0	0.5	-0.1	0.5
4400150	99	P	SUR	43	-64	713	0	0.5	-0.2	0.5
4400258	99	P	SUR	45	-63	718	0	0.5	-0.1	0.5
4400488	99	P	SUR	45	-61	720	0	0.5	0.0	0.5
4400489	99	P	SUR	45	-61	718	0	0.5	0.0	0.5
44008	99	P	SUR	41	-69	720	0	0.5	-0.5	0.7
44011	99	P	SUR	41	-67	720	0	0.5	0.2	0.5
4401582	99	P	SUR	43	-48	719	0	1.6	0.6	1.7
4401584	99	P	SUR	32	-69	720	0	0.3	0.0	0.3
4401588	99	P	SUR	69	15	671	0	0.4	0.0	0.4
4402676	99	P	SUR	34	-47	642	0	0.4	0.1	0.4
44027	99	P	SUR	44	-67	720	0	0.6	-0.9	1.1
4402730	99	P	SUR	32	-37	648	0	0.3	0.0	0.3
4402737	99	P	SUR	58	-47	706	0	0.6	-0.1	0.7
4402743	99	P	SUR	47	-35	702	0	0.4	-1.3	1.3
4402744	99	P	SUR	36	-57	705	0	0.4	0.0	0.4
4402749	99	P	SUR	70	3	705	0	0.4	-0.1	0.4
4402750	99	P	SUR	54	-26	707	0	0.4	-0.5	0.6
4403568	99	P	SUR	34	-32	718	0	0.3	0.2	0.3
44078	99	P	SUR	60	-40	703	0	0.6	-0.4	0.7
44137	99	P	SUR	42	-62	719	0	0.5	0.0	0.5
44139	99	P	SUR	44	-57	712	0	0.5	-0.2	0.6
44150	99	P	SUR	43	-64	713	0	0.5	-0.2	0.5
44258	99	P	SUR	45	-63	718	0	0.5	-0.1	0.5
44488	99	P	SUR	45	-61	720	0	0.5	-0.1	0.5
44489	99	P	SUR	46	-61	718	0	0.5	0.0	0.5
4601782	99	P	SUR	34	-36	703	0	0.2	0.6	0.7
4701527	99	P	SUR	76	-6	700	0	0.8	-0.2	0.8
4701546	99	P	SUR	81	-3	691	0	0.5	-0.4	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4701547	99	P	SUR	76	-12	277	1	2.5	1.2	2.8
4701548	99	P	SUR	84	-16	700	0	0.5	-0.1	0.5
4701555	99	P	SUR	64	-22	12	0	0.0	-5.8	5.8
4701558	99	P	SUR	79	-18	59	0	0.4	-4.7	4.7
4801763	99	P	SUR	58	-13	718	0	0.7	-12.4	12.4
4802582	99	P	SUR	64	-18	637	0	0.6	-10.2	10.2
4802594	99	P	SUR	73	-1	699	0	0.5	-0.4	0.6
4802664	99	P	SUR	84	-48	718	0	0.5	0.0	0.5
4803997	99	P	SUR	46	-33	692	0	0.5	-0.1	0.5
4804003	99	P	SUR	51	-49	677	0	0.7	0.0	0.7
4804044	99	P	SUR	36	18	707	0	0.3	0.0	0.3
4804051	99	P	SUR	73	-69	503	22	2.0	-0.2	2.0
4804127	99	P	SUR	31	-34	685	0	0.3	0.2	0.3
4804130	99	P	SUR	14	-34	650	0	0.3	-0.4	0.5
4804178	99	P	SUR	85	-40	84	0	0.4	0.0	0.4
5801972	99	P	SUR	35	-23	697	0	0.3	-0.2	0.4
5802011	99	P	SUR	19	-43	706	0	0.3	0.2	0.3
5802026	99	P	SUR	40	-15	706	0	0.3	-0.1	0.3
5802033	99	P	SUR	26	-43	705	0	0.6	0.6	0.9
5802060	99	P	SUR	85	-34	719	0	0.4	-0.4	0.6
5802095	99	P	SUR	59	-59	662	0	0.6	0.0	0.6
5802112	99	P	SUR	21	-45	681	0	0.3	0.2	0.4
5802118	99	P	SUR	19	-37	656	0	0.3	0.2	0.3
5802227	99	P	SUR	47	-50	718	0	0.4	0.3	0.5
5802228	99	P	SUR	50	-59	716	716	0.0	0.0	0.0
5802253	99	P	SUR	44	-44	295	0	0.5	0.2	0.6
6100001	99	P	SUR	43	8	977	0	0.4	-0.5	0.7
6100002	99	P	SUR	42	5	717	0	0.4	-0.2	0.5
6100196	99	P	SUR	42	4	37	0	0.3	0.0	0.3
6100197	99	P	SUR	40	4	720	0	0.3	0.8	0.8
6100198	99	P	SUR	37	-2	716	0	0.4	0.2	0.4
6100280	99	P	SUR	41	1	716	0	0.4	0.3	0.6
6100281	99	P	SUR	40	0	685	0	0.5	0.0	0.5
6100417	99	P	SUR	38	0	720	0	0.4	0.1	0.4
6100430	99	P	SUR	40	2	716	0	0.3	0.1	0.3
6101031	99	P	SUR	42	8	719	0	0.4	-0.1	0.4
6101032	99	P	SUR	42	10	398	0	0.3	0.2	0.3
6101033	99	P	SUR	43	8	1085	0	0.5	0.0	0.5
6101034	99	P	SUR	42	6	719	0	0.4	-0.3	0.5
6101035	99	P	SUR	41	7	718	0	0.3	0.0	0.3
6101036	99	P	SUR	42	7	1088	0	0.3	-0.1	0.4
6200001	99	P	SUR	45	-5	720	0	0.4	-0.1	0.4
6200024	99	P	SUR	44	-3	716	0	0.5	0.0	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6200025	99	P	SUR	44	-6	714	0	0.4	0.2	0.5
6200029	99	P	SUR	49	-12	717	0	0.4	-0.3	0.5
6200050	99	P	SUR	50	-4	718	0	0.3	0.0	0.3
6200081	99	P	SUR	51	-13	715	0	0.4	-0.2	0.4
6200082	99	P	SUR	44	-8	720	0	0.5	0.1	0.5
6200083	99	P	SUR	43	-9	718	0	0.5	0.1	0.5
6200084	99	P	SUR	42	-9	720	0	0.4	0.1	0.5
6200085	99	P	SUR	36	-7	719	0	0.4	0.3	0.5
6200086	99	P	SUR	55	7	126	0	0.3	-0.3	0.4
6200087	99	P	SUR	55	7	158	0	0.4	-0.5	0.6
6200091	99	P	SUR	53	-5	82	0	0.3	-0.2	0.4
6200092	99	P	SUR	51	-11	720	0	0.4	-0.2	0.4
6200093	99	P	SUR	55	-10	719	30	0.4	-0.3	0.5
6200094	99	P	SUR	52	-7	720	0	0.4	-0.2	0.4
6200095	99	P	SUR	53	-16	720	0	0.4	-0.3	0.5
6200103	99	P	SUR	50	-3	717	0	0.3	0.1	0.3
6200163	99	P	SUR	47	-8	718	0	0.4	-0.1	0.4
6200200	99	P	SUR	36	-8	665	0	0.4	0.7	0.8
6200442	99	P	SUR	49	-16	716	1	0.4	-0.3	0.5
6201065	99	P	SUR	54	7	613	0	0.3	1.2	1.2
6201066	99	P	SUR	55	7	711	0	0.3	0.3	0.4
6201081	99	P	SUR	38	-9	654	0	0.4	0.6	0.8
6202113	99	P	SUR	54	7	204	0	0.3	0.0	0.3
6202598	99	P	SUR	30	-49	720	6	2.2	0.6	2.2
62029	99	P	SUR	49	-12	1434	0	0.4	-0.2	0.4
62030	99	P	SUR	50	-4	1439	0	0.3	-0.1	0.3
6203615	99	P	SUR	34	-35	719	3	1.6	0.2	1.7
6203625	99	P	SUR	33	-40	720	31	3.4	-0.9	3.5
6203632	99	P	SUR	39	-38	720	1	1.4	0.5	1.5
6203634	99	P	SUR	40	-31	472	0	1.3	0.3	1.3
6203639	99	P	SUR	33	-38	720	0	0.5	0.0	0.5
6203662	99	P	SUR	75	-19	720	0	0.5	-0.6	0.8
6203666	99	P	SUR	58	-41	720	0	3.1	-0.4	3.1
6203668	99	P	SUR	80	14	719	0	0.5	-0.5	0.7
6203672	99	P	SUR	21	-42	720	0	0.3	0.3	0.4
6203674	99	P	SUR	55	-30	720	0	0.4	0.2	0.4
6203675	99	P	SUR	53	-34	720	0	0.5	0.2	0.5
6203676	99	P	SUR	56	-35	720	0	0.4	0.5	0.6
6203677	99	P	SUR	38	-20	720	0	0.3	0.0	0.3
6203679	99	P	SUR	27	-28	719	0	0.3	0.0	0.3
6203680	99	P	SUR	69	-3	162	40	4.6	1.0	4.7
6203682	99	P	SUR	23	-20	613	0	0.3	0.2	0.4
6203683	99	P	SUR	23	-23	605	0	0.3	0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203684	99	P	SUR	46	-22	718	0	0.4	0.1	0.4
6203686	99	P	SUR	23	-51	720	0	0.4	0.1	0.4
6203687	99	P	SUR	19	-53	720	0	0.2	0.0	0.2
6203689	99	P	SUR	76	11	718	0	1.0	0.0	1.0
6203772	99	P	SUR	42	-25	631	0	0.3	-0.1	0.3
6203773	99	P	SUR	30	-33	650	0	0.2	-0.6	0.6
6203829	99	P	SUR	73	20	702	0	0.4	-0.1	0.4
6203831	99	P	SUR	72	17	707	0	0.4	0.4	0.6
6203834	99	P	SUR	65	8	703	0	0.4	0.4	0.6
6203836	99	P	SUR	63	-18	707	0	0.5	0.1	0.5
6203846	99	P	SUR	34	-40	626	0	0.3	-0.1	0.3
6203849	99	P	SUR	41	-35	702	0	0.3	-0.1	0.3
6203854	99	P	SUR	74	11	703	0	0.4	0.3	0.5
6203894	99	P	SUR	20	-64	484	0	0.3	0.0	0.3
6204528	99	P	SUR	45	-46	81	0	0.5	0.1	0.5
6204529	99	P	SUR	44	-49	82	0	0.5	0.3	0.6
6204530	99	P	SUR	46	-45	59	0	0.4	0.7	0.8
6204531	99	P	SUR	42	-47	364	0	0.5	0.2	0.5
6204532	99	P	SUR	43	-49	364	0	0.5	0.4	0.6
6204533	99	P	SUR	43	-50	323	0	0.4	0.2	0.5
62050	99	P	SUR	50	-4	1433	0	0.4	0.0	0.4
62081	99	P	SUR	51	-13	1439	0	0.4	-0.2	0.5
62091	99	P	SUR	53	-5	82	0	0.3	-0.2	0.4
62092	99	P	SUR	51	-11	82	0	0.3	-0.3	0.5
62093	99	P	SUR	55	-10	81	30	0.4	-0.3	0.5
62094	99	P	SUR	52	-7	82	0	0.3	-0.4	0.5
62095	99	P	SUR	53	-16	82	0	0.4	-0.5	0.6
62102	99	P	SUR	58	2	1440	0	0.4	0.2	0.5
62103	99	P	SUR	50	-3	1434	0	0.3	0.1	0.3
62104	99	P	SUR	57	1	1440	0	0.4	-0.1	0.4
62105	99	P	SUR	55	-13	1439	0	0.6	-0.4	0.7
62107	99	P	SUR	50	-6	1439	0	0.4	-0.4	0.6
62112	99	P	SUR	58	0	1426	0	0.3	0.3	0.4
62113	99	P	SUR	58	0	1420	0	0.6	0.2	0.7
62114	99	P	SUR	58	0	1412	0	0.5	0.4	0.6
62115	99	P	SUR	58	-3	662	0	0.4	0.0	0.4
62116	99	P	SUR	58	1	1438	0	0.5	0.0	0.5
62118	99	P	SUR	58	1	1406	0	0.4	0.2	0.5
62119	99	P	SUR	57	2	1440	0	0.4	0.1	0.4
62120	99	P	SUR	56	2	1392	0	0.5	-0.2	0.6
62121	99	P	SUR	54	3	1440	0	0.5	0.5	0.7
62122	99	P	SUR	57	2	1252	0	0.4	0.1	0.4
62124	99	P	SUR	54	-4	1438	0	0.4	0.0	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62127	99	P	SUR	54	1	1428	0	0.4	0.1	0.4
62129	99	P	SUR	58	0	1440	0	0.5	0.3	0.6
62130	99	P	SUR	59	1	1436	0	0.4	-0.3	0.5
62131	99	P	SUR	54	1	1438	0	0.5	0.4	0.6
62132	99	P	SUR	56	2	1336	0	0.5	0.4	0.7
62133	99	P	SUR	57	1	1336	0	0.5	0.1	0.5
62134	99	P	SUR	58	1	1440	0	0.3	0.2	0.4
62138	99	P	SUR	54	0	1296	0	0.5	0.5	0.7
62140	99	P	SUR	57	1	1438	0	0.3	0.2	0.4
62143	99	P	SUR	58	2	1440	0	0.4	0.5	0.7
62144	99	P	SUR	53	2	980	0	0.4	0.1	0.4
62145	99	P	SUR	53	3	1438	0	0.4	0.1	0.4
62146	99	P	SUR	57	2	1440	0	0.4	0.2	0.5
62148	99	P	SUR	54	2	64	0	0.4	-0.1	0.4
62149	99	P	SUR	54	1	1378	0	0.4	0.3	0.5
62151	99	P	SUR	57	2	1439	0	0.4	0.4	0.6
62152	99	P	SUR	57	2	1439	0	0.4	0.5	0.6
62153	99	P	SUR	57	2	1440	0	0.5	0.4	0.6
62154	99	P	SUR	56	2	1440	0	0.3	0.1	0.3
62155	99	P	SUR	58	1	1440	0	0.4	0.5	0.6
62157	99	P	SUR	58	0	1438	0	0.3	-0.1	0.3
62160	99	P	SUR	57	2	1437	0	0.4	0.2	0.5
62161	99	P	SUR	58	1	1440	0	0.6	0.0	0.7
62162	99	P	SUR	57	1	1440	0	0.4	0.0	0.4
62163	99	P	SUR	48	-9	1437	0	0.4	-0.1	0.4
62164	99	P	SUR	57	1	1440	0	0.3	0.1	0.3
62165	99	P	SUR	54	1	1439	0	0.5	0.2	0.5
62168	99	P	SUR	58	1	1440	0	0.3	0.1	0.3
62170	99	P	SUR	51	2	1439	0	0.3	-0.4	0.5
62302	99	P	SUR	61	-2	1438	0	0.7	0.2	0.7
62304	99	P	SUR	51	2	1440	0	0.4	-0.2	0.4
62305	99	P	SUR	50	0	1440	0	0.3	-0.2	0.4
62442	99	P	SUR	49	-16	1439	2	0.4	-0.3	0.6
6301003	99	P	SUR	74	24	665	0	0.5	-0.3	0.6
6301004	99	P	SUR	72	20	253	0	0.4	-0.1	0.4
6301582	99	P	SUR	70	31	83	0	1.8	1.0	2.0
6301583	99	P	SUR	65	-32	720	0	1.1	0.4	1.2
6301584	99	P	SUR	79	-15	720	0	0.4	0.1	0.4
6301587	99	P	SUR	86	-54	720	0	0.6	0.3	0.7
6301634	99	P	SUR	81	-10	719	0	0.4	-0.1	0.4
6301635	99	P	SUR	84	38	720	0	0.6	0.2	0.6
6301636	99	P	SUR	82	-4	720	0	0.5	0.4	0.6
6301637	99	P	SUR	81	25	85	13	8.3	0.3	8.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6301638	99	P	SUR	87	19	718	0	0.5	0.5	0.7
6301641	99	P	SUR	88	-24	720	0	0.5	0.2	0.5
63055	99	P	SUR	61	2	1440	0	0.5	0.1	0.5
63056	99	P	SUR	60	2	1440	0	0.6	0.6	0.8
63057	99	P	SUR	59	2	1440	0	0.4	-0.3	0.5
63058	99	P	SUR	53	2	886	0	0.4	0.1	0.4
63059	99	P	SUR	58	-1	1438	0	0.3	0.5	0.6
63102	99	P	SUR	61	1	1432	0	0.4	0.0	0.4
63108	99	P	SUR	61	2	1440	0	0.7	0.1	0.7
63109	99	P	SUR	60	2	1440	0	0.3	-0.1	0.3
63110	99	P	SUR	60	2	1440	0	0.4	-0.2	0.5
63111	99	P	SUR	61	2	1440	0	0.4	-0.3	0.5
63112	99	P	SUR	61	1	1440	0	0.4	-0.2	0.5
63115	99	P	SUR	62	1	1432	0	0.5	0.3	0.6
63118	99	P	SUR	58	1	1288	0	0.4	-0.3	0.5
6400045	99	P	SUR	59	-12	719	0	0.6	0.0	0.6
6400046	99	P	SUR	61	-4	712	0	0.3	-0.1	0.3
6401599	99	P	SUR	86	-57	719	0	0.6	0.3	0.7
6401601	99	P	SUR	84	-26	719	0	0.5	0.3	0.6
6401602	99	P	SUR	84	-31	719	0	0.5	0.3	0.5
6402616	99	P	SUR	30	-55	649	0	0.3	0.2	0.3
6402617	99	P	SUR	33	-51	637	0	0.3	0.2	0.4
6402621	99	P	SUR	27	-49	678	0	0.3	0.5	0.5
6402629	99	P	SUR	38	5	703	0	0.5	-0.3	0.6
6402630	99	P	SUR	38	4	705	0	0.3	0.1	0.3
6402631	99	P	SUR	39	6	707	0	0.3	0.0	0.3
6402632	99	P	SUR	38	3	705	0	0.3	0.3	0.4
6402633	99	P	SUR	38	3	703	0	0.3	0.2	0.4
6402635	99	P	SUR	33	12	704	0	0.3	-0.5	0.6
6402637	99	P	SUR	37	7	3	0	0.0	-3.5	3.5
64041	99	P	SUR	61	-3	1438	0	0.4	0.2	0.4
64045	99	P	SUR	59	-12	1436	0	0.6	0.0	0.6
64046	99	P	SUR	61	-4	1439	0	0.3	-0.1	0.3
6600021	99	P	SUR	55	14	218	0	0.3	-1.0	1.1
6600022	99	P	SUR	54	14	211	0	0.3	-0.5	0.7
6600024	99	P	SUR	55	13	228	0	0.3	-1.4	1.4
6801771	99	P	SUR	45	-17	697	0	0.4	-0.2	0.4
6801791	99	P	SUR	34	-43	707	0	0.4	0.3	0.5
6801822	99	P	SUR	37	16	707	0	0.3	0.0	0.3
6801824	99	P	SUR	37	20	694	0	0.4	-0.4	0.6
6801879	99	P	SUR	23	-55	719	0	0.3	0.2	0.3
6801907	99	P	SUR	67	-1	677	0	0.4	0.1	0.5
6801929	99	P	SUR	21	-37	646	0	0.3	0.1	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6801993	99	P	SUR	82	16	407	0	0.5	-0.7	0.9
6802060	99	P	SUR	45	-44	295	0	0.6	0.3	0.7
7801572	99	P	SUR	21	-65	692	0	0.2	0.0	0.2
7801594	99	P	SUR	60	-9	707	0	0.8	0.6	1.0
7801616	99	P	SUR	19	-36	627	0	0.5	0.7	0.8
7801627	99	P	SUR	15	-48	708	0	0.5	1.2	1.3
7801633	99	P	SUR	37	18	706	0	0.3	-0.1	0.3
7801645	99	P	SUR	34	22	703	0	0.3	-0.1	0.3
7801647	99	P	SUR	26	-46	703	0	0.3	-0.2	0.4
7801697	99	P	SUR	30	-29	720	0	0.3	-0.2	0.4
7801699	99	P	SUR	34	-51	720	0	1.5	0.5	1.6
7801722	99	P	SUR	75	-14	694	0	0.5	-0.8	0.9
7801723	99	P	SUR	79	-13	715	0	0.4	0.0	0.4
7801742	99	P	SUR	23	-33	678	0	0.2	0.2	0.3
7801755	99	P	SUR	20	-32	665	0	0.3	-0.1	0.3
7810095	99	P	SUR	50	-43	704	0	0.5	0.1	0.5
7810096	99	P	SUR	50	-52	695	0	0.5	0.2	0.5
7810097	99	P	SUR	44	-50	705	0	0.5	0.1	0.5
7810098	99	P	SUR	44	-49	706	0	0.6	0.1	0.6
7810099	99	P	SUR	48	-30	704	0	0.4	-0.6	0.7
7810258	99	P	SUR	38	21	705	0	0.5	-0.1	0.5
7810259	99	P	SUR	39	17	706	0	0.4	-0.2	0.4
7810260	99	P	SUR	38	19	699	0	0.5	-0.3	0.6
7810262	99	P	SUR	38	19	704	0	0.4	-0.4	0.5
7810268	99	P	SUR	18	-26	706	0	0.3	0.2	0.3
7810290	99	P	SUR	34	-53	699	0	0.3	0.0	0.3
7810310	99	P	SUR	37	-28	698	0	0.4	-0.1	0.4
7810312	99	P	SUR	40	-38	698	0	0.3	0.0	0.3
7810323	99	P	SUR	31	-69	679	0	0.3	0.1	0.4
7810444	99	P	SUR	47	-48	192	0	0.6	0.5	0.8
7810445	99	P	SUR	52	-54	694	0	0.6	0.3	0.6
7810446	99	P	SUR	49	-51	29	0	0.2	0.6	0.6
7810608	99	P	SUR	41	-64	750	0	0.5	0.2	0.5
7810609	99	P	SUR	37	-69	745	0	0.5	0.1	0.5
7810611	99	P	SUR	38	-41	713	0	0.4	-0.2	0.4
7810612	99	P	SUR	36	-44	711	0	0.4	0.3	0.5
7810614	99	P	SUR	39	-57	708	0	0.4	0.1	0.5
7810615	99	P	SUR	38	-47	711	0	0.4	0.0	0.4
7810616	99	P	SUR	42	-55	700	0	0.6	0.3	0.6
7894568	99	P	SUR	46	-44	296	0	0.4	0.1	0.5
7894569	99	P	SUR	44	-42	301	0	0.6	0.3	0.7
7894570	99	P	SUR	44	-40	295	0	0.4	0.4	0.5
9187899	99	P	SUR	35	-12	18	0	1.5	-4.9	5.2

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
9193264	99	P	SUR	35	-13	6	0	0.6	-0.5	0.8
9997177	99	P	SUR	29	33	18	0	2.2	-3.0	3.7

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300008	99	SPEED	SUR	15	-38	594	0	0	0.8	0.1	0.8
1300130	99	SPEED	SUR	28	-16	693	0	0	1.2	-0.3	1.3
1300131	99	SPEED	SUR	28	-17	701	0	0	1.7	0.9	1.9
4000008	99	SPEED	SUR	27	-68	1283	0	0	1.7	-1.1	2.0
4100040	99	SPEED	SUR	15	-53	2341	0	0	0.8	-0.1	0.8
4100043	99	SPEED	SUR	21	-65	4318	0	0	1.0	0.0	1.0
4100044	99	SPEED	SUR	22	-59	4318	0	0	1.0	0.0	1.0
4100046	99	SPEED	SUR	24	-68	4311	0	0	1.3	0.7	1.5
4100049	99	SPEED	SUR	28	-62	4320	0	0	1.0	0.0	1.0
4100052	99	SPEED	SUR	18	-65	3553	0	0	0.9	0.2	0.9
4100053	99	SPEED	SUR	18	-66	3587	0	0	1.5	0.3	1.5
4100056	99	SPEED	SUR	18	-65	9	0	0	1.3	-0.5	1.4
4100300	99	SPEED	SUR	16	-57	719	0	0	0.8	-0.2	0.8
41040	99	SPEED	SUR	15	-53	390	0	0	0.9	-0.6	1.1
41043	99	SPEED	SUR	21	-65	786	0	0	1.0	-0.4	1.1
41044	99	SPEED	SUR	22	-59	787	0	0	1.1	-0.4	1.2
41046	99	SPEED	SUR	24	-68	786	0	0	1.3	0.3	1.4
41049	99	SPEED	SUR	28	-62	787	0	0	1.1	-0.3	1.2
41052	99	SPEED	SUR	18	-65	538	0	0	0.9	-0.2	0.9
41053	99	SPEED	SUR	19	-66	501	0	0	1.6	-0.9	1.9
41056	99	SPEED	SUR	18	-66	16	0	0	1.0	-1.1	1.5
4200060	99	SPEED	SUR	16	-63	4318	0	0	1.0	0.1	1.0
4200085	99	SPEED	SUR	18	-67	3518	0	0	1.3	0.0	1.3
42060	99	SPEED	SUR	16	-63	719	0	0	1.1	-0.3	1.1
42085	99	SPEED	SUR	18	-67	465	0	0	1.4	0.2	1.5
4400008	99	SPEED	SUR	40	-69	4297	0	0	1.4	-0.1	1.4
4400011	99	SPEED	SUR	41	-67	4319	0	0	1.4	-0.3	1.4
4400027	99	SPEED	SUR	44	-67	4319	0	0	1.3	0.0	1.3
4400032	99	SPEED	SUR	44	-69	2750	0	0	1.3	0.7	1.5
4400033	99	SPEED	SUR	44	-69	3875	0	0	1.5	0.3	1.5
4400034	99	SPEED	SUR	44	-68	3757	0	0	1.3	0.3	1.4
4400137	99	SPEED	SUR	42	-62	719	0	0	1.6	-0.3	1.7
4400139	99	SPEED	SUR	44	-57	712	0	0	1.9	-0.8	2.1
4400150	99	SPEED	SUR	43	-64	713	0	0	1.3	-0.2	1.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400258	99	SPEED	SUR	45	-63	718	0	0	1.5	0.3	1.5
4400488	99	SPEED	SUR	45	-61	720	0	0	1.6	1.2	2.0
4400489	99	SPEED	SUR	45	-61	718	0	0	1.7	2.1	2.7
44008	99	SPEED	SUR	41	-69	718	0	0	1.5	-0.8	1.7
44011	99	SPEED	SUR	41	-67	720	0	0	1.5	-1.0	1.8
44027	99	SPEED	SUR	44	-67	720	0	0	1.4	-0.5	1.5
44032	99	SPEED	SUR	44	-69	528	0	0	1.4	0.1	1.4
44033	99	SPEED	SUR	44	-69	429	0	0	1.6	-0.1	1.6
44034	99	SPEED	SUR	44	-68	402	0	0	1.6	-0.4	1.7
44078	99	SPEED	SUR	60	-40	703	0	0	2.3	-2.4	3.3
44137	99	SPEED	SUR	42	-62	719	0	0	1.7	-0.8	1.9
44139	99	SPEED	SUR	44	-57	712	0	0	2.1	-1.5	2.5
44150	99	SPEED	SUR	43	-64	713	0	0	1.5	-0.8	1.7
44258	99	SPEED	SUR	45	-63	718	0	0	1.5	-0.2	1.6
44488	99	SPEED	SUR	45	-61	720	0	0	1.7	1.4	2.2
44489	99	SPEED	SUR	46	-61	718	0	0	1.7	1.9	2.6
6100001	99	SPEED	SUR	43	8	977	0	0	2.4	1.3	2.7
6100002	99	SPEED	SUR	42	5	717	0	0	1.4	0.9	1.6
6100196	99	SPEED	SUR	42	4	36	0	0	0.7	-0.3	0.7
6100197	99	SPEED	SUR	40	4	619	0	0	1.7	-0.7	1.8
6100198	99	SPEED	SUR	37	-2	697	0	0	1.7	-0.2	1.7
6100280	99	SPEED	SUR	41	1	707	0	0	1.3	-0.7	1.5
6100281	99	SPEED	SUR	40	0	653	0	0	1.9	0.9	2.1
6100417	99	SPEED	SUR	38	0	714	0	0	1.3	-0.3	1.4
6100430	99	SPEED	SUR	40	2	713	0	0	1.3	-0.3	1.4
6101031	99	SPEED	SUR	42	8	719	0	0	1.4	0.9	1.7
6101032	99	SPEED	SUR	42	10	670	0	0	1.6	0.3	1.6
6101033	99	SPEED	SUR	43	8	1085	0	0	1.9	0.7	2.0
6101034	99	SPEED	SUR	42	6	719	0	0	1.6	1.1	1.9
6101035	99	SPEED	SUR	41	7	718	0	0	1.4	1.1	1.8
6101036	99	SPEED	SUR	42	7	1088	0	0	1.3	0.3	1.4
6200001	99	SPEED	SUR	45	-5	720	0	0	1.7	0.2	1.7
6200024	99	SPEED	SUR	44	-3	715	0	0	1.7	-0.2	1.8
6200025	99	SPEED	SUR	44	-6	713	0	0	2.1	-0.5	2.1
6200029	99	SPEED	SUR	49	-12	717	0	0	1.3	0.5	1.4
6200050	99	SPEED	SUR	50	-4	718	0	0	1.2	-0.2	1.2
6200081	99	SPEED	SUR	51	-13	715	0	0	1.4	-0.3	1.5
6200082	99	SPEED	SUR	44	-8	716	0	0	1.6	-1.0	1.9
6200083	99	SPEED	SUR	43	-9	716	0	0	1.6	-1.0	1.8
6200084	99	SPEED	SUR	42	-9	717	0	0	1.6	-0.7	1.7
6200085	99	SPEED	SUR	36	-7	718	0	0	1.3	-0.5	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200086	99	SPEED	SUR	55	7	126	0	0	2.0	1.7	2.6
6200087	99	SPEED	SUR	55	7	160	0	0	1.5	1.0	1.8
6200091	99	SPEED	SUR	53	-5	82	0	0	1.0	0.9	1.3
6200092	99	SPEED	SUR	51	-11	720	0	0	1.4	-0.8	1.6
6200093	99	SPEED	SUR	55	-10	719	6	0	1.2	0.1	1.2
6200094	99	SPEED	SUR	52	-7	720	0	0	1.2	0.2	1.2
6200095	99	SPEED	SUR	53	-16	720	0	0	1.4	-0.6	1.5
6200103	99	SPEED	SUR	50	-3	717	0	0	1.2	-0.2	1.2
6200163	99	SPEED	SUR	47	-8	718	0	0	1.4	-0.2	1.5
6200442	99	SPEED	SUR	49	-16	716	0	0	1.3	0.2	1.3
6201065	99	SPEED	SUR	54	7	613	0	0	1.5	-0.6	1.6
6201066	99	SPEED	SUR	55	7	709	0	0	1.7	0.2	1.7
6202113	99	SPEED	SUR	54	7	204	0	0	1.3	0.8	1.5
62029	99	SPEED	SUR	49	-12	1434	0	0	1.4	-0.1	1.4
62050	99	SPEED	SUR	50	-4	1433	0	0	1.2	-0.3	1.3
62081	99	SPEED	SUR	51	-13	1439	0	0	1.4	-0.3	1.5
62091	99	SPEED	SUR	53	-5	82	0	0	1.0	1.3	1.7
62092	99	SPEED	SUR	51	-11	82	0	0	1.7	-0.9	1.9
62093	99	SPEED	SUR	55	-10	81	6	0	1.4	-0.1	1.4
62094	99	SPEED	SUR	52	-7	82	0	0	1.3	0.1	1.3
62095	99	SPEED	SUR	53	-16	82	0	0	1.8	-0.7	1.9
62102	99	SPEED	SUR	58	2	1440	0	0	1.4	-0.4	1.5
62103	99	SPEED	SUR	50	-3	1434	0	0	1.2	-0.4	1.3
62104	99	SPEED	SUR	57	1	1440	0	0	1.4	-0.6	1.5
62105	99	SPEED	SUR	55	-13	1439	0	0	1.2	0.0	1.2
62107	99	SPEED	SUR	50	-6	1385	0	0	1.3	0.2	1.3
62112	99	SPEED	SUR	58	0	1426	0	0	1.4	-0.4	1.5
62113	99	SPEED	SUR	58	0	1420	0	0	1.8	0.1	1.8
62114	99	SPEED	SUR	58	0	1020	0	0	1.6	0.4	1.7
62118	99	SPEED	SUR	58	1	1406	0	0	1.5	0.4	1.6
62120	99	SPEED	SUR	56	2	1392	0	0	1.5	-1.2	1.9
62122	99	SPEED	SUR	57	2	1252	0	0	1.9	-0.8	2.1
62129	99	SPEED	SUR	58	0	1440	0	0	1.7	0.0	1.7
62133	99	SPEED	SUR	57	1	398	0	0	1.7	-0.7	1.9
62134	99	SPEED	SUR	58	1	1440	0	0	1.4	-1.7	2.2
62143	99	SPEED	SUR	58	2	1440	0	0	2.1	-1.0	2.3
62144	99	SPEED	SUR	53	2	1440	0	0	1.8	-0.7	2.0
62145	99	SPEED	SUR	53	3	1434	0	0	1.6	0.5	1.7
62148	99	SPEED	SUR	54	2	62	0	0	1.3	0.2	1.3
62149	99	SPEED	SUR	54	1	1378	0	0	1.4	0.0	1.4
62152	99	SPEED	SUR	57	2	1439	0	0	1.5	0.2	1.5

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62154	99	SPEED	SUR	56	2	1434	0	0	1.5	0.0	1.5
62155	99	SPEED	SUR	58	1	1438	0	0	1.5	-0.2	1.5
62163	99	SPEED	SUR	48	-9	1437	0	0	1.4	-0.2	1.4
62164	99	SPEED	SUR	57	1	1440	0	0	1.6	-1.4	2.1
62165	99	SPEED	SUR	54	1	1439	0	0	1.5	-0.7	1.7
62170	99	SPEED	SUR	51	2	1439	0	0	1.5	0.9	1.7
62304	99	SPEED	SUR	51	2	1438	0	0	1.6	0.9	1.8
62305	99	SPEED	SUR	50	0	1440	0	0	1.3	0.8	1.5
62442	99	SPEED	SUR	49	-16	1439	0	0	1.3	0.2	1.3
6301003	99	SPEED	SUR	74	24	113	0	0	1.3	-0.3	1.3
6301004	99	SPEED	SUR	72	20	253	0	0	1.6	-0.2	1.6
63055	99	SPEED	SUR	61	2	1440	0	0	1.7	-1.5	2.2
63056	99	SPEED	SUR	60	2	1440	0	0	1.6	0.2	1.6
63057	99	SPEED	SUR	59	2	1176	0	0	1.8	-0.1	1.8
63058	99	SPEED	SUR	53	2	886	0	0	1.2	-0.5	1.3
63108	99	SPEED	SUR	61	2	1440	0	0	1.9	-0.3	1.9
63109	99	SPEED	SUR	60	2	1440	0	0	1.6	0.1	1.6
63110	99	SPEED	SUR	60	2	1440	0	0	1.6	-0.5	1.7
63112	99	SPEED	SUR	61	1	1440	0	0	1.5	-0.4	1.5
63115	99	SPEED	SUR	62	1	1432	0	0	1.5	-0.8	1.7
6400046	99	SPEED	SUR	61	-4	712	0	0	1.2	0.5	1.3
64041	99	SPEED	SUR	61	-3	1438	0	0	1.3	-0.6	1.4
64046	99	SPEED	SUR	61	-4	1439	0	0	1.2	0.4	1.3
6600021	99	SPEED	SUR	55	14	218	0	0	1.0	0.5	1.1
6600022	99	SPEED	SUR	54	14	211	0	0	1.5	-0.1	1.5
6600024	99	SPEED	SUR	55	13	225	0	0	1.1	1.0	1.5
9187899	99	SPEED	SUR	35	-12	18	0	0	1.8	1.3	2.3
9193264	99	SPEED	SUR	35	-13	6	0	0	2.2	2.0	3.0
9997177	99	SPEED	SUR	29	33	18	0	0	3.4	0.5	3.5

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2025
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300008	99	DIRN	SUR	15	-38	594	0	0	8.9	1.3	9.0
1300130	99	DIRN	SUR	28	-16	518	0	0	11.7	-3.0	12.1
1300131	99	DIRN	SUR	28	-17	438	0	0	13.8	102.3	103.2
4000008	99	DIRN	SUR	27	-68	969	0	0	22.9	4.9	23.4
4100002	99	DIRN	SUR	32	-75	3754	0	0	17.0	11.5	20.5
4100004	99	DIRN	SUR	33	-79	3804	0	0	20.7	9.6	22.9
4100008	99	DIRN	SUR	31	-81	3044	0	0	16.3	8.8	18.5
4100009	99	DIRN	SUR	29	-80	2720	0	0	17.3	4.4	17.8
4100013	99	DIRN	SUR	33	-78	4006	0	0	19.5	10.7	22.2
4100024	99	DIRN	SUR	34	-78	290	0	0	15.9	7.9	17.8
4100025	99	DIRN	SUR	35	-75	3919	0	0	15.1	5.2	16.0
4100029	99	DIRN	SUR	33	-80	309	0	0	12.1	6.2	13.6
4100033	99	DIRN	SUR	32	-80	264	0	0	14.8	5.4	15.8
4100037	99	DIRN	SUR	34	-77	583	0	0	19.2	5.3	19.9
4100038	99	DIRN	SUR	34	-78	383	0	0	18.8	5.0	19.4
4100040	99	DIRN	SUR	15	-53	2333	0	0	9.2	3.6	9.9
4100043	99	DIRN	SUR	21	-65	3819	0	0	13.8	7.7	15.8
4100044	99	DIRN	SUR	22	-59	3578	0	0	14.1	7.4	16.0
4100046	99	DIRN	SUR	24	-68	3915	0	0	14.6	3.2	14.9
4100049	99	DIRN	SUR	28	-62	3148	0	0	17.3	8.1	19.1
4100052	99	DIRN	SUR	18	-65	3293	0	0	10.8	3.0	11.2
4100053	99	DIRN	SUR	18	-66	2485	0	0	18.3	-6.7	19.5
4100056	99	DIRN	SUR	18	-65	8	0	0	15.7	4.1	16.2
4100064	99	DIRN	SUR	34	-77	615	0	0	21.4	-11.4	24.2
4100066	99	DIRN	SUR	33	-80	560	0	0	18.3	7.9	19.9
4100068	99	DIRN	SUR	28	-80	419	0	0	19.6	-4.4	20.1
4100069	99	DIRN	SUR	29	-81	438	0	0	21.0	8.5	22.7
4100082	99	DIRN	SUR	36	-75	818	0	0	37.6	3.0	37.7
4100083	99	DIRN	SUR	36	-75	3619	0	0	17.6	-14.4	22.8
41002	99	DIRN	SUR	32	-75	685	0	0	16.5	12.0	20.4
4100300	99	DIRN	SUR	16	-57	697	0	0	11.9	4.5	12.7
41004	99	DIRN	SUR	33	-79	697	0	0	20.7	9.6	22.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
41008	99	DIRN	SUR	31	-81	512	0	0	17.2	8.4	19.1
41009	99	DIRN	SUR	29	-80	508	0	0	19.0	4.5	19.5
41013	99	DIRN	SUR	33	-78	727	0	0	21.7	12.4	25.0
41024	99	DIRN	SUR	34	-79	252	0	0	17.2	7.0	18.6
41025	99	DIRN	SUR	35	-75	697	0	0	15.8	5.6	16.8
41029	99	DIRN	SUR	33	-80	249	0	0	13.7	6.7	15.2
41033	99	DIRN	SUR	32	-80	233	0	0	15.2	5.6	16.2
41037	99	DIRN	SUR	34	-77	586	0	0	19.5	4.6	20.0
41038	99	DIRN	SUR	34	-78	334	0	0	22.3	6.1	23.1
41040	99	DIRN	SUR	15	-53	387	0	0	10.1	3.2	10.5
41043	99	DIRN	SUR	21	-65	694	0	0	15.0	8.3	17.2
41044	99	DIRN	SUR	22	-59	648	0	0	13.8	7.6	15.7
41046	99	DIRN	SUR	24	-68	714	0	0	14.1	2.9	14.4
41049	99	DIRN	SUR	28	-62	567	0	0	15.9	7.1	17.4
41052	99	DIRN	SUR	18	-65	504	0	0	12.0	4.0	12.6
41053	99	DIRN	SUR	19	-66	346	0	0	19.3	-8.0	20.9
41056	99	DIRN	SUR	18	-66	15	0	0	11.0	1.8	11.2
41064	99	DIRN	SUR	34	-77	624	0	0	25.1	-10.6	27.2
41066	99	DIRN	SUR	33	-80	555	0	0	17.9	6.9	19.2
41068	99	DIRN	SUR	28	-80	421	0	0	20.6	-4.2	21.0
41069	99	DIRN	SUR	29	-81	426	0	0	23.0	8.9	24.6
41082	99	DIRN	SUR	36	-75	136	0	0	34.2	2.5	34.3
41083	99	DIRN	SUR	36	-75	644	0	0	17.6	-14.4	22.7
4200013	99	DIRN	SUR	27	-83	635	0	0	20.4	0.1	20.5
4200022	99	DIRN	SUR	28	-84	7	0	0	25.0	-13.5	28.4
4200023	99	DIRN	SUR	26	-83	899	0	0	17.0	-4.8	17.7
4200026	99	DIRN	SUR	25	-83	1088	0	0	15.5	-8.1	17.5
4200036	99	DIRN	SUR	29	-85	2922	0	0	13.2	8.2	15.5
4200056	99	DIRN	SUR	20	-85	3920	0	0	14.1	4.5	14.8
4200057	99	DIRN	SUR	17	-82	3939	0	0	13.4	4.8	14.3
4200058	99	DIRN	SUR	15	-75	4313	0	0	7.7	6.5	10.0
4200060	99	DIRN	SUR	16	-63	4039	0	0	10.0	4.8	11.1
4200085	99	DIRN	SUR	18	-67	3085	0	0	15.9	7.1	17.4
42013	99	DIRN	SUR	27	-83	327	0	0	24.2	-0.7	24.2
42022	99	DIRN	SUR	28	-84	60	0	0	17.3	-8.2	19.2
42023	99	DIRN	SUR	26	-83	202	0	0	15.3	-3.5	15.7
42026	99	DIRN	SUR	25	-84	547	0	0	17.8	-7.2	19.2
42036	99	DIRN	SUR	29	-85	474	0	0	13.6	8.4	16.0
42056	99	DIRN	SUR	20	-85	637	0	0	14.2	4.4	14.9
42057	99	DIRN	SUR	17	-82	654	0	0	13.4	3.9	14.0
42058	99	DIRN	SUR	15	-75	720	0	0	8.1	6.0	10.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42060	99	DIRN	SUR	16	-63	669	0	0	10.2	3.8	10.9
42085	99	DIRN	SUR	18	-67	392	0	0	14.4	4.1	15.0
4400007	99	DIRN	SUR	44	-70	3687	0	0	17.5	2.3	17.6
4400008	99	DIRN	SUR	40	-69	3865	0	0	14.4	2.5	14.6
4400009	99	DIRN	SUR	38	-75	3750	0	0	14.1	3.8	14.6
4400011	99	DIRN	SUR	41	-67	4049	0	0	12.5	8.4	15.1
4400013	99	DIRN	SUR	42	-71	3944	0	0	15.0	4.3	15.6
4400014	99	DIRN	SUR	37	-75	3887	0	0	16.7	3.5	17.1
4400020	99	DIRN	SUR	41	-70	3764	0	0	13.0	4.2	13.7
4400025	99	DIRN	SUR	40	-73	3842	0	0	11.7	3.3	12.2
4400027	99	DIRN	SUR	44	-67	3948	0	0	15.0	5.6	16.0
4400029	99	DIRN	SUR	43	-71	3524	0	0	14.3	2.3	14.5
4400030	99	DIRN	SUR	43	-70	3443	0	0	17.6	1.7	17.7
4400032	99	DIRN	SUR	44	-69	2505	0	0	14.1	1.2	14.2
4400033	99	DIRN	SUR	44	-69	3282	0	0	17.6	0.5	17.6
4400034	99	DIRN	SUR	44	-68	3420	0	0	14.3	3.2	14.6
4400042	99	DIRN	SUR	38	-76	3924	0	0	19.0	-3.6	19.3
4400058	99	DIRN	SUR	38	-76	4193	0	0	20.7	1.2	20.8
4400062	99	DIRN	SUR	39	-76	4067	0	0	18.1	2.8	18.3
4400063	99	DIRN	SUR	39	-76	3464	0	0	18.1	2.4	18.3
4400065	99	DIRN	SUR	40	-74	3756	0	0	14.0	4.0	14.6
4400072	99	DIRN	SUR	37	-76	4133	0	0	20.9	2.8	21.1
4400073	99	DIRN	SUR	43	-71	1715	0	0	17.2	-10.7	20.3
4400079	99	DIRN	SUR	36	-75	3723	0	0	16.1	-14.7	21.8
4400080	99	DIRN	SUR	39	-77	1228	0	0	15.4	-1.3	15.5
4400137	99	DIRN	SUR	42	-62	650	0	0	20.4	-2.7	20.6
4400139	99	DIRN	SUR	44	-57	621	0	0	20.4	0.7	20.5
4400150	99	DIRN	SUR	43	-64	692	0	0	12.6	-7.0	14.5
4400258	99	DIRN	SUR	45	-63	642	0	0	14.0	-2.3	14.2
4400488	99	DIRN	SUR	45	-61	631	0	0	16.4	9.0	18.7
4400489	99	DIRN	SUR	45	-61	581	0	0	18.1	-2.0	18.2
44007	99	DIRN	SUR	44	-70	627	0	0	17.5	2.8	17.8
44008	99	DIRN	SUR	41	-69	641	0	0	13.9	2.4	14.1
44009	99	DIRN	SUR	39	-75	619	0	0	14.2	3.0	14.5
44011	99	DIRN	SUR	41	-67	670	0	0	13.0	8.2	15.4
44013	99	DIRN	SUR	42	-71	640	0	0	15.3	2.5	15.5
44014	99	DIRN	SUR	37	-75	645	0	0	15.3	3.6	15.7
44020	99	DIRN	SUR	42	-70	624	0	0	13.0	4.2	13.7
44025	99	DIRN	SUR	40	-73	638	0	0	12.4	3.0	12.7
44027	99	DIRN	SUR	44	-67	657	0	0	15.7	4.7	16.4
44029	99	DIRN	SUR	43	-71	286	0	0	15.3	3.0	15.6

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44030	99	DIRN	SUR	43	-70	303	0	0	17.7	3.7	18.1
44032	99	DIRN	SUR	44	-69	481	0	0	14.8	0.7	14.8
44033	99	DIRN	SUR	44	-69	360	0	0	19.4	1.2	19.5
44034	99	DIRN	SUR	44	-68	365	0	0	14.7	4.0	15.2
44042	99	DIRN	SUR	38	-76	522	0	0	19.5	-4.9	20.1
44058	99	DIRN	SUR	38	-76	537	0	0	21.2	1.7	21.2
44062	99	DIRN	SUR	39	-76	560	0	0	20.5	3.2	20.8
44063	99	DIRN	SUR	39	-76	458	0	0	18.7	2.1	18.8
44065	99	DIRN	SUR	40	-74	624	0	0	14.1	4.2	14.8
44072	99	DIRN	SUR	37	-76	556	0	0	21.0	2.1	21.1
44073	99	DIRN	SUR	43	-71	297	0	0	13.4	-9.9	16.7
44078	99	DIRN	SUR	60	-40	623	0	0	12.3	-15.9	20.1
44079	99	DIRN	SUR	36	-75	616	0	0	16.5	-14.0	21.6
44080	99	DIRN	SUR	39	-77	310	0	0	18.9	0.5	18.9
44137	99	DIRN	SUR	42	-62	647	0	0	21.3	-3.0	21.5
44139	99	DIRN	SUR	44	-57	613	0	0	20.7	0.2	20.8
44150	99	DIRN	SUR	43	-64	689	0	0	13.0	-7.6	15.1
44258	99	DIRN	SUR	45	-63	648	0	0	18.2	-2.5	18.3
44488	99	DIRN	SUR	45	-61	623	0	0	16.6	8.6	18.7
44489	99	DIRN	SUR	46	-61	587	0	0	18.2	-2.1	18.3
4500003	99	DIRN	SUR	45	-83	2337	0	0	15.3	2.0	15.4
4500005	99	DIRN	SUR	42	-82	2294	0	0	14.1	5.2	15.0
4500008	99	DIRN	SUR	44	-82	2393	0	0	14.7	5.5	15.7
4500012	99	DIRN	SUR	44	-77	1272	0	0	12.5	8.3	15.0
4500132	99	DIRN	SUR	42	-81	467	0	0	16.6	-8.3	18.6
4500135	99	DIRN	SUR	44	-77	221	0	0	14.5	-1.2	14.6
4500137	99	DIRN	SUR	46	-81	475	0	0	14.9	-0.7	14.9
4500139	99	DIRN	SUR	43	-80	544	0	0	15.0	-1.2	15.0
4500142	99	DIRN	SUR	43	-79	612	0	0	14.1	1.0	14.1
4500143	99	DIRN	SUR	45	-81	533	0	0	18.9	-3.4	19.2
4500159	99	DIRN	SUR	44	-79	144	0	0	21.2	-5.0	21.8
4500165	99	DIRN	SUR	45	-83	585	0	0	59.1	69.2	91.1
4500176	99	DIRN	SUR	42	-82	2192	0	0	18.5	-21.9	28.7
4500197	99	DIRN	SUR	42	-82	1287	0	0	24.9	6.1	25.6
4500203	99	DIRN	SUR	41	-83	2198	0	0	26.1	14.1	29.6
4500204	99	DIRN	SUR	42	-82	320	0	0	15.9	7.2	17.5
4500205	99	DIRN	SUR	42	-82	1882	0	0	30.6	110.9	115.0
4500206	99	DIRN	SUR	42	-82	1832	0	0	54.2	-30.8	62.3
4500207	99	DIRN	SUR	42	-81	1031	0	0	20.0	-26.8	33.4
4500208	99	DIRN	SUR	42	-81	1076	0	0	17.2	-21.9	27.8
4500209	99	DIRN	SUR	43	-82	1761	0	0	16.4	-16.2	23.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45003	99	DIRN	SUR	45	-83	388	0	0	12.9	1.6	13.0
45005	99	DIRN	SUR	42	-82	378	0	0	14.7	5.5	15.7
45008	99	DIRN	SUR	44	-82	396	0	0	15.2	5.1	16.0
45012	99	DIRN	SUR	44	-77	212	0	0	15.2	8.3	17.3
45132	99	DIRN	SUR	43	-81	473	0	0	17.5	-9.7	20.0
45135	99	DIRN	SUR	44	-77	217	0	0	14.7	-2.2	14.9
45137	99	DIRN	SUR	46	-81	466	0	0	14.7	-1.8	14.8
45139	99	DIRN	SUR	43	-80	561	0	0	16.6	-0.4	16.6
45142	99	DIRN	SUR	43	-79	608	0	0	15.1	0.9	15.1
45143	99	DIRN	SUR	45	-81	533	0	0	19.4	-5.5	20.1
45147	99	DIRN	SUR	42	-83	588	0	0	15.5	-3.5	15.9
45149	99	DIRN	SUR	44	-82	412	0	0	13.7	-4.3	14.3
45151	99	DIRN	SUR	45	-79	386	0	0	14.3	-4.2	14.9
45152	99	DIRN	SUR	46	-80	335	0	0	29.5	12.2	31.9
45154	99	DIRN	SUR	46	-83	241	0	0	17.3	1.1	17.3
45159	99	DIRN	SUR	44	-79	139	0	0	15.9	-4.4	16.5
45165	99	DIRN	SUR	45	-83	92	0	0	59.5	62.9	86.6
45176	99	DIRN	SUR	42	-82	391	0	0	18.0	-19.9	26.8
45197	99	DIRN	SUR	42	-82	291	0	0	25.2	5.8	25.9
45203	99	DIRN	SUR	41	-83	459	0	0	26.5	17.5	31.7
45204	99	DIRN	SUR	42	-82	243	0	0	16.8	6.7	18.1
45205	99	DIRN	SUR	42	-82	322	0	0	32.3	110.0	114.6
45206	99	DIRN	SUR	42	-82	342	0	0	53.8	-28.2	60.7
45207	99	DIRN	SUR	42	-81	194	0	0	19.1	-25.6	31.9
45208	99	DIRN	SUR	42	-81	203	0	0	16.7	-21.0	26.8
45209	99	DIRN	SUR	43	-82	294	0	0	16.6	-16.4	23.4
6001000	99	DIRN	SUR	37	-76	1283	0	0	17.2	-7.8	18.9
6100198	99	DIRN	SUR	37	-2	479	0	0	23.3	5.8	24.0
6100281	99	DIRN	SUR	40	0	364	0	0	28.2	3.2	28.4
6100417	99	DIRN	SUR	38	0	509	0	0	19.2	-5.8	20.1
6200001	99	DIRN	SUR	45	-5	652	0	0	18.4	3.5	18.8
6200024	99	DIRN	SUR	44	-3	588	0	0	20.2	6.8	21.3
6200025	99	DIRN	SUR	44	-6	493	0	0	29.4	-7.3	30.3
6200029	99	DIRN	SUR	49	-12	679	0	0	13.3	-4.4	14.0
6200050	99	DIRN	SUR	50	-4	690	0	0	11.6	6.5	13.3
6200081	99	DIRN	SUR	51	-13	663	0	0	14.8	-1.5	14.8
6200082	99	DIRN	SUR	44	-8	639	0	0	18.9	-5.2	19.6
6200083	99	DIRN	SUR	43	-9	657	0	0	18.1	1.7	18.2
6200084	99	DIRN	SUR	42	-9	612	0	0	17.9	12.5	21.8
6200085	99	DIRN	SUR	36	-7	570	0	0	17.7	4.2	18.2
6200091	99	DIRN	SUR	53	-5	82	0	0	10.3	3.1	10.7

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200092	99	DIRN	SUR	51	-11	645	0	0	12.5	2.1	12.6
6200093	99	DIRN	SUR	55	-10	662	6	0	31.1	2.2	31.2
6200094	99	DIRN	SUR	52	-7	698	0	0	11.9	3.6	12.4
6200095	99	DIRN	SUR	53	-16	676	0	0	10.5	6.5	12.4
6200103	99	DIRN	SUR	50	-3	696	0	0	13.8	14.6	20.1
6200163	99	DIRN	SUR	47	-8	692	0	0	18.8	4.5	19.3
6200442	99	DIRN	SUR	49	-16	667	0	0	13.0	-0.6	13.0
62029	99	DIRN	SUR	49	-12	1365	0	0	13.5	-4.7	14.2
62050	99	DIRN	SUR	50	-4	1374	0	0	12.1	6.4	13.7
62081	99	DIRN	SUR	51	-13	1337	0	0	16.4	-1.4	16.4
62091	99	DIRN	SUR	53	-5	82	0	0	10.4	2.1	10.6
62092	99	DIRN	SUR	51	-11	82	0	0	12.0	1.3	12.1
62093	99	DIRN	SUR	55	-10	81	6	0	75.7	-6.3	76.0
62094	99	DIRN	SUR	52	-7	79	0	0	11.8	-2.3	12.0
62095	99	DIRN	SUR	53	-16	81	0	0	9.0	4.0	9.8
62103	99	DIRN	SUR	50	-3	1390	0	0	14.0	14.6	20.2
62105	99	DIRN	SUR	55	-13	1377	0	0	14.7	-12.8	19.5
62107	99	DIRN	SUR	50	-6	1356	0	0	12.2	4.5	13.0
62112	99	DIRN	SUR	58	0	1361	0	0	12.6	1.4	12.7
62114	99	DIRN	SUR	58	0	978	0	0	22.3	2.2	22.4
62163	99	DIRN	SUR	48	-9	1383	0	0	19.1	4.6	19.6
62305	99	DIRN	SUR	50	0	1403	0	0	16.5	6.0	17.5
62442	99	DIRN	SUR	49	-16	1348	0	0	14.4	-0.6	14.4
6400046	99	DIRN	SUR	61	-4	646	0	0	12.1	0.5	12.1
64041	99	DIRN	SUR	61	-3	1326	0	0	11.8	9.9	15.4
64046	99	DIRN	SUR	61	-4	1309	0	0	12.6	1.0	12.6
9187899	99	DIRN	SUR	35	-12	17	0	0	17.8	10.6	20.7
9193264	99	DIRN	SUR	35	-13	6	0	0	15.0	6.2	16.2

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	JNSR	JPBN	KJJF9XN	KMPLHPW	LAGZ8
LRYQE3U	USBOD	USSIO	USYUB	WDK38HS	XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J
7JUNA4N	9ZT9MRK	01001	01004	01010	01028	01241	01400	01415
01492	02185	02591	02836	02963	03005	03238	03354	03502
03693	03743	03808	03882	03918	03953	04018	04220	04270
04320	04339	04360	06011	06260	06458	06610	07110	07145
07510	07645	07761	08001	08023	08190	08221	08302	08383
08430	08508	08522	08536	10035	10113	10184	10238	10304
10393	10410	10548	10618	10739	10771	10868	10954	10962
11010	11035	11120	11240	11520	11747	11952	12120	12374
12425	12575	12843	12982	13275	13388	14015	14240	15420
15614	16045	16064	16113	16144	16245	16332	16429	16546
16622	16716	16754	17030	17064	17095	17196	17220	17240
17351	17516	17607	20046	20292	20674	21824	22008	22217
22522	22820	22845	23078	23205	23330	23472	23884	23921
23955	24266	24641	24688	24908	24947	26038	26075	26435
26477	26629	26708	27459	27707	27713	27962	28225	28445
28661	28695	29572	29612	29698	30673	30935	31004	31770
31873	31977	32540	34122	34172	34731	35121	37055	40179
40186	42027	42079	42101	42111	42123	42339	42348	42361
42410	42623	42647	42675	42867	42874	43063	43128	43150
43185	43243	43295	43346	43353	43466	45004	47102	47104
47138	47155	47169	47186	47230	47269	47401	47412	47418
47582	47646	47678	47741	47778	47807	47827	47909	47918
47945	47971	47991	48601	48615	48650	48657	48698	50527
50557	50774	50953	51076	51243	51431	51463	51644	51656
51709	51777	51828	51839	52203	52267	52323	52418	52533
52652	52681	52818	52836	52866	52983	53068	53463	53513
53543	53614	53772	53845	53915	54102	54135	54161	54218
54292	54340	54374	54511	54662	54727	54857	55299	55591
56029	56046	56080	56137	56146	56187	56492	56571	56651
56691	56739	56778	56964	56985	57083	57127	57131	57178
57245	57461	57494	57516	57541	57687	57749	57816	57957
57972	57993	58027	58150	58203	58238	58362	58424	58457
58606	58633	58665	58725	58847	59023	59134	59211	59265
59280	59293	59316	59431	59758	59981	60018	60155	60253
60715	60760	61901	61980	61998	65344	67083	68263	68816
68842	70026	70200	70219	70231	70261	70273	70316	70326
70350	70361	70398	71043	71081	71082	71109	71119	71603
71722	71802	71811	71815	71816	71845	71867	71906	71907
71908	71909	71913	71917	71924	71925	71926	71934	71945
71957	71964	72201	72202	72206	72208	72210	72215	72230
72233	72235	72240	72248	72249	72250	72251	72261	72265
72274	72293	72305	72317	72318	72327	72340	72357	72363
72364	72365	72376	72388	72403	72426	72440	72451	72456
72476	72489	72493	72501	72518	72520	72528	72558	72572
72582	72597	72632	72634	72645	72649	72659	72662	72672
72681	72694	72712	72747	72764	72768	72776	72786	72797
72801	73033	73111	74389	74455	74560	76225	76256	76394
76405	76458	76526	76595	76612	76644	76654	76679	76692
76743	76805	76903	78397	78866	78897	78954	78970	80001
81405	82022	82107	82193	82244	82332	82411	82705	82824
82965	83208	83378	83525	83554	83566	83612	83649	83768
83779	83827	83840	83899	83928	84372	84516	84622	84754
85442	85586	85799	85934	87155	87344	87418	87585	87623
87715	87860	88889	89002	89022	89055	89062	89504	89564
89571	89592	89611	89625	89642	89662	89859	91165	91212
91285	91334	91348	91376	91408	91413	91592	91765	91925
91938	91948	91958	93112	93417	93844	94001	94005	94113

94120	94155	94170	94203	94299	94302	94312	94326	94332
94403	94430	94461	94510	94578	94610	94637	94653	94659
94672	94711	94767	94775	94802	94821	94865	94910	94995
94996	94998	95282	95527	96413	96441	96471	96481	96996

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ATGU3FT	FPUW5GN	GQBZLZL	JNKN7JF	KJJF9XN	KMPLHPW	LAGZ8	LRYQE3U	WDK38HS
XKQLWQB	YLV96WM	ZVQEQCM	2TDJJ8J	7JUNA4N	9ZT9MRK	01001	01004	01010
01028	01241	01400	01415	01492	02836	02963	06610	07110
07145	07510	07645	07761	08001	08023	08190	08221	08302
08383	08430	08508	08522	08536	11010	11035	11120	11240
12575	17607	40186	48698	50527	50557	50774	50953	51076
51243	51431	51463	51644	51656	51709	51777	51828	51839
52203	52267	52323	52418	52533	52652	52681	52818	52836
52866	52983	53068	53463	53513	53543	53614	53772	53845
53915	54102	54135	54161	54218	54292	54340	54374	54511
54662	54727	54857	55299	55591	56029	56046	56080	56137
56146	56187	56492	56571	56651	56691	56739	56778	56964
56985	57083	57127	57131	57178	57245	57461	57494	57516
57541	57687	57749	57816	57957	57972	57993	58027	58150
58203	58238	58362	58424	58457	58606	58633	58665	58725
58847	59023	59134	59211	59265	59280	59293	59316	59431
59758	59981	60155	60253	67083	72801	76743	76903	89002
89504	89642	89859	91925	91938	91948	91958	94001	94005
94113	94653	94767	94865					

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMP/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMP Ships and PILOT Ships this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.