



ECMWF
Global Data Monitoring
Report

January 2014

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme

Contents

1	Introduction	3
2	Data summary - History of events	4
2.1	Radiosondes	4
2.2	Drifting Buoys	6
3	Global monitoring statistics	6
3.1	Data Availability	6
3.2	Data Quality	6
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	8
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	9
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	10
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	11
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	12
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	13
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	14
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	15
3.2.9	Figure 9 - Availability - NOAA16 ATOVS : AMSU-A	16
3.2.10	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	17
3.2.11	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	18
3.2.12	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	19
3.2.13	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	20
3.2.14	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	21
3.2.15	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	22
3.2.16	Table 4 - Suspect drifters: Surface pressure (HPA)	23
3.2.17	Table 5 - Suspect drifters: Wind speed (m/s)	24
3.2.18	Table 6 - Suspect drifters: Wind direction (degrees)	25
3.2.19	Table 7 - Suspect radiosondes: Geopotential height (metres)	26
3.2.20	Table 8 - Suspect radiosondes: Wind (m/s)	27
3.2.21	Table 9 - Suspect radiosondes: Wind direction (degrees)	28
3.2.22	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	29
3.2.23	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	30
3.2.24	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	31
3.2.25	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	32
3.2.26	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	33
3.2.27	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	34
3.2.28	Figure 14 - SATOB Winds: 700-1000hPa	35
3.2.29	Figure 15 - SATOB Winds: 150- 400hPa	36
3.2.30	Figure 16 - SATOB Winds: 700-1000hPa	37
3.2.31	Figure 17 - SATOB Winds: 150- 400hPa	38
3.2.32	Figure 18 - AIRCRAFT Winds: 150- 300hPa	39
3.2.33	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	40
4	EUCOS Area Monitoring Statistics	43
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	44
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	47
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	50
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	53
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	56
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	59
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	62
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	65
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	68
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	75
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	78

5 Annex - Explanations of figures and tables	81
5.1 General	81
5.2 Data Availability	81
5.3 Data Quality	81

Summary of Revisions (in reverse order)

- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23). Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A)TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of precentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head, Operations Department
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Dec	Jan	Ident	Time	Dec	Jan
16622	(00)	11	0	16113	(00)	20	31
16754	(00)	25	0	16754	(12)	0	15
17062	(00)	31	2	28225	(12)	19	32
17062	(12)	31	1	28951	(00)	0	25
24125	(12)	30	9	28951	(12)	0	25
40841	(12)	28	7	40911	(00)	8	22
42361	(00)	11	0	42101	(00)	17	31
44259	(00)	27	0	42339	(00)	7	22
44259	(12)	29	0	60571	(00)	14	29
44373	(00)	31	3	60571	(12)	14	30
44373	(12)	31	3	64458	(00)	6	30
60760	(12)	21	4	64458	(12)	5	31
71203	(00)	11	0	64500	(12)	5	23
76692	(12)	29	4	68098	(12)	12	27
78486	(12)	15	0	76225	(00)	8	22
82107	(00)	29	2	82397	(12)	8	25
82400	(00)	24	0	94998	(12)	14	32
82400	(12)	24	1	-	-	-	-
83362	(00)	19	2	-	-	-	-
87047	(12)	15	0	-	-	-	-
87860	(00)	17	0	-	-	-	-
89664	(00)	31	10	-	-	-	-
89664	(12)	31	10	-	-	-	-
98646	(00)	31	8	-	-	-	-
98646	(12)	30	7	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1230** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMP SHIPS and PILOT SHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.

Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa


Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE

Figure 1

ECMWF Monitoring Statistics - JAN 2014
Availability - SYNOP/SHIP (manual, auto) pressure
Average number of observations in 24 hours - 80436
LAND - WMO Region I: 3141 II:13583 III: 2370 IV: 4700
Region V: 6739 VI:40745 Antarctic: 737

Oceans - N. Atlantic 5105 S. Atlantic 241 Indian 363 Pacific 2712



Majics 2.18.14 (64 bit)



3.2.2 Figure 2 - Availability - DRIFTER PRESSURE


Figure 2

ECMWF Monitoring Statistics - JAN 2014

Availability - DRIFTER PRESSURE

Average number of observations in 24 hours - 12654


Oceans - N. Atlantic 3234 S. Atlantic 1649 Indian 3802 Pacific 3970




Magics 2.18.14 (64 bit)



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5

ECMWF Monitoring Statistics - JAN 2014
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 127821



Magics 2.18.14 (64 bit)




3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6

ECMWF Monitoring Statistics - JAN 2014

Availability - AMV winds 400-150 hPa

Average number of observations in 24 hours - 572656




Magics 2.18.14 (64 bit)

3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7

ECMWF Monitoring Statistics - JAN 2014
Availability - AMV winds 1000-700 hPa

Average number of observations in 24 hours - 540606




Magics 2.18.14 (64 bit)

3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8

ECMWF Monitoring Statistics - JAN 2014
Availability - NOAA15 ATOVS : AMSU-A

Average number of observations in 24 hours - 334607




Magics 2.18.14 (64 bit)

3.2.9 Figure 9 - Availability - NOAA16 ATOVS : AMSU-A

Figure 9

ECMWF Monitoring Statistics - JAN 2014 Availability - NOAA16 ATOVS : AMSU-A

Average number of observations in 24 hours - 478046




Magics 2.18.14 (64 bit)

3.2.10 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1

ECMWF Monitoring Statistics - JAN 2014
Availability - NOAA18 ATOVS : AMSU-A

Average number of observations in 24 hours - 513183




Magics 2.18.14 (64 bit)

3.2.11 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2

ECMWF Monitoring Statistics - JAN 2014 Availability - AQUA ATOVS : AMSU-A

Average number of observations in 24 hours - 289617




Magics 2.18.14 (64 bit)

3.2.12 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - JAN 2014
Availability - METOP ATOVS : AMSU-A

Average number of observations in 24 hours - 430460



Magics 2.18.14 (64 bit)

3.2.13 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 4 HPA, OR,
 STANDARD DEVIATION ≥ 6 HPA, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
UCUD	99	P	SUR	20	1	5.3	-7.7	9.3

3.2.14 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 5 M/S, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
-----------	----------	-----	-------	---------	-----------	---------	----	------	-----

3.2.15 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 (WIND SPEEDS $> 3\text{m/s}$), AND ,
 ABSOLUTE BIAS ≥ 30 DEGREES, OR,
 STANDARD DEVIATION ≥ 80 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
-----------	----------	-----	-------	---------	-----------	---------	----	------	-----

3.2.16 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAIS	RMS
15635	99	P	SUR	-25	2	48	0	4.4	-9.4	10.3
25605	99	P	SUR	82	138	217	91	4.0	-1.0	4.2
33567	99	P	SUR	-47	17	51	12	3.0	-6.5	7.2
56558	99	P	SUR	-27	110	26	8	4.1	-1.0	4.2
72514	99	P	SUR	-62	-59	46	19	7.7	-5.3	9.4

3.2.17 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 5 M/S, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
31053	99	SPEED	SUR	-32	-50	193	0	0	2.7	-6.8	7.3
41002	99	SPEED	SUR	32	-75	32	0	0	5.3	-5.9	7.9

3.2.18 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 (WIND SPEEDS $> 3\text{m/s}$), AND ,
 ABSOLUTE BIAS ≥ 20 DEGREES, OR,
 STANDARD DEVIATION ≥ 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
23001	99	DIRN	SUR	0	81	23	0	43	17.6	-83.3	85.1
23002	99	DIRN	SUR	2	81	96	0	1	18.3	59.7	62.4
23097	99	DIRN	SUR	15	69	34	0	0	12.6	22.6	25.9
31007	99	DIRN	SUR	0	-23	105	0	0	15.9	-22.8	27.8
31052	99	DIRN	SUR	-8	-35	168	0	0	16.1	-26.6	31.1
42361	99	DIRN	SUR	28	-93	136	0	0	13.3	20.4	24.4
42364	99	DIRN	SUR	29	-88	174	0	1	18.6	27.6	33.2
42365	99	DIRN	SUR	28	-89	94	0	3	18.2	-29.1	34.3
42369	99	DIRN	SUR	27	-90	159	0	4	20.9	29.2	35.9
44059	99	DIRN	SUR	37	-76	39	0	0	13.8	-25.6	29.1
44139	99	DIRN	SUR	44	-57	198	0	0	13.9	23.5	27.3
46092	99	DIRN	SUR	37	-122	44	0	0	25.6	21.3	33.3
46131	99	DIRN	SUR	50	-125	62	0	2	17.0	-30.4	34.8
51544	99	DIRN	SUR	-9	-156	181	0	1	18.3	27.1	32.7
53005	99	DIRN	SUR	-8	80	63	0	6	20.4	50.6	54.5
62086	99	DIRN	SUR	55	6	40	14	80	11.7	78.8	79.7

3.2.19 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	00	Z	1000	57	3	30	0	14.7	40.1	42.7
01400	12	Z	1000	57	3	29	0	14.2	39.3	41.8
04417	00	Z	1000	73	-38	30	26	6.1	-92.0	92.2
04417	12	Z	1000	73	-38	32	29	4.2	-89.8	89.9
23884	00	Z	250	62	90	30	0	39.7	-60.9	72.7
23884	12	Z	250	62	90	31	0	41.2	-58.1	71.2
33966	00	Z	70	45	35	11	0	85.4	-195.9	213.7
38064	00	Z	250	45	66	23	4	60.9	-106.4	122.6
38064	12	Z	250	45	66	26	4	68.3	-89.9	112.9
40745	12	Z	50	36	60	24	3	40.1	334.0	336.4
42182	12	Z	150	29	77	26	2	99.4	13.2	100.3
42369	00	Z	500	27	81	13	0	32.4	-44.6	55.1
42701	00	Z	150	23	85	11	0	101.2	65.6	120.6
43003	00	Z	500	19	73	21	0	26.0	-55.2	61.0
ASDE01	12	Z	1000	57	-14	13	0	9.6	32.3	33.7
ASDE01	00	Z	1000	56	-10	14	0	9.8	33.7	35.1
ASDK2	12	Z	1000	-70	7	16	0	2.4	29.0	29.1
ASEU03	12	Z	1000	49	-49	12	0	25.6	23.4	34.7

3.2.20 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN


WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
42182	12	V	100	29	77	20	0	-10.2	-4.3	15.4
42701	00	V	150	23	85	10	1	-21.1	-12.3	29.2


3.2.21 Table 9 - Suspect radiosondes: Wind direction (degrees)


LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
-----------	----------	-----	-----	------	---------	------	------------	----

3.2.22 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

3.2.23 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC

3.2.24 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

3.2.25 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

3.2.26 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	100 HPA
AREA	:	GLOBAL
PERIOD	:	JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
ASDE01	12	Z	100	10	49.5	47.0
ASDE01	00	Z	100	9	40.6	39.7
ASDE02	12	Z	100	7	26.9	24.8
ASDE03	12	Z	100	5	21.6	11.2
ASDE03	00	Z	100	4	19.5	17.0
ASDE04	00	Z	100	10	15.4	5.4
ASDE04	12	Z	100	10	30.4	21.0
ASDK1	00	Z	100	5	37.3	35.1
ASDK1	12	Z	100	5	40.4	37.8
ASDK2	12	Z	100	8	62.0	60.5
ASDK2	00	Z	100	1	60.5	60.5
ASDK3	12	Z	100	3	15.3	5.9
ASDK3	00	Z	100	6	18.1	15.5
ASES1	12	Z	100	15	33.5	32.2
ASEU01	12	Z	100	10	16.9	15.8
ASEU02	00	Z	100	4	26.4	26.1
ASEU02	12	Z	100	3	32.1	32.0
ASEU03	12	Z	100	11	49.6	42.9
ASEU03	00	Z	100	12	33.0	26.6
ASEU04	12	Z	100	5	7.7	0.8
ASEU04	00	Z	100	4	16.3	-1.4
ASEU05	12	Z	100	4	29.1	27.9
ASEU05	00	Z	100	5	34.7	33.9
ASEU06	12	Z	100	6	47.2	45.7
ASEU06	00	Z	100	5	63.5	60.1
ASFR1	12	Z	100	9	23.9	21.7
ASFR1	00	Z	100	13	19.5	13.8
ASFR2	12	Z	100	8	22.7	19.1
ASFR2	00	Z	100	6	25.1	24.5
ASFR3	12	Z	100	9	12.3	10.0
ASFR3	00	Z	100	10	13.5	0.4
ASFR4	12	Z	100	10	30.1	28.5
ASFR4	00	Z	100	6	25.5	23.9
DBLK	12	Z	100	31	36.1	25.5
JGQH	12	Z	100	15	15.5	14.5
JGQH	00	Z	100	15	21.0	17.4

3.2.27 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : GLOBAL
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
ASDE01	12	V	100	8	6.0	-1.9	0.0
ASDE01	00	V	100	8	3.5	0.0	0.0
ASDE02	12	V	100	7	5.5	-1.1	-0.1
ASDE03	12	V	100	4	7.2	-0.5	-1.8
ASDE03	00	V	100	4	4.7	0.1	-3.7
ASDE04	00	V	100	7	5.6	-1.4	-0.1
ASDE04	12	V	100	9	5.0	0.5	-0.2
ASDK1	00	V	100	2	3.0	-0.5	-2.6
ASDK1	12	V	100	2	5.3	0.0	5.0
ASDK2	12	V	100	8	3.6	1.2	0.0
ASDK2	00	V	100	1	4.0	-1.4	3.7
ASDK3	12	V	100	3	2.6	0.0	0.4
ASDK3	00	V	100	6	3.4	-0.2	-1.5
ASES1	12	V	100	15	4.6	0.2	-0.3
ASEU01	12	V	100	10	4.8	2.5	-1.6
ASEU02	00	V	100	4	4.2	-1.7	-1.9
ASEU02	12	V	100	3	3.3	0.4	-0.9
ASEU03	12	V	100	10	6.2	-2.1	0.8
ASEU03	00	V	100	12	4.4	-1.5	-2.7
ASEU04	12	V	100	4	6.9	-5.0	-2.2
ASEU04	00	V	100	3	5.1	3.9	-1.3
ASEU05	12	V	100	3	3.4	-1.3	1.0
ASEU05	00	V	100	5	2.8	1.3	0.4
ASEU06	12	V	100	5	5.4	-1.8	-1.0
ASEU06	00	V	100	5	5.1	-1.5	-0.1
ASFR1	12	V	100	9	3.8	-0.8	-0.5
ASFR1	00	V	100	12	4.0	-1.1	0.2
ASFR2	12	V	100	8	3.3	1.3	-0.6
ASFR2	00	V	100	6	3.1	-0.6	1.0
ASFR3	12	V	100	9	4.5	-1.1	-1.0
ASFR3	00	V	100	10	3.3	1.0	0.4
ASFR4	12	V	100	10	4.9	-0.4	0.1
ASFR4	00	V	100	6	4.0	-1.8	0.0
DBLK	12	V	100	31	1.5	0.3	-0.1
JGQH	12	V	100	15	7.7	-2.8	-2.2
JGQH	00	V	100	15	7.0	-1.7	-0.9


3.2.28 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14

ECMWF Monitoring Statistics: Jan 2014


AMV Winds: 700-1000hPa

Mean Observed Wind




3.2.29 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15
ECMWF Monitoring Statistics: Jan 2014
AMV Winds: 150- 400hPa
Wind bias: Observation - FG




3.2.30 Figure 16 - SATOB Winds: 700-1000hPa

Figure 16
ECMWF Monitoring Statistics: Jan 2014
AMV Winds: 700-1000hPa
Wind bias: Observation - FG




3.2.31 Figure 17 - SATOB Winds: 150- 400hPa Mean Observed Wind

Figure 17
ECMWF Monitoring Statistics: Jan 2014
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.32 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18
ECMWF Monitoring Statistics: Jan 2014
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.33 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAL	99	V	300-150	3552	1	0	4.8	-0.8
AAY	99	V	300-150	181	1	0	5.5	0.5
ACA	99	V	300-150	1656	1	0	4.4	0.0
ACI	99	V	300-150	1039	0	0	4.3	0.4
AEA	99	V	300-150	33	3	0	4.0	-0.5
AFL	99	V	300-150	939	1	0	4.8	-0.1
AFR	99	V	300-150	3232	1	0	4.9	0.0
AIC	99	V	300-150	1044	1	0	4.7	0.0
AMX	99	V	300-150	298	11	0	13.7	-0.4
ANZ	99	V	300-150	2666	0	0	4.1	0.5
ASA	99	V	300-150	3106	0	0	6.0	0.4
ASY	99	V	300-150	47	0	0	4.8	0.6
ATN	99	V	300-150	23	0	0	4.8	-0.2
AUA	99	V	300-150	1016	1	0	5.3	-2.2
AVN	99	V	300-150	75	0	0	5.1	0.0
AWE	99	V	300-150	1860	1	0	5.1	0.5
AXM	99	V	300-150	31	0	0	5.4	0.4
AZA	99	V	300-150	447	1	0	4.4	0.3
BAW	99	V	300-150	4778	1	0	5.1	-0.3
BEL	99	V	300-150	43	0	0	5.1	0.5
BER	99	V	300-150	1995	1	0	4.9	0.5
BLX	99	V	300-150	82	1	0	5.5	-1.5
BMW	99	V	300-150	28	39	0	17.6	0.3
BOX	99	V	300-150	73	0	0	5.9	-0.1
CAL	99	V	300-150	50	0	0	4.2	-0.1
CFG	99	V	300-150	41	0	0	5.1	0.3
CKS	99	V	300-150	279	0	0	6.4	-0.5
CLX	99	V	300-150	324	2	0	4.2	-0.1
CNV	99	V	300-150	31	0	0	5.2	0.3
CPA	99	V	300-150	49	0	0	6.0	-1.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
CSN	99	V	300-150	170	11	0	10.9	-0.2
DAH	99	V	300-150	149	0	0	4.5	0.3
DAL	99	V	300-150	10204	1	0	4.8	-0.6
DHK	99	V	300-150	458	0	0	4.3	0.0
DLH	99	V	300-150	4825	1	0	4.8	-0.4
EIN	99	V	300-150	864	1	0	4.6	0.9
EJM	99	V	300-150	122	30	0	16.7	-0.2
ELY	99	V	300-150	525	1	0	4.3	0.4
ETH	99	V	300-150	60	10	0	6.7	-1.0
FDX	99	V	300-150	1424	0	0	4.9	0.3
FIN	99	V	300-150	385	3	0	5.5	0.1
FJI	99	V	300-150	1470	0	0	5.0	0.3
FWI	99	V	300-150	97	0	0	4.1	0.5
GEC	99	V	300-150	338	0	0	3.9	0.1
GTI	99	V	300-150	319	1	0	4.9	0.0
HAL	99	V	300-150	1029	0	0	5.8	0.8
HBJ	99	V	300-150	22	14	0	2.8	1.5
IBE	99	V	300-150	262	1	0	5.2	-0.4
ICV	99	V	300-150	39	0	0	6.9	-1.4
JAF	99	V	300-150	94	7	0	5.6	-0.5
JAI	99	V	300-150	675	1	0	5.1	0.3
JST	99	V	300-150	1358	0	0	4.8	0.3
KAC	99	V	300-150	22	0	0	4.3	1.2
KAI	99	V	300-150	76	1	0	7.4	0.9
KAL	99	V	300-150	190	0	0	5.7	0.6
KLM	99	V	300-150	2280	1	0	5.0	-0.8
LAN	99	V	300-150	108	0	0	4.0	0.1
LOT	99	V	300-150	252	19	0	12.6	-0.3
MAS	99	V	300-150	113	0	0	3.6	0.1
MSR	99	V	300-150	331	2	1	4.4	-0.4
NAX	99	V	300-150	76	14	0	12.8	-0.7
NCA	99	V	300-150	28	14	0	5.5	0.3
NJE	99	V	300-150	25	36	0	20.8	1.4
NVR	99	V	300-150	43	0	0	6.2	-1.0
NWS	99	V	300-150	139	0	0	5.4	-0.3
OAE	99	V	300-150	89	0	0	5.3	0.1
ORB	99	V	300-150	45	2	0	2.7	1.0
PAC	99	V	300-150	41	0	0	4.5	-1.3
PAL	99	V	300-150	341	1	0	7.5	-1.4
PAQ	99	V	300-150	21	0	0	7.5	2.2
PIA	99	V	300-150	103	0	0	7.8	-2.2
QFA	99	V	300-150	1482	0	0	4.2	0.1
QTR	99	V	300-150	167	1	1	4.3	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
RCH	99	V	300-150	795	1	0	5.1	-0.2
RJA	99	V	300-150	79	1	0	5.1	0.2
SAS	99	V	300-150	1151	1	0	4.9	-0.3
SIA	99	V	300-150	437	0	0	3.8	0.1
SIO	99	V	300-150	29	38	0	4.4	0.1
SLM	99	V	300-150	44	0	0	7.5	-1.1
SOO	99	V	300-150	47	2	0	4.3	-1.1
SPA	99	V	300-150	28	0	0	3.2	-0.9
SQC	99	V	300-150	45	2	0	4.2	-0.6
SVA	99	V	300-150	503	0	0	4.4	0.3
SWR	99	V	300-150	1176	1	0	4.8	0.0
TAM	99	V	300-150	62	0	0	7.3	-0.8
TAP	99	V	300-150	130	0	0	5.6	0.5
TAY	99	V	300-150	77	0	0	4.3	-0.6
THA	99	V	300-150	135	0	0	3.9	-0.1
THT	99	V	300-150	411	0	0	4.6	0.0
THY	99	V	300-150	444	1	0	4.5	0.5
TOM	99	V	300-150	453	3	0	5.9	-0.8
TSC	99	V	300-150	120	2	1	4.5	0.3
TSO	99	V	300-150	310	1	0	5.0	-0.9
UAE	99	V	300-150	906	2	0	4.5	-0.4
UAL	99	V	300-150	12766	1	0	5.4	-0.6
UPS	99	V	300-150	952	0	0	4.9	0.5
VIR	99	V	300-150	2081	2	0	4.8	-0.6
VJT	99	V	300-150	54	85	0	22.3	-0.2
VOZ	99	V	300-150	195	1	0	5.5	0.6
WGT	99	V	300-150	48	0	0	6.7	-0.7
WJA	99	V	300-150	471	1	0	5.8	0.8
WOA	99	V	300-150	28	0	0	4.6	-0.1
XLF	99	V	300-150	98	2	0	4.4	0.3

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	22	17.0	-0.7
01001	00	Z	50	18	15.7	0.4
01028	12	Z	50	29	14.2	8.2
01028	00	Z	50	26	35.0	14.6
01152	12	Z	50	29	16.1	7.5
01152	00	Z	50	26	14.7	4.4
01400	12	Z	50	27	52.6	47.9
01400	00	Z	50	27	37.5	31.7
01415	00	Z	50	23	21.1	-11.0
01415	12	Z	50	22	19.3	4.8
02365	00	Z	50	26	12.1	2.9
02365	12	Z	50	30	12.4	4.6
02591	12	Z	50	25	24.6	20.4
02591	00	Z	50	27	12.9	7.7
02836	00	Z	50	23	14.9	10.2
02836	12	Z	50	28	18.6	11.8
02963	00	Z	50	30	14.7	6.7
02963	12	Z	50	31	18.3	12.4
03005	00	Z	50	25	17.3	-7.1
03005	12	Z	50	31	15.3	-1.4
03238	12	Z	50	4	12.9	9.4
03238	00	Z	50	28	17.9	7.8
03808	00	Z	50	27	18.1	4.5
03808	12	Z	50	30	15.0	10.6
03918	00	Z	50	30	21.1	9.3
03918	12	Z	50	9	20.8	19.3
03953	12	Z	50	31	27.1	21.3
03953	00	Z	50	30	22.2	16.0
04018	00	Z	50	26	17.9	-2.9
04018	12	Z	50	26	21.5	-2.8
04220	12	Z	50	17	27.0	-22.0
04220	00	Z	50	24	27.3	-21.5
04270	12	Z	50	29	29.6	17.8
04270	00	Z	50	28	34.4	20.9
04320	12	Z	50	29	18.4	-8.1
04320	00	Z	50	29	21.3	-3.9
04339	00	Z	50	28	42.9	14.9
04339	12	Z	50	23	25.9	3.7
04360	00	Z	50	13	35.7	22.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	50	14	20.6	16.3
06011	12	Z	50	29	23.5	-6.6
06011	00	Z	50	23	27.3	-22.2
06260	00	Z	50	22	15.2	6.7
06260	12	Z	50	5	16.8	2.7
06610	12	Z	50	30	30.4	8.1
06610	00	Z	50	31	21.6	-2.2
07110	00	Z	50	24	23.8	20.5
07110	12	Z	50	22	35.1	30.4
07510	00	Z	50	22	11.5	0.7
07510	12	Z	50	25	16.1	7.2
07645	12	Z	50	25	39.2	35.4
07645	00	Z	50	22	21.1	18.6
07761	00	Z	50	16	22.4	18.6
07761	12	Z	50	18	32.8	26.5
08001	00	Z	50	26	17.1	11.2
08001	12	Z	50	27	29.5	26.6
08221	00	Z	50	28	21.3	16.1
08221	12	Z	50	31	25.8	24.1
08302	00	Z	50	30	12.9	8.6
08302	12	Z	50	31	17.6	13.2
08495	12	Z	50	1	2.5	2.5
08508	12	Z	50	27	47.4	45.5
08522	12	Z	50	31	21.1	17.6
08579	00	Z	50	1	16.2	16.2
08579	12	Z	50	30	27.5	24.7
10035	12	Z	50	31	13.8	4.8
10035	00	Z	50	30	12.3	-2.8
10393	12	Z	50	30	18.3	-1.8
10393	00	Z	50	31	15.7	-4.3
10410	00	Z	50	29	11.2	-1.7
10410	12	Z	50	30	19.9	7.0
10739	00	Z	50	27	15.5	7.5
10739	12	Z	50	30	23.6	15.0
11035	00	Z	50	31	11.6	-0.2
11035	12	Z	50	31	12.2	6.9
12982	00	Z	50	25	20.5	-0.8
12982	12	Z	50	3	5.8	-1.6
16044	12	Z	50	29	20.4	15.1
16044	00	Z	50	30	17.2	9.4
16080	00	Z	50	30	13.8	5.2
16080	12	Z	50	30	16.7	13.9
16245	12	Z	50	26	16.3	12.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16245	00	Z	50	24	15.8	10.9
16320	12	Z	50	29	13.2	10.3
16320	00	Z	50	30	12.5	7.1
16429	00	Z	50	30	15.2	11.8
16429	12	Z	50	29	23.6	12.3
16622	12	Z	50	24	33.5	31.4
16754	12	Z	50	14	34.7	32.8
17607	12	Z	50	27	18.2	-15.3
26435	00	Z	50	14	12.9	6.0
60018	00	Z	50	30	14.1	9.5
60018	12	Z	50	31	14.0	7.5
ASDE01	12	Z	50	9	66.1	61.0
ASDE01	00	Z	50	7	40.3	37.0
ASDE03	12	Z	50	3	35.9	32.8
ASDE03	00	Z	50	4	36.5	24.1
ASDE04	00	Z	50	9	22.4	14.0
ASDE04	12	Z	50	10	40.2	34.1
ASDK1	00	Z	50	3	34.4	33.6
ASDK1	12	Z	50	2	67.1	67.0
ASDK3	12	Z	50	2	15.7	2.7
ASDK3	00	Z	50	5	21.8	17.9
ASES1	12	Z	50	15	41.1	38.8
ASEU01	12	Z	50	10	24.1	20.5
ASEU02	00	Z	50	4	38.6	37.6
ASEU02	12	Z	50	3	49.7	49.2
ASEU03	12	Z	50	11	64.4	57.9
ASEU03	00	Z	50	12	46.8	36.3
ASEU04	12	Z	50	4	25.3	22.1
ASEU04	00	Z	50	3	24.5	-1.0
ASEU05	12	Z	50	4	41.1	40.0
ASEU05	00	Z	50	5	47.0	45.8
ASEU06	12	Z	50	4	66.0	62.6
ASEU06	00	Z	50	4	87.2	83.8
ASFR1	12	Z	50	9	38.3	37.0
ASFR1	00	Z	50	10	30.9	29.2
ASFR2	12	Z	50	8	34.7	30.1
ASFR2	00	Z	50	5	36.7	35.8
ASFR3	12	Z	50	9	22.1	19.4
ASFR3	00	Z	50	9	24.3	19.5
ASFR4	12	Z	50	9	50.3	47.8
ASFR4	00	Z	50	7	42.4	41.7

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	14	2.7	-0.3	-0.7
01001	00	V	50	17	3.3	-1.3	0.1
01028	12	V	50	28	3.3	1.5	-0.9
01028	00	V	50	25	2.9	1.0	0.0
01152	12	V	50	26	3.6	0.2	-0.9
01152	00	V	50	25	2.9	0.3	-0.6
01400	12	V	50	21	3.4	0.3	-1.7
01400	00	V	50	18	5.7	0.8	-0.9
01415	00	V	50	23	4.6	-1.2	-0.2
01415	12	V	50	22	4.6	-0.4	1.1
02365	00	V	50	24	4.2	1.0	-0.8
02365	12	V	50	29	4.0	0.9	-0.8
02591	12	V	50	22	3.6	0.9	-1.7
02591	00	V	50	27	3.9	0.6	-0.7
02836	00	V	50	19	2.7	0.3	-0.1
02836	12	V	50	27	3.8	0.6	-0.7
02963	00	V	50	30	4.0	0.6	-1.1
02963	12	V	50	31	3.7	0.5	0.0
03005	00	V	50	21	4.4	0.5	0.8
03005	12	V	50	31	3.7	0.3	0.9
03238	12	V	50	4	6.2	0.6	0.3
03238	00	V	50	24	4.5	0.6	-0.3
03808	00	V	50	26	3.9	1.0	0.9
03808	12	V	50	29	4.8	0.9	-1.1
03918	00	V	50	29	5.1	0.8	0.0
03918	12	V	50	9	4.7	0.2	-0.2
03953	12	V	50	30	4.8	0.7	0.5
03953	00	V	50	29	6.0	0.8	0.3
04018	00	V	50	22	4.1	-0.6	-0.7
04018	12	V	50	25	4.2	-0.9	-0.1
04220	12	V	50	17	4.2	-0.1	1.0
04220	00	V	50	24	6.8	-2.0	-0.6
04270	12	V	50	29	4.3	0.8	-1.3
04270	00	V	50	28	4.0	-0.1	-0.3
04320	12	V	50	29	4.0	-0.4	0.7
04320	00	V	50	29	3.9	-1.5	0.0
04339	00	V	50	11	9.1	0.7	-0.1
04339	12	V	50	12	4.4	0.8	0.7
04360	00	V	50	13	5.0	-1.1	-0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	50	14	4.5	-2.1	-1.9
06011	12	V	50	29	11.2	2.4	0.1
06011	00	V	50	23	3.9	-0.1	-0.2
06260	00	V	50	12	4.9	0.7	0.1
06260	12	V	50	5	5.1	2.1	-1.2
06610	12	V	50	30	5.4	1.4	-0.3
06610	00	V	50	30	5.3	0.1	0.1
07110	00	V	50	24	4.5	0.3	0.5
07110	12	V	50	22	4.2	0.7	0.6
07510	00	V	50	21	4.9	1.1	1.5
07510	12	V	50	25	4.7	0.5	1.5
07645	12	V	50	25	5.3	2.1	0.0
07645	00	V	50	22	4.5	1.3	-1.2
07761	00	V	50	16	3.8	0.1	-0.8
07761	12	V	50	18	4.1	2.5	-1.1
08001	00	V	50	20	4.7	0.4	-1.4
08001	12	V	50	22	5.1	-0.7	0.9
08221	00	V	50	28	4.7	0.2	-0.1
08221	12	V	50	31	4.9	0.4	-0.4
08302	00	V	50	30	3.5	0.1	0.8
08302	12	V	50	31	4.2	0.0	0.4
08495	12	V	50	1	2.4	-1.1	2.1
08508	12	V	50	27	4.5	-1.5	0.0
08522	12	V	50	31	3.4	-0.2	0.1
08579	00	V	50	0	0.0	0.0	0.0
08579	12	V	50	29	4.2	0.3	-0.6
10035	12	V	50	31	4.8	0.8	-1.2
10035	00	V	50	30	4.6	1.3	-0.8
10393	12	V	50	30	4.3	0.0	-0.6
10393	00	V	50	31	4.5	0.8	-0.8
10410	00	V	50	28	5.5	1.1	-0.9
10410	12	V	50	29	4.3	-0.5	-0.3
10739	00	V	50	27	4.3	0.8	-0.3
10739	12	V	50	30	4.5	0.0	0.4
11035	00	V	50	31	4.3	1.2	-1.1
11035	12	V	50	31	4.3	0.4	-0.5
12982	00	V	50	23	3.5	-0.1	-0.3
12982	12	V	50	3	3.4	1.0	1.8
16044	12	V	50	29	4.0	1.6	0.5
16044	00	V	50	29	3.9	1.7	-0.5
16080	00	V	50	30	4.9	1.4	0.7
16080	12	V	50	30	4.4	1.5	0.3
16245	12	V	50	26	4.2	1.4	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16245	00	V	50	23	4.5	0.6	1.3
16320	12	V	50	29	5.3	2.3	-0.8
16320	00	V	50	30	4.0	1.1	0.0
16429	00	V	50	29	4.9	1.4	-0.9
16429	12	V	50	29	4.5	1.2	-0.8
16622	12	V	50	24	6.9	2.2	0.5
16754	12	V	50	13	3.9	-0.4	0.9
17607	12	V	50	21	4.3	0.8	-0.3
26435	00	V	50	11	2.9	0.4	-0.2
60018	00	V	50	30	3.8	0.1	0.2
60018	12	V	50	31	3.7	0.5	1.0
ASDE01	12	V	50	6	5.2	0.7	-0.3
ASDE01	00	V	50	5	5.9	0.2	0.8
ASDE03	12	V	50	3	3.9	-1.7	2.7
ASDE03	00	V	50	3	11.3	-8.6	0.8
ASDE04	00	V	50	8	5.1	-2.5	-1.1
ASDE04	12	V	50	8	4.3	0.0	0.2
ASDK1	00	V	50	1	1.4	-1.2	0.8
ASDK1	12	V	50	0	0.0	0.0	0.0
ASDK3	12	V	50	2	2.6	2.0	-1.1
ASDK3	00	V	50	5	4.8	-0.9	2.5
ASES1	12	V	50	15	4.1	1.5	-1.6
ASEU01	12	V	50	10	4.1	1.5	1.0
ASEU02	00	V	50	3	3.9	1.4	1.5
ASEU02	12	V	50	3	5.7	-2.4	-4.5
ASEU03	12	V	50	9	4.9	0.6	-1.2
ASEU03	00	V	50	11	4.7	-3.0	0.7
ASEU04	12	V	50	4	5.0	-0.5	4.2
ASEU04	00	V	50	3	4.4	3.7	0.2
ASEU05	12	V	50	3	7.3	-1.5	2.6
ASEU05	00	V	50	5	4.2	0.9	-0.6
ASEU06	12	V	50	3	7.8	-3.3	1.5
ASEU06	00	V	50	4	2.6	-0.3	1.7
ASFR1	12	V	50	9	5.3	-0.8	-0.2
ASFR1	00	V	50	10	4.7	0.2	-1.2
ASFR2	12	V	50	8	5.0	-2.4	-2.4
ASFR2	00	V	50	5	3.2	-0.7	1.5
ASFR3	12	V	50	9	4.0	-1.1	0.7
ASFR3	00	V	50	9	3.3	0.6	0.6
ASFR4	12	V	50	9	4.0	-2.4	-0.2
ASFR4	00	V	50	7	4.3	-0.9	0.4

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	31	8.5	-0.2
01001	00	Z	100	31	9.1	1.7
01028	12	Z	100	30	8.7	6.2
01028	00	Z	100	28	28.0	12.7
01152	12	Z	100	30	12.1	8.3
01152	00	Z	100	30	9.4	4.0
01400	12	Z	100	29	50.9	47.0
01400	00	Z	100	29	39.4	35.7
01415	00	Z	100	23	11.3	-5.4
01415	12	Z	100	23	10.5	3.5
02365	00	Z	100	28	9.2	4.2
02365	12	Z	100	31	10.6	7.1
02591	12	Z	100	27	16.8	14.5
02591	00	Z	100	28	10.5	8.3
02836	00	Z	100	30	11.6	8.9
02836	12	Z	100	31	11.7	7.7
02963	00	Z	100	31	9.5	4.9
02963	12	Z	100	31	15.1	11.5
03005	00	Z	100	30	11.4	-4.0
03005	12	Z	100	31	9.7	-1.9
03238	12	Z	100	4	10.2	-0.6
03238	00	Z	100	28	11.3	6.8
03808	00	Z	100	32	31.8	-3.0
03808	12	Z	100	32	9.4	0.7
03918	00	Z	100	31	10.7	7.0
03918	12	Z	100	10	15.9	12.5
03953	12	Z	100	30	15.2	10.6
03953	00	Z	100	29	13.5	9.7
04018	00	Z	100	27	9.3	-1.2
04018	12	Z	100	28	12.7	0.2
04220	12	Z	100	26	14.7	-10.7
04220	00	Z	100	28	12.8	-10.2
04270	12	Z	100	30	26.3	15.1
04270	00	Z	100	29	28.4	15.1
04320	12	Z	100	29	12.8	-5.4
04320	00	Z	100	30	11.5	-2.3
04339	00	Z	100	30	32.6	12.2
04339	12	Z	100	24	14.8	0.7
04360	00	Z	100	23	20.0	17.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	100	25	16.6	9.6
06011	12	Z	100	29	16.1	-6.6
06011	00	Z	100	27	17.4	-12.7
06260	00	Z	100	31	8.6	6.5
06260	12	Z	100	5	9.9	5.0
06610	12	Z	100	31	19.4	4.1
06610	00	Z	100	31	16.9	-3.4
07110	00	Z	100	30	15.6	9.7
07110	12	Z	100	30	19.3	15.5
07510	00	Z	100	29	11.1	-4.0
07510	12	Z	100	29	9.6	0.0
07645	12	Z	100	27	26.4	21.9
07645	00	Z	100	29	15.4	10.9
07761	00	Z	100	22	14.7	7.2
07761	12	Z	100	24	23.0	17.6
08001	00	Z	100	29	13.3	6.1
08001	12	Z	100	29	19.9	16.6
08221	00	Z	100	30	17.9	14.1
08221	12	Z	100	31	19.9	17.4
08302	00	Z	100	31	10.2	4.6
08302	12	Z	100	31	11.5	6.5
08495	12	Z	100	1	5.7	-5.7
08508	12	Z	100	27	33.8	32.1
08522	12	Z	100	31	14.6	11.8
08579	00	Z	100	1	4.4	4.4
08579	12	Z	100	30	16.6	13.8
10035	12	Z	100	31	10.1	2.5
10035	00	Z	100	31	8.5	-1.1
10393	12	Z	100	30	11.5	-2.3
10393	00	Z	100	31	10.8	-4.0
10410	00	Z	100	29	7.2	-1.3
10410	12	Z	100	30	10.9	2.9
10739	00	Z	100	29	11.9	7.6
10739	12	Z	100	30	15.7	9.5
11035	00	Z	100	31	9.0	-1.5
11035	12	Z	100	31	7.6	1.6
12982	00	Z	100	26	11.7	-2.1
12982	12	Z	100	3	7.9	-1.2
16044	12	Z	100	31	15.2	8.4
16044	00	Z	100	31	11.5	6.5
16080	00	Z	100	31	10.2	2.3
16080	12	Z	100	30	10.2	6.8
16245	12	Z	100	28	11.9	7.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16245	00	Z	100	25	13.0	5.2
16320	12	Z	100	31	8.7	4.3
16320	00	Z	100	30	11.4	4.0
16429	00	Z	100	30	12.4	8.0
16429	12	Z	100	30	14.4	5.9
16622	12	Z	100	26	25.5	24.2
16754	12	Z	100	14	21.3	18.5
17607	12	Z	100	39	13.4	-10.2
26435	00	Z	100	14	9.8	5.0
60018	00	Z	100	29	10.3	4.5
60018	12	Z	100	31	10.4	3.4
ASDE01	12	Z	100	10	49.5	47.0
ASDE01	00	Z	100	9	40.6	39.7
ASDE03	12	Z	100	5	21.6	11.2
ASDE03	00	Z	100	4	19.5	17.0
ASDE04	00	Z	100	10	15.4	5.4
ASDE04	12	Z	100	10	30.4	21.0
ASDK1	00	Z	100	5	37.3	35.1
ASDK1	12	Z	100	5	40.4	37.8
ASDK3	12	Z	100	3	15.3	5.9
ASDK3	00	Z	100	6	18.1	15.5
ASES1	12	Z	100	15	33.5	32.2
ASEU01	12	Z	100	10	16.9	15.8
ASEU02	00	Z	100	4	26.4	26.1
ASEU02	12	Z	100	3	32.1	32.0
ASEU03	12	Z	100	11	49.6	42.9
ASEU03	00	Z	100	12	33.0	26.6
ASEU04	12	Z	100	5	7.7	0.8
ASEU04	00	Z	100	4	16.3	-1.4
ASEU05	12	Z	100	4	29.1	27.9
ASEU05	00	Z	100	5	34.7	33.9
ASEU06	12	Z	100	6	47.2	45.7
ASEU06	00	Z	100	5	63.5	60.1
ASFR1	12	Z	100	9	23.9	21.7
ASFR1	00	Z	100	13	19.5	13.8
ASFR2	12	Z	100	8	22.7	19.1
ASFR2	00	Z	100	6	25.1	24.5
ASFR3	12	Z	100	9	12.3	10.0
ASFR3	00	Z	100	10	13.5	0.4
ASFR4	12	Z	100	10	30.1	28.5
ASFR4	00	Z	100	6	25.5	23.9

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	31	2.8	-0.2	0.2
01001	00	V	100	31	3.5	-0.1	-0.1
01028	12	V	100	30	2.6	-0.1	-0.2
01028	00	V	100	27	2.5	-0.4	0.0
01152	12	V	100	30	2.7	0.8	-0.4
01152	00	V	100	30	2.8	-0.3	0.2
01400	12	V	100	29	3.9	0.5	-0.3
01400	00	V	100	28	3.5	0.1	0.5
01415	00	V	100	23	4.5	0.9	-0.1
01415	12	V	100	23	4.5	-0.2	0.5
02365	00	V	100	28	3.1	0.1	0.3
02365	12	V	100	31	3.3	0.8	-0.4
02591	12	V	100	27	3.3	1.2	-0.6
02591	00	V	100	28	2.7	0.3	0.1
02836	00	V	100	28	2.9	-0.5	-0.1
02836	12	V	100	30	3.1	0.8	-0.1
02963	00	V	100	31	3.0	0.4	-0.3
02963	12	V	100	31	2.8	-0.3	-0.1
03005	00	V	100	26	4.0	0.2	0.9
03005	12	V	100	31	3.6	0.5	0.1
03238	12	V	100	4	4.9	0.4	1.4
03238	00	V	100	24	5.3	0.8	0.3
03808	00	V	100	29	5.0	-1.0	-0.2
03808	12	V	100	31	4.4	-0.6	0.4
03918	00	V	100	31	5.0	0.5	1.2
03918	12	V	100	10	4.0	-0.7	0.2
03953	12	V	100	29	4.6	-0.6	0.1
03953	00	V	100	28	5.1	0.6	-0.4
04018	00	V	100	23	3.6	0.5	0.5
04018	12	V	100	28	4.2	-0.2	1.2
04220	12	V	100	26	4.0	-0.8	-0.6
04220	00	V	100	28	4.8	-1.1	-1.0
04270	12	V	100	30	3.8	-1.0	0.0
04270	00	V	100	29	4.0	-0.8	0.4
04320	12	V	100	29	2.4	0.2	-0.4
04320	00	V	100	30	2.8	-0.4	-0.7
04339	00	V	100	13	7.2	1.8	-0.7
04339	12	V	100	12	5.7	0.5	0.6
04360	00	V	100	23	3.3	-0.5	0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	100	25	4.9	-1.2	0.7
06011	12	V	100	29	4.9	1.6	0.0
06011	00	V	100	27	3.1	0.4	-0.1
06260	00	V	100	30	3.8	0.3	-0.2
06260	12	V	100	5	2.5	-0.2	0.0
06610	12	V	100	31	4.9	0.6	0.8
06610	00	V	100	30	5.1	1.1	1.0
07110	00	V	100	29	4.6	-1.6	0.7
07110	12	V	100	30	4.4	-0.8	0.4
07510	00	V	100	28	4.5	0.3	0.6
07510	12	V	100	29	4.0	0.9	-0.4
07645	12	V	100	27	6.3	1.4	0.5
07645	00	V	100	29	4.6	0.1	0.6
07761	00	V	100	22	4.8	0.6	-0.7
07761	12	V	100	24	4.0	0.1	-0.6
08001	00	V	100	28	5.6	0.6	0.2
08001	12	V	100	27	4.9	-0.7	-0.2
08221	00	V	100	30	5.5	1.0	0.4
08221	12	V	100	31	4.8	0.0	-0.9
08302	00	V	100	31	4.7	-0.5	0.3
08302	12	V	100	31	4.4	-0.1	-0.5
08495	12	V	100	1	4.1	-3.9	1.4
08508	12	V	100	27	5.7	-2.5	1.2
08522	12	V	100	30	4.6	-0.6	1.4
08579	00	V	100	0	0.0	0.0	0.0
08579	12	V	100	30	5.4	0.1	1.0
10035	12	V	100	31	3.7	0.0	-0.4
10035	00	V	100	31	4.1	-0.2	-0.7
10393	12	V	100	30	4.4	0.0	-0.4
10393	00	V	100	31	4.0	-0.4	0.8
10410	00	V	100	28	4.0	0.5	0.3
10410	12	V	100	29	4.0	0.7	-0.2
10739	00	V	100	28	4.1	0.4	0.2
10739	12	V	100	30	4.4	0.6	-0.7
11035	00	V	100	31	4.5	0.6	-0.2
11035	12	V	100	31	4.1	0.2	-0.8
12982	00	V	100	25	3.9	0.9	-1.0
12982	12	V	100	3	4.2	-3.2	-0.6
16044	12	V	100	31	4.5	-0.1	-0.2
16044	00	V	100	30	4.7	0.4	0.9
16080	00	V	100	31	5.2	0.3	0.6
16080	12	V	100	30	5.5	0.4	-0.7
16245	12	V	100	27	5.0	0.2	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16245	00	V	100	24	4.6	0.5	0.9
16320	12	V	100	31	4.5	0.5	-1.3
16320	00	V	100	30	4.2	0.9	0.2
16429	00	V	100	29	5.4	1.2	-0.5
16429	12	V	100	30	5.6	1.0	-0.1
16622	12	V	100	25	6.6	-1.4	0.2
16754	12	V	100	14	4.9	0.7	-1.0
17607	12	V	100	21	4.8	0.9	-1.6
26435	00	V	100	14	2.6	-0.3	-0.4
60018	00	V	100	29	5.2	1.3	0.3
60018	12	V	100	31	4.1	0.8	-0.1
ASDE01	12	V	100	8	6.0	-1.9	0.0
ASDE01	00	V	100	8	3.5	0.0	0.0
ASDE03	12	V	100	4	7.2	-0.5	-1.8
ASDE03	00	V	100	4	4.7	0.1	-3.7
ASDE04	00	V	100	7	5.6	-1.4	-0.1
ASDE04	12	V	100	9	5.0	0.5	-0.2
ASDK1	00	V	100	2	3.0	-0.5	-2.6
ASDK1	12	V	100	2	5.3	0.0	5.0
ASDK3	12	V	100	3	2.6	0.0	0.4
ASDK3	00	V	100	6	3.4	-0.2	-1.5
ASES1	12	V	100	15	4.6	0.2	-0.3
ASEU01	12	V	100	10	4.8	2.5	-1.6
ASEU02	00	V	100	4	4.2	-1.7	-1.9
ASEU02	12	V	100	3	3.3	0.4	-0.9
ASEU03	12	V	100	10	6.2	-2.1	0.8
ASEU03	00	V	100	12	4.4	-1.5	-2.7
ASEU04	12	V	100	4	6.9	-5.0	-2.2
ASEU04	00	V	100	3	5.1	3.9	-1.3
ASEU05	12	V	100	3	3.4	-1.3	1.0
ASEU05	00	V	100	5	2.8	1.3	0.4
ASEU06	12	V	100	5	5.4	-1.8	-1.0
ASEU06	00	V	100	5	5.1	-1.5	-0.1
ASFR1	12	V	100	9	3.8	-0.8	-0.5
ASFR1	00	V	100	12	4.0	-1.1	0.2
ASFR2	12	V	100	8	3.3	1.3	-0.6
ASFR2	00	V	100	6	3.1	-0.6	1.0
ASFR3	12	V	100	9	4.5	-1.1	-1.0
ASFR3	00	V	100	10	3.3	1.0	0.4
ASFR4	12	V	100	10	4.9	-0.4	0.1
ASFR4	00	V	100	6	4.0	-1.8	0.0

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	31	7.2	5.3
01001	00	Z	500	31	8.4	5.2
01028	12	Z	500	30	9.2	7.9
01028	00	Z	500	29	13.0	7.6
01152	12	Z	500	31	10.1	7.1
01152	00	Z	500	30	10.0	7.5
01400	12	Z	500	29	47.4	43.7
01400	00	Z	500	29	44.8	42.8
01415	00	Z	500	23	5.7	1.1
01415	12	Z	500	23	6.1	1.1
02365	00	Z	500	29	6.5	4.5
02365	12	Z	500	31	8.2	5.8
02591	12	Z	500	27	13.5	12.7
02591	00	Z	500	28	11.7	10.7
02836	00	Z	500	31	7.3	4.9
02836	12	Z	500	31	6.0	4.0
02963	00	Z	500	31	5.1	3.2
02963	12	Z	500	31	6.5	5.3
03005	00	Z	500	30	5.4	2.3
03005	12	Z	500	31	3.9	0.6
03238	12	Z	500	4	7.2	5.4
03238	00	Z	500	30	11.4	10.4
03808	00	Z	500	33	7.2	4.8
03808	12	Z	500	34	4.1	1.4
03918	00	Z	500	31	11.2	9.8
03918	12	Z	500	10	7.6	6.9
03953	12	Z	500	32	8.3	6.2
03953	00	Z	500	31	8.6	5.7
04018	00	Z	500	27	6.8	4.8
04018	12	Z	500	28	6.7	4.6
04220	12	Z	500	27	7.2	1.6
04220	00	Z	500	30	5.6	1.4
04270	12	Z	500	31	14.0	9.4
04270	00	Z	500	29	10.7	5.5
04320	12	Z	500	31	7.5	5.9
04320	00	Z	500	31	20.9	10.5
04339	00	Z	500	31	13.4	6.0
04339	12	Z	500	29	9.5	1.4
04360	00	Z	500	27	9.2	7.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	500	26	9.1	6.9
06011	12	Z	500	30	36.7	9.7
06011	00	Z	500	30	6.4	0.2
06260	00	Z	500	31	7.3	5.7
06260	12	Z	500	5	6.8	5.6
06610	12	Z	500	31	7.0	5.6
06610	00	Z	500	31	6.4	5.0
07110	00	Z	500	31	6.9	3.6
07110	12	Z	500	31	7.8	4.2
07510	00	Z	500	32	6.9	-2.2
07510	12	Z	500	30	5.9	0.5
07645	12	Z	500	31	9.2	4.8
07645	00	Z	500	30	5.3	2.1
07761	00	Z	500	30	8.0	2.6
07761	12	Z	500	31	8.7	6.5
08001	00	Z	500	30	9.3	5.2
08001	12	Z	500	31	9.7	7.3
08221	00	Z	500	30	12.5	10.6
08221	12	Z	500	31	14.0	12.6
08302	00	Z	500	31	6.7	2.2
08302	12	Z	500	31	7.9	3.3
08495	12	Z	500	1	3.5	3.5
08508	12	Z	500	28	24.9	24.2
08522	12	Z	500	31	12.6	10.1
08579	00	Z	500	1	10.0	10.0
08579	12	Z	500	30	8.6	7.3
10035	12	Z	500	31	6.2	3.7
10035	00	Z	500	31	6.1	2.3
10393	12	Z	500	30	3.2	0.0
10393	00	Z	500	31	6.2	-0.6
10410	00	Z	500	29	4.5	1.4
10410	12	Z	500	31	4.4	2.5
10739	00	Z	500	29	11.3	9.8
10739	12	Z	500	30	11.8	11.1
11035	00	Z	500	31	6.2	0.4
11035	12	Z	500	31	6.2	1.2
12982	00	Z	500	27	28.4	7.8
12982	12	Z	500	3	3.8	-2.9
16044	12	Z	500	32	5.9	3.9
16044	00	Z	500	31	6.5	5.4
16080	00	Z	500	31	5.4	2.9
16080	12	Z	500	30	6.2	4.0
16245	12	Z	500	28	7.3	4.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16245	00	Z	500	28	10.8	6.2
16320	12	Z	500	31	6.5	1.8
16320	00	Z	500	30	6.9	3.4
16429	00	Z	500	31	8.6	6.9
16429	12	Z	500	30	9.9	5.6
16622	12	Z	500	26	18.4	16.6
16754	12	Z	500	15	10.9	6.4
17607	12	Z	500	39	6.6	4.7
26435	00	Z	500	14	7.5	6.3
60018	00	Z	500	29	7.3	-1.4
60018	12	Z	500	31	6.1	1.1
ASDE01	12	Z	500	13	40.2	37.8
ASDE01	00	Z	500	13	36.7	35.1
ASDE03	12	Z	500	5	12.9	-1.5
ASDE03	00	Z	500	4	3.5	0.8
ASDE04	00	Z	500	15	12.2	2.2
ASDE04	12	Z	500	14	17.2	5.7
ASDK1	00	Z	500	11	23.0	19.1
ASDK1	12	Z	500	10	25.1	23.1
ASDK3	12	Z	500	3	21.7	2.5
ASDK3	00	Z	500	6	15.4	8.6
ASES1	12	Z	500	15	22.1	21.4
ASEU01	12	Z	500	11	8.9	6.8
ASEU02	00	Z	500	4	23.4	22.5
ASEU02	12	Z	500	4	31.7	31.3
ASEU03	12	Z	500	12	38.5	28.4
ASEU03	00	Z	500	12	23.6	20.5
ASEU04	12	Z	500	7	9.6	-2.6
ASEU04	00	Z	500	8	17.5	-4.5
ASEU05	12	Z	500	4	20.7	20.6
ASEU05	00	Z	500	5	23.7	23.0
ASEU06	12	Z	500	8	39.4	38.9
ASEU06	00	Z	500	7	42.3	41.5
ASFR1	12	Z	500	9	4.3	1.9
ASFR1	00	Z	500	15	6.5	-2.7
ASFR2	12	Z	500	9	7.0	3.9
ASFR2	00	Z	500	6	4.0	1.3
ASFR3	12	Z	500	10	7.3	-5.4
ASFR3	00	Z	500	10	12.8	-9.8
ASFR4	12	Z	500	10	8.2	5.5
ASFR4	00	Z	500	7	7.7	4.0

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	31	3.3	-0.6	-1.0
01001	00	V	500	31	3.5	0.2	-0.4
01028	12	V	500	30	2.1	-0.1	-0.3
01028	00	V	500	29	2.9	-0.5	0.1
01152	12	V	500	31	3.3	0.4	-0.3
01152	00	V	500	30	2.8	0.4	-0.7
01400	12	V	500	29	3.1	0.5	-0.2
01400	00	V	500	28	3.3	-0.2	0.1
01415	00	V	500	23	3.8	-0.8	-0.1
01415	12	V	500	23	3.7	-0.4	-0.1
02365	00	V	500	29	2.8	0.1	0.0
02365	12	V	500	31	3.0	-0.7	0.1
02591	12	V	500	27	2.9	-0.6	-0.2
02591	00	V	500	28	2.6	0.0	-0.1
02836	00	V	500	31	2.1	-0.6	-0.4
02836	12	V	500	31	2.3	0.1	0.1
02963	00	V	500	31	2.4	-0.2	0.0
02963	12	V	500	31	2.7	0.3	-0.1
03005	00	V	500	26	3.9	0.4	-1.2
03005	12	V	500	31	4.5	0.1	-0.5
03238	12	V	500	4	4.7	0.1	2.6
03238	00	V	500	26	5.0	0.4	0.4
03808	00	V	500	31	4.6	0.5	0.5
03808	12	V	500	31	4.2	0.8	-0.2
03918	00	V	500	31	3.5	-0.2	1.0
03918	12	V	500	10	3.7	-0.3	2.0
03953	12	V	500	31	4.7	0.6	-0.8
03953	00	V	500	31	5.2	-0.5	-0.4
04018	00	V	500	23	3.3	-0.7	0.0
04018	12	V	500	28	3.0	-0.2	-0.6
04220	12	V	500	27	3.5	-0.5	0.3
04220	00	V	500	30	4.6	-0.6	0.4
04270	12	V	500	31	3.7	-0.7	0.4
04270	00	V	500	29	3.5	-0.2	-0.1
04320	12	V	500	31	2.6	0.2	-0.4
04320	00	V	500	31	2.8	-0.5	-0.3
04339	00	V	500	15	13.4	-0.7	-0.7
04339	12	V	500	14	6.1	-0.5	-0.7
04360	00	V	500	27	3.8	0.2	0.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	500	26	4.2	-0.2	-0.2
06011	12	V	500	30	3.5	-0.6	-1.0
06011	00	V	500	30	3.8	0.7	0.1
06260	00	V	500	30	3.5	0.0	0.2
06260	12	V	500	5	2.1	0.3	0.6
06610	12	V	500	31	4.2	-0.1	0.0
06610	00	V	500	30	3.1	1.0	0.5
07110	00	V	500	30	4.0	0.4	0.8
07110	12	V	500	31	5.2	-0.3	-0.5
07510	00	V	500	31	3.5	0.6	-1.1
07510	12	V	500	30	3.3	0.7	0.7
07645	12	V	500	31	3.8	0.5	-0.1
07645	00	V	500	30	3.6	0.6	0.8
07761	00	V	500	29	4.2	-1.3	0.2
07761	12	V	500	31	3.7	0.1	0.2
08001	00	V	500	30	4.1	0.3	1.3
08001	12	V	500	31	3.9	0.4	0.2
08221	00	V	500	30	4.3	0.7	-0.3
08221	12	V	500	31	3.8	0.9	-0.3
08302	00	V	500	31	3.5	-0.3	0.4
08302	12	V	500	31	4.3	-0.8	0.9
08495	12	V	500	1	2.5	2.3	1.0
08508	12	V	500	28	3.5	-0.1	0.0
08522	12	V	500	31	3.4	0.2	0.1
08579	00	V	500	1	2.6	-2.1	1.5
08579	12	V	500	30	3.4	0.1	0.4
10035	12	V	500	31	2.2	0.6	-0.4
10035	00	V	500	31	3.2	0.3	-0.1
10393	12	V	500	30	3.3	0.8	-0.6
10393	00	V	500	31	3.3	0.4	0.0
10410	00	V	500	28	3.3	0.4	-0.3
10410	12	V	500	30	3.0	0.2	0.1
10739	00	V	500	29	2.9	0.1	-0.3
10739	12	V	500	30	3.4	0.9	0.5
11035	00	V	500	31	2.6	0.3	0.3
11035	12	V	500	31	2.9	0.1	0.0
12982	00	V	500	26	2.9	0.7	-0.4
12982	12	V	500	3	3.3	-2.1	-1.1
16044	12	V	500	30	3.9	-0.5	0.0
16044	00	V	500	30	3.5	0.4	-0.1
16080	00	V	500	31	3.1	-0.2	-0.3
16080	12	V	500	30	2.9	0.4	-0.2
16245	12	V	500	28	4.2	0.0	0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16245	00	V	500	27	2.4	0.7	0.0
16320	12	V	500	31	3.3	0.2	0.3
16320	00	V	500	30	2.6	0.1	0.0
16429	00	V	500	30	3.1	-0.3	0.0
16429	12	V	500	30	3.2	1.0	0.1
16622	12	V	500	25	4.0	0.5	-0.7
16754	12	V	500	15	4.6	0.8	1.7
17607	12	V	500	21	3.3	0.2	-0.7
26435	00	V	500	14	2.6	-0.2	-0.5
60018	00	V	500	29	3.0	1.0	0.0
60018	12	V	500	31	3.3	-0.1	0.6
ASDE01	12	V	500	12	2.8	-0.2	-0.1
ASDE01	00	V	500	13	3.8	1.0	0.2
ASDE03	12	V	500	5	6.1	0.5	3.0
ASDE03	00	V	500	4	3.3	1.7	-1.0
ASDE04	00	V	500	14	3.3	0.3	-0.1
ASDE04	12	V	500	14	3.8	0.4	0.8
ASDK1	00	V	500	8	3.8	0.8	1.4
ASDK1	12	V	500	8	5.2	-2.7	0.4
ASDK3	12	V	500	3	2.5	0.1	-0.1
ASDK3	00	V	500	6	4.0	-1.5	0.4
ASES1	12	V	500	15	2.6	-0.1	-0.4
ASEU01	12	V	500	11	1.7	0.7	0.0
ASEU02	00	V	500	4	2.5	1.5	-0.8
ASEU02	12	V	500	4	1.8	0.1	-0.8
ASEU03	12	V	500	10	4.1	0.8	-1.6
ASEU03	00	V	500	12	4.7	-0.1	-2.6
ASEU04	12	V	500	7	3.2	1.2	-1.2
ASEU04	00	V	500	8	4.2	1.5	-1.6
ASEU05	12	V	500	4	3.8	-0.7	1.2
ASEU05	00	V	500	5	2.2	-0.8	0.3
ASEU06	12	V	500	8	5.2	1.4	1.0
ASEU06	00	V	500	7	3.4	0.0	0.6
ASFR1	12	V	500	9	3.4	0.4	0.3
ASFR1	00	V	500	15	2.6	0.5	-0.1
ASFR2	12	V	500	9	2.5	-0.9	-0.1
ASFR2	00	V	500	6	3.6	1.3	1.2
ASFR3	12	V	500	10	3.9	1.2	0.8
ASFR3	00	V	500	10	3.1	1.0	1.2
ASFR4	12	V	500	10	3.0	0.7	0.8
ASFR4	00	V	500	7	3.0	-0.8	0.7

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	31	3.9	1.4
01001	00	Z	850	31	4.1	1.0
01028	12	Z	850	30	5.2	3.7
01028	00	Z	850	30	6.4	3.6
01152	12	Z	850	31	5.4	1.6
01152	00	Z	850	30	4.1	1.3
01400	12	Z	850	29	43.4	40.8
01400	00	Z	850	30	43.5	41.3
01415	00	Z	850	23	3.7	0.9
01415	12	Z	850	23	3.4	1.0
02365	00	Z	850	29	3.1	1.6
02365	12	Z	850	31	2.7	1.7
02591	12	Z	850	27	10.6	10.3
02591	00	Z	850	28	9.4	8.9
02836	00	Z	850	31	4.0	1.7
02836	12	Z	850	31	3.0	1.4
02963	00	Z	850	31	2.4	0.3
02963	12	Z	850	31	2.7	0.7
03005	00	Z	850	30	3.4	1.0
03005	12	Z	850	31	3.0	-0.8
03238	12	Z	850	4	4.3	3.6
03238	00	Z	850	30	6.9	6.2
03808	00	Z	850	33	4.1	1.8
03808	12	Z	850	34	3.6	-0.5
03918	00	Z	850	31	8.2	7.8
03918	12	Z	850	10	7.8	6.6
03953	12	Z	850	32	4.9	3.8
03953	00	Z	850	31	7.2	5.1
04018	00	Z	850	28	3.3	2.3
04018	12	Z	850	28	4.2	3.3
04220	12	Z	850	29	3.5	1.0
04220	00	Z	850	30	3.1	-0.5
04270	12	Z	850	31	4.4	1.2
04270	00	Z	850	29	5.0	-0.8
04320	12	Z	850	31	6.6	6.2
04320	00	Z	850	31	8.4	6.5
04339	00	Z	850	31	7.3	1.6
04339	12	Z	850	29	5.7	-0.4
04360	00	Z	850	27	5.2	1.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
04360	12	Z	850	26	4.9	0.9
06011	12	Z	850	30	7.5	4.6
06011	00	Z	850	31	5.4	4.2
06260	00	Z	850	31	4.7	2.7
06260	12	Z	850	5	1.9	-0.8
06610	12	Z	850	31	3.4	2.6
06610	00	Z	850	31	2.9	0.9
07110	00	Z	850	31	3.3	1.9
07110	12	Z	850	31	4.4	2.2
07510	00	Z	850	32	3.2	-2.2
07510	12	Z	850	30	2.8	-1.2
07645	12	Z	850	31	2.5	-1.2
07645	00	Z	850	30	4.1	-2.9
07761	00	Z	850	30	3.4	0.8
07761	12	Z	850	31	3.8	2.5
08001	00	Z	850	31	6.7	0.9
08001	12	Z	850	31	6.4	3.3
08221	00	Z	850	30	7.7	7.3
08221	12	Z	850	31	10.5	9.7
08302	00	Z	850	31	3.9	-0.7
08302	12	Z	850	31	4.2	2.1
08495	12	Z	850	1	5.3	5.3
08508	12	Z	850	28	19.1	18.3
08522	12	Z	850	31	6.6	5.7
08579	00	Z	850	1	4.0	4.0
08579	12	Z	850	30	6.3	5.3
10035	12	Z	850	31	4.3	1.1
10035	00	Z	850	31	4.4	-0.4
10393	12	Z	850	31	4.1	-3.2
10393	00	Z	850	31	5.3	-3.4
10410	00	Z	850	30	3.1	-2.3
10410	12	Z	850	31	3.1	-1.4
10739	00	Z	850	29	7.6	7.2
10739	12	Z	850	30	9.4	9.2
11035	00	Z	850	31	4.1	-2.8
11035	12	Z	850	31	3.5	-1.6
12982	00	Z	850	27	19.5	4.2
12982	12	Z	850	3	3.2	1.7
16044	12	Z	850	32	3.0	-0.7
16044	00	Z	850	31	2.7	-0.4
16080	00	Z	850	31	3.0	-1.2
16080	12	Z	850	30	3.8	-0.2
16245	12	Z	850	29	4.3	1.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16245	00	Z	850	28	6.7	2.4
16320	12	Z	850	31	4.8	-1.2
16320	00	Z	850	30	4.3	0.6
16429	00	Z	850	32	5.5	3.7
16429	12	Z	850	30	4.4	3.2
16622	12	Z	850	26	13.3	12.1
16754	12	Z	850	15	8.5	6.4
17607	12	Z	850	39	4.4	3.7
26435	00	Z	850	14	4.0	2.3
60018	00	Z	850	30	8.4	-7.7
60018	12	Z	850	31	6.8	-5.9
ASDE01	12	Z	850	13	33.6	32.0
ASDE01	00	Z	850	14	35.2	34.0
ASDE03	12	Z	850	5	10.6	-2.5
ASDE03	00	Z	850	4	3.3	0.6
ASDE04	00	Z	850	16	10.2	-1.2
ASDE04	12	Z	850	16	15.4	2.2
ASDK1	00	Z	850	11	13.6	9.9
ASDK1	12	Z	850	10	18.3	15.2
ASDK3	12	Z	850	3	23.3	-7.8
ASDK3	00	Z	850	6	13.2	8.1
ASES1	12	Z	850	15	14.6	14.0
ASEU01	12	Z	850	11	5.0	2.0
ASEU02	00	Z	850	4	20.6	19.8
ASEU02	12	Z	850	4	24.0	23.8
ASEU03	12	Z	850	12	35.0	24.9
ASEU03	00	Z	850	12	22.0	17.4
ASEU04	12	Z	850	7	8.7	-4.1
ASEU04	00	Z	850	8	13.1	-5.3
ASEU05	12	Z	850	4	20.2	19.2
ASEU05	00	Z	850	5	21.3	20.9
ASEU06	12	Z	850	9	36.9	36.4
ASEU06	00	Z	850	7	34.5	33.9
ASFR1	12	Z	850	10	5.7	-4.7
ASFR1	00	Z	850	15	5.9	-5.5
ASFR2	12	Z	850	9	6.9	-6.2
ASFR2	00	Z	850	6	6.9	-6.4
ASFR3	12	Z	850	10	12.7	-11.8
ASFR3	00	Z	850	10	11.9	-11.1
ASFR4	12	Z	850	10	4.2	-1.6
ASFR4	00	Z	850	7	2.4	-0.6

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	31	4.3	-1.1	1.9
01001	00	V	850	31	3.8	0.1	0.9
01028	12	V	850	30	2.5	0.4	-0.3
01028	00	V	850	29	3.1	-0.2	-0.6
01152	12	V	850	31	4.6	-0.7	1.1
01152	00	V	850	30	5.0	-0.3	1.9
01400	12	V	850	29	2.5	0.3	-0.6
01400	00	V	850	29	2.7	-0.1	-0.2
01415	00	V	850	23	4.3	0.1	0.2
01415	12	V	850	23	2.6	0.6	0.1
02365	00	V	850	29	2.9	0.0	0.7
02365	12	V	850	31	2.5	0.6	0.3
02591	12	V	850	27	2.8	-0.6	0.2
02591	00	V	850	28	2.8	-0.3	-0.6
02836	00	V	850	31	3.3	0.7	-0.5
02836	12	V	850	31	2.9	0.1	0.3
02963	00	V	850	31	2.4	-0.7	-0.6
02963	12	V	850	31	2.1	0.1	-0.5
03005	00	V	850	26	3.6	-0.4	1.0
03005	12	V	850	31	2.9	0.2	0.8
03238	12	V	850	4	5.4	2.5	0.0
03238	00	V	850	26	3.8	0.1	-0.6
03808	00	V	850	31	3.4	-0.3	-0.7
03808	12	V	850	31	4.2	1.2	0.1
03918	00	V	850	31	2.6	0.1	0.2
03918	12	V	850	10	2.8	-0.9	0.1
03953	12	V	850	31	2.9	0.6	0.1
03953	00	V	850	31	3.5	0.2	-0.4
04018	00	V	850	24	2.7	0.2	0.1
04018	12	V	850	28	3.7	-1.4	0.6
04220	12	V	850	29	3.9	0.1	-0.1
04220	00	V	850	30	3.4	0.2	0.0
04270	12	V	850	31	5.1	2.4	0.8
04270	00	V	850	29	5.6	1.5	0.7
04320	12	V	850	31	3.7	-0.5	0.7
04320	00	V	850	31	3.3	-0.8	0.7
04339	00	V	850	16	10.4	3.7	3.7
04339	12	V	850	16	9.3	-1.1	3.2
04360	00	V	850	27	9.6	5.0	1.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
04360	12	V	850	26	7.7	4.4	1.6
06011	12	V	850	30	3.2	-0.1	-0.5
06011	00	V	850	31	3.0	-0.1	-1.4
06260	00	V	850	30	2.7	-0.4	-0.8
06260	12	V	850	5	2.1	0.5	-0.2
06610	12	V	850	31	3.0	0.3	-0.4
06610	00	V	850	30	3.5	1.0	0.6
07110	00	V	850	30	3.3	-0.1	0.8
07110	12	V	850	31	4.0	0.5	0.5
07510	00	V	850	31	3.5	0.2	0.7
07510	12	V	850	30	3.7	0.6	0.3
07645	12	V	850	31	4.0	0.8	1.2
07645	00	V	850	30	3.9	-1.0	1.4
07761	00	V	850	29	4.1	-0.8	-0.1
07761	12	V	850	31	3.1	-0.3	-0.1
08001	00	V	850	31	3.2	0.0	-0.5
08001	12	V	850	31	3.3	0.0	0.5
08221	00	V	850	30	3.3	0.0	-0.2
08221	12	V	850	31	3.3	0.0	-1.0
08302	00	V	850	31	3.5	-0.1	0.4
08302	12	V	850	31	3.3	-0.1	0.0
08495	12	V	850	1	1.4	1.3	-0.4
08508	12	V	850	28	3.6	-0.6	0.1
08522	12	V	850	30	6.1	-0.5	1.1
08579	00	V	850	1	1.9	1.6	-1.1
08579	12	V	850	30	3.8	0.0	-0.4
10035	12	V	850	31	3.0	0.1	-0.6
10035	00	V	850	31	2.7	-0.7	-0.2
10393	12	V	850	30	2.9	0.3	-0.3
10393	00	V	850	31	2.5	-0.4	-0.3
10410	00	V	850	29	3.7	0.1	-0.4
10410	12	V	850	30	3.1	0.2	-0.5
10739	00	V	850	29	3.4	0.2	-0.4
10739	12	V	850	30	2.4	-0.3	-0.1
11035	00	V	850	31	3.8	-0.2	-0.3
11035	12	V	850	31	2.8	0.0	0.4
12982	00	V	850	26	3.0	0.3	0.1
12982	12	V	850	3	4.8	-1.9	1.7
16044	12	V	850	30	3.1	0.1	0.6
16044	00	V	850	30	3.8	0.5	-0.2
16080	00	V	850	31	2.8	0.3	0.5
16080	12	V	850	30	4.3	0.9	0.1
16245	12	V	850	29	3.7	-0.1	0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16245	00	V	850	27	3.0	0.2	0.6
16320	12	V	850	31	3.5	1.3	-0.9
16320	00	V	850	30	4.2	0.2	0.4
16429	00	V	850	31	2.9	-0.4	0.1
16429	12	V	850	30	3.3	0.1	0.2
16622	12	V	850	24	3.0	0.8	0.2
16754	12	V	850	15	3.5	-1.1	-1.2
17607	12	V	850	21	2.7	0.8	0.0
26435	00	V	850	14	2.3	-0.4	0.3
60018	00	V	850	30	3.8	0.5	-1.1
60018	12	V	850	31	3.3	-0.2	-0.8
ASDE01	12	V	850	13	3.5	-0.5	0.1
ASDE01	00	V	850	14	3.2	-0.3	0.0
ASDE03	12	V	850	5	5.7	1.4	2.1
ASDE03	00	V	850	4	2.8	-1.6	-0.3
ASDE04	00	V	850	16	2.3	0.6	0.2
ASDE04	12	V	850	16	2.2	0.4	-0.3
ASDK1	00	V	850	10	2.4	-0.9	-0.2
ASDK1	12	V	850	10	1.8	-0.7	0.0
ASDK3	12	V	850	3	1.6	-0.6	-1.3
ASDK3	00	V	850	6	3.1	-0.2	-0.1
ASES1	12	V	850	15	2.8	0.8	0.6
ASEU01	12	V	850	11	2.9	0.1	0.0
ASEU02	00	V	850	4	4.2	0.0	1.2
ASEU02	12	V	850	4	2.2	0.7	-0.7
ASEU03	12	V	850	10	2.9	0.9	-0.8
ASEU03	00	V	850	12	4.5	-0.6	0.3
ASEU04	12	V	850	7	2.6	-0.8	1.2
ASEU04	00	V	850	8	6.0	0.0	-1.4
ASEU05	12	V	850	4	1.8	-0.2	0.7
ASEU05	00	V	850	5	2.6	-0.8	-0.1
ASEU06	12	V	850	9	4.1	-0.6	0.5
ASEU06	00	V	850	7	2.8	-1.1	-0.4
ASFR1	12	V	850	10	3.1	0.6	0.2
ASFR1	00	V	850	15	3.0	0.5	-0.1
ASFR2	12	V	850	9	3.3	-1.2	-0.4
ASFR2	00	V	850	6	2.0	0.4	-0.6
ASFR3	12	V	850	10	2.8	-0.6	-0.1
ASFR3	00	V	850	10	2.9	0.3	-0.4
ASFR4	12	V	850	10	2.5	0.0	-0.9
ASFR4	00	V	850	7	3.7	0.0	0.0

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
12050	99	P	SUR	34	32	217	0	0.4	0.0	0.4
13001	99	P	SUR	11	-23	158	0	0.4	0.0	0.4
13008	99	P	SUR	15	-38	106	0	0.4	-0.2	0.4
13577	99	P	SUR	25	-48	244	0	1.0	0.0	1.0
13600	99	P	SUR	23	-58	216	0	0.3	0.9	0.9
13659	99	P	SUR	26	-26	216	0	0.4	-0.1	0.4
13660	99	P	SUR	23	-42	216	0	0.5	0.1	0.5
13662	99	P	SUR	27	-27	216	0	0.4	0.0	0.4
13664	99	P	SUR	26	-26	216	0	0.4	0.2	0.5
13665	99	P	SUR	17	-56	217	0	1.0	-0.3	1.0
13666	99	P	SUR	15	-44	216	1	3.2	0.0	3.2
25622	99	P	SUR	87	5	216	0	0.7	-0.5	0.9
26556	99	P	SUR	79	-14	216	0	0.5	-0.1	0.5
41040	99	P	SUR	15	-53	216	0	0.3	0.0	0.3
41041	99	P	SUR	14	-46	214	0	0.5	0.1	0.5
41043	99	P	SUR	21	-65	214	0	0.3	0.1	0.3
41044	99	P	SUR	22	-59	216	0	0.2	0.0	0.2
41046	99	P	SUR	24	-68	216	0	0.2	0.1	0.2
41048	99	P	SUR	32	-70	215	0	0.7	-0.4	0.8
41049	99	P	SUR	28	-63	217	0	0.3	0.0	0.3
41051	99	P	SUR	18	-65	35	0	2.7	-1.0	2.9
41052	99	P	SUR	18	-65	217	0	0.4	-0.6	0.7
41053	99	P	SUR	19	-66	209	0	0.2	-0.7	0.7
41056	99	P	SUR	18	-66	217	0	0.2	-0.7	0.7
41139	99	P	SUR	20	-38	169	0	0.4	-0.3	0.4
41300	99	P	SUR	16	-58	179	1	0.3	-0.5	0.6
41560	99	P	SUR	45	-27	217	0	0.6	0.2	0.6
41596	99	P	SUR	21	-45	217	0	0.3	-0.1	0.3
41632	99	P	SUR	19	-48	217	0	0.3	0.0	0.3
41636	99	P	SUR	37	-67	217	0	0.6	-0.2	0.6
41705	99	P	SUR	26	-46	217	0	0.3	0.1	0.3
41706	99	P	SUR	16	-52	217	0	0.2	0.1	0.3
41707	99	P	SUR	18	-49	217	0	0.3	0.3	0.4
41708	99	P	SUR	17	-57	217	0	0.2	0.4	0.5
41709	99	P	SUR	17	-56	217	0	0.3	-0.1	0.3
41711	99	P	SUR	17	-51	217	0	0.3	0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41736	99	P	SUR	11	-40	434	0	0.4	0.4	0.6
41737	99	P	SUR	26	-37	113	0	0.6	0.5	0.8
41800	99	P	SUR	26	-36	193	0	0.5	0.6	0.8
41929	99	P	SUR	40	-43	211	0	0.4	0.0	0.4
41932	99	P	SUR	32	-70	216	0	0.6	-0.5	0.8
41958	99	P	SUR	36	-57	215	0	0.5	-0.2	0.5
41969	99	P	SUR	42	-45	217	0	0.6	-0.4	0.7
41970	99	P	SUR	31	-59	217	0	0.4	0.0	0.4
41971	99	P	SUR	35	-60	217	0	0.5	-0.5	0.7
41972	99	P	SUR	33	-41	217	0	0.4	0.2	0.4
41999	99	P	SUR	30	-53	182	0	0.4	0.5	0.6
42059	99	P	SUR	15	-68	216	0	0.2	0.7	0.8
42060	99	P	SUR	16	-63	213	0	0.3	-0.1	0.3
42085	99	P	SUR	18	-67	209	0	0.3	-0.6	0.6
42086	99	P	SUR	55	6	1	0	0.0	-0.1	0.1
44027	99	P	SUR	44	-67	216	0	0.7	-0.6	1.0
44032	99	P	SUR	44	-69	202	0	0.7	-0.8	1.1
44033	99	P	SUR	44	-69	182	0	0.9	-0.3	0.9
44034	99	P	SUR	44	-68	188	0	0.6	-0.6	0.8
44037	99	P	SUR	44	-68	171	0	1.3	-0.3	1.3
44137	99	P	SUR	42	-62	211	0	0.7	-0.2	0.7
44139	99	P	SUR	44	-57	205	0	0.7	-0.2	0.7
44141	99	P	SUR	43	-58	213	0	0.7	-0.2	0.7
44150	99	P	SUR	43	-64	199	0	0.9	0.0	0.9
44251	99	P	SUR	46	-53	161	0	0.6	0.1	0.6
44258	99	P	SUR	45	-63	210	0	0.7	-0.3	0.8
44514	99	P	SUR	46	-39	213	1	0.8	0.1	0.8
44516	99	P	SUR	36	-54	167	0	0.5	0.1	0.5
44546	99	P	SUR	46	-33	216	0	0.6	-0.3	0.7
44549	99	P	SUR	59	-14	110	0	0.5	0.1	0.5
44550	99	P	SUR	53	-19	195	0	1.0	-0.1	1.0
44551	99	P	SUR	44	-19	216	0	0.9	-0.2	0.9
44554	99	P	SUR	43	-42	215	0	0.6	0.3	0.7
44602	99	P	SUR	55	-38	216	0	0.8	-0.3	0.9
44605	99	P	SUR	50	-23	216	0	0.7	-0.2	0.8
44607	99	P	SUR	47	-16	216	0	0.5	-0.3	0.5
44610	99	P	SUR	51	-46	217	1	1.1	-0.1	1.1
44611	99	P	SUR	50	-17	13	0	0.3	-0.1	0.3
44612	99	P	SUR	48	-48	216	0	0.7	0.2	0.7
44613	99	P	SUR	46	-43	216	0	0.7	-0.4	0.8
44624	99	P	SUR	46	-22	217	0	0.7	-0.3	0.7
44690	99	P	SUR	56	-55	217	0	0.6	-0.4	0.7
44691	99	P	SUR	56	-57	6	4	0.5	6.1	6.1

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44724	99	P	SUR	56	-22	216	0	0.8	-0.6	1.0
44725	99	P	SUR	29	-21	216	0	0.6	0.0	0.6
44726	99	P	SUR	49	-5	152	0	0.6	-0.5	0.7
44730	99	P	SUR	52	-5	68	0	0.7	-0.5	0.8
44740	99	P	SUR	32	-32	217	0	0.4	0.0	0.4
44741	99	P	SUR	40	-29	216	0	0.4	-0.1	0.4
44745	99	P	SUR	47	-50	217	0	0.7	0.1	0.7
44747	99	P	SUR	59	-42	215	0	0.7	-0.4	0.8
44762	99	P	SUR	50	-8	201	0	0.5	0.0	0.5
44763	99	P	SUR	56	-14	113	0	0.5	-0.2	0.5
44764	99	P	SUR	46	-38	216	0	0.6	-0.4	0.8
44765	99	P	SUR	48	-36	216	0	0.7	-0.1	0.7
44767	99	P	SUR	30	-29	216	0	1.2	0.1	1.2
44770	99	P	SUR	49	-21	173	2	3.7	0.4	3.7
44771	99	P	SUR	55	-24	216	0	0.6	-0.4	0.7
44773	99	P	SUR	42	-33	217	0	0.6	-0.1	0.6
44774	99	P	SUR	48	-4	41	0	1.1	-0.8	1.3
44775	99	P	SUR	52	-15	173	0	0.5	-0.4	0.6
44778	99	P	SUR	40	-11	166	0	0.4	-0.3	0.5
44846	99	P	SUR	39	-50	36	0	0.5	0.3	0.5
44847	99	P	SUR	38	-53	36	0	0.5	0.2	0.5
44848	99	P	SUR	38	-47	29	0	0.5	0.2	0.6
44849	99	P	SUR	38	-62	43	0	0.5	-0.4	0.6
44850	99	P	SUR	38	-59	41	0	0.7	-0.3	0.8
44863	99	P	SUR	40	-40	197	0	0.4	0.0	0.4
44865	99	P	SUR	35	-18	138	0	2.1	-0.5	2.1
44868	99	P	SUR	37	-41	217	0	0.4	0.3	0.5
44869	99	P	SUR	28	-24	216	0	0.3	0.3	0.5
44870	99	P	SUR	42	-28	96	0	0.7	-0.3	0.8
44873	99	P	SUR	46	-4	55	0	0.3	0.2	0.4
44874	99	P	SUR	46	-25	215	0	0.6	-0.1	0.6
44875	99	P	SUR	33	-30	174	0	2.6	0.4	2.6
44876	99	P	SUR	38	-56	36	0	0.4	0.2	0.5
44924	99	P	SUR	41	-31	163	26	0.6	0.3	0.7
47501	99	P	SUR	66	-22	3	0	3.5	3.2	4.7
47564	99	P	SUR	72	-21	216	0	1.0	0.0	1.0
47565	99	P	SUR	69	-22	195	6	3.1	-0.5	3.2
48520	99	P	SUR	76	-19	217	0	0.5	0.4	0.6
48533	99	P	SUR	72	-20	26	0	0.7	0.0	0.7
60086	99	P	SUR	55	6	1	0	0.0	-0.4	0.4
61002	99	P	SUR	42	5	200	0	0.5	0.1	0.5
61523	99	P	SUR	41	8	42	0	0.4	-0.3	0.5
61687	99	P	SUR	44	30	213	0	0.5	0.4	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
61688	99	P	SUR	44	30	104	0	0.4	0.4	0.6
61690	99	P	SUR	43	30	215	0	0.5	0.3	0.6
61691	99	P	SUR	43	34	217	0	0.5	0.0	0.5
62001	99	P	SUR	45	-5	217	0	0.4	0.0	0.4
62023	99	P	SUR	51	-8	77	2	3.3	-1.1	3.5
62027	99	P	SUR	49	-2	92	0	0.6	-0.1	0.6
62050	99	P	SUR	50	-4	217	0	0.6	0.0	0.6
62081	99	P	SUR	51	-13	158	1	0.7	-0.2	0.7
62082	99	P	SUR	55	6	3	0	6.0	-4.7	7.6
62084	99	P	SUR	55	6	1	0	0.0	-0.7	0.7
62086	99	P	SUR	55	6	40	0	1.6	-0.7	1.7
62091	99	P	SUR	53	-5	213	0	0.5	-0.3	0.6
62093	99	P	SUR	55	-10	217	0	0.6	0.5	0.8
62094	99	P	SUR	52	-7	217	1	0.5	-0.1	0.5
62095	99	P	SUR	53	-16	207	3	1.0	-0.1	1.0
62102	99	P	SUR	58	2	217	0	1.1	0.7	1.3
62103	99	P	SUR	50	-3	210	0	0.5	0.3	0.6
62104	99	P	SUR	57	1	217	0	0.7	0.4	0.8
62105	99	P	SUR	55	-13	215	0	0.6	0.0	0.6
62107	99	P	SUR	50	-6	217	0	0.5	0.3	0.6
62111	99	P	SUR	58	0	217	0	0.6	0.6	0.8
62112	99	P	SUR	58	0	216	0	0.5	0.4	0.6
62113	99	P	SUR	58	0	217	0	0.8	-0.1	0.8
62114	99	P	SUR	58	0	217	0	0.5	0.0	0.5
62115	99	P	SUR	58	-3	1	0	0.0	2.3	2.3
62116	99	P	SUR	58	1	217	0	0.9	0.5	1.0
62117	99	P	SUR	58	0	179	0	0.9	0.2	0.9
62118	99	P	SUR	58	1	203	0	0.4	-0.6	0.7
62119	99	P	SUR	57	2	217	0	0.5	0.1	0.5
62120	99	P	SUR	56	2	217	0	0.4	0.0	0.4
62121	99	P	SUR	54	3	217	0	0.8	0.6	1.0
62122	99	P	SUR	57	2	217	0	0.5	0.0	0.5
62123	99	P	SUR	56	2	217	0	0.5	0.2	0.5
62127	99	P	SUR	54	1	191	0	0.4	0.2	0.4
62128	99	P	SUR	59	1	217	0	0.5	-0.1	0.5
62129	99	P	SUR	58	0	217	0	0.8	-0.1	0.8
62131	99	P	SUR	54	1	217	0	0.5	0.4	0.6
62132	99	P	SUR	56	2	217	0	0.5	0.3	0.6
62133	99	P	SUR	57	1	216	0	1.0	0.5	1.1
62134	99	P	SUR	58	1	217	0	0.4	0.2	0.4
62137	99	P	SUR	58	-4	1	0	0.0	0.0	0.0
62139	99	P	SUR	53	2	1	0	0.0	-0.8	0.8
62140	99	P	SUR	57	1	217	0	0.5	0.5	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62141	99	P	SUR	57	1	1	0	0.0	0.1	0.1
62142	99	P	SUR	53	2	216	0	0.3	0.0	0.3
62143	99	P	SUR	58	2	217	0	0.5	0.3	0.6
62144	99	P	SUR	53	2	216	0	0.5	0.3	0.6
62145	99	P	SUR	53	3	216	0	0.5	0.3	0.6
62146	99	P	SUR	57	2	217	0	0.5	0.0	0.5
62147	99	P	SUR	58	-1	1	0	0.0	0.3	0.3
62149	99	P	SUR	54	1	212	0	0.4	0.4	0.6
62150	99	P	SUR	54	1	212	0	0.6	0.4	0.7
62152	99	P	SUR	57	2	217	0	0.5	0.4	0.6
62153	99	P	SUR	57	2	217	0	0.4	0.1	0.4
62154	99	P	SUR	56	2	217	0	0.5	-0.1	0.5
62155	99	P	SUR	58	1	217	0	0.4	0.3	0.5
62156	99	P	SUR	56	-3	1	0	0.0	1.9	1.9
62157	99	P	SUR	58	0	1	0	0.0	-0.3	0.3
62159	99	P	SUR	61	-2	1	0	0.0	-1.3	1.3
62161	99	P	SUR	58	1	1	0	0.0	-0.8	0.8
62162	99	P	SUR	57	1	1	0	0.0	0.4	0.4
62163	99	P	SUR	48	-8	216	0	0.4	0.0	0.4
62164	99	P	SUR	57	1	217	0	0.4	0.1	0.4
62165	99	P	SUR	54	1	212	0	0.4	0.1	0.4
62168	99	P	SUR	58	1	1	0	0.0	-0.7	0.7
62170	99	P	SUR	51	2	209	2	0.5	0.4	0.6
62301	99	P	SUR	52	-5	217	0	0.5	0.2	0.5
62303	99	P	SUR	52	-5	217	0	0.6	0.1	0.6
62304	99	P	SUR	51	2	217	0	0.5	0.2	0.5
62305	99	P	SUR	50	0	216	1	0.5	0.2	0.6
62442	99	P	SUR	49	-17	6	0	3.8	4.8	6.1
62503	99	P	SUR	45	-4	181	0	0.4	-0.1	0.4
62504	99	P	SUR	56	-19	161	0	1.2	0.2	1.2
62507	99	P	SUR	48	-14	217	1	0.5	0.2	0.5
62508	99	P	SUR	45	-7	216	0	0.4	0.5	0.6
62512	99	P	SUR	36	-24	216	0	0.4	0.0	0.4
62514	99	P	SUR	63	-12	216	0	0.5	0.1	0.5
62515	99	P	SUR	51	-9	132	0	0.6	-0.2	0.7
62516	99	P	SUR	37	-13	216	0	0.4	0.1	0.4
62520	99	P	SUR	20	-63	217	0	0.2	0.3	0.4
62534	99	P	SUR	51	-22	216	0	0.7	-0.2	0.7
62553	99	P	SUR	62	-18	216	0	0.5	0.1	0.5
62556	99	P	SUR	24	-44	217	0	1.0	0.0	1.0
62678	99	P	SUR	59	-32	216	0	0.6	-0.2	0.6
62680	99	P	SUR	59	-18	216	0	0.7	-0.3	0.7
62681	99	P	SUR	51	-50	217	0	0.8	-0.1	0.8

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62684	99	P	SUR	74	9	217	0	0.3	0.0	0.3
62686	99	P	SUR	64	4	216	0	0.4	-0.2	0.4
62687	99	P	SUR	65	3	217	0	0.4	0.3	0.5
62695	99	P	SUR	43	-19	215	0	0.5	-0.1	0.5
62712	99	P	SUR	42	-27	84	0	0.5	-0.4	0.6
62713	99	P	SUR	35	-21	215	0	0.4	0.0	0.4
62714	99	P	SUR	34	-23	213	0	0.4	0.0	0.4
63055	99	P	SUR	61	2	217	0	0.7	-0.5	0.9
63056	99	P	SUR	60	2	217	0	1.2	0.8	1.4
63057	99	P	SUR	59	2	217	0	0.4	-0.1	0.4
63101	99	P	SUR	61	1	217	0	0.8	0.7	1.1
63103	99	P	SUR	61	1	217	0	0.7	-0.6	0.9
63104	99	P	SUR	61	2	217	0	0.5	0.0	0.5
63105	99	P	SUR	61	2	1	0	0.0	0.2	0.2
63107	99	P	SUR	61	2	217	0	0.5	-0.2	0.5
63108	99	P	SUR	61	2	217	0	0.5	-0.4	0.7
63109	99	P	SUR	60	2	203	0	0.6	-0.6	0.8
63110	99	P	SUR	60	2	203	0	1.4	1.0	1.7
63112	99	P	SUR	61	1	215	0	0.4	-0.4	0.6
63113	99	P	SUR	61	2	25	0	0.4	-0.2	0.4
63114	99	P	SUR	61	2	210	0	0.5	-0.4	0.7
63115	99	P	SUR	62	1	217	0	0.5	-0.3	0.6
63116	99	P	SUR	55	8	1	0	0.0	0.3	0.3
63117	99	P	SUR	61	1	217	0	1.2	0.7	1.4
63118	99	P	SUR	61	-2	1	0	0.0	-1.2	1.2
63119	99	P	SUR	58	0	16	0	0.8	0.7	1.0
63544	99	P	SUR	81	3	217	16	3.3	1.0	3.4
63552	99	P	SUR	76	-3	216	0	0.5	-0.1	0.5
63635	99	P	SUR	76	0	203	0	1.9	-0.6	2.0
63639	99	P	SUR	72	36	62	7	4.9	-3.0	5.7
63640	99	P	SUR	73	27	217	0	0.7	0.2	0.7
63642	99	P	SUR	71	11	216	0	0.3	0.3	0.5
64041	99	P	SUR	61	-3	217	0	0.5	-0.1	0.5
64045	99	P	SUR	59	-12	216	0	0.8	0.1	0.8
64046	99	P	SUR	61	-4	217	0	0.7	0.0	0.7
64049	99	P	SUR	57	1	1	0	0.0	1.7	1.7
64516	99	P	SUR	72	15	216	0	0.3	-0.1	0.3
64518	99	P	SUR	74	8	216	0	0.3	0.0	0.3
64519	99	P	SUR	63	7	216	0	0.5	-0.5	0.7
64520	99	P	SUR	66	-2	216	0	0.5	0.2	0.5
64521	99	P	SUR	75	5	216	0	0.3	0.1	0.4
64525	99	P	SUR	65	-6	216	0	0.4	0.1	0.4
64526	99	P	SUR	66	-7	216	0	0.5	0.3	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
64527	99	P	SUR	60	-52	13	0	0.6	0.1	0.6
64606	99	P	SUR	66	-6	216	0	0.4	0.1	0.4
64607	99	P	SUR	69	-3	216	0	0.4	0.3	0.6
64609	99	P	SUR	69	-4	180	0	0.4	0.3	0.5
64611	99	P	SUR	62	-20	216	0	0.6	-0.2	0.6
64613	99	P	SUR	62	-5	216	0	0.4	0.2	0.5
64614	99	P	SUR	62	-18	216	0	0.5	0.2	0.6
64615	99	P	SUR	62	-11	216	0	0.6	0.5	0.8
64616	99	P	SUR	63	-22	217	0	0.4	0.2	0.5
64619	99	P	SUR	64	-18	13	0	0.3	-0.8	0.8
64620	99	P	SUR	58	-31	216	0	0.8	-0.2	0.9
64621	99	P	SUR	65	-7	216	0	0.4	0.3	0.5
64622	99	P	SUR	67	-10	217	0	0.4	0.3	0.5
64623	99	P	SUR	70	10	216	0	0.5	0.1	0.5
64662	99	P	SUR	67	-19	217	0	0.5	0.3	0.6
64663	99	P	SUR	68	-15	216	0	0.6	0.3	0.7
64664	99	P	SUR	68	-15	216	0	0.5	0.3	0.5
64665	99	P	SUR	66	-8	217	0	0.4	0.3	0.5
64666	99	P	SUR	65	-12	216	0	0.4	0.4	0.5
64667	99	P	SUR	63	-30	180	0	0.7	-0.1	0.7
64668	99	P	SUR	63	-12	216	0	0.5	0.4	0.7
64669	99	P	SUR	63	-17	203	0	0.6	0.3	0.6
65592	99	P	SUR	60	-52	204	0	0.6	-0.3	0.7

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JAN 2014
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
13001	99	SPEED	SUR	11	-23	158	0	0	0.9	0.5	1.0
13002	99	SPEED	SUR	20	-23	184	0	0	1.0	-0.2	1.0
13008	99	SPEED	SUR	15	-38	106	0	0	1.0	-0.1	1.0
41040	99	SPEED	SUR	15	-53	216	0	0	0.8	0.0	0.8
41041	99	SPEED	SUR	14	-46	214	0	0	0.9	0.0	0.9
41044	99	SPEED	SUR	22	-59	216	0	0	0.8	-0.2	0.9
41046	99	SPEED	SUR	24	-68	216	0	0	1.0	0.2	1.0
41048	99	SPEED	SUR	32	-70	215	0	0	1.4	-0.3	1.4
41049	99	SPEED	SUR	28	-63	217	0	0	1.4	0.2	1.4
41051	99	SPEED	SUR	18	-65	217	0	0	1.4	-0.9	1.7
41052	99	SPEED	SUR	18	-65	217	0	0	1.1	-0.8	1.3
41053	99	SPEED	SUR	19	-66	211	0	0	1.2	-0.1	1.2
41056	99	SPEED	SUR	18	-66	217	0	0	1.3	-0.6	1.4
41139	99	SPEED	SUR	20	-38	169	0	0	1.1	-0.1	1.1
41300	99	SPEED	SUR	16	-58	186	0	0	0.9	-1.1	1.4
42059	99	SPEED	SUR	15	-68	216	0	0	0.8	0.0	0.8
42060	99	SPEED	SUR	16	-63	213	0	0	1.1	0.3	1.1
42085	99	SPEED	SUR	18	-67	210	0	0	1.1	0.6	1.3
42086	99	SPEED	SUR	55	6	1	0	0	0.0	-0.4	0.3
44024	99	SPEED	SUR	42	-66	41	0	0	1.6	-1.1	2.0
44027	99	SPEED	SUR	44	-67	217	0	0	1.6	0.0	1.6
44032	99	SPEED	SUR	44	-69	216	0	0	1.4	0.2	1.4
44033	99	SPEED	SUR	44	-69	211	0	0	1.7	0.7	1.8
44034	99	SPEED	SUR	44	-68	216	0	0	1.5	-0.1	1.5
44037	99	SPEED	SUR	44	-68	189	0	0	1.4	0.3	1.4
44137	99	SPEED	SUR	42	-62	212	0	0	2.3	-0.3	2.3
44139	99	SPEED	SUR	44	-57	208	0	0	1.8	-0.1	1.8
44141	99	SPEED	SUR	43	-58	214	0	0	2.0	0.0	2.0
44150	99	SPEED	SUR	43	-64	202	0	0	2.2	-0.5	2.3
44251	99	SPEED	SUR	46	-53	166	0	0	1.7	-0.9	1.9
44258	99	SPEED	SUR	45	-63	211	0	0	1.7	0.1	1.7
60086	99	SPEED	SUR	55	6	1	0	0	0.0	-0.1	0.1
61002	99	SPEED	SUR	42	5	181	0	0	1.2	0.2	1.3
62001	99	SPEED	SUR	45	-5	217	0	0	1.4	-0.6	1.5

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62023	99	SPEED	SUR	51	-8	217	0	0	1.6	0.3	1.6
62027	99	SPEED	SUR	49	-2	90	0	0	1.5	-0.2	1.5
62050	99	SPEED	SUR	50	-4	217	0	0	1.3	-0.1	1.3
62081	99	SPEED	SUR	51	-13	158	0	0	1.8	-0.8	2.0
62082	99	SPEED	SUR	55	6	2	1	0	0.0	2.9	2.9
62084	99	SPEED	SUR	55	6	1	0	0	0.0	1.9	1.9
62086	99	SPEED	SUR	55	6	40	14	3	2.2	0.6	2.3
62091	99	SPEED	SUR	53	-5	213	0	0	1.4	-0.7	1.6
62093	99	SPEED	SUR	55	-10	217	0	0	1.5	-0.7	1.6
62094	99	SPEED	SUR	52	-7	217	0	0	1.2	-0.1	1.2
62095	99	SPEED	SUR	53	-16	198	0	0	2.1	-0.1	2.1
62102	99	SPEED	SUR	58	2	217	0	0	2.3	0.6	2.4
62103	99	SPEED	SUR	50	-3	210	0	0	1.6	0.1	1.6
62104	99	SPEED	SUR	57	1	217	0	0	1.6	-0.6	1.7
62105	99	SPEED	SUR	55	-13	215	0	0	1.5	0.2	1.6
62107	99	SPEED	SUR	50	-6	217	0	0	1.9	-1.2	2.2
62111	99	SPEED	SUR	58	0	217	0	0	1.6	0.1	1.6
62112	99	SPEED	SUR	58	0	216	0	0	2.1	-1.5	2.6
62113	99	SPEED	SUR	58	0	217	0	0	1.7	0.5	1.8
62114	99	SPEED	SUR	58	0	217	0	0	1.5	0.7	1.7
62116	99	SPEED	SUR	58	1	216	0	0	1.7	-0.6	1.8
62117	99	SPEED	SUR	58	0	179	0	0	1.2	-0.2	1.2
62118	99	SPEED	SUR	58	1	203	0	0	2.3	-1.5	2.8
62119	99	SPEED	SUR	57	2	217	0	0	2.0	-0.5	2.0
62120	99	SPEED	SUR	56	2	217	0	0	2.3	0.3	2.3
62122	99	SPEED	SUR	57	2	217	0	0	1.7	-0.1	1.7
62123	99	SPEED	SUR	56	2	217	0	0	2.1	0.3	2.1
62128	99	SPEED	SUR	59	1	217	0	0	1.8	0.8	2.0
62129	99	SPEED	SUR	58	0	217	0	0	1.4	-0.3	1.4
62131	99	SPEED	SUR	54	1	217	0	0	1.9	-2.0	2.7
62132	99	SPEED	SUR	56	2	217	0	0	2.1	-0.9	2.2
62133	99	SPEED	SUR	57	1	216	0	0	1.9	0.1	1.9
62134	99	SPEED	SUR	58	1	217	0	0	2.6	-1.2	2.9
62142	99	SPEED	SUR	53	2	216	0	0	1.1	-0.3	1.2
62143	99	SPEED	SUR	58	2	217	0	0	2.5	-1.2	2.7
62144	99	SPEED	SUR	53	2	216	0	0	2.6	-1.3	2.9
62145	99	SPEED	SUR	53	3	216	0	0	1.8	-0.8	1.9
62146	99	SPEED	SUR	57	2	217	0	0	4.1	-4.4	6.0
62149	99	SPEED	SUR	54	1	212	0	0	1.4	0.9	1.7
62150	99	SPEED	SUR	54	1	212	0	0	1.6	-0.5	1.6
62152	99	SPEED	SUR	57	2	217	0	0	2.1	-1.9	2.9

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62153	99	SPEED	SUR	57	2	217	0	0	2.4	-0.3	2.4
62154	99	SPEED	SUR	56	2	217	0	0	2.5	-0.1	2.5
62155	99	SPEED	SUR	58	1	217	0	0	2.1	0.4	2.1
62163	99	SPEED	SUR	48	-8	216	0	0	1.5	-0.1	1.5
62164	99	SPEED	SUR	57	1	217	0	0	1.3	-1.2	1.8
62165	99	SPEED	SUR	54	1	212	0	0	1.9	-1.5	2.4
62170	99	SPEED	SUR	51	2	207	0	0	2.1	0.4	2.1
62301	99	SPEED	SUR	52	-5	217	0	0	1.2	0.8	1.4
62303	99	SPEED	SUR	52	-5	217	0	0	1.3	0.9	1.5
62304	99	SPEED	SUR	51	2	217	0	0	1.8	1.3	2.3
62305	99	SPEED	SUR	50	0	216	0	0	1.8	2.1	2.7
63055	99	SPEED	SUR	61	2	217	0	0	1.8	-1.7	2.4
63056	99	SPEED	SUR	60	2	217	0	0	1.6	0.1	1.6
63057	99	SPEED	SUR	59	2	217	0	0	2.4	1.2	2.7
63101	99	SPEED	SUR	61	1	217	0	0	1.7	-0.7	1.8
63103	99	SPEED	SUR	61	1	73	0	0	1.1	-0.4	1.2
63104	99	SPEED	SUR	61	2	216	0	0	1.5	-0.4	1.6
63105	99	SPEED	SUR	61	2	1	0	0	0.0	-1.0	1.0
63106	99	SPEED	SUR	61	2	191	0	0	1.5	-1.7	2.3
63107	99	SPEED	SUR	61	2	217	0	0	2.1	-1.4	2.5
63108	99	SPEED	SUR	61	2	217	0	0	1.8	-0.1	1.8
63109	99	SPEED	SUR	60	2	203	0	0	1.9	0.0	1.9
63110	99	SPEED	SUR	60	2	203	0	0	2.1	0.6	2.2
63112	99	SPEED	SUR	61	1	215	0	0	1.8	-1.0	2.0
63113	99	SPEED	SUR	61	2	25	0	0	1.8	-0.1	1.8
63114	99	SPEED	SUR	61	2	210	0	0	1.7	-0.2	1.7
63115	99	SPEED	SUR	62	1	216	0	0	1.7	-2.0	2.6
63117	99	SPEED	SUR	61	1	215	0	0	1.5	-0.5	1.6
63119	99	SPEED	SUR	58	0	16	0	0	2.4	3.3	4.0
64041	99	SPEED	SUR	61	-3	217	0	0	1.4	-0.4	1.5
64045	99	SPEED	SUR	59	-12	216	0	0	1.6	0.3	1.6
64046	99	SPEED	SUR	61	-4	217	0	0	1.7	0.7	1.8
66021	99	SPEED	SUR	55	14	211	0	0	1.1	0.5	1.2
66024	99	SPEED	SUR	55	13	216	0	0	1.4	0.6	1.5

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND DIRECTION (DEGREES)
AREA : 10N - 90N, 70W - 40E
PERIOD : JAN 2014
STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
13001	99	DIRN	SUR	11	-23	157	0	0	10.3	9.3	13.9
13002	99	DIRN	SUR	20	-23	180	0	0	9.5	8.2	12.6
13008	99	DIRN	SUR	15	-38	103	0	0	11.1	-2.0	11.2
41002	99	DIRN	SUR	32	-75	13	0	0	14.1	19.0	23.7
41008	99	DIRN	SUR	31	-81	171	0	1	17.6	7.9	19.3
41009	99	DIRN	SUR	29	-80	188	0	0	16.0	-0.6	16.0
41012	99	DIRN	SUR	30	-81	194	0	0	13.8	7.6	15.7
41013	99	DIRN	SUR	33	-78	198	0	0	16.2	12.2	20.3
41024	99	DIRN	SUR	34	-79	75	0	0	19.1	0.7	19.1
41025	99	DIRN	SUR	35	-75	63	0	2	25.7	12.9	28.8
41029	99	DIRN	SUR	33	-80	73	0	0	16.8	8.0	18.6
41033	99	DIRN	SUR	32	-80	47	0	0	16.5	9.5	19.0
41036	99	DIRN	SUR	34	-77	201	0	0	18.8	4.9	19.4
41037	99	DIRN	SUR	34	-77	100	0	0	18.2	-3.3	18.5
41038	99	DIRN	SUR	34	-78	77	1	1	21.4	2.3	21.5
41040	99	DIRN	SUR	15	-53	216	0	0	6.9	1.0	6.9
41041	99	DIRN	SUR	14	-46	214	0	0	8.1	3.9	9.0
41044	99	DIRN	SUR	22	-59	216	0	0	10.2	-1.9	10.4
41046	99	DIRN	SUR	24	-68	196	0	0	13.9	-6.4	15.3
41047	99	DIRN	SUR	28	-72	196	0	1	18.0	0.5	18.0
41048	99	DIRN	SUR	32	-70	200	0	1	14.0	4.7	14.8
41049	99	DIRN	SUR	28	-63	202	0	0	20.7	3.8	21.0
41051	99	DIRN	SUR	18	-65	217	0	0	9.8	-7.1	12.1
41052	99	DIRN	SUR	18	-65	217	0	0	7.7	0.7	7.7
41053	99	DIRN	SUR	19	-66	193	0	0	13.2	-6.6	14.8
41056	99	DIRN	SUR	18	-66	216	0	0	8.7	8.2	11.9
41139	99	DIRN	SUR	20	-38	163	0	0	10.3	5.0	11.4
41300	99	DIRN	SUR	16	-58	186	0	1	8.1	3.5	8.8
42022	99	DIRN	SUR	28	-84	155	0	12	32.1	-2.8	32.2
42036	99	DIRN	SUR	29	-85	193	0	0	12.3	2.4	12.5
42056	99	DIRN	SUR	20	-85	178	0	0	12.7	-5.0	13.6
42057	99	DIRN	SUR	17	-82	204	0	0	16.1	3.5	16.4

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42058	99	DIRN	SUR	15	-75	214	0	0	5.9	-4.5	7.4
42059	99	DIRN	SUR	15	-68	216	0	0	6.8	-6.2	9.2
42060	99	DIRN	SUR	16	-63	211	0	0	8.6	-0.5	8.6
42085	99	DIRN	SUR	18	-67	209	0	0	13.3	1.3	13.3
44007	99	DIRN	SUR	44	-70	196	0	0	15.7	3.3	16.0
44013	99	DIRN	SUR	42	-71	187	0	0	15.5	1.0	15.5
44014	99	DIRN	SUR	37	-75	104	0	2	18.9	2.0	19.0
44017	99	DIRN	SUR	41	-72	176	0	0	11.5	3.1	11.9
44022	99	DIRN	SUR	41	-74	77	0	1	13.8	5.0	14.7
44024	99	DIRN	SUR	42	-66	36	0	0	18.0	4.5	18.6
44027	99	DIRN	SUR	44	-67	202	0	0	14.1	-2.8	14.4
44029	99	DIRN	SUR	43	-71	192	0	0	13.8	6.2	15.1
44030	99	DIRN	SUR	43	-70	199	0	0	11.7	4.5	12.5
44032	99	DIRN	SUR	44	-69	201	0	0	12.7	3.0	13.1
44033	99	DIRN	SUR	44	-69	177	0	1	15.1	-0.3	15.1
44034	99	DIRN	SUR	44	-68	202	0	0	12.2	0.1	12.2
44037	99	DIRN	SUR	44	-68	181	0	0	12.5	-0.7	12.6
44039	99	DIRN	SUR	41	-73	160	0	0	14.0	11.5	18.1
44040	99	DIRN	SUR	41	-74	149	0	0	17.8	4.8	18.4
44041	99	DIRN	SUR	37	-77	8	0	0	10.2	-18.8	21.4
44042	99	DIRN	SUR	38	-76	152	0	0	19.8	-9.6	22.0
44043	99	DIRN	SUR	39	-76	40	0	0	12.1	-17.9	21.6
44058	99	DIRN	SUR	38	-76	138	0	0	19.9	-10.6	22.6
44059	99	DIRN	SUR	37	-76	39	0	0	13.8	-25.6	29.1
44060	99	DIRN	SUR	41	-72	159	0	0	16.2	3.6	16.6
44062	99	DIRN	SUR	39	-76	151	0	0	26.8	-4.9	27.2
44063	99	DIRN	SUR	39	-76	145	0	0	16.4	-11.3	19.9
44064	99	DIRN	SUR	37	-76	170	0	1	21.6	5.2	22.3
44065	99	DIRN	SUR	40	-74	176	0	0	15.1	4.1	15.7
44066	99	DIRN	SUR	40	-73	194	0	4	13.0	2.7	13.3
44137	99	DIRN	SUR	42	-62	191	0	0	19.2	0.8	19.2
44139	99	DIRN	SUR	44	-57	198	0	0	13.9	23.5	27.3
44141	99	DIRN	SUR	43	-58	203	0	0	21.4	5.8	22.2
44150	99	DIRN	SUR	43	-64	170	0	1	16.6	6.7	17.9
44251	99	DIRN	SUR	46	-53	150	0	0	13.2	-10.7	17.0
44258	99	DIRN	SUR	45	-63	186	0	0	13.7	4.7	14.5
62001	99	DIRN	SUR	45	-5	204	0	0	15.1	3.9	15.6
62023	99	DIRN	SUR	51	-8	215	0	0	10.1	-4.8	11.2
62027	99	DIRN	SUR	49	-2	85	0	1	31.8	10.1	33.4
62050	99	DIRN	SUR	50	-4	213	0	0	16.3	-3.5	16.7
62081	99	DIRN	SUR	51	-13	157	0	0	12.6	5.2	13.6

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62091	99	DIRN	SUR	53	-5	206	0	0	9.5	-4.8	10.7
62093	99	DIRN	SUR	55	-10	208	0	0	11.9	-4.2	12.6
62094	99	DIRN	SUR	52	-7	211	0	0	10.9	-0.2	10.9
62095	99	DIRN	SUR	53	-16	194	0	0	11.7	3.4	12.2
62103	99	DIRN	SUR	50	-3	196	0	0	18.1	-2.0	18.2
62105	99	DIRN	SUR	55	-13	208	0	0	13.0	1.6	13.1
62107	99	DIRN	SUR	50	-6	213	0	0	13.8	-2.9	14.1
62111	99	DIRN	SUR	58	0	215	0	0	10.4	1.8	10.5
62112	99	DIRN	SUR	58	0	212	0	0	10.0	3.9	10.7
62114	99	DIRN	SUR	58	0	210	0	0	8.5	7.9	11.6
62117	99	DIRN	SUR	58	0	176	0	0	8.7	6.4	10.8
62163	99	DIRN	SUR	48	-8	213	0	0	11.3	5.6	12.6
62301	99	DIRN	SUR	52	-5	214	0	0	13.6	1.6	13.7
62303	99	DIRN	SUR	52	-5	215	0	0	12.9	0.9	12.9
62305	99	DIRN	SUR	50	0	203	0	0	12.3	0.6	12.3
63119	99	DIRN	SUR	58	0	16	0	0	15.5	-6.3	16.7
64041	99	DIRN	SUR	61	-3	210	0	0	8.5	6.6	10.7
64045	99	DIRN	SUR	59	-12	194	0	0	17.4	-0.9	17.4
64046	99	DIRN	SUR	61	-4	209	0	0	11.0	-5.2	12.2

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPs and PILOTSHIPs this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PI-LOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.