ECMWF Products for WMO countries



Xavier Abellán

User Support
Xavier.Abellan@ecmwf.int



Estíbaliz Gascón


Forecast Performance and Products
Estibaliz.Gascon@ecmwf.int



Who we are

ECMWF

An independent intergovernmental organisation established in 1975 With 22 Member States 12 Co-operating States



- Over 300 employees from more than 30 countries.
- Commercial licenses in more than 29 countries
- Research agreements with institutions all over the world
- Cooperation agreement with WMO

ECMWF is a:

- World Meteorological Centre (WMC)
- Lead centre for deterministic NWP and wave forecast verification
- Regional Specialized Meteorological Centre (RSMC) for medium-range forecasts
- Global Producing Centre for Long-range Forecasts (GPC)



The operational forecasting system

High resolution forecast (HRES):

twice per day 9 km 137 levels, to 10 days ahead

Ensemble forecast (ENS):

- twice per day 51 members, 18 km 91 levels, to 15 days ahead
- Monday/Thursday 00 UTC extended to 1 month ahead (Monthly Forecast, 18/36 km)

Ocean waves: twice per day

- HRES-WAM: 10 days ahead at 14 km (coupled)
- ENS-WAM: 15 days ahead at 28 km (coupled)

Seasonal forecast: once a month

- 51-members, ~35 km 91 levels, to 7 months ahead
- sub-set of 15 members is run for 13 months every quarter (30 years of hindcasts)



3

Graphical products

Main website


https://www.ecmwf.int/en/forecasts/charts

- Fixed set of products
- Integrated view and browsing of graphical products
- customisable dashboard
- ecCharts

https://www.ecmwf.int/en/forecasts/eccharts

- Restricted access (license required)
- Interactive web application to visualise and customise medium-range products
- Accessible through WMS protocol (Web Map Services)







Binary products

- WMO essential
 - Publicly accessible
 - Set of basic global fields at low resolution
- WMO additional
 - Restricted access to WMO NMHS's
 - Wider catalogue global of fields

- Data formats:
 - GRIB-2 on a 0.5°/0.5° grid (standard fields)
 - BUFR (Tropical Cyclones)
- Accessible through FTP:
 - <u>ftp://dissemination.ecmwf.int</u>

https://www.ecmwf.int/en/forecasts/datasets/wmo-and-acmad-datasets



Open Datasets

- Multi-model real-time (TIGGE)
- Sub-seasonal to seasonal (S2S)
- Atmospheric composition (Copernicus Atmosphere Monitoring Service - CAMS) https://atmosphere.copernicus.eu
- Reanalysis ERA5 (Copernicus Climate Change Service C3S)
 https://climate.copernicus.eu
- Global Floods: GloFAS (Copernicus Emergency Monitoring Service – CEMS) http://www.globalfloods.eu











ECMWF Production Data Store

- Data Dissemination: Automatic distribution of meteorological products to our Member States and other end-users.
- A total of 1163 Destinations across 79 countries:





WMO accounts

Every WMO country has an account

- wmo_<country_code>
- Associated to the nominated contact person


It gives access to all static charts on our web site

How to access:

Log in <u>www.ecmwf.int/auth/login</u>

Contact servicedesk@ecmwf.int if:

- You need to change the contact associated
- You have any problem accessing the account



Our aim is to keep our contacts database as up to date as possible, so all WMO members can access all available services



Licenses for WMO NMHSs

Reduced

New	
	7

License	NMHS Web Non-commercial	NMHS Standard Non- commercial	NMHS Full Non-commercial
ecCharts	✓	✓	✓
Archived Data	X	X	✓
Customised real-time products dissemination	X	Will become available	✓
Official duties	✓	✓	✓
Academic / research	✓	✓	✓
Commercial	X	X	X
Annual fee	€ 1000	custom fee	€ 42000
Annual fee with High Frequency Products	€ 1000		€ 44400

http://www.ecmwf.int/en/forecasts/accessing-forecasts/licences-available



9

Home About Forecasts Computing Research Learning **Publications**



Datasets

Quality of our forecasts

Documentation

Access to forecasts


Products available

for WMO countries

www.ecmwf.int

Here you will find forecasts and associated verification

Our Integrated Forecasting System (IFS) provides forecasts for multiple time ranges. Our range of forecast products present key aspects of the forecast evolution and the associated uncertainty to address different user requirements.




Medium range


Forecast charts

Overview

Verification

Up to 10/15 days ahead





Meteograms

Up to 10/15 days ahead

ENS meteograms @

ENS meteograms for WMO member states @


Tropical Cyclones

Up to 10/15 days ahead

Latest tropical cyclones

Tropical cyclone activity

Extra-tropical cyclones



Extended range

Up to 32 days ahead

Overview

Verification

Forecast charts

Long range

Up to 13 months ahead

Overview

Forecast charts

Verification

Additional charts

Ocean Reanalysis

Archived EUROSIP Multimodel system

Ouick links

- ecCharts
- ecCharts 2 beta*
- Chart Dashboard

*We are currently testing the next version of ecCharts. Try it and let us have your feedback!

See also

· Monitoring of the observing system


Information and updates

- Forecasting Issues
- Product News
- Model Changes
- Past Severe Events

Guides

- Forecast User Guide
- Guide to Dashboard

High-resolution forecast



High-resolution forecast

Wave forecast products

Significant wave height and mean direction (WMO)

ase time: Fri 25 Oct 2019 00 UTC 🕶 💮 Area: South America 🕶 Significant wave height / Mean wave direction and height Friday 25 Oct, 00 UTC T+0 Valid: Friday 25 Oct, 00 UTC Mean wave direction and height Significant wave height

Simulated satellite products


Simulated (No overlay - WV)


Simulated image: Water vapour (WV) ~300 hPa Friday 25 Oct, 00 UTC T+6 Valid: Friday 25 Oct, 06 UTC

Simulated image: Water vapour (WV) ~300 hPa

Surface parameters

- Soil moisture
- Albedo
- Orography and sea depth
- Sea surface temperature (SST)
- Snow depth and sea ice cover






Ensemble mean and spread products

PARAMETERS: mslp, temperature and wind 850 hPa and geopotential 500 hPa

Ensemble mean and spread: four standard parameters



Extreme Forecast Index (EFI)



Extreme Forecast Index (EFI)

Extreme Forecast Index (EFI) is designed to measure how extreme a given ensemble forecast is.


EFI is a measure of the difference between the ensemble forecast distribution and a reference distribution - model climate (M-climate).

EFI delivers model-climate-related information, therefore it can be used as an "alarm bell" for extreme weather situations over any area without defining different space- and time-dependent thresholds.





Cumulative Distribution

Medians And Percentiles are clearly shown



The **EFI** is an integral measure of the difference between the ensemble forecast (ENS) distribution and the model climate distribution.







Operationally available EFI fields

EFI and SOT parameters:

2-metre mean temperature index

24-h total precipitation index

10-metre mean wind speed index

10-metre maximum wind gusts index

2-metre minimum temperature index

2-metre maximum temperature index

total snowfall index

maximum significant wave height index


CAPE

capeshear

Water Vapor Flux



Ensemble probabilities



Home About Forecasts Computing Research Learning **Publications**



Datasets

Quality of our forecasts

Documentation

Access to forecasts

Static products


available for


WMO countries


www.ecmwf.int

Here you will find forecasts and associated verification

Our Integrated Forecasting System (IFS) provides forecasts for multiple time ranges. Our range of forecast products present key aspects of the forecast evolution and the associated uncertainty to address different user requirements.







Medium range

Up to 10/15 days ahead

Overview

Forecast charts

Verification

Meteograms

Up to 10/15 days ahead

ENS meteograms @


ENS meteograms for WMO member states @

Tropical Cyclones


Up to 10/15 days ahead

Latest tropical cyclones

Extra-tropical cyclones



Tropical cyclone activity



Extended range

Up to 32 days ahead

Overview

Verification

Forecast charts

Long range

Up to 13 months ahead

Overview

Forecast charts

Verification

Additional charts

Ocean Reanalysis

Archived EUROSIP Multimodel system

Ouick links

- ecCharts
- ecCharts 2 beta*
- Chart Dashboard

*We are currently testing the next version of ecCharts. Try it and let us have your feedback!

See also

· Monitoring of the observing system

Information and updates

- Forecasting Issues
- Product News
- Model Changes
- Past Severe Events

Guides

- Forecast User Guide
- Guide to Dashboard

Extended-Range forecast (up to 4 weeks)


Weekly anomalies for different areas and parameters, related to the Model Climate


ECMWF EPS-Monthly Forecasting System Precipitation anomaly Forecast start reference is 24-10-2019

ensemble size = 51 ,climate size = 660

Day 5-11 28-10-2019/TO/03-11-2019 Shaded areas significant at 10% level Contours at 1% level ECMWF EPS-Monthly Forecasting System
2-meter Temperature anomaly
Forecast start reference is 24-10-2019
ensemble size = 51, climate size = 660

Day 5-11 28-10-2019/TO/03-11-2019 Shaded areas significant at 10% level






Maiden-Julian Oscillation forecast

ECMWF MONTHLY FORECASTS FORECAST BASED 31/10/2019 00UTC Day 10 Day 15 Day 20 Analysis Western Pacific RMM2 West Hem. Maritime and Africa Continent -3 Indian Ocean RMM1

and much much more....



Home About Forecasts Computing Research Learning **Publications**



Datasets

Quality of our forecasts

Documentation

Access to forecasts

Static products


available for

WMO countries

www.ecmwf.int

Here you will find forecasts and associated verification

Our Integrated Forecasting System (IFS) provides forecasts for multiple time ranges. Our range of forecast products present key aspects of the forecast evolution and the associated uncertainty to address different user requirements.




Medium range


Forecast charts


Overview

Verification

Up to 10/15 days ahead







Meteograms

Up to 10/15 days ahead

ENS meteograms @


ENS meteograms for WMO member states @

Tropical Cyclones

Up to 10/15 days ahead

Latest tropical cyclones

Tropical cyclone activity



Extra-tropical cyclones

Extended range Up to 32 days ahead

Forecast charts

Overview

Verification

Long range

Up to 13 months ahead

Overview

Forecast charts

Verification

Additional charts

Ocean Reanalysis

Archived EUROSIP Multimodel system

Ouick links

- ecCharts
- ecCharts 2 beta*
- Chart Dashboard

*We are currently testing the next version of ecCharts. Try it and let us have your feedback!

See also

· Monitoring of the observing system


Information and updates

- Forecasting Issues
- Product News
- Model Changes
- Past Severe Events

Guides

- Forecast User Guide
- Guide to Dashboard

Seasonal forecast





Home About Forecasts Computing Research Learning Publications



Datasets

Up to 32 days ahead

Forecast charts

Overview

Verification

Quality of our forecasts

Here you will find forecasts and associated verification

Documentation


Access to forecasts

Static products

available for

WMO countries

www.ecmwf.int



Up to 13 months ahead

Forecast charts

Overview

Verification

Ocean Reanalysis

model system

Archived EUROSIP Multi-

Quick links

- ecCharts
- ecCharts 2 beta*
- Chart Dashboard

*We are currently testing the next version of ecCharts. Try it and let us have your feedback!

See also

Monitoring of the observing system


Information and updates


- Forecasting Issues
- Product News
- Model Changes
- Past Severe Events

Guides


- · Forecast User Guide
- Guide to Dashboard


Meteograms





Tropical cyclones









Home About Forecasts Computing Research Learning **Publications**



Datasets

Quality of our forecasts

Documentation

Access to forecasts

Static products


available for


WMO countries


www.ecmwf.int


Here you will find forecasts and associated verification

Our Integrated Forecasting System (IFS) provides forecasts for multiple time ranges. Our range of forecast products present key aspects of the forecast evolution and the associated uncertainty to address different user requirements.









Medium range

Up to 10/15 days ahead

Overview

Forecast charts

Verification

Meteograms

Up to 10/15 days ahead

ENS meteograms @

ENS meteograms for WMO member states @


Tropical Cyclones

Up to 10/15 days ahead

Latest tropical cyclones

Tropical cyclone activity

Extra-tropical cyclones



Extended range

Up to 32 days ahead

Overview

Verification

Forecast charts

Long range

Up to 13 months ahead

Overview

Forecast charts

Verification

Additional charts

Ocean Reanalysis

Archived EUROSIP Multimodel system

Ouick links

- ecCharts
- ecCharts 2 beta*
- Chart Dashboard

*We are currently testing the next version of ecCharts. Try it and let us have your feedback!

See also

· Monitoring of the observing system

Information and updates

- Forecasting Issues
- Product News
- Model Changes
- Past Severe Events

Guides

- Forecast User Guide
- Guide to Dashboard

Forecast performance in focus: VERIFICATION PLOTS

Forecast performance: headline scores

2 primary scores


- HRES upper-air skill
- ENS upper-air skill

6 supplementary scores

- Precipitation
 - HRES skill
 - ENS skill
- Percentage of large temperature errors
- Weekly mean 2m temperature (terciles)

Severe weather

- Tropical cyclone track position error
- EFI skill 10m wind







ecCharts



ecCharts forecaster


- Interactive tool (zoom, pan ...)
- Global fields
- Clickable maps to obtain extra information
 - Meteograms
 - Vertical profiles
- You may overlay more than 230 parameters from HRES and ENS
- Projection and time controls
- You create your own products








Data Availability on ecCharts



- As soon as it is made available by our operational production
- On-demand plots as the data become available



ecCharts Basic Concepts



Layer(500 hPa Z)


Style for the selected layer


Projection

Many more products in ecCharts!



Precipitation type probabilistic products






New post-processing 12-h Point-Rainfall product (ecpoint)


The product aims to bridge the gap between the relatively coarse resolution and higher-resolution limited-area models needed to describe localized heavy rainfall.

Post-processing method blends together information from different locations with similar rainfall generation mechanisms (assumptions: physical mechanisms are universal and dependent on key atmospheric and geographic properties)




https://www.ecmwf.int/en/newsletter/153/news/new-point-rainfall-forecasts-flash-flood-prediction






Probability of exceeding 20mm / 12h




Lead time + 18 h




Lead time + 24 h


Lightning observations







User guide to ECMWF forecast products



https://www.ecmwf.int/en/about/media-centre/focus/user-guide-ecmwf-forecast-products



Resources

- Slides and recording will be published on our website shortly:
 - https://www.ecmwf.int/en/about/media-centre/news/2019/more-ecmwf-products-made-freely-available-wmo-members
- Charts and Datasets for WMO (free of charge)
 - https://www.ecmwf.int/en/forecasts/charts
 - https://www.ecmwf.int/en/forecasts/datasets/wmo-and-acmad-datasets
- License information
 - http://www.ecmwf.int/en/forecasts/accessing-forecasts/licences-available
 - <u>data.services@ecmwf.int</u>
- Forecast Products User Guide:
 - https://www.ecmwf.int/en/about/media-centre/focus/user-guide-ecmwf-forecast-products
- For any other query:
 - servicedesk@ecmwf.int

