REQUEST FOR A SPECIAL PROJECT 2014–2016

MEMBER STATE:	IRELAND					
Principal Investigator ¹ :	Conor Sweeney					
Affiliation:	University College Dublin					
Address:	School of Mathematical Sciences, UCD, Belfield, Dublin 4 Ireland					
E-mail:	Conor.sweeney@ucd.ie					
Other researchers:	Ray McGrath – Met Éireann					
	Emily Gleeson – Met Éireann					
Project Title:	Downscaling a wetter/hotter outlier GCM for the EURO-CORDEX initiative.					
If this is a continuation of an existing project, please state the computer project account assigned previously.			SPIESWEE			
Starting year: (Each project will have a well defined duration, up to a maximum of 3 years, agreed at the beginning of the project.)			2012			
Would you accept support for 1 year only, if necessary?			YES	NO NO		
Computer resources required for 2014-2016: (The maximum project duration is 3 years, therefore a continuation project cannot request resources for 2016.)			2014	2015	5	2016
High Performance Computing F	acility	(units)	4,500,000			
Data storage capacity (total arch	ive volume)	(gigabytes)	10,000			
An electronic copy of this form must be sent via e-mail to:			special_projects@ecmwf.int			
Electronic copy of the form sent	on (please spe	ecify date):	27 June 201	3		
					Con	tinue overleaf

This form is available at: January 2013 Page 1 of 4

¹ The Principal Investigator will act as contact person for this Special Project and, in particular, will be asked to register the project, provide an annual progress report of the project's activities, etc.

Principal Investigator: Conor Sweeney

Downscaling a wetter/hotter outlier GCM for the **Project Title:**

EURO-CORDEX initiative

Extended abstract

It is expected that Special Projects requesting large amounts of computing resources (500,000 SBU or more) should provide a more detailed abstract/project description (3-5 pages) including a scientific plan, a justification of the computer resources requested and the technical characteristics of the code to be used. The Scientific Advisory Committee and the Technical Advisory Committee review the scientific and technical aspects of each Special Project application. The review process takes into account the resources available, the quality of the scientific and technical proposals, the use of ECMWF software and data infrastructure, and their relevance to ECMWF's objectives. -Descriptions of all accepted projects will be published on the ECMWF website.

This application is for the extension of an existing special project (SPIESWEE), whose aim is to provide high resolution regional climate model (RCM) data for Europe over the period 1950-2100.

This project was approved in September 2012, and awarded 5,000,000 SBU for 2012, and 8,000,000 SBU for 2013 – a total of 13,000,000 SBU.

Preparation of the global model data required to run the RCM for this project required writing a new program. Previous codes were available from the community, but unfortunately none of them suited the global data being used. Writing this new program was not straightforward, and was not completed until 2013. We did not, therefore, get to use any of the 5,000,000 SBU allocated for 2012.

Happily, all simulations are now running successfully. However, in order to complete the simulations, we will need the project to be awarded 4,500,000 SBU for use in 2014. We expect the simulations to have completed in the first half of 2014.

The scientific plan is included here, for reference:

Scientific Plan

Regional climate models (RCMs) have become increasingly important tools in the study of regional climate processes and in the generation of regional climate change projections and seasonal to decadal predictions. In particular, under the endorsement and scientific initiative of the World Climate Research Programme (WCRP), an international program, the Coordinated Regional climate Downscaling Experiment (CORDEX), has been implemented.

CORDEX aims to provide an internationally coordinated framework within which various regional climate downscaling (RCD) methodologies can be compared, improved, standardized and, where possible, bestpractices recommended. The specific aims of CORDEX are to provide a framework to coordinate model evaluation and improvement, produce a new generation of RCD projections for land-regions worldwide based on new CMIP5 GCM projections, to foster the dialogue between the RCD communities and the impact, adaptation and vulnerability communities, and to engage developing nation scientists in the generation, evaluation and use of CORDEX data.

Within this framework, regional initiatives are formed. In Europe, the EURO-CORDEX initiative has been formed. EURO-CORDEX is a voluntary effort of many of the leading and most active institutions in the field of regional climate research in Europe and is coordinated by D. Jacob (CSC Germany) and A. Gobiet (WegCenter/UniGraz). EURO-CORDEX (similar to the entire CORDEX initiative) is not providing funding to any participant, but is fully relying on the enthusiasm of the participating researchers and institutions. This

enthusiasm is based on the aim to improve climate projections, in order to enable the European society to better adapt to unavoidable climate change and to design more efficient mitigation strategies.

Unlike most other regions of the Earth, Europe already has coordinated ensembles of regional climate simulations (Ensembles, Prudence). These climate scenarios were provided on grid-sizes down to 25 km and are based on the previous generation of emission scenarios (SRES). In order to proceed from this point, the EURO-CORDEX simulations will not only consider new greenhouse gas emission scenarios, but will also use more recent version of Regional Climate Models (RCMs), and increase spatial resolution.

The EURO-CORDEX simulations consider the global climate simulations from the CMIP5 long-term experiments up to the year 2100. They are based on greenhouse gas emission scenarios (Representative Concentration Pathways, RCPs) corresponding to stabilization of radiative forcing after the 21st century at 4.5 W/m² (RCP4.5), rising radiative forcing crossing 8.5 W/m² at the end of 21st century (RCP8.5), and peaking radiative forcing within the 21st century at 3,0 W/m² and declining afterwards (RCP2.6, also referred to as RCP3-PD).

EURO-CORDEX simulations will focus on grid-sizes of about 12 km (0.11 degree). Auxiliary simulations with the standard CORDEX resolution of about 50 km (0.44 degree) are being conducted. This initiative will allow new regional downscaling techniques to be evaluated in a consistent manner, and produce a new generation of regional climate projections for use in impact/adaptation studies. These projections will have a wide range of applications, and are essential to inform climate change policies at an international, national and regional scale within Europe.

EURO-CORDEX aims to:

- Coordinate joint evaluation in the European region: GCM evaluation. RCM evaluation. reference datasets.
- Coordinate the design of the EURO-CORDEX simulation matrix, and joint analysis of climate projections in the European region.
- Foster cooperation with GCM community: GCM analysis for European region.
- Foster cooperation with impact, adaptation, and mitigation community: Error correction, ensemble based products, regionally relevant CC indicators, etc.
- Foster dissemination of EURO-CORDEX results.




Figure 1: EURO-CORDEX region

In its first phase, EURO-CORDEX focuses on the evaluation of the high resolution simulations and on the construction of a simulation matrix that covers both the uncertainty induced by the driving global climate models and the uncertainty induced by the RCD methods in the best affordable manner. The need for such a simulation matrix was seen by evaluating CMIP3 GCMs. The GCMs contribute the major fraction to uncertainty over Europe (and worldwide). Further future activities include the analysis of future climate simulations, the joint analysis of dynamical and empirical-statistical methods, and the design and application of suitable bias correction techniques to provide EURO-CORDEX results that are directly applicable in climate change impact research.

Page 3 of 4




Figure 2: Uncertainty Components in CMIP3 (30 yrs, Europe)

Prein, A. F., A. Gobiet, and H. Truhetz (2011), Analysis of uncertainty in large scale climate change projections over Europe, Meteorologische Zeitschrift, 20(4), 3

At the European Geosciences Union General Assembly, in Vienna April 2012, presentations gave an overview of the current status and activities of the EURO-CORDEX community. A EURO-CORDEX splinter meeting was also held. Recent GCM analyses were presented at the splinter meeting, including updated dTemperature/dPrecip scatter plots. It was emphasised that there is a need for downscaling "hotter/wetter" GCMs. Judging from ongoing GCM analysis at annual time scales, The MIROC GCM would be a suitable wetter and hotter GCM.

Therefore, the aim of this Special Project is to downscale the wetter/hotter MIROC5 GCM. The members of this project already have experience of running the RCM involved on the ECMWF HPCF. This project will involve running:

- •Control 1950-2005, 56 years
- •Scenario RCP4.5: 2006-2100, 95 years

EURO-CORDEX is a collaborative initiative, and by producing these downscaled data, the project team will have access to data produced by other members of the EURO-CORDEX initiative. It is expected that analyses of these data will lead to publications in leading, peer-reviewed journals.

Justification of Computer Resource

This project uses the COMSO-CLM model (http://www.clm-community.eu) to downscale the GCM data. The simulations are currently running on c2a at the ECMWF. At the current rate, the historical simulation will be completed in September 2013, and 4,300,000 SBU will have been used. By November, we will have used our 2013 allocation of 8,000,000 SBU, and the simulation year will be 2055. In order to complete the simulations, we will need an additional 4,500,000 SBU for use in 2014.

Technical characteristics of the code

The COSMO model in CLimate Mode (COSMO-CLM or CCLM) is a non-hydrostatic regional climate model developed from the Local Model (LM) of the German Weather Service by the CLM-Community. Since 2005 it is the Community-Model of the German climate research. The model has been used for simulations on time scales up to centuries and spatial resolutions between 1 and 50 km.

COSMO-CLM is a well-established RCM, and members of this project team have prior experience of running COSMO-CLM on the ECMWF HPCF.